

AMO A3 Size UV DTF AMO 3003 with 3 pieces of XP600 Printheads

Printt width:300mm

Specification:

Headsets: Epson XP600

Head quantity: 3 pieces

Speed:

High quality model :1.4 square meters/hour

Fast production mode:3 square meters/hour

Feeding Width:300mm

Media Transmission:Resistance Bilateral Adjustable Paper Placement System

Color:Six colors (c/M/y/K/V/w)

Ink Type :Special ultraviolet ink for glass labels

Communication Interface :Network Port

Operating Language :Chinese / English

Printing software :Maintop6.1 / photoprint (optional)

Operating System :Win10/Win7

Printing Media :A/B Film

Head Cleaning:Automatic Ink Battery Cleaning System

Configuration:

Servo motor high quality X-axis stroke

High quality chuchen large torque motor shaft and + high precision reducer

Bilateral Resistance Adjustable Disconnect System

Hiwin Silent High Speed Linear Guide

Automatic mixing system for white ink. Ink Solidification Setting: High Power Air Cooled Ultraviolet Lamp

The ink path increases the filter, the high quality filtration system

Automatic Rubber Roller Lifting System

Waste collection film: swing bar squeezes Smart Energy Waste collection film

Ink shortage alarm setting: automatic ink shortage alarm system

Paper coating configuration: high precision roller, temperature control roller intelligent heating

Paper shortage alarm: equipped with paper shortage alarm induction function

Ink Type: Eco-friendly special ultraviolet ink, beautiful color and high durability

Color control: International standard ICC color control, user-adjustable curves and density and other functions.

Working Environment:15 - 30°C/40% - 60%

Equipment power:1200w

Package Weight:100kg

Size of whole machine:1525*725*755mm (packing size) 1200*500*1166mm (equipment size)

Recommended computer configuration:


Operating System Win7/win10 Gigabit Network Card Standalone Graphics Card 8g - Memory 500g Hard Drive tnel(r)CORE(tm)i5/i7cpu

Detail:



Printer new style reference:

A3-DTF



A3-UVDTF

Applications:

经



烫

