API	request data	method	test points									
eateOrder {"shoid" : s	hopid, "itemid": itemid, "amount": amount, "sales": sales}	post index	shopid (string)	itemid (string)	amount (int)	sales (int)	method (post)	URL	database	return code	description	
		1		0			post	http://127.0.0.1:5000/createorder/		11	the parameters is too long or too sho	
		2	Body {"shopid": "123", "itemid":	"456", "amount":	12, "sales" : 2345.0, "	it": 12}	post	http://127.0.0.1:5000/createorder/		11	the parameters is too long or too sho	
		3	Body {"shopid": "12	23", "itemid": "456",	"amount": 12}		post	http://127.0.0.1:5000/createorder/		11	the parameters is too long or too sho	
		4	Body {"shopid": "123", "item	nid": "456", "amour	nt": 12, "sales" : 2345.	.0}	post	http://127.0.0.1:5000/createorder/	insert	200	request state code	
		5	Body {"shopid": "123", "iter	nid": 456, "amoun	t": 12, "sales" : 2345.0	0}	post	http://127.0.0.1:5000/createorder/		12	the parameters type is wrong	
		6	Body {"shopid": 123, "itemi	d": "456", "amoun	t": 12, "sales" : 2345.0	0}	post	http://127.0.0.1:5000/createorder/		12	the parameters type is wrong	
		7	Body {"shopid": "123", "itemi	d": "456", "amoun	": 12, "sales" : "2345.	.0"}	post	http://127.0.0.1:5000/createorder/		12	the parameters type is wrong	
		8	Body {"shopid": "123", "itemi	d": "456", "amoun	r": "12", "sales" : 2345	5.0}	post	http://127.0.0.1:5000/createorder/		12	the parameters type is wrong	
		9	Body {"shopid": "", "itemid	l": "456", "amount"	: 12, "sales" : 2345.0	}	post	http://127.0.0.1:5000/createorder/		13	there is empty parameter in the requ	
		10	Body {"shopid": "123", "ite	emid": "", "amount"	: 12, "sales" : 2345.0	}	post	http://127.0.0.1:5000/createorder/		13	there is empty parameter in the requ	
		11	Body {"shopid": "123", "item	nid": 456, "amount	": -12, "sales" : 2345.	0}	post	http://127.0.0.1:5000/createorder/		14	the parameter value is illegal	
		12	Body {"shopid": "123", "item	nid": 456, "amount	": 12, "sales" : -2345.	0}	post	http://127.0.0.1:5000/createorder/		14	the parameter value is illegal	
		13	Body {"shopid": "123", "item	nid": "456", "amour	nt": 12, "sales" : 2345.	.0}	get	http://127.0.0.1:5000/createorder/		405	resquest state code	
		14	Body {"shop": "123", "item	id": 456, "amount"	": 12, "sales" : 2345.0	}	post	http://127.0.0.1:5000/createorder/		500	resquest state code	
		15					post	http://127.0.0.1:5000/createorder/		500	resquest state code	
		16	Body {"shopid": "123", "item	nid": "456", "amour	nt": 12, "sales" : 2345.	.0}	post	http://127.0.0.1:5000/		404	resquest state code	
		17	Body {"shopid": "123", "item	nid": "456", "amour	nt": 12, "sales" : 2345.	.0}	post	http://127.0.0.1:5000/createorder/	update is successfu	ul 0	success	
		18	Body {"shopid": "123", "item	nid": "456", "amour	nt": 12, "sales" : 2345.	.0}	post	http://127.0.0.1:5000/createorder/	update falied	15	the update for database failed	
			Body {"shopid": "234", "itemid": "1314", "amount": 5, "sales": 9223372036854775807.0}							14		
API	request data	method	test points									
emonitor	shopid (string)	get index	URL	method (get)	database	retrun code	descriptioin	return data				
		1	http://127.0.0.1:5000/livemonitor/?shopid=789	get		200	request state code	top5 if there are no less than 5 records of different itemids for the shopid				
		2	http://127.0.0.1:5000/livemonitor/	get		11	the parameters is too long or too short					
		3	http://127.0.0.1:5000/livemonitor/?shopid=789&b=12	get		11	the parameters is too long or too short					
		4	http://127.0.0.1:5000/livemonitor/?itemid=789	get		13	the parameters is empty					
		5	http://127.0.0.1:5000/livemonitor/?shopid	get		13	the parameters is empty					
		6	http://127.0.0.1:5000/livemonitor/?shopid=789	post		405	request state code					
		7	http://127.0.0.1:5000/	get		404	request state code					
		8	http://127.0.0.1:5000/livemonitor/?shopid=789	get		14	there is no records for the shopid					
		9	http://127.0.0.1:5000/livemonitor/?shopid=123	get		200	request state code	top1 if there is only one record of different itemids for the shopid				
		10	http://127.0.0.1:5000/livemonitor/?shopid=124	get		200	request state code	top2 if there are only two records of different itemids for the shopid				
		11	http://127.0.0.1:5000/livemonitor/?shopid=125	get		200	request state code	top3 if there are only three records of different itemids for the shopid				
		12	http://127.0.0.1:5000/livemonitor/?shopid=126	-		200		top4 if there are only four records of different itemids for the shopid				