



iOS SDK 1.10.2.0 for Cordova/Ionic User Guide



This document is intended only for authorized individuals of AppSealing customer.
Unauthorized distribution of any parts of this document to other parties is prohibited.

The software referenced herein, this User Guide, and any associated documentation is provided to you pursuant to the agreement between your company, governmental body or other entity (“you”) and INKA Entworks Corporation (“AppSealing”) under which you have received a copy of AppSealing Licensed Technology and this User Guide (such agreement, the “Agreement”). Defined terms not defined herein shall have the meanings ascribed to them in the Agreement. In the event of conflict between the terms of this User Guide and the terms of the Agreement, the terms of the Agreement shall prevail. Without limiting the generality of the remainder of this paragraph, (a) this User Guide is provided to you for informational purposes only, (b) your right to access, view, use, and copy this User Guide is limited to the rights and subject to the applicable requirements and limitations set forth in the Agreement, and (c) all of the content of this User Guide constitutes “Confidential Information” of AppSealing (or the equivalent term used in the Agreement) and is subject to all of the limitations and requirements pertinent to the use, disclosure and safeguarding of such information. Permitting anyone who is not directly involved in the authorized use of AppSealing Licensed Technology by your company or other entity to gain any access to this User Guide shall violate the Agreement and subject your company or other entity to liability therefore.

Copyright Information

Copyright © 2000-2025 INKA Entworks Corporation. All rights reserved.

AppSealing® is a trademark of INKA Entworks Corporation in the South Korea and/or other countries.

macOS™ and Xcode® are trademarks of Apple Inc., registered in the United States and other countries.

All other trademarks are the property of their respective owners.

Disclaimer

The remainder of this User Guide notwithstanding, this User Guide is provided “as is”, without any warranty whatsoever (including that it is error-free or complete). This User Guide contains no express or implied warranties, covenants or grants of rights or licenses, and does not modify or supplement any express warranty, covenant or grant of rights or licenses that is set forth in the Agreement. This User Guide is current as of the date set forth in the header that appears above on this page, but may be modified at any time without prior notice. Future revisions and updates of this User Guide shall be distributed as part of AppSealing SDK new releases. INKA Entworks shall under no circumstances bear any responsibility for your failure to operate AppSealing Licensed Technology in compliance with the then-current version of this User Guide. Your remedies with respect to your use of this User Guide, and INKA Entworks' liability for your use of this User Guide (including for any errors or inaccuracies that appear in this User Guide) are limited to those remedies expressly authorized by the Agreement (if any).

Contact Information

Address: [06109] 1F 608, Nonhyeon-ro, Gangnam-gu, Seoul, South Korea

Technical support: <https://helpcenter.appsealing.com>

Website: www.appsealing.com

Table of Contents

Prerequisite	4
Part 1. Put SDK in right place	
1-1 Move downloaded SDK file into your project folder	5
1-2 Un-compress moved SDK file by double clicking it	6
1-3 Compare Bundle ID of your project with the registered bundle ID of SDK	7
Part 2. Add additional files to your project	
2-1 Open your Xcode project	8
2-2 Perform 'File >> Add Files to "TestApp_Swift"...' menu action	8
2-3 Add license file using 'Build Phase >> Copy Bundle Resources'	10
2-4 Add Bridging header into Swift/Ionic project	13
2-5 Append AppSealing header to bridging header file (Swift-project only)	14
2-6 Add an item to PrivacyInfo.xcprivacy file (App Store upload)	15
Part 3. Add simple GUI for iOS security intrusion	
3-1 Show UIAlertController window in your app	17
Part 4. Modify "Build Settings" of your project	
4-1 Select top project at Project Navigator and select "TestApp_Swift" target at TARGETS	21
4-2 Select "Build Settings" tab and type "Other link" in search box	21
4-3 Build Settings "Architectures – Excluded Architectures"	23
4-4 Reminds about Xcode build mode	26
4-5 Generate App integrity and certificate snapshot	27
4-6 Controlling anti-swizzling/anti-hooking features	33
4-7 Upload re-signed IPA to App Store Connect	35
Part 5. Acquire AppSealing device unique identifier	
5-1 Show acquired device unique identifier	40
Part 6. How to apply enhanced jailbreak-detection using app server	
6-1 Overview and Necessity of Enhanced Jailbreak Detection Method	42
6-2 iOS App Code	43
6-3 Verification at app server	44
Part 7. Resign and upload from Xcode Cloud	
7-1 Configure Xcode Cloud	59
7-2 ci_scripts preparation process	61
7-3 Check the build and upload process	69

Part 8. Apply to Fastlane project

8-1 Configure project's Fastfile 74

Part 9. Troubleshooting

9-1 Xcode Build error (1) Use of undeclared type 'AppSealingInterface' 79

9-2 Xcode Build error (2) Undefined symbols for architecture arm64:

 "_OBJC_CLASS_\$_AppSealingInterface" 80

9-3 Xcode Build error (3) ld: library not found for -lStaticAppSec_Debug 82

9-4 Xcode Build error (4) Undefined symbols for architecture arm64:

 "ObjC_IsAbnormalEnvironmentDetected()", "Appsealing()" 84

9-5 Xcode Build error (5) Undefined symbols for architecture arm64:

 "ObjC_IsAbnormalEnvironmentDetected()" (Objective-C project only) 86

9-6 Execution error (1) App terminated immediately after launch 87

9-7 Execution error (2) App terminated suddenly while running 88

9-8 Cannot execute "generate_hash" : Permission denied 89

9-9 On the silicon mac, build fails for debug mode, simulator run. 89


Prerequisite

- Xcode 12.5.1 or newer (macOS 11 or newer)
- iOS Device with iOS 9.0 or newer


Part 1. Put SDK in right place

After you downloaded AppSealingSDK zip file, you should un-compress it into your Xcode project folder. This document will use sample Xcode swift project named 'TestApp_Swift' for illustration, and its location is "~/Documents/TestApp_Swift".


1-1 Move downloaded SDK file into your project folder



**** Warning: SDK versions that include "AdhocEnabled" in the name of the compressed file are SDKs with weakened security features, enabling app distribution through methods other than the official App Store or TestFlight (such as Ad Hoc, enterprise, MDM, and other third-party stores). Distribution outside of the App Store can make you vulnerable to attacks, so unless absolutely necessary, we recommend downloading a version that does not include AdhocEnabled.**

1-2 Un-compress moved SDK file by double clicking it


After uncompressing zip file, check whether all files are generated like following structure.




If any file is missing try re-download SDK or try expand zip file again.

1-3 Compare Bundle ID of your project with the registered bundle ID of SDK

After you've uncompressed SDK zip file, you should check your bundle ID is valid. Open Xcode and select top project at left panel and select your project name (TestApp_Swift) in TARGETS list.




Then select "General" tab and check your bundle Id whether it is same as or starts with the value you entered when downloading SDK at AppSealing Developer Center (ADC).




Part 2. Add additional files to your project



2-1 Open your Xcode project



2-2 Perform 'File >> Add Files to "TestApp_Swift"...' menu action



In dialog box, select "**appsealing.lic**", "**AppsealingiOS.h**" and "**AppsealingiOS.mm**" files in "AppSealingSDK/Libraries/" folder and click "Add" button.



Click button to add files

2-3 Add license file using 'Build Phase >> Copy Bundle Resources'



**Only if your project is Cordova based.
(Do not refer this & next two pages if your project is not Cordova based)**

Select project target then move to "Build Phase" tab. Click the left arrow icon of the "Copy Bundle Resources" item at the bottom of the "Build Phase" tab to expand the area.

A screenshot of the Xcode interface showing the "Build Phases" tab selected. The "Copy Bundle Resources" section is expanded, showing three items: "MainViewController.xib", "Images.xcassets", and "CDVLaunchScreen.storyboard". The "Copy Bundle Resources" section is circled with a red dotted line.

General	Signing & Capabilities	Resource Tags	Info	Build Settings	Build Phases	Build Rules
+ Filter						
<ul style="list-style-type: none">▶ Dependencies (1 item)▶ Copy www directory▶ Copy Bundle Resources (3 items)▶ Compile Sources (3 items)▶ Link Binary With Libraries (1 item)						


When it is expanded as shown below, click the "+" icon.

A screenshot of the Xcode interface showing the "Build Phases" tab selected. The "Copy Bundle Resources" section is expanded, showing three files: "MainViewController.xib", "Images.xcassets", and "CDVLaunchScreen.storyboard". The "CDVLaunchScreen.storyboard" file is highlighted with a gray background. The "+" icon at the bottom of the expanded section is circled with a red dotted line.


General	Signing & Capabilities	Resource Tags	Info	Build Settings	Build Phases	Build Rules
+ Filter						
<ul style="list-style-type: none">▶ Dependencies (1 item)▶ Copy www directory▼ Copy Bundle Resources (3 items)<ul style="list-style-type: none">MainViewController.xib ...in HellowWorld/ClassesImages.xcassets ...in HellowWorldCDVLaunchScreen.storyboard ...in HellowWorld▶ Compile Sources (3 items)▶ Link Binary With Libraries (1 item)						

A file selection window will appear and the three files you added earlier are displayed

at the top. Select "appsealing.lic" among them and click "Add" button.



Make sure the "appsealing.lic" file is added as a bundle resource as shown below.



Now expand the "Classes" folder in the project navigation pane on the left and select the "MainViewController.m" file inside it then change the file extension to .mm. After making changes, open the file and add the line #include "AppSealingiOS.h" at the top. Then find the "init" method and put Appsealing(); line before return statement.

Finally, it should be in the form below..

The screenshot shows the Xcode interface with the project 'HelloWorld' selected. The left sidebar shows the project structure with a red dashed oval highlighting the 'Classes' folder. Inside 'Classes', 'MainViewController.mm' is selected and shown in the main editor area. The code is as follows:

```
27 #import "MainViewController.h"
28 #include "AppSealingiOS.h"
29
30 @implementation MainViewController
31
32 - (id)initWithNibName:(NSString*)NibNameOrNil bundle:(NSBundle*)bundleOrNil
33 {
34     self = [super initWithNibName:nibNameOrNilOrNil bundle:nibBundleOrNil];
35     if (self) {
36         // Uncomment to override the CDVCommandDelegateImpl used
37         // _commandDelegate = [[MainCommandDelegate alloc] initWithViewController:self];
38         // Uncomment to override the CDVCommandQueue used
39         // _commandQueue = [[MainCommandQueue alloc] initWithViewController:self];
40     }
41     return self;
42 }
43
44 - (id)init
45 {
46     self = [super init];
47     if (self) {
48         // Uncomment to override the CDVCommandDelegateImpl used
49         // _commandDelegate = [[MainCommandDelegate alloc] initWithViewController:self];
50         // Uncomment to override the CDVCommandQueue used
51         // _commandQueue = [[MainCommandQueue alloc] initWithViewController:self];
52     }
53     Appsealing();
54     return self;
55 }
56 }
```

Annotations include a red dashed oval around the '#include "AppSealingiOS.h"' line and another red dashed oval around the 'Appsealing();' call in the 'init' method.


For Cordova projects, If you do not add "Appsealing();" function call statement, the AppSealing static library is not automatically linked, **so this line must be added for the AppSealing function to work properly.**

2-4 Add **Bridging Header** into Ionic project



Only if your project is Ionic based
(Do not refer this & next pages if your project is Cordova based)


Since your project is swift-based project, you would encounter a dialog box which asks you create a bridging header file or not only if there's no bridging header in your project yet. You should click "Create Bridging Header".




* Supposing your project already has bridging header file, the upper dialog box will not appear and you can use your existing bridging header file.

** If your project is Cordova based, the bridging header file is not used.

2-4 Append AppSealing header to bridging header file (Ionic project only)




Select newly created "TestApp_Swift-Bridging-Header.h" file (or existing bridging header file) and append `#import "AppsealingiOS.h"` to end of document like below.




2-6 Add an item to **PrivacyInfo.xcprivacy** file (App Store upload)

Since May 2024, privacy manifest file is required for App Store upload.

If there is no "PrivacyInfo.xcprivacy" file in the project, please open .xcodeproj or .xcworkspace file of the project by Xcode, and then click "File > New > File..." in the menu.



Choose "App Privacy" in the "Resource" section to add privacy manifest file in the project:



For more detailed guide for the privacy manifest file, please refer to the following link:

https://developer.apple.com/documentation/bundleresources/privacy_manifest_files#4284009

Open "PrivacyInfo.xcprivacy" file and add items so that the file includes the following structure:

- key "NSPrivacyAccessedAPITypes"
 - array
 - ◆ key "NSPrivacyAccessedAPIType": string "NSCategoryFileTimestamp"
 - ◆ key "NSPrivacyAccessedAPITypeReasons"
 - array
 - string "C617.1"

As the result, when you open "PrivacyInfo.xcprivacy" in Xcode, you can check the following structure is included:

▼ Privacy Accessed API Types	❖ Array	(1 item)
▼ Item 0	Dictionary	(2 items)
Privacy Accessed API Type	❖ String	File Timestamp
▼ Privacy Accessed API Reasons	❖ Array	(1 item)
Item 0	String	C617.1: Inside app or group container, per documentation


Part 3. Add simple GUI for iOS security intrusion

The AppSealing library within your App is automatically activated when right after App has launched. If AppSealing library has detected any abnormal environment (such as jailbroken-device, executable has decrypted or debugger has attached) it will close the app after 20 seconds irrespectively of user action, so the app should notify the detection result to user and show some proper message box for user can recognize there's some invalid environment in his/her device.

If you want to show that dialog box in your app, you can easily do that inserting small chunk of code into "ViewController.swift" file. (ViewController.mm in case of Objective-C based project)

3-1 Show **UIAlertController** window in your app

First, open your Xcode project and open "ViewController.swift" file.



The screenshot shows the Xcode interface with the "ViewController.swift" file open in the editor. The file contains the following Swift code:

```
1 //  
2 // Viewcontroller.swift  
3 // TestApp_Swift  
4 //  
5 // Created by puzznic on 29/01/2019.  
6 // Copyright © 2019 AppsealingDev. All rights reserved.  
7 //  
8  
9 import UIKit  
10  
11 class ViewController: UIViewController {  
12  
13     override func viewDidLoad() {  
14         super.viewDidLoad()  
15         // Do any additional setup after loading the view, typically from a nib.  
16    }  
17  
18  
19 }  
20  
21
```

After you opened the swift file put code in the "CodeSamples.txt" file into that (If ViewController.swift file has already included '**viewDidAppear**' method just insert the body of code below '[super.viewDidAppear\(animated\);](#)' line.)

Simple UI code into 'ViewController.swift' for Swift project

```


override func viewDidAppear(_ animated: Bool)
{
    super.viewDidAppear( animated );

//#####
let inst: AppSealingInterface = AppSealingInterface();
let tamper: Int32 = inst._IsAbnormalEnvironmentDetected();
if ( tamper > 0 )
{
    var msg = "Abnormal Environment Detected !!!";
    if ( tamper & DETECTED_JAILBROKEN ) > 0
        { msg += "\n - Jailbroken"; }
    if ( tamper & DETECTED_DRM_DECRYPTED ) > 0
        { msg += "\n - Executable is not encrypted"; }
    if ( tamper & DETECTED_DEBUG_ATTACHED ) > 0
        { msg += "\n - App is debugged"; }
    if ( tamper & ( DETECTED_HASH_INFO_CORRUPTED | DETECTED_HASH_MODIFIED ) ) > 0
        { msg += "\n - App integrity corrupted"; }
    if ( tamper & ( DETECTED_CODESIGN_CORRUPTED | DETECTED_EXECUTABLE_CORRUPTED ) ) > 0
        { msg += "\n - App executable has corrupted"; }
    if ( tamper & DETECTED_CERTIFICATE_CHANGED ) > 0
        { msg += "\n - App has re-signed"; }
    if ( tamper & DETECTED_BLACKLIST_CORRUPTED ) > 0
        { msg += "\n - Blacklist/Whitelist has corrupted or missing"; }
    if ( tamper & DETECTED_CHEAT_TOOL ) > 0
        { msg += "\n - Cheat tool has detected"; }

    let alertController = UIAlertController(title: "AppSealing", message: msg, preferredStyle: .alert );
    alertController.addAction(UIAlertAction(title: "Confirm", style: .default,
                                         handler: { (action:UIAlertAction!) -> Void in
                                             #if !DEBUG // Debug mode does not kill app even if security threat has found
                                                 exit(0);
                                             #endif
                                         }));
    self.present(alertController, animated: true, completion: nil);
}

AppSealingInterface._NotifySwizzlingDetected( { (msg: String?) -> () in
    let alertController = UIAlertController( title: "AppSealing Security", message: msg, preferredStyle: .alert )
    alertController.addAction( UIAlertAction( title: "Confirm", style: .default,
                                            handler: { ( action:UIAlertAction! ) -> Void in
                                                #if !DEBUG
                                                    exit(0);
                                                #endif
                                            }));
    self.present( alertController, animated: true, completion: nil );
});
//#####

```



The sample UI code above is included in the file "Code Samples.txt". Always copy and paste code from this file to ensure you have the most up-to-date code.

If your project is Objective-C based then you can use following code to show simple UI.

Simple UI code into 'ViewController.mm' for **Objective-C** project

```
#include "AppsealingiOS.h"
-(void)viewDidAppear:(BOOL)animated
{
    [super viewDidAppear:animated];

//#####
int tamper = ObjC_IsAbnormalEnvironmentDetected();
if ( tamper > 0 )
{
    NSString* msg = @"Abnormal Environment Detected !!";
    if (( tamper & DETECTED_JAILBROKEN ) > 0 )
        msg = [msg stringByAppendingString:@"\n - Jailbroken"];
    if (( tamper & DETECTED_DRM_DECRYPTED ) > 0 )
        msg = [msg stringByAppendingString:@"\n - Executable is not encrypted"];
    if (( tamper & DETECTED_DEBUG_ATTACHED ) > 0 )
        msg = [msg stringByAppendingString:@"\n - App is debugged"];
    if (( tamper & (DETECTED_HASH_INFO_CORRUPTED | DETECTED_HASH_MODIFIED) ) > 0 )
        msg = [msg stringByAppendingString:@"\n - App integrity corrupted"];
    if (( tamper & (DETECTED_CODESIGN_CORRUPTED | DETECTED_EXECUTABLE_CORRUPTED) ) > 0 )
        msg = [msg stringByAppendingString:@"\n - App executable has corrupted"];
    if (( tamper & DETECTED_CERTIFICATE_CHANGED ) > 0 )
        msg = [msg stringByAppendingString:@"\n - App has re-signed"];
    if (( tamper & DETECTED_BLACKLIST_CORRUPTED ) > 0 )
        msg = [msg stringByAppendingString:@"\n - Blacklist/Whitelist has corrupted or missing"];
    if (( tamper & DETECTED_CHEAT_TOOL ) > 0 )
        msg = [msg stringByAppendingString:@"\n - Cheat tool has detected"];
}

UIAlertController *alert = [UIAlertController alertControllerWithTitle:@"AppSealing"
    message:msg
    preferredStyle:UIAlertControllerStyleAlert];
UIAlertAction *confirm = [UIAlertAction actionWithTitle:@"Confirm"
    style:UIAlertActionStyleDefault
    handler:^(UIAlertAction * _Nonnull action) {
        #if !DEBUG && !defined(DEBUG) // Debug mode does not kill app even if security threat has found
            exit(0);
        #endif
    }];
[alert addAction:confirm];
[self presentViewController:alert animated:YES completion:nil];
}

[AppSealingInterface _NotifySwizzlingDetected:^(NSString* msg){
    UIAlertController *alert = [UIAlertController alertControllerWithTitle:@"AppSealing"
        message:msg
        preferredStyle:UIAlertControllerStyleAlert];
    UIAlertAction *confirm = [UIAlertAction actionWithTitle:@"Confirm"
        style:UIAlertActionStyleDefault
        handler:^(UIAlertAction * _Nonnull action) {
            #if !DEBUG && !defined(DEBUG) // Debug mode does not kill app even if security threat has found
                exit(0);
            #endif
        }];
    [alert addAction:confirm];
    [self presentViewController:alert animated:YES completion:nil];
}];
```

Your app will show simple alert box like below when you run your app on abnormal device such as jailbroken or debug your app using Xcode or gdb. In such situation irrespective of user action the app will exit after 20 seconds automatically.

When security intrusion has detected in iOS device, simple alert view will appear and app will close after 20 seconds or when user touches "Confirm" button





If your project is Cordova based, you can put this code block into MainViewController.mm instead of ViewController.mm
(MainViewController.m file must have the extension changed to .mm)



If your project is Ionic based, the ViewController.swift file is not created, so you can create the GUI by adding the following modified code to AppDelegate.swift file

Simple UI code into 'AppDelegate.swift' for Ionic project

```
func application(_ application: UIApplication, didFinishLaunchingWithOptions
    launchOptions: [UIApplication.LaunchOptionsKey: Any]?) -> Bool
{
    // Override point for customization after application launch.

    //#####
    let inst: AppSealingInterface = AppSealingInterface();
    let tamper: Int32 = inst._IsAbnormalEnvironmentDetected();
    if ( tamper > 0 )
    {
        var msg = "Abnormal Environment Detected !!";
        if ( tamper & DETECTED_JAILBROKEN ) > 0
        { msg += "\n - Jailbroken"; }
        if ( tamper & DETECTED_DRM_DECRYPTED ) > 0
        { msg += "\n - Executable is not encrypted"; }
        if ( tamper & DETECTED_DEBUG_ATTACHED ) > 0
        { msg += "\n - App is debugged"; }
        if ( tamper & ( DETECTED_HASH_INFO_CORRUPTED | DETECTED_HASH_MODIFIED ) ) > 0
        { msg += "\n - App integrity corrupted"; }
        if ( tamper & ( DETECTED_CODESIGN_CORRUPTED | DETECTED_EXECUTABLE_CORRUPTED ) ) > 0
        { msg += "\n - App executable has corrupted"; }
        if ( tamper & DETECTED_CERTIFICATE_CHANGED ) > 0
        { msg += "\n - App has re-signed"; }
        if ( tamper & DETECTED_BLACKLIST_CORRUPTED ) > 0
        { msg += "\n - Blacklist/Whitelist has corrupted or missing"; }
        if ( tamper & DETECTED_CHEAT_TOOL ) > 0
        { msg += "\n - Cheat tool has detected"; }


        let alertController = UIAlertController(title: "AppSealing", message: msg, preferredStyle: .alert );
        alertController.addAction(UIAlertAction(title: "Confirm", style: .default,
            handler: { (action:UIAlertAction!) -> Void in
                #if !DEBUG // Debug mode does not kill app even if security threat has found
                    exit(0);
                #endif
            }));
        DispatchQueue.main.async {
            self.window?.rootViewController?.present( alertController, animated: true, completion: nil)
        };
    }

    AppSealingInterface._NotifySwizzlingDetected( { (msg: String?) -> () in
        let alertController = UIAlertController( title: "AppSealing Security", message: msg, preferredStyle: .alert );
        alertController.addAction( UIAlertAction( title: "Confirm", style: .default,
            handler: { ( action:UIAlertAction! ) -> Void in
                #if DEBUG
                #else
                    exit(0);
                #endif
            }));
        DispatchQueue.main.async {
            self.window?.rootViewController?.present( alertController, animated: true, completion: nil )
        };
    });


    //#####
    return true;
}
```

Part 4. Modify "Build Settings" of your project

4-1 Select top project at Project Navigator and select "TestApp_Swift" target at TARGETS




4-2 Select "Build Settings" tab and type "Other link" in search box




Then you will see "**Other Linker Flags**" field. Now, fill this settings by following steps.

1) Expand "Other Linker Flags" by clicking the triangle icon left to "Other Linker Flags"




2) Select "Debug" item and click to edit/insert value, then type in following text.

-IStaticAppSec_Debug -L\$(PROJECT_DIR)/AppSealingSDK/Libraries



3) Select "Release" item and click to edit/insert value, then type in following text.

-IStaticAppSec -L\$(PROJECT_DIR)/AppSealingSDK/Libraries




Below step is needed only when you launch app in Simulator with Release build. If you don't need to run your Release build in simulator you can skip this step.

**** Warning: Depending on how you paste the options, quotes may be added as shown below. In this case, you should enter the options by splitting them at each space so that there are no quotes in the final input.**




4-3 Configure Build Settings "Architectures – Excluded Architectures"

Search "arch" keyword at Build Settings panel.




Follow next steps after "**Architectures**" field has shown.


1) Expand "Excluded Architectures" by clicking the left-side triangle icon.




2) Select "Release" item and click right-side "+" icon.



3) After "Any SDK" item has created click it to show popup menu.



4) Select "Any iOS Simulator" item in popup menus.



5) Enter value for "Any iOS Simulator SDK" as "arm64 i386". (Space between arm64 and i386)

Now AppSealing security features have been adopted to your project. Go on 'Build', 'Run', 'Archive' as usual.

4-4 Reminds about Xcode build mode

* AppSealing work differently in debug mode and release mode.

If you build an app in Debug mode, AppSealing's security features are disabled for convenient development :

- Jailbreak detection
- Anti-debugging
- Anti-hooking
- Not encrypted executable file detection
- App-Integrity corruption detection
- Re-signing detection

These features are enabled when you build app as Release mode.


You will build the app as Release mode when distributing to the App Store. If you test AppSealing with Release mode, your app should be distributed to App Store or 'TestFlight'. If not, the executable file will be detected as not encrypted, so the app will be closed.

4-5 Generate App integrity & certificate verification snapshot


There is additional process to verify app integrity & certificate when you test your app or distribute app through app store. If you skip this step the app running on device will be terminated after few seconds for broken app integrity.

You should process this step when you distribute your app through TestFlight or App Store, and when you use Ad Hoc distribution with AdhocEnabled SDK.


Let's see the upload process to App Store or TestFlight step by step. Below is Organizer window after Archive from Xcode.




Click "Distribute App" button to generate IPA for uploading to App Store.




Click "Next" button with "App Store Connect" is selected. (If you are using AdhocEnabled SDK, "Ad Hoc" is also an available option.)




You usually selected "Upload" almost but you **must select "Export"** to apply **AppSealing**. This is because taking snapshot for app integrity and certificate is needed and your **app will not run normally on device without this process**. Click "Next" button with "Export" is selected.




Click "Next" button with all options keep default.



With default options retained, click "Next" button. Then you can see the window from which you can export as an IPA.




Verify the brief contents and click "Export" button.




When destination dialog appear select store location and click "Export" button. This document used folder named "~/Downloads/TestApp_Swift_Upload"

After you've clicked "Export" button IPA file will be created at the designated folder. You can see the generated IPA file at finder like below. Now, you should keep in mind the location of IPA or remain finder widow opened.



Now you should process next step with exported IPA. Launch terminal app and move to Xcode project folder.




This document used project path for unity-exported Xcode project as "~/Documents/TestApp_Swift". You can verify the path name by pwd command like above picture.

Run add permission command like below.

```
$ chmod +x AppSealingSDK/Tools/*
```

Now you run 'generate_hash' script like below. This script has only one parameter which is path to the exported IPA file in previous step. You can type the IPA path manually or drag & drop the IPA file from the opened Finder window in previous step.

```
$ AppSealingSDK/Tools/generate_hash ~/Downloads/TestApp_Swift_Upload/TestApp_Swift.ipa
```



After you execute the script you will see the progress like below and snapshot for app integrity and certificate will be added to the IPA file.

```
TestApp_Swift — bash — 90x42
$ AppSealingSDK/Tools/generate_hash ~/Downloads/TestApp_Swift_Upload/TestApp_Swift.ipa

+-----+
| AppSealing IPA Hash Generator V1.0 : provided by INKA Entworks |
+-----+

[Target IPA]      = /Users/admin/Downloads/TestApp_Swift_Upload/TestApp_Swift.ipa
[Working Directory] = /var/folders/vd/qcxck8j5171d3ztm4m0wzjb80000gn/T/AppSealing/384e5429bee14b96a8d43f46f2824797/

1. Payload has extracted from the IPA ...
2. Trying to receive encryption key from AppSealing server ...
3. Successfully received encryption key ...
4. Generating app integrity/certificate snapshot ...
Executable=/private/var/folders/vd/qcxck8j5171d3ztm4m0wzjb80000gn/T/AppSealing/384e5429bee14b96a8d43f46f2824797/Package/Payload/TestApp_Swift.app/TestApp_Swift
5. Encrypting app integrity/certificate snapshot ...
6. Inserting app integrity/certificate snapshot into IPA ...
7. Codesigning your app using certificate used to sign your IPA ...
Executable=/private/var/folders/vd/qcxck8j5171d3ztm4m0wzjb80000gn/T/AppSealing/384e5429bee14b96a8d43f46f2824797/Package/Payload/TestApp_Swift.app/TestApp_Swift
Certificate="Apple Distribution: Inka Entworks Inc. ( )"
/var/folders/vd/qcxck8j5171d3ztm4m0wzjb80000gn/T/AppSealing/384e5429bee14b96a8d43f46f2824797/Package/Payload/TestApp_Swift.app/: replacing existing signature
8. Rebuilding & re-signing IPA ...

>>> All processes have done successfully .....

$
```

This process has to be applied to distribution step as "Ad Hoc", "Enterprise", "Development" identically.

4-6 Controlling anti-swizzling / anti-hooking features

Method swizzling is a technique used primarily in Objective-C to swap the functionality of an existing method of a class with the functionality of a new method, so that when the original method is called, the code of the new method is actually executed. This allows for flexible modification or extension of the behavior of existing code.


Method swizzling is a useful technique, but it also allows attackers to replace existing methods with their own malicious code. For example, they can modify methods that process user input to steal data or perform unwanted actions.

You can also swizzle the system's logging methods so that important events are not logged, thereby preventing malicious behavior from being detected.

The AppSealing SDK adds the ability to detect this method swizzling behavior, but since method swizzling is not always used as a means of attack, you can specify whether or not you want to detect it.

By default, the SDK is distributed with method swizzling detection disabled to prevent malfunctions, but you can enable it when running the generate_hash script. If you receive a security warning during the app testing phase that method swizzling has been detected, you should not enable method swizzling detection, as it may be that another library included in your app is intentionally using method swizzling.


To enable method swizzling detection within script phase, run generate_hash script with the "**antiswizzle=enable**" parameter, as follows:




```
AiSM_Swift -- -zsh -- 111x13
$ AppSealingSDK/Tools/generate_hash ~/Downloads/TestApp_Swift_Upload/TestApp_Swift.ipa -antiswizzle=enable
```

Method hooking is an attack method used with method swizzling. Method hooking is similar to method swizzling, but the difference is that it directly manipulates and controls the execution flow of the method rather than swapping methods. Method swizzling can be used in apps or specific libraries as needed, but method hooking is not used in normal apps and libraries, so the AppSealing SDK has method hooking detection enabled by default, but this feature can be disabled if needed.

To disable method hooking detection, run the generate_hash script with the “**antihook=disable**” parameter as follows:


A screenshot of a macOS terminal window titled "AiSM_Swift -- zsh -- 111x13". The command "\$ AppSealingSDK/Tools/generate_hash ~/Downloads/TestApp_Swift_Upload/TestApp_Swift.ipa -antihook=disable" is entered and executed. The terminal is blue with white text and standard OS X window controls.

If you want to check all parameters of the generate_hash script, you can run the script without the IPA path name and check all available parameters as shown in the screen below.

A screenshot of a macOS terminal window titled "AiSM_Swift -- zsh -- 111x14". The command "\$ AppSealingSDK/Tools/generate_hash" is entered, followed by a help message. The message details parameters: url (URL scheme for Unreal app), service (iCloud Services capability), camera (camera usage description string), antihook (enable or disable anti-hooking feature), and antiswizzle (enable or disable anti-swizzling feature). The terminal is blue with white text and standard OS X window controls.

4-7 Upload re-signed IPA to App Store Connect



Now you can upload re-signed IPA to App Store Connect. (Of course, if you use Ad Hoc distribution by AdhocEnabled SDK, this step is not required.) This document uses Transporter app (MAC) for convenient uploading. If the Transporter app has not installed in your MAC you can open Mac AppStore, search "Transporter" and install.




Launch Transporter after installation you are requested for Apple ID like below. Enter your Apple ID and password. (This step is required only once for the first time)




After you login with your ID and password you can see the Transporter window like below. Click the "+" button upper-left or "ADD APP" button in the middle to select IPA to be uploaded and select the re-signed IPA in previous step.






When you update your app by adding IPA file with new version or higher build number a warning dialog can appear like below because of same bundle ID. In this case just click "Replace" button to upload new IPA.




After IPA file has added, click "DELIVER" button then verifying and uploading to App Store Connect process will be in progress.





If you encounter below window the upload process has finished and you can submit your build for App Store review or TestFlight distribution.



Part 5. Acquire AppSealing device unique identifier

AppSealing SDK generates and manages unique identifier for each device. Customer who use the AppSealing SDK can use the interface of AppSealing to verify the device unique identifier, if necessary. And can be used for the business using the hacking data service provided by AppSealing.

5-1 Show acquire device unique identifier


First, open your Xcode project and open "ViewController.swift" file. After you opened the swift file put following code into that (If ViewController.swift file has already included '**viewDidAppear**' method just insert the body of following code below '`super.viewDidAppear(animated);`' line.)

Simple UI code into 'ViewController.swift' for **Swift** project

```
override func viewDidAppear(_ animated: Bool)
{
    super.viewDidAppear( animated );

    let inst: AppSealingInterface = AppSealingInterface();
    let appSealingDeviceID = String.init( cString: inst._GetAppSealingDeviceID() );
    let alertController = UIAlertController( title: "AppSealing DeviceID",
                                           message: appSealingDeviceID, preferredStyle: .alert );

    alertController.addAction( UIAlertAction( title: "Confirm", style: .default ) );
    self.present( alertController, animated: true, completion: nil );
}
```



If your project is Objective-C based then you can use following code to show simple UI.


Simple UI code into 'ViewController.mm' for **Objective-C** project

```
#include "AppsealingiOS.h"

char _appSealingDeviceID[64];
- (void)viewDidAppear:(BOOL)animated
{
    [super viewDidAppear:animated];

    if ( ObjC_GetAppSealingDeviceID( _appSealingDeviceID ) == 0 )
    {
        UIAlertController *alert = [UIAlertController alertControllerWithTitle:@"AppSealing DeviceID"
                                                               message:[NSString alloc] initWithUTF8String:_appSealingDeviceID]
                                                               preferredStyle:UIAlertControllerStyleAlert];
        UIAlertAction *confirm = [UIAlertAction actionWithTitle:@"Confirm"
                                                       style:UIAlertActionStyleDefault
                                                       handler:^(UIAlertAction * _Nonnull action) { }];
        [alert addAction:confirm];
        [self presentViewController:alert animated:YES completion:nil];
    }
}
```

Your app will show simple alert box like below when you run your app.



Part 6. Enhanced jailbreak-detection using app server

6-1 Overview and Necessity of Enhanced Jailbreak Detection Method

One of the main functions within AppSealing SDK is detecting the environment of the jailbroken device and forcibly closes the app. However, there is a possibility that these detection functions will be bypassed by more sophisticated attack methods. This is because, due to the characteristics of the iOS operating system, the code of the loaded dynamic library (dylib) is executed first when the app is launched. An attacker may distribute the code to patch a specific area of the executable file in such a dynamic library.

If this code patch occurs before AppSealing's detection logic is executed, the code that terminates the app has been removed, so even if a jailbreak is detected, the app will remain running.

Of course, not everyone can perform this type of attack easily, but since this type of attack has been confirmed by a group of hackers with specialized hacking knowledge, AppSealing provides an additional jailbreak detection method to overcome such an attack situation.

Since the characteristic of this attack method is to change the code of the running app in advance, no matter how strong detection logic is added to the AppSealing library itself, the situation in which the code is patched by the dynamic library is unavoidable. Therefore, the newly provided jailbreak detection function does not detect in the app, but in a way that rejects all services and actions, such as log-in in or accepting API calls, in the case of a terminal suspected of being jailbroken in the server linked to the app.

The basic method is to obtain server credentials from the app through the AppSealing interface, add them to the existing authentication parameters, and send them to the server.

This method cannot be applied for a client-only app that does not work with the server.

The following sections describe, with example code, how to obtain and validate server credentials.

6-2 iOS App Code

Additional process of your app needs verify the server credentials is to call a function in the AppSealing SDK to get the server credential string and send it to the server along with the existing authentication parameters.

Most apps that work with the server will go through a user authentication or login process, and in this process, the account information entered by the user will be transmitted to the server. You can add the server credential string to the parameters you send to the server.

The server credential string is obtained in the following way:

Simple UI code into 'ViewController.swift' for **Swift** project

```
func userLogin( userID: String, password: String ) -> Bool
{
    let inst: AppSealingInterface = AppSealingInterface();
    let appSealingCredential = String.init( cString: inst._GetEncryptedCredential() );
    // credential 값을 인증 정보와 함께 서버로 올린다
    let loginResult = processLogin( user: userID, pwd: password, credential: appSealingCredential );
    ...
}
```

Simple UI code into 'ViewController.mm' for **Objective-C** project

```
- (BOOL)userLogin:(NSString*)userID withPassword:(NSString*)password
{
    char _appSealingCredential[290] = { 0, };
    ObjC_GetEncryptedCredential( _appSealingCredential );
    // credential 값을 인증 정보와 함께 서버로 올린다
    BOOL loginResult = processLogin( userID, password, _appSealingCredential );
    ...
}
```

If your server fails to validate credential, you should also force the login to fail and the app to not proceed further. However, since code such as checking the login result and closing the app is likely to be tampered by an attacker, the best practice is configuring your server to deny service or response for any requests from that client after the server fails credential validation.

This will be discussed again in the next section.

6-3 Verification at app server

The credential data (hex string) returned from the interface call to the AppSealing module is only valid when the security logic inside AppSealing is normally performed and no dangerous situation is detected in the device.

If code patch attack is made through the dynamic library or the security logic is bypassed by other methods, valid credential data will not be generated, so the server should verify this value and blocks the attack situation of the device.


The app server must check whether the credential value sent by the client (app) is correct, and if it is not correct, it must deny authentication (login) and then deny any services (API call) requested by that client.

[Preparation]



To verify credential data on the server, you need an AES Key and IV to decrypt the data sent from the client, and the original credential data to compare and verify.

All of these values can be acquired through the "Check Credential" button of the project in the ADC. Just copy the Hex string shown here and paste it into the example code and use it. First, connect to ADC as shown in the screen below and click the "Check Credential" button in the project box.

If you click the button, the following window is displayed, where you can check the Credential value and IV and key to be used for decryption. You can use the copy button to the left of the string to copy this value as it is, paste it into the server-side verification code and use it.




If you click the button, the following window is displayed, where you can check the Credential value and IV and AES key to be used for decryption. You can use the copy button to the left of the string to copy this value as it is, paste it into the server-side verification code and use it.



[In case your server code is using Node.js/Javascript]

Add following code to your existing code and use it for credential data validation. Authenticity can be determined by passing the credential value sent as a parameter in the login or authentication function of the existing server code to the verifyAppSealingCredential function provided in the code below. (The code below is also included in the SDK as a file named appsealing_credential.js).

**** Note: In the code below, ORG_CREDENTIAL, AES_IV, and AES_KEY must be replaced with values obtained through the "Check Credential" function of the corresponding project in the ADC. If you just take the example code and use it intactly, credential value will not be verified properly.**



```
var crypto = require('crypto');

function verifyAppSealingCredential( credential )
{
    // Need to Change : Get From ADC (via 'Check Credential') -----
    const ORG_CREDENTIAL =
"572E0E1459453F2078D6576FF71ECD0DBCA0484430C7FA7FE45B788A37DE3A04204F5A55FEA83AC9AFBA2C688594F75A3828B23972DB34858EC4F6CC3202533E44121
E5F2614B227E18B6419A83810F7511D5E51FCACD5175A1CC550F83CB874A7378ACDAFE78EB2E329CD5D3C384061C4669674F1EE6B1B59FB7D91835DB7EE";
    const AES_IV = "055772B7434A4174749A09B1413472";
    const AES_KEY = "71CA94A64A4DEBF5566495AB03F6798F";
    //-----
}
```

```
// convert credential from hex string to byte array
let decrypted_UTC = 0, decrypted_buffer, aes_key2;

// decrypt UTC
try
{
    const decipher = crypto.createDecipheriv( 'aes-128-ctr', Buffer.from( AES_KEY, 'hex' ), Buffer.from( AES_IV, 'hex' ) );
    decrypted_buffer = Buffer.concat( [decipher.update( credential.substr( 0, 32 ), 'hex' ), decipher.final()] );
    decrypted_UTC = decrypted_buffer.slice( 0, 8 ).readUInt32LE();
}
catch( error )
{
    throw error;
}

// verify UTC with current time (+/-) 10sec
const current_UTC = parseInt( Date.now() / 1000 ); // get current UTC in seconds
if ( Math.abs( current_UTC - decrypted_UTC ) > 10 )
{
    console.log( "Invalid UTC value has sent, deny login & all services for this client..." + Math.abs( current_UTC - decrypted_UTC ) );
    return false;
}
console.log( "*** UTC verified : " + decrypted_UTC + " (current = " + current_UTC + ", diff = " + Math.abs( current_UTC - decrypted_UTC ) + ")" );

// get AES KEY2
aes_key2 = Buffer.concat( [new Uint8Array( decrypted_buffer.slice( 0, 8 )), new Uint8Array( Buffer.from( ORG_CREDENTIAL.substring( 52, 52 + 16 ), 'hex' ) )] );
for( let i = 0; i < 16; i++ )
    aes_key2[i] ^= Buffer.from( AES_IV.substring( i * 2, i * 2 + 2 ), 'hex' ).readUInt8();

// decrypt credential
let decrypted_credential = [];
try
{
    const decipher = crypto.createDecipheriv( 'aes-128-ctr', aes_key2, Buffer.from( AES_IV, 'hex' ) );
    decrypted_credential = Buffer.concat( [decipher.update( credential.substr( 32, 256 ), 'hex' ), decipher.final()] );
}
catch( error )
{
    throw error;
}

// verify credential with CREDENTIAL(ADC)
// return if fail
if ( ORG_CREDENTIAL.toLowerCase() != decrypted_credential.toString( 'hex' ).toLowerCase() )
{
    console.log( "Invalid credential value has sent, deny login & all services for this client..." );
    return false;
}

console.log( "*** Credential verified : PASS" );
return true;
}
```

[In case your server code is using Java]

Add following code to your existing code and use it for credential data validation. Authenticity can be determined by passing the credential value sent as a parameter in the login or authentication function of the existing server code to the verifyAppSealingCredential function provided in the code below. (The code below is also included in the SDK as a file named appsealing_credential.java).

**** Note: In the code below, ORG_CREDENTIAL, AES_IV, and AES_KEY must be replaced with values obtained through the "Check Credential" function of the corresponding project in the ADC. If you just take the example code and use it intactly, credential value will not be verified properly.**

```
import java.nio.ByteBuffer;
import java.nio.ByteOrder;
import java.util.Arrays;

import javax.crypto.Cipher;
import javax.crypto.spec.IvParameterSpec;
import javax.crypto.spec.SecretKeySpec;
import javax.xml.bind.DatatypeConverter;

public class AppSealingCredential
{
    private static boolean verifyAppSealingCredential( final String credential )
    {
        // Need to Change : Get From ADC (via 'Check Credential') -----
        final String ORG_CREDENTIAL =
"572E0E1459453F2078D6576FF71EC0DBCA0484430C7FA7FE45B788A37DE3A04204F5A55FEA83AC9AFBA2C688594F75A3828B23972DB34858EC4F6CC
3202533E44121E5F2614B227E18B6419A83810F7511D5E51FCACD5175A1CC550F83CB874A7378ACDAE78EB2E329CD5D3C384061C4669674F1EE6B1B5
9FB7D91835DB7EE";

        final String AES_IV = "055772B7434A4174749AFE09B1413472";
        final String AES_KEY = "71CA94A64A4DEBF5566495AB03F6798F";
        //-----

        long decrypted_UTC = 0;
        byte[] decryptedUTC = new byte[8];

        // decrypt UTC
        try
        {
            SecretKeySpec key = new SecretKeySpec( DatatypeConverter.parseHexBinary( AES_KEY ), "AES" );
            IvParameterSpec ivSpec = new IvParameterSpec( DatatypeConverter.parseHexBinary( AES_IV ) );

            Cipher cipher = Cipher.getInstance( "AES/CTR/NoPadding" );
            cipher.init( Cipher.DECRYPT_MODE, key, ivSpec );

            byte[] encryptedUTC = DatatypeConverter.parseHexBinary( credential.substring( 0, 32 ) );
            System.arraycopy( cipher.doFinal( encryptedUTC ), 0, decryptedUTC, 0, 8 );
            System.out.println( DatatypeConverter.printHexBinary( decryptedUTC ) );
        }
    }
}
```

```
        decrypted_UTC = ByteBuffer.wrap( decryptedUTC ).order( ByteOrder.LITTLE_ENDIAN ).getInt() & 0xFFFFFFFFL;
    }
    catch( Exception e )
    {
        System.out.println( "[Error] " + e.getLocalizedMessage() );
    }

    // verify UTC with current time (+/-) 10sec
    long current_UTC = System.currentTimeMillis() / 1000; // get current UTC in seconds

    if ( Math.abs( current_UTC - decrypted_UTC ) > 10 )
    {
        System.out.println( "Invalid UTC value has sent, deny login & all services for this client..." );
        return false;
    }
    System.out.println( "*** UTC verified : " + decrypted_UTC + " (current = " + current_UTC + ", diff = " +
Math.abs( current_UTC - decrypted_UTC ) + ")" );

    // get AES KEY2
    byte[] aes_key2 = Arrays.copyOf( decryptedUTC, 16 );
    byte[] xor = DatatypeConverter.parseHexBinary( ORG_CREDENTIAL.substring( 52, 52 + 16 ) );
    System.arraycopy( xor, 0, aes_key2, decryptedUTC.length, xor.length );

    for( int i = 0; i < 16; i++ )
        aes_key2[i] ^= ( byte )DatatypeConverter.parseHexBinary( AES_IV.substring( i * 2, i * 2 + 2 )[0] );
    System.out.println( DatatypeConverter.printHexBinary( aes_key2 ) );

    // decrypt credential
    byte[] decrypted_credential = null;
    try
    {
        SecretKeySpec key = new SecretKeySpec( aes_key2, "AES" );
        IvParameterSpec ivSpec = new IvParameterSpec( DatatypeConverter.parseHexBinary( AES_IV ) );

        Cipher cipher = Cipher.getInstance( "AES/CTR/NoPadding" );
        cipher.init( Cipher.DECRYPT_MODE, key, ivSpec );

        System.out.println( "##### " + credential.substring( 32, 32 + 256 ) );
        byte[] encrypted_credential = DatatypeConverter.parseHexBinary( credential.substring( 32, 32 + 256 ) );
        decrypted_credential = cipher.doFinal( encrypted_credential );
    }
    catch( Exception e )
    {
        System.out.println( "[Error] " + e.getLocalizedMessage() );
    }

    // verify credential with CREDENTIAL(ADC)
    // return if fail
    if ( !ORG_CREDENTIAL.equalsIgnoreCase( DatatypeConverter.printHexBinary( decrypted_credential ) ) )
    {
        System.out.println( "Invalid credential value has sent, deny login & all services for this client..." );
        return false;
    }

    System.out.println( "*** Credential verified : PASS" );
    return true;
}
```

[In case your server code is using ASP.NET / C#]

Add following code to your existing code and use it for credential data validation. Authenticity can be determined by passing the credential value sent as a parameter in the login or authentication function of the existing server code to the verifyAppSealingCredential function provided in the code below. (The code below is also included in the SDK as a file named appsealing_credential.cs, because C# does not support AES CTR mode, you must include the AesCtrTransform function for CTR processing as shown in the code below.)

**** Note: In the code below, ORG_CREDENTIAL, AES_IV, and AES_KEY must be replaced with values obtained through the "Check Credential" function of the corresponding project in the ADC. If you just take the example code and use it intactly, credential value will not be verified properly.**

```
using System;
using System.Collections.Generic;
using System.IO;
using System.Linq;
using System.Security.Cryptography;
using System.Text;
using System.Threading.Tasks;

namespace AppSealingSDK
{
    class AppSealingCredential
    {
        public static void AesCtrTransform( byte[] key, byte[] salt, Stream inputStream, Stream outputStream )
        {
            SymmetricAlgorithm aes = new AesManaged { Mode = CipherMode.ECB, Padding = PaddingMode.None };

            int blockSize = aes.BlockSize / 8;
            if ( salt.Length != blockSize )
                throw new ArgumentException( "Salt size must be same as block size " + $"(actual: {salt.Length}, expected: {blockSize})" );

            byte[] counter = ( byte[] )salt.Clone();

            Queue<byte> xorMask = new Queue<byte>();
            var zeroIv = new byte[blockSize];
            ICryptoTransform counterEncryptor = aes.CreateEncryptor( key, zeroIv );

            int b;
            while(( b = inputStream.ReadByte() ) != -1 )
            {
                if ( xorMask.Count == 0 )
                {
                    var counterModeBlock = new byte[blockSize];
```

```

        counterEncryptor.TransformBlock( counter, 0, counter.Length, counterModeBlock, 0 );

        for( var i2 = counter.Length - 1; i2 >= 0; i2-- )
        {
            if ( ++counter[i2] != 0 )
                break;
        }
        foreach( var b2 in counterModeBlock )
            xorMask.Enqueue( b2 );
    }

    var mask = xorMask.Dequeue();
    outputStream.WriteByte(( byte )((( byte )b ) ^ mask ));
}

public static byte[] StringToByteArray( String hex )
{
    return Enumerable.Range( 0, hex.Length / 2 ).Select( x => Convert.ToByte( hex.Substring( x * 2, 2 ), 16 ) ).ToArray();
}

public static bool VerifyAppSealingCredential( String credential )
{
    // Need to Change : Get From ADC (via 'Check Credential') -----
    const String ORG_CREDENTIAL =
"572E0E1459453F2078D6576FF71ECD0DBCA0484430C7FA7FE45B788A37DE3A04204F5A55FEA83AC9AFBA2C688594F75A3828B23972DB34858EC4F6CC
3202533E44121E5F2614B227E18B6419A83810F7511D5E51FCACD5175A1CC550F83CB874A7378ACDAFE78EB2E329CD5D3C384061C4669674F1EE6B1B5
9FB7D91835DB7EE";

    const String AES_IV  = "055772B7434A4174749AFE09B1413472";
    const String AES_KEY = "71CA94A64A4DEBF5566495AB03F6798F";
    //-----

    long decrypted_UTC = 0;
    byte[] decrypted_buffer = new byte[8];

    // decrypt UTC
    try
    {
        byte[] encrypted_UTC = StringToByteArray( credential.Substring( 0, 32 ) );
        byte[] result = new byte[16];
        AesCtrTransform( StringToByteArray( AES_KEY ), StringToByteArray( AES_IV ), new MemoryStream( encrypted_UTC ), new MemoryStream( result ) );
        Array.Copy( result, 0, decrypted_buffer, 0, 8 );
        decrypted_UTC = BitConverter.ToInt64( decrypted_buffer, 0 );
        System.Console.WriteLine( "*** UTC = " + decrypted_UTC );
    }
    catch( Exception e )
    {
        System.Console.WriteLine( "[Error] " + e.Message );
    }

    // verify UTC with current time (+/-) 10sec
    long current_UTC = DateTimeOffset.Now.ToUnixTimeMilliseconds() / 1000;// get current UTC in seconds
    if ( Math.Abs( current_UTC - decrypted_UTC ) > 10 )
    {
        System.Console.WriteLine( "Invalid UTC value has sent, deny login & all services for this client..." );
        return false;
    }
    System.Console.WriteLine( "*** UTC verified : " + decrypted_UTC + " (current = " + current_UTC + ", diff = " + Math.Abs( current_UTC - decrypted_UTC ) + ")" );
}

```

```
// get AES KEY2
byte[] aes_key2 = new byte[16];
Array.Copy( decrypted_buffer, 0, aes_key2, 0, 8 );
byte[] xor = StringToByteArray( ORG_CREDENTIAL.Substring( 52, 16 ) );
Array.Copy( xor, 0, aes_key2, decrypted_buffer.Length, xor.Length );

for(int i = 0; i< 16; i++ )
    aes_key2[i] ^= ( byte )StringToByteArray( AES_IV.Substring( i* 2, 2 ))[0];

// decrypt credential
byte[] decrypted_credential = null;
try
{
    byte[] encrypted_credential = StringToByteArray( credential.Substring( 32, 256 ) );
    decrypted_credential = new byte[encrypted_credential.Length];
    AesCtrTransform( aes_key2, StringToByteArray( AES_IV ), new MemoryStream( encrypted_credential ), new
MemoryStream( decrypted_credential ) );
}
catch(Exception e )
{
    System.Console.WriteLine( "[Error] " + e.Message );
}

// verify credential with CREDENTIAL(ADC)
// return if fail
if ( !ORG_CREDENTIAL.Equals( BitConverter.ToString( decrypted_credential ).Replace( "-", "" ),
StringComparison.InvariantCultureIgnoreCase ) )
{
    System.Console.WriteLine( "Invalid credential value has sent, deny login & all services for this
client..." );
    return false;
}

System.Console.WriteLine( "*** Credential verified : PASS" );
return true;
}
```

[In case your server code is using python]

Add following code to your existing code and use it for credential data validation. Authenticity can be determined by passing the credential value sent as a parameter in the login or authentication function of the existing server code to the verifyAppSealingCredential function provided in the code below. (The code below is also included in the SDK as a file named appsealing_credential.py)

**** Note: In the code below, ORG_CREDENTIAL, AES_IV, and AES_KEY must be replaced with values obtained through the "Check Credential" function of the corresponding project in the ADC. If you just take the example code and use it intactly, credential value will not be verified properly.**

```
from Crypto.Cipher import AES
from Crypto.Util import Counter
import time

#-----
def verifyAppSealingCredential( credential ):

    # Need to Change : Get From ADC (via 'Check Credential')
    ORG_CREDENTIAL =
"572E0E1459453F2078D6576FF71ECD0DBCA0484430C7FA7FE45B788A37DE3A04204F5A55FEA83AC9AFBA2C688594F75A3828B23972DB34858EC4F6CC
3202533E44121E5F2614B227E18B6419A83810F7511D5E51FCACD5175A1CC550F83CB874A7378ACDAFE78EB2E329CD5D3C384061C4669674F1EE6B1B5
9FB7D91835DB7EE"
    AES_IV  = "055772B7434A4174749AFE09B1413472"
    AES_KEY = "71CA94A64A4DEBF5566495AB03F6798F"
    #-----

    # decrypt UTC
    try:
        counter = Counter.new( 128, initial_value = int.from_bytes( bytes.fromhex( AES_IV ), "big" ) )
        cipher = AES.new( bytes.fromhex( AES_KEY ), AES.MODE_CTR, counter = counter )
        decrypted_buffer = cipher.decrypt( bytes.fromhex( credential[:32] ) )

        decrypted_UTC = int.from_bytes( decrypted_buffer[:8], "little" )
    except Exception as e:
        print( '[Error] ', e )
        return 0;

    # verify UTC with current time (+/-) 10sec
    current_UTC = round( time.time() * 1000 );      # get current UTC in seconds

    if abs( current_UTC - decrypted_UTC ) > 10:
        print( "Invalid UTC value has sent, deny login & all services for this client..." )
        #return 0

    print( "** UTC verified : ", decrypted_UTC, " (current = ", current_UTC, " , diff = ", abs( current_UTC -
decrypted_UTC ), ")" )
```

```
# get AES KEY2
aes_key2 = bytearray( 16 )
aes_key2[0:8] = descrypted_buffer[0:8]
aes_key2[8:8] = bytes.fromhex( ORG_CREDENTIAL[52:68] )
print( aes_key2[:16].hex() )

for i in range( 0, 16 ):
    aes_key2[i] ^= bytes.fromhex( AES_IV[i * 2:i * 2 + 2] )[0]
print( aes_key2[:16].hex() )

# decrypt credential
try:
    counter2 = Counter.new( 128, initial_value = int.from_bytes( bytes.fromhex( AES_IV ), "big" ) )
    cipher2 = AES.new( aes_key2[:16], AES.MODE_CTR, counter = counter2 )
    print( credential[32:288] )
    decrypted_credential = cipher2.decrypt( bytes.fromhex( credential[32:288] ) )
except Exception as e:
    print( '[Error] ', e )
    return 0;

# verify credential with CREDENTIAL(ADC)
# return if fail
if ORG_CREDENTIAL.casifold() != decrypted_credential.hex().casifold():
    print( "Invalid credential value has sent, deny login & all services for this client..." )
    return 0

print( "** Credential verified : PASS" )
return 1
```

[In case your server code is using ruby script]

Add following code to your existing code and use it for credential data validation. Authenticity can be determined by passing the credential value sent as a parameter in the login or authentication function of the existing server code to the verifyAppSealingCredential function provided in the code below. (The code below is also included in the SDK as a file named appsealing_credential.rb)

**** Note: In the code below, ORG_CREDENTIAL, AES_IV, and AES_KEY must be replaced with values obtained through the "Check Credential" function of the corresponding project in the ADC. If you just take the example code and use it intactly, credential value will not be verified properly.**

```
require 'securerandom'
require 'net/https'
require 'json'

# Need to Change : Get From ADC (via 'Check Credential') -----
ORG_CREDENTIAL =
"572E0E1459453F2078D6576FF71ECD0DBCA0484430C7FA7FE45B788A37DE3A04204F5A55FEA83AC9AFBA2C688594F75A3828B23972DB34858EC4F6CC
3202533E44121E5F2614B227E18B6419A83810F7511D5E51FCACD5175A1CC550F83CB874A7378ACDAFE78EB2E329CD5D3C384061C4669674F1EE6B1B5
9FB7D91835DB7EE"
AES_IV  = "055772B7434A4174749AFE09B1413472"
AES_KEY = "71CA94A64A4DEBF5566495AB03F6798F"
#-----

def verifyAppSealingCredential( credential )

    # decrypt UTC
    begin
        aes = OpenSSL::Cipher::AES.new( "128-CTR" )
        aes.decrypt
        aes.key = [AES_KEY].pack( 'H*' )
        aes.iv = [AES_IV].pack( 'H*' )
        decrypted_buffer = aes.update( [credential[0..31]].pack( 'H*' )) + aes.final

        decrypted_UTC = decrypted_buffer.slice( 0, 8 ).unpack( 'V' ).first
    rescue => e
        puts '[Error] ' + e.to_s
        return 0
    end

    # verify UTC with current time (+/-) 10sec
    current_UTC = Time.now.strftime( '%s%L' ).to_i;           # get current UTC in seconds

    if ( current_UTC - decrypted_UTC ).abs > 10
        puts "Invalid UTC value has sent, deny login & all services for this client..."
        return 0
    end
end
```

```
puts "** UTC verified : " + decrypted_UTC.to_s + " (current = " + current_UTC.to_s + ", diff = " + ( current_UTC - decrypted_UTC ).abs.to_s + ")"
```

```
# get AES KEY2
aes_key2 = decrypted_buffer.bytes.slice( 0, 8 ) + [ORG_CREDENTIAL[52..67]].pack( 'H*' ).bytes
for i in 0..15 do
    aes_key2[i] ^= [AES_IV[i * 2..i * 2 + 1]].pack( 'H*' ).bytes[0]
end
```

```
# decrypt credential
begin
    aes = OpenSSL::Cipher::AES.new( "128-CTR" )
    aes.decrypt
    aes.key = aes_key2.pack( 'C*' )
    aes.iv = [AES_IV].pack( 'H*' )
    decrypted_credential = aes.update( [credential[32..287]].pack( 'H*' ) ) + aes.final
rescue => e
    puts '[Error] ' + e.to_s
    return 0
end
```

```
# verify credential with CREDENTIAL(ADC)
# return if fail
if ORG_CREDENTIAL.casecmp( decrypted_credential.unpack( 'H*' ).first ) != 0
    print( "Invalid credential value has sent, deny login & all services for this client..." )
    return 0
end
```

```
print( "** Credential verified : PASS" )
return 1
```

```
end
```

[In case your server code is using C++]

Add following code to your existing code and use it for credential data validation. Authenticity can be determined by passing the credential value sent as a parameter in the login or authentication function of the existing server code to the verifyAppSealingCredential function provided in the code below. (The code below is also included in the SDK as a file named appsealing_credential.cpp with aes.hpp/aes.cpp)

**** Note: In the code below, ORG_CREDENTIAL, AES_IV, and AES_KEY must be replaced with values obtained through the "Check Credential" function of the corresponding project in the ADC. If you just take the example code and use it intactly, credential value will not be verified properly.**

```
#include <iostream>
#include <vector>
#include <time.h>
#include "aes.cpp"

typedef std::vector<unsigned char> bytes;
bytes HexToBytes( const std::string& hex )
{
    std::vector<unsigned char> bytes;
    for( unsigned int i = 0; i < hex.length(); i += 2 )
    {
        std::string byteString = hex.substr( i, 2 );
        unsigned char byte = ( unsigned char )strtol( byteString.c_str(), NULL, 16 );
        bytes.push_back( byte );
    }
    return bytes;
}

static bool verifyAppSealingCredential( const char* credential )
{
    // Need to Change : Get From ADC (via 'Check Credential') -----
    const char* ORG_CREDENTIAL =
"572E0E1459453F2078D6576FF71ECD0DBCA0484430C7FA7FE45B78A37DE3A04204F5A55FEA83AC9AFBA2C688594F75A3828B23972DB34858EC4F6CC
3202533E44121E5F2614B227E18B6419A83810F7511D5E51FCACD5175A1CC550F83CB874A7378ACDAF78EB2E329CD5D3C384061C4669674F1EE6B1B5
9FB7D91835DB7EE";
    const char* AES_IV  = "055772B7434A4174749AFE09B1413472";
    const char* AES_KEY = "71CA94A64A4DEBF5566495AB03F6798F";
    //-----

    unsigned char decrypted_buffer[16], decrypted_credential[128];

    // decrypt UTC
    struct AES_ctx ctx;
    try
    {
```

```
memcpy( decrypted_buffer, HexToBytes( std::string( credential ).substr( 0, 32 )).data(), 16 );

AES_init_ctx_iv( &ctx, HexToBytes( AES_KEY ).data(), HexToBytes( AES_IV ).data() );
AES_CTR_xcrypt_buffer( &ctx, decrypted_buffer, 16 );

long decrypted_UTC = *(( long* )decrypted_buffer );

std::cout << "*** UTC = " << decrypted_UTC << "\n";

// verify UTC with current time (+/-) 10sec
time_t current_UTC = time( 0 );
current_UTC = 1664439768;//REMOVE
if ( abs( current_UTC - decrypted_UTC ) > 10 )
{
    std::cout << "Invalid UTC value has sent, deny login & all services for this client...\n";
    return false;
}
std::cout << "*** UTC verified : " << decrypted_UTC << " (current = " << current_UTC << ", diff = " <<
abs(current_UTC - decrypted_UTC ) << ")\n";

// get AES KEY2
unsigned char aes_key2[16];
memcpy( aes_key2, decrypted_buffer, 8 );
bytes XOR = HexToBytes( std::string( ORG_CREDENTIAL ).substr( 52, 16 ) );
memcpy( aes_key2 + 8, XOR.data(), XOR.size() );

for( int i = 0; i < 16; i++ )
    aes_key2[i] ^= HexToBytes( std::string( AES_IV ).substr( i * 2, 2 )).data()[0];

// decrypt credential
memcpy( decrypted_credential, HexToBytes( std::string( credential ).substr( 32, 256 )).data(), 128 );

AES_init_ctx_iv( &ctx, aes_key2, HexToBytes( AES_IV ).data() );
AES_CTR_xcrypt_buffer( &ctx, decrypted_credential, 128 );
}

catch( const std::out_of_range& e )
{
    std::cout << "pos exceeds string size\n";
}

// verify credential with CREDENTIAL(ADC)
// return if fail
if ( memcmp( HexToBytes( ORG_CREDENTIAL ).data(), decrypted_credential, 128 ) != 0 )
{
    std::cout << "Invalid credential value has sent, deny login & all services for this client..." ;
    return false;
}
std::cout << "*** Credential verified : PASS";
}
```


Part 7. Resign and upload from Xcode Cloud

AppSealing SDK can be applied to projects using Xcode Cloud. After adding the necessary files for the SDK and pushing them to the Git repository, the app is archived and exported as an IPA in the way Xcode Cloud works, and then the IPA with security-related features added is uploaded to App Store Connect by performing a re-signing script. will do.

However, in this process, some actions must be performed differently from the original Xcode Cloud operation, so additional settings and preparations are required. Follow the steps outlined below to prepare the process.

7-1 Configure Xcode Cloud

Integration of Xcode Cloud and project Git repository is assumed to be completed as described in the Xcode Cloud documentation. First you need to change the workflow settings in Xcode Cloud. The project name used in this document is "TestApp_Swift" and the workflow name is "Default". Connect to "App Store Connect" and go to the "Xcode Cloud" page of the project.



Click on the workflow name to go to the settings screen.

When the setting screen is displayed, leave other items as they are, scroll the page to the bottom, select "None" as the value of "Actions - Deployment Preparation" and leave "Post-Actions" blank so that no action is entered.

The screenshot shows the 'Xcode Cloud' settings for the 'TestApp_Swift' app. It includes sections for 'Start Conditions' and 'Actions'.

Start Conditions

- Branch Changes**:
 - Branch: Any Branches [Edit](#)
 - Auto-cancel Builds: When a newer build is started from a code push on the same branch using this start condition, automatically cancel running or queued builds of the same kind.
 - Files and Folders: Start if any file changes [Edit](#)

Actions

- Archive - iOS**:
 - Platform: iOS
 - Scheme: TestApp_ObjC
 - Deployment Preparation:
 - None
 - TestFlight (Internal Testing Only) ?
 - TestFlight and App Store ?

Post-Actions

No post-actions have been added.

If you do not select "None" as the value of the "Deployment Preparation" item, the app will not run normally because the built IPA is uploaded to App Store Connect without going through the re-signing process. The same goes for Post-Actions, so these two must be left blank or set to "None"

7-2 ci_scripts preparation process

To re-sign the built IPA with security settings file in the Xcode Cloud environment, a custom script file, a signing certificate & private key, and a provisioning profile for distribution are additionally required to upload the modified IPA to App Store Connect.

All of these files should be included in the ci_scripts folder of your project path. In addition to the ci_scripts configuration items provided by the AppSealing SDK, the following items are additionally required and added by yourself.

- Certificate for App Store distribution :
distribution.p12 (including private key, PKCS#12 format)
or distribution.cer (CER format) + private_key.p12 (PKCS#12 format)
- Provisioning profile for App Store distribution : profile.mobileprovision
- Apple ID & App-Specific password (to be written in script)



The ci_scripts configuration of the AppSealing SDK includes the Apple root certificate "AppleWWDRCA3.cer" certificate file and "ci_post_xcodebuild.sh", "ci_post_xcodebuild.rb" script files. These files should not be renamed either.

The previously mentioned files (distribution.p12, profile.mobileprovision) are added to these basic files, resulting in a total five files as shown in the picture above.

(If you use distribution.cer instead of distribution.p12, the private key file is added, making it a total of six files.)

Certificate for App Store distribution

The ci_scripts folder must contain a distribution certificate. This certificate must be a CER format file downloaded from the Apple Developer site or a P12 file exported in PKCS#12 format from Keychain. If the CER format is used, the file name must be fixed as "distribution.cer", and if the P12 format is used, it must be fixed as "distribution.p12". When creating a P12 file, the password must be set to an empty string, and if the password is changed, you must directly modify the password used in the ci_post_xcodebuild.rb file. If you add a certificate that is not a distribution certificate for the App Store or if the file name is different, re-signing will not be performed properly.

Private key for distribution certificate

If the previously included distribution certificate is in CER format, the corresponding private key file must also be included in the ci_scripts folder. The private key file can be exported from the Mac Keychain app, and the format must be set to PKCS#12 (extension .p12), and the password for the private key file must be left blank as an empty string. The file name of the private key file must also be fixed as "private_key.p12".

If the file name is incorrect or a value is set for the password, re-signing will not be performed properly. If you want to set a password for the private key file, proceed with additional work in the script modification section below.

Below is a step-by-step explanation of the private key file creation process. If you have already created a private key file, skip this explanation.


STEP Private key file creation process in Mac Keychain app

If you go to "Etc." in Mac's launchpad, the "Keychain Access" app will appear. Run this app and when the screen below appears, select the "login" item from the left tab.


Select "Certificates" from the top tab menu in the right pane.

Click the right-angle bracket (>) to the left of the distribution certificate registered in the keychain to display the private key of the certificate.







After selecting the private key, right-click the mouse and when the context menu appears, select "Export..." item.



Select the "ci_scripts" folder of the project as the save location, the file name as "private_key.p12", and the file format as "Personal Information Exchange."



When the password input window appears, leave the password blank and save it.



If you specify a password, you must edit the ci_post_xcodebuild.sh file.

Open the file with an editor and go to line 445. You can see that the password for the private key file is left blank in this line of commands.

```
441 system( 'security create-keychain -p 0000 ' + APPSEALING_KEYCHAIN )
442 system( 'security list-keychains -d user -s login.keychain ' + APPSEALING_KEYCHAIN )
443 system( 'security import ./AppleWWDRCAg3.cer -k ' + APPSEALING_KEYCHAIN + ' -t cert -A -P ""' )
444 system( 'security import ./distribution.cer -k ' + APPSEALING_KEYCHAIN + ' -t cert -A -P ""' )
445 system( 'security import ./private_key.p12 -k ' + APPSEALING_KEYCHAIN + ' -t priv -A -P ""' )
446 system( 'security default-keychain -d user -s ' + APPSEALING_KEYCHAIN )
447 system( 'security unlock-keychain -p 0000 ' + APPSEALING_KEYCHAIN )
448 system( 'security set-keychain-settings ' + APPSEALING_KEYCHAIN )
449 system( 'security set-key-partition-list -S apple-tool:,apple:,codesign: -s -k 0000 ' + APPSEALING_KEYCHAIN + ' > /dev/null' )
```

Write down the password you specified and save the file in this location. If you saved your password as the string "your_password", you must modify it as follows.

```
441 system( 'security create-keychain -p 0000 ' + APPSEALING_KEYCHAIN )
442 system( 'security list-keychains -d user -s login.keychain ' + APPSEALING_KEYCHAIN )
443 system( 'security import ./AppleWWDRCAg3.cer -k ' + APPSEALING_KEYCHAIN + ' -t cert -A -P ""' )
444 system( 'security import ./distribution.cer -k ' + APPSEALING_KEYCHAIN + ' -t cert -A -P ""' )
445 system( 'security import ./private_key.p12 -k ' + APPSEALING_KEYCHAIN + ' -t priv -A -P "your_password"' )
446 system( 'security default-keychain -d user -s ' + APPSEALING_KEYCHAIN )
447 system( 'security unlock-keychain -p 0000 ' + APPSEALING_KEYCHAIN )
448 system( 'security set-keychain-settings ' + APPSEALING_KEYCHAIN )
449 system( 'security set-key-partition-list -S apple-tool:,apple:,codesign: -s -k 0000 ' + APPSEALING_KEYCHAIN + ' > /dev/null' )
```

Provisioning profiles for App Store distribution


The ci_scripts folder must contain a provisioning profile for App store deployment. This file should contain the profile downloaded from the Apple Developer site with the name "profile.mobileprovision". If the file name does not match or the profile is not correct, re-signing may fail or the app may not install/run properly.

Custom scripts for post-build processing


The ci_scripts folder contains the ci_post_xcodebuild.sh script file by default. The content of the script includes a process for uploading the re-signed IPA to App Store Connect. To perform this operation, the app developer's Apple account and app password are required. (Not password for Apple account ID!)

If you do not have an app password, you can create one on below Apple's page.


<https://appleid.apple.com/account/manage>




When you select the "App-Specific Passwords" item of the "Sign-In and Security" page, the "App-Specific Passwords" window will appear as shown below. Here, click the + button to start creating a new app password.




When you click the + button, a window will appear where you can enter the name of the app password. Please enter a name that is easy to recognize and suit the purpose. Here we arbitrarily entered the name "Xcode Cloud". Now click on the "Create" button.



Now, when a window asking you to enter your Apple account password appears, enter the account password of your Apple ID and click the "Continue" button.



You will now see your newly created 16-digit app password as shown in the window below. Passwords created in this way cannot be verified later and can only be discarded, so they must be well recorded.



Now, write your Apple account and app password in lines 20 to 21 at the top of the ci_post_xcodebuild.sh file and save the file.


```
1  #!/usr/bin/env ruby
2
3  =begin
4  =====
5  |  AppSealing iOS SDK Hash Generator V1.2.2
6  |
7  |  * presented by Inka Entworks
8  =====
9  =end
10
11 require 'pathname'
12 require 'tmpdir'
13 require 'securerandom'
14 require 'net/https'
15 require 'json'
16 require 'io/console'
17 require 'open-uri'
18
19 *+
20 APPLE_ID = "support@inka.co.kr"          # replace with your apple developer ID
21 APPLE_APP_PASSWORD = "aaaa-bbbb-cccc-dddd" # replace with your apple application password (https://appleid.apple.com/account/manage)
22                                         # NOT ACCOUNT PASSWORD !
23 #
24
```

If the Apple account is "myappleid@company.com" and the issued app password is "yfjb-zwko-sjee-qqht", lines 20 to 21 of the script file should be changed as follows.

```
13 #
14 APPLE_ID = "myappleid@company.com"      # replace with your apple developer ID
15 APPLE_APP_PASSWORD = "yfjb-zwko-sjee-qqht" # replace with your apple application password
16                                         # NOT ACCOUNT PASSWORD !
17 #
```

7-3 Check the build and upload process

Once you have completed setting up the Xcode Cloud environment and preparing the files required for the ci_scripts folder, push the files added to ci_scripts to the git repository. Now connect to App Store Connect and confirm that the build of the target branch (in this document, develop) has been completed.



The screenshot shows the App Store Connect interface with the title "App Store Connect" and the subtitle "App Store Connect". Below that, it says "TestApp_Swift" and "Xcode Cloud". The main section is titled "Builds >" with a "Start Build" button. There are filters for "All", "Mine", and "All Workflows". A plus sign icon is on the left.

STATUS	BUILD	LAST COMMIT
✓	6	0 0 0 0 add icons
✓	5	0 0 0 0 add icons
✓	4	0 0 0 0 fix script

Two specific rows are highlighted with red dashed circles: the first row (Build 6) and the second row (Build 5). Both rows show a green checkmark in the status column and a green checkmark in the build number column.

Click the build number to go to the build overview screen. Click the arrow to the right of the "Archive – iOS" item under "Actions" on the left to expand the menu and check the log.

TASK	DURATION
Build Archive	2m 8.3s
Configure macOS Ventura 13.2.1 (22D68)	0.4s
Set environment variables	0s
Configure Xcode 14.2 (14C18)	1.4s
Configure git	0.7s
Fetch source code	4.4s
Post-Clone script not found at ci_scripts/ci_post_clone.sh	0s
Resolve package dependencies	3.5s
Check project and workflow configuration	2.3s
Pre-Xcodebuild script not found at ci_scripts/ci_pre_xcodebuild.sh	0s
Run xcodebuild archive	22.3s
Export archive for app-store distribution	12s
Export archive for ad-hoc distribution	12.2s
Export archive for development distribution	12.1s
Check project configuration	2.4s
Run ci_post_xcodebuild.sh script	55s
Save artifacts	3.2s

As shown in the screen above, all tasks under "Build Archive" should be performed normally. In particular, no further operations should be performed after "Run ci_post_xcodebuild.sh script" and "Save artifacts". If there is a progress log for another task, you must refer to section 7-1 to modify the workflow settings and then proceed with the build again.

Now click on the left angle sign (>) of the "Run ci_post_xcodebuild.sh script" item to expand the script log. You can check the log where the ci_post_xcodebuild.sh script was executed for the exported IPA. Scroll to the bottom of the log to see that the IPA was successfully uploaded.

App Store Connect

TestApp_Swift Xcode Cloud

Run ci_post_xcodebuild.sh script 58.7s

Run command: cd /Volumes/workspace/repository/ci_scripts && CI_XCODEBUILD_EXIT_CODE=0 /Volumes/workspace/repository/ci_scripts/ci_post_xcodebuild.sh'

[Target IPA] = /Volumes/workspace/appstoreexport/TestApp_Swift.ipa

[Working Directory] = /var/folders/3/_c0j0cjxx7fv_k37j5d_0_5x00000gn/T/AppSealing/a7de227c03e21acae81534aec14d5708/

1. Payload has extracted from the IPA ...
1 certificate imported.
1 certificate imported.
1 identity imported.

2. Trying to receive encryption key from AppSealing server ...

3. Successfully received encryption key ...
Executable=/private/var/folders/3/_c0j0cjxx7fv_k37j5d_0_5x00000gn/T/AppSealing/a7de227c03e21acae81534aec14d5708/Package/Payload/TestApp_Swift.app/TestApp_Swift
==> Application ID replaced : 22X77ENQ2H.com.inka.* >> 22X77ENQ2H.com.inka.swift

4. Codesigning your app using certificate used to sign your IPA ...
Executable=/private/var/folders/3/_c0j0cjxx7fv_k37j5d_0_5x00000gn/T/AppSealing/a7de227c03e21acae81534aec14d5708/Package/Payload/TestApp_Swift.app/TestApp_Swift
/var/folders/3/_c0j0cjxx7fv_k37j5d_0_5x00000gn/T/AppSealing/a7de227c03e21acae81534aec14d5708/Package/Payload/TestApp_Swift.app/: replacing existing signature

5. Generating app integrity/certificate snapshot ...

6. Downloading blacklist/whitelist from AppSealing server ...

7. Encrypting app integrity/certificate snapshot ...

8. Codesigning your app using certificate used to sign your IPA ...
Executable=/private/var/folders/3/_c0j0cjxx7fv_k37j5d_0_5x00000gn/T/AppSealing/a7de227c03e21acae81534aec14d5708/Package/Payload/TestApp_Swift.app/TestApp_Swift
/var/folders/3/_c0j0cjxx7fv_k37j5d_0_5x00000gn/T/AppSealing/a7de227c03e21acae81534aec14d5708/Package/Payload/TestApp_Swift.app/: replacing existing signature

9. Rebuilding & re-signing IPA ...

10. Uploading your app to App Store Connect ...

The screenshot shows the App Store Connect interface with the title "TestApp_Swift" and "Xcode Cloud". The main area displays a log of upload progress messages:

```
2023-02-20 20:24:56.539 INFO: Show Progress: Sending analysis to App Store Connect...
2023-02-20 20:24:57.142 INFO: COMPLETED - PART 1 - asset-description-073C7CA2-3459-43D3-AF35-DAB36F8F1503.xml - eTag: "A633C5AF47BF50AF67F7282E8F21F4D4"
2023-02-20 20:24:57.148 INFO: Show Progress: Waiting for App Store Connect analysis response...
2023-02-20 20:25:25.057 INFO: Show Progress: Sending SPI analysis to App Store Connect...
2023-02-20 20:25:25.494 INFO: COMPLETED - PART 1 - DTAppAnalyzerExtractorOutput-A4A3233A-7F5C-47FE-BC93-1B02E76051F2.zip - eTag: "75EC67A6C8B2B5D6996D3EB18A2C439C"
2023-02-20 20:25:25.499 INFO: Show Progress: Waiting for App Store Connect SPI analysis response...
2023-02-20 20:25:32.884 INFO: Show Progress: Collecting package attributes...
2023-02-20 20:25:32.885 INFO: Show Progress: Requesting upload instructions from App Store Connect...
2023-02-20 20:25:33.385 INFO: Part 1 still needs to be uploaded (716110 bytes).
2023-02-20 20:25:33.386 INFO: 1 upload operations were requested for 1 parts. (Build ID = d55082e6-77d7-4b32-8e63-5a106f447168)
2023-02-20 20:25:33.386 INFO: Show Progress: Preparing file for upload to App Store Connect...
2023-02-20 20:25:33.393 INFO: Show Progress: Preparing file for upload to App Store Connect...
2023-02-20 20:25:33.407 INFO: Show Progress: Uploading to App Store Connect...
2023-02-20 20:25:33.849 INFO: COMPLETED - PART 1 - TestApp_Swift.ipa - eTag: "69828632A74104B0527E74C5553BC9E7"
2023-02-20 20:25:33.862 INFO: Time to transfer: 0.021 seconds (34558.44KB/s)
2023-02-20 20:25:33.866 INFO: Show Progress: Checking build state...
2023-02-20 20:25:33.867 INFO: Show Progress: Completing upload...
2023-02-20 20:25:36.007 INFO: Show Progress: Waiting for package to begin processing...
2023-02-20 20:25:36.341 INFO: Show Progress: Uploaded package is processing.
2023-02-20 20:25:36.346 INFO: Show Progress: Upload succeeded.
2023-02-20 20:25:36.346 INFO:
=====  
UPLOAD SUCCEEDED  
Delivery UUID: d55082e6-77d7-4b32-8e63-5a106f447168  
Transferred 716110 bytes in 0.021 seconds (34.6MB/s)  
=====
No errors uploading '/Volumes/workspace/appstoreexport/TestApp_Swift.ipa'  
Command executed successfully  
>  Save artifacts 3.1s
```

At the bottom, there is a footer bar with the "App Store Connect" logo and links to "Copyright © 2023 Apple Inc. All rights reserved.", "Terms of Service", "Privacy Policy", and "Contact Us".

Now if we go to TestFlight, we can see that the version we just built (6) is registered.

The screenshot shows the App Store Connect TestFlight interface. At the top, there are three colored dots (red, yellow, green) and the text "App Store Connect". Below that is the "App Store Connect" logo and a user profile icon. The main header reads "TestApp_Swift" and "TestFlight". Underneath, a section titled "iOS Builds" is shown with a dropdown arrow. A sub-section "Version 4.3" is expanded, showing two build entries:

BUILD	STATUS	GROUPS	INSTALLS	CRASHES
6	Ready to Submit Expires in 90 days	AC	-	-
5	Missing Compliance Manage			

Below this, sections for "Version 4.2", "Version 4.1", and "Version 4.0" are listed with a right-pointing arrow.

Part 8. Apply to Fastlane project

8-1 Configure project's Fastfile

AppSealing SDK can also be used in projects that have applied Fastlane. Typically, the reason for using the Fastlane tool in an Xcode project is to automate the app build and packaging process, and also to automate the subsequent distribution process. If you apply AppSealing SDK to an Xcode project, there are additional steps that need to be performed after building the app, but if Fastlane is applied, you can maintain the existing automation process by adding the AppSealing application process to the Fastfile script.

This chapter explains how to modify your scripts to maintain Fastlane's automated build and distribution process.

Here is the Fastfile code for a project named "TestApp_Swift" with Fastlane enabled (excluding comments). It includes the steps to build, sign, and upload the app to Testflight. The script for uploading to the Apple Store has the same structure, so this guide will only explain Testflight case.

Default Fastfile of project

```
default_platform(:ios)

platform :ios do
  desc "Push a new beta build to TestFlight"
  lane :beta do
    increment_build_number(xcodeproj: "TestApp_Swift.xcodeproj")
    build_app(scheme: "TestApp_Swift")
    upload_to_testflight
  end
end
```

In general, you will build and deploy by running the "fastlane beta" command without making any major modifications to this file. If you apply the AppSealing SDK here, additional work is required between the build and distribution, so you need to modify the fastfile script as follows. In the original script, the project name and file name are directly entered as string values, but the script to be modified is designed to extract

the necessary values from the project folder instead of directly specifying the values so that it can be applied to all other projects. Therefore, even if the project name is not "TestApp_Swift", you can apply the same Fastfile script to all projects.

Open Fastfile with a text editor and replace all codes with the code in the CodeSamplex.txt file. You must replace the `FASTLANE_USER`, `FASTLANE_APPLE_APPLICATION_SPECIFIC_PASSWORD`, and `PROFILE` values in the code below with the values you actually use. `FASTLANE_USER` should be your Apple account, and `FASTLANE_APPLE_APPLICATION_SPECIFIC_PASSWORD` should be your app-specific password. For information on how to issue an app-specific password, please refer to page 65.

The `PROFILE` value should be the name of the provisioning profile you use in the distribution step.

Fastfile when using AppSealing SDK

```
default_platform(:ios)

before_all do
  ENV["FASTLANE_USER"] = "#YOUR_APPLE_ID#"
  ENV["FASTLANE_APPLE_APPLICATION_SPECIFIC_PASSWORD"] = "#YOUR_APP_SPECIFIC_PASSWORD#"
  ENV['PROFILE'] = "#YOUR_DISTRIBUTION_PROVISIONING_PROFILE_NAME#"
end

platform :ios do
  desc "Push a new beta build to TestFlight"
  lane :beta do
    # Get project root path
    project_root = File.expand_path("../", __dir__)

    # Dynamically retrieve Xcode project or workspace files
    xcode_file_path = Dir.glob(File.join(project_root, "*.{xcworkspace,xccodeproj}")).first ||
      Dir.glob(File.join(project_root, "*.{xcworkspace,xccodeproj}")).first
    if xcode_file_path.nil?
      UI.user_error!("[AppSealing] No Xcode project or workspace found in the project root directory: #{project_root}")
    end

    # Automatically extract project name and scheme
    project_name = File.basename(xcode_file_path, File.extname(xcode_file_path))

    # Auto-search scheme
    scheme_name = ""
    Dir.chdir(File.dirname(xcode_file_path)) do
```

```
scheme_name = sh("xcodebuild -list -#{xcfile_path.end_with?('.xcworkspace')} ? 'workspace' : 'project' #{File.basename(xcode_file_path)} | grep 'Schemes:' -A 1 | tail -n 1").strip
end

if scheme_name.empty?
  UI.user_error!("[AppSealing] Failed to retrieve scheme name from Xcode project or workspace.")
end

# Dynamically extract bundle ID
bundle_id = ""
Dir.chdir(File.dirname(xcode_file_path)) do
  bundle_id_command = "xcodebuild -showBuildSettings -scheme #{scheme_name} | grep 'PRODUCT_BUNDLE_IDENTIFIER' | awk -F '=' '{print $2}'"
  bundle_id_output = sh(bundle_id_command).lines.map(&:strip).reject { |line| line.include?("WARNING") || line.empty? }
  bundle_id = bundle_id_output.last.strip
end

if bundle_id.empty?
  UI.user_error!("[AppSealing] Failed to retrieve Bundle ID from Xcode project.")
end

# Dynamically extract Team ID
team_id = ""
Dir.chdir(File.dirname(xcode_file_path)) do
  team_id_command = "xcodebuild -showBuildSettings -scheme #{scheme_name} | grep 'DEVELOPMENT_TEAM' | awk -F '=' '{print $2}'"
  team_id_output = sh(team_id_command).lines.map(&:strip).reject { |line| line.include?("WARNING") || line.empty? }
  team_id = team_id_output.last.strip
end

if team_id.empty?
  UI.user_error!("[AppSealing] Failed to retrieve Team ID from Xcode project.")
end

UI.message "[AppSealing] Project Name: #{project_name}"
UI.message "[AppSealing] Scheme Name: #{scheme_name}"
UI.message "[AppSealing] Bundle ID: #{bundle_id}"
UI.message "[AppSealing] Team ID: #{team_id}"

# Build and generate IPA file
archive_path = File.join(project_root, "build", "#{project_name}.xcarchive")
ipa_output_path = File.join(project_root, "build")

# Separate handling of workspace and project options when calling build_ios_app
build_options = {
  scheme: scheme_name,
  export_method: "app-store",
```

```
clean: true,
output_directory: ipa_output_path,
output_name: "#{project_name}.ipa",
export_options: {
  provisioningProfiles: {
    bundle_id => ENV["PROFILE"]
  }
}
}

if xcode_file_path.end_with?(".xcworkspace")
  build_options[:workspace] = xcode_file_path
  build_options[:project] = nil
else
  build_options[:project] = xcode_file_path
  build_options[:workspace] = nil
end

build_ios_app(build_options)

# Set .ipa file path
ipa_path = File.join(ipa_output_path, "#{project_name}.ipa")

unless File.exist?(ipa_path)
  UI.user_error!("[AppSealing] IPA file not found at path: #{ipa_path}")
end

UI.message "[AppSealing] IPA Path: #{ipa_path}"

# Dynamically find and execute the generate_hash script path
generate_hash_script = Dir.glob(File.join(project_root, "**/generate_hash")).first
|| File.join(project_root, "AppSealingSDK", "Tools", "generate_hash")

unless File.exist?(generate_hash_script)
  UI.user_error!("[AppSealing] generate_hash script not found at path: #{generate_hash_script}")
end

unless File.executable?(generate_hash_script)
  sh("chmod +x '#{generate_hash_script}'")
end

sh("#{generate_hash_script} #{File.absolute_path(ipa_path)}")

# Upload your IPA file to TestFlight
begin
  upload_to_testflight(
    ipa: ipa_path,
    skip_waiting_for_build_processing: true, # Skip build processing wait time
  )
  UI.success("[AppSealing] Upload to TestFlight completed successfully!")
end
```


```
rescue => e
  UI.error("[AppSealing] Upload to TestFlight failed with error: #{e.message}")
  raise e

ensure
  # Delete build directory
  if Dir.exist?(ipa_output_path)
    UI.message("[AppSealing] Deleting build directory: #{ipa_output_path}")
    FileUtils.rm_rf(ipa_output_path)
    UI.message("[AppSealing] Build directory deleted.")
  else
    UI.message("[AppSealing] Build directory not found or already deleted.")
  end
end
end
end
```


If you modify the code and run the “fastlane beta” command as before, it will build the app, export it as an IPA, automatically run the generate_hash script, and upload the AppSealing-enabled IPA to testflight.

Part 9. Troubleshooting

9-1 Xcode Build error (1) **Use of undeclared type 'AppSealingInterface'**



You will get an error message like above when you omit or miss-typed '#import "AppsealingiOS.h"' sentence in Bridging Header file.



Select "TestApp_Swift-Bridging-Header.h" and append '#import "AppsealingiOS.h"' at the end of document. Be sure that "AppsealingiOS.h" file exist in the designated folder (Xcode project/AppSealingSDK/Libraries/AppsealingiOS.h)

Also, the "AppsealingiOS.h" file must be included in your project with "AppsealingiOS.mm" file.

9-2 Xcode Build error (2) **Undefined symbols for architecture arm64: "_OBJC_CLASS_\$_AppSealingInterface"**

```


Ld /Users/admin/Desktop/Build/Products/Debug-iphoneos/TestApp_Swift.app/TestApp_Swift 0.1 seconds
  Ld /Users/admin/Desktop/Build/Products/Debug-iphoneos/TestApp_Swift.app/TestApp_Swift normal arm64
    (in target: TestApp_Swift)
      cd /Users/admin/Documents/TestApp_Swift
      export IPHONEOS_DEPLOYMENT_TARGET=12.1
      /Applications/Xcode.app/Contents/Developer/Toolchains/XcodeDefault.xctoolchain/usr/bin/clang -
        arch arm64 -isysroot /Applications/Xcode.app/Contents/Developer/Platforms/iPhoneOS.platform/
        Developer/SDKs/iPhoneOS12.1.sdk -L/Users/admin/Desktop/Build/Products/Debug-iphoneos -F/Users/
        admin/Desktop/Build/Products/Debug-iphoneos -filelist /Users/admin/Desktop/Build/
        Intermediates.noindex/TestApp_Swift.build/Debug-iphoneos/TestApp_Swift.build/Objects-normal/arm64/
        TestApp_Swift.LinkFileList -Xlinker -rpath -Xlinker @executable_path/Frameworks -miphoneos-
        version-min=12.1 -dead_strip -Xlinker -object_path_lto -Xlinker /Users/admin/Desktop/Build/
        Intermediates.noindex/TestApp_Swift.build/Debug-iphoneos/TestApp_Swift.build/Objects-normal/arm64/
        TestApp_Swift_lto.o -Xlinker -export_dynamic -Xlinker -no_deduplicate -fembed-bitcode-marker -
        fobjc-link-runtime -L/Applications/Xcode.app/Contents/Developer/Toolchains/
        XcodeDefault.xctoolchain/usr/lib/swift/iphoneos -Xlinker -add_ast_path -Xlinker /Users/admin/
        Desktop/Build/Intermediates.noindex/TestApp_Swift.build/Debug-iphoneos/TestApp_Swift.build/
        Objects-normal/arm64/TestApp_Swift.swiftmodule -lStaticAppSec_Debug -L/Users/admin/Documents/
        TestApp_Swift/AppSealingSDK/Libraries -Xlinker -dependency_info -Xlinker /Users/admin/Desktop/
        Build/Intermediates.noindex/TestApp_Swift.build/Debug-iphoneos/TestApp_Swift.build/Objects-normal/
        arm64/TestApp_Swift_dependency_info.dat -o /Users/admin/Desktop/Build/Products/Debug-iphoneos/
        TestApp_Swift.app/TestApp_Swift

Undefined symbols for architecture arm64:
  "_OBJC_CLASS_$_AppSealingInterface", referenced from:
    objc-class-ref in ViewController.o
ld: symbol(s) not found for architecture arm64
clang: error: linker command failed with exit code 1 (use -v to see invocation)



symbol(s) not found for architecture arm64
  ! linker command failed with exit code 1 (use -v to see invocation)
  ✓ Copy TestApp_Swift.swiftmodule 0.1 seconds
  ✓ Copy TestApp_Swift.swiftdoc 0.1 seconds
  ⚠ Build failed 31/01/2019, 3:38 PM 0.9 seconds
  1 error

```


This linker error occurs when the "AppsealingiOS.mm" is not included in your project. Check project tree whether the file has added or not.



If the "AppsealingiOS.mm" file is not included in your project, perform "File > Add Files to "TestApp_Swift" ... " menu action.



9-3 Xcode Build error (3) **ld: library not found for -lStaticAppSec_Debug**



```
Ld /Users/admin/Desktop/Build/Products/Debug-iphoneos/TestApp_Swift.app/TestApp_Swift normal arm64
(in target: TestApp_Swift)
cd /Users/admin/Documents/TestApp_Swift
export IPHONEOS_DEPLOYMENT_TARGET=12.1
/Applications/Xcode.app/Contents/Developer/Toolchains/XcodeDefault.xctoolchain/usr/bin/clang++
-arch arm64 -isysroot /Applications/Xcode.app/Contents/Developer/Platforms/iPhoneOS.platform/
Developer/SDKs/iPhoneOS12.1.sdk -L/Users/admin/Desktop/Build/Products/Debug-iphoneos -F/Users/
admin/Desktop/Build/Products/Debug-iphoneos -filelist /Users/admin/Desktop/Build/
Intermediates.noindex/TestApp_Swift.build/Debug-iphoneos/TestApp_Swift.build/Objects-normal/arm64-
TestApp_Swift.LinkFileList -Xlinker -rpath -Xlinker @executable_path/Frameworks -miphoneos-
version-min=12.1 -dead_strip -Xlinker -object_path_lto -Xlinker /Users/admin/Desktop/Build/
Intermediates.noindex/TestApp_Swift.build/Debug-iphoneos/TestApp_Swift.build/Objects-normal/arm64-
TestApp_Swift_lto.o -Xlinker -export_dynamic -Xlinker -no_deduplicate -fembed-bitcode-marker -
stdlib=libc++ -fobjc-arc -fobjc-link-runtime -L/Applications/Xcode.app/Contents/Developer/
Toolchains/XcodeDefault.xctoolchain/usr/lib/swift/iphoneos -Xlinker -add_ast_path -Xlinker /Users/
admin/Desktop/Build/Intermediates.noindex/TestApp_Swift.build/Debug-iphoneos/TestApp_Swift.build/
Objects-normal/arm64/TestApp_Swift.swiftmodule -lStaticAppSec_Debug -L/Users/admin/Documents/
TestApp_Swift/AppSealingSDK/Libraries -Xlinker -dependency_info -Xlinker /Users/admin/Desktop/
Build/Intermediates.noindex/TestApp_Swift.build/Debug-iphoneos/TestApp_Swift.build/Objects-normal/
arm64/TestApp_Swift_dependency_info.dat -o /Users/admin/Desktop/Build/Products/Debug-iphoneos/
TestApp_Swift.app/TestApp_Swift


ld: library not found for -lStaticAppSec_Debug
clang: error: linker command failed with exit code 1 (use -v to see invocation)

library not found for -lStaticAppSec_Debug
! linker command failed with exit code 1 (use -v to see invocation)
Build failed 31/01/2019, 2:58 PM 0.7 seconds
1 error
```

The screenshot shows the Xcode build log window. A red box highlights the error message "ld: library not found for -lStaticAppSec_Debug". Below it, another red box highlights the entire error line "ld: library not found for -lStaticAppSec_Debug" and the subsequent message "clang: error: linker command failed with exit code 1 (use -v to see invocation)". At the bottom left, there is a red exclamation mark icon.

This linker error occurs when the libStaticAppSec_Debug.a file is not exist in the designated folder or corrupted. The libStaticAppSec_Debug.a file should be exist in following path.

"TestApp_Swift (Project folder) > AppSealingSDK > Libraries > libStaticAppSec_Debug.a"




If the file is missing (or maybe corrupted) try to re-download or re-expand AppSealingSDK zip file.

This step is also applied to the linker error that says "ld: library not found for -lStaticAppSec" by just replacing "lStaticAppSec_Debug" to "lStaticAppSec". For Release builds, the file "libStaticAppSec.a" must exist in the correct location.

"TestApp_Swift (Project folder) > AppSealingSDK > Libraries > libStaticAppSec.a"

9-4 Xcode Build error (4) **Undefined symbols for architecture arm64:** "**ObjC_IsAbnormalEnvironmentDetected()", "Appsealing()**"



```

Link /Users/admin/Desktop/Build/Products/Debug-iphoneos/TestApp_Swift.app/TestApp_Swift 0.1 seconds
! 1
Ld /Users/admin/Desktop/Build/Products/Debug-iphoneos/TestApp_Swift.app/TestApp_Swift normal arm64
(in target: TestApp_Swift)
cd /Users/admin/Documents/TestApp_Swift
export IPHONEOS_DEPLOYMENT_TARGET=12.1
/Applications/Xcode.app/Contents/Developer/Toolchains/XcodeDefault.xctoolchain/usr/bin/clang++
-arch arm64 -isysroot /Applications/Xcode.app/Contents/Developer/Platforms/iPhoneOS.platform/
Developer/SDKs/iPhoneOS12.1.sdk -L/Users/admin/Desktop/Build/Products/Debug-iphoneos -F/Users/
admin/Desktop/Build/Products/Debug-iphoneos -filelist /Users/admin/Desktop/Build/
Intermediates.noindex/TestApp_Swift.build/Debug-iphoneos/TestApp_Swift.build/Objects-normal/arm64/
TestApp_Swift.LinkFileList -Xlinker -rpath -Xlinker @executable_path/Frameworks -miphoneos-
version-min=12.1 -dead_strip -Xlinker -object_path_lto -Xlinker /Users/admin/Desktop/Build/
Intermediates.noindex/TestApp_Swift.build/Debug-iphoneos/TestApp_Swift.build/Objects-normal/arm64/
TestApp_Swift_lto.o -Xlinker -export_dynamic -Xlinker -no_deduplicate -fembed-bitcode-marker -
stdlib=libc++ -fobjc-arc -fobjc-link-runtime -L/Applications/Xcode.app/Contents/Developer/
Toolchains/XcodeDefault.xctoolchain/usr/lib/swift/iphoneos -Xlinker -add_ast_path -Xlinker /Users/
admin/Desktop/Build/Intermediates.noindex/TestApp_Swift.build/Debug-iphoneos/TestApp_Swift.build/
Objects-normal/arm64/TestApp_Swift.swiftmodule -Xlinker -dependency_info -Xlinker /Users/admin/
Desktop/Build/Intermediates.noindex/TestApp_Swift.build/Debug-iphoneos/TestApp_Swift.build/
Objects-normal/arm64/TestApp_Swift_dependency_info.dat -o /Users/admin/Desktop/Build/Products/
Debug-iphoneos/TestApp_Swift.app/TestApp_Swift


Undefined symbols for architecture arm64:
"ObjC_IsAbnormalEnvironmentDetected()", referenced from:
-[AppSealingInterface _IsAbnormalEnvironmentDetected] in AppsealingiOS.o
"Appsealing()", referenced from:
iOS() in AppsealingiOS.o
ld: symbol(s) not found for architecture arm64
clang: error: linker command failed with exit code 1 (use -v to see invocation)

symbol(s) not found for architecture arm64
! linker command failed with exit code 1 (use -v to see invocation)
Build failed 31/01/2019, 5:06 PM 0.8 seconds
1 error

```


This linker error occurs when the value of "Other Linker Flags" field within "Build Settings" configuration section is missing or invalid.

First, check "Build Settings" for "**Other Linker Flags**" field value.




Now, restore the "Other Linker Flags" settings by following steps.

- 1) Clear the setting value : select "Other Linker Flags" row and press 'Delete' key.
- 2) Expand "Other Linker Flags" by clicking the triangle icon left to "Other Linker Flags"




- 3) Select "Debug" item and click to edit/insert value, then type in following text.

-IStaticAppSec_Debug -L\$(PROJECT_DIR)/AppSealingSDK/Libraries



- 4) Select "Release" item and click to edit/insert value, then type in following text.

-IStaticAppSec -L\$(PROJECT_DIR)/AppSealingSDK/Libraries




9-5 Xcode Build error (5) **Undefined symbols for architecture arm64:**

"ObjC_IsAbnormalEnvironmentDetected()" (Objective-C project only)


```
! Link /Users/admin/Desktop/Build/Intermediates.noindex/TestApp_ObjC.build/Release-iphoneos/TestApp_Obj... ! 1
Ld /Users/admin/Desktop/Build/Intermediates.noindex/TestApp_ObjC.build/Release-iphoneos/
TestApp_ObjC.build/Objects-normal/armv7/TestApp_ObjC normal armv7 (in target:
TestApp_ObjC)
cd /Users/admin/Documents/TestApp_ObjC
export IPHONEOS_DEPLOYMENT_TARGET=9.0
/Applications/Xcode.app/Contents/Developer/Toolchains/XcodeDefault.xctoolchain/usr/bin/
clang++ -arch armv7 -isysroot /Applications/Xcode.app/Contents/Developer/Platforms/
iPhoneOS.platform/Developer/SDKs/iPhoneOS12.1.sdk -L/Users/admin/Desktop/Build/Products/
Release-iphoneos -F/Users/admin/Desktop/Build/Products/Release-iphoneos -filelist /Users/
admin/Desktop/Build/Intermediates.noindex/TestApp_ObjC.build/Release-iphoneos/
TestApp_ObjC.build/Objects-normal/armv7/TestApp_ObjC.LinkFileList -Xlinker -rpath -
-Xlinker @executable_path/Frameworks -miphoneos-version-min=9.0 -dead_strip -Xlinker -
object_path_lto -Xlinker /Users/admin/Desktop/Build/Intermediates.noindex/
TestApp_ObjC.build/Release-iphoneos/TestApp_ObjC.build/Objects-normal/armv7/
TestApp_ObjC_lto.o -fembed-bitcode-marker -stdlib=libc++ -fobjc-arc -fobjc-link-runtime -
lStaticAppSec -L/Users/admin/Documents/TestApp_ObjC/AppSealingSDK/Libraries -Xlinker -
dependency_info -Xlinker /Users/admin/Desktop/Build/Intermediates.noindex/
TestApp_ObjC.build/Release-iphoneos/TestApp_ObjC.build/Objects-normal/armv7/
TestApp_ObjC_dependency_info.dat -o /Users/admin/Desktop/Build/Intermediates.noindex/
TestApp_ObjC.build/Release-iphoneos/TestApp_ObjC.build/Objects-normal/armv7/TestApp_ObjC
```

This linker error occurs when your project is Objective-C based and ViewController source code file has extension ".m". Just change the extension to ".mm".




9-6 Execution error (I) App terminated immediately after launch

If your app has terminated right after launching in device, you should check the execution log message whether your bundle ID is valid.




If the log message contains string like "`==> FAILED(Not registered bundle name)`" then it tells the bundle Id you used is not registered properly at AppSealing Developer Center (ADC) while downloading AppSealing SDK file. Check your bundle Id if it is same as the value you entered when downloading SDK at ADC.



9-7 Execution error (II) **App terminated suddenly while running**

If your app has terminated suddenly while running about after 20 seconds from launching you should check the execution log message whether you have run your app with Release configuration.




If the log message contains string like "[Message from debugger: Terminated due to signal 14](#)" then it tells that you have built & run your app in Release configuration and so AppSealing detection logic has activated. AppSealing logic in Release configuration checks some security intrusion such as jailbreak, debugger attachment, execution file encryption flag and if there is some problem it will close the app after 20 seconds irrespectively of user action or other circumstances.

Only in Release configuration the AppSealing logic will be activated and will terminate your app, so you should run your app with Debug configuration until you distribute the app to AppStore or TestFlight because the built executable file doesn't have encrypted with FairPlay DRM before it is installed from AppStore to device. AppSealing logic will detect that executable file has decrypted abnormally and it will terminate the app after 20 seconds while running your app in device at Xcode.

9-8 Cannot execute "generate_hash" : Permission denied

It may happens that script execution in step 3-5 "Generate App integrity and certificate snapshot" fails by "Permission denied" error message like below.



```
$ AppSealingSDK/Tools/generate_hash ~/Downloads/TestApp_Swift_Upload/TestApp_Swift.ipa
-bash: AppSealingSDK/Tools/generate_hash: Permission denied
$ chmod +x AppSealingSDK/Tools/generate_hash
```


In this situation run add permission command like below and try again.

```
$ chmod +x AppSealingSDK/Tools/generate_hash
```

9-9 On the silicon mac, Build fails for **debug mode, simulator run**.

Some of libraries required for building may not be universal for all architectures.

In the Xcode menu, select **Product >> Destination >> Destination Architectures >> Show Both** so that all devices for all architectures are listed as available targets.



Now change your target device as a Rosetta one, and vice versa.

