



DC – AI – Routing – Switching – Security – Wireless – Automation

This is my techpost

An HPE Juniper Networking Techpost

David Roy

2026-08-03

HPE



Contents

1	Ready to Start Writing - Follow MD rules below	4
1.1	Markdown comments	4
1.2	Paragraph	4
1.3	Title hierarchy	4
1.4	Bold text	4
1.5	Italic text	4
1.6	Create a note	4
1.7	Code or CLI output	5
1.8	External Links	5
1.9	Internal reference/link to a section	5
1.10	Internal reference inside the text body	5
1.11	Images	6
1.12	Footnote	7
1.13	Tables	7
1.14	List	8
1.15	Latex math Formula	8

List of Figures

1	your image caption	6
2	your image caption	7

List of Tables

1 Ready to Start Writing - Follow MD rules below

This is the markdown formatting validated to be well rendered to Static HTML along with the PDF exportation. Please only use these validated formats

1.1 Markdown comments

```
1 <!-- Comments are written this way - not published -->
2 <!-- shortcut for comments: alt + shift + a -->
```

1.2 Paragraph

Always add a space after a punctuation mark to return to a new line. To create a new paragraph, add two spaces at the end of the line.

Here is my new paragraph is this one.

1.3 Title hierarchy

You don't have to care about numbering, this will be automatically done during rendering process.

```
1 # Title level 1
2 ## Title level 2
3 ### Title level 3
4 #### level 4
5 ##### level 5
6 ##### level 6
```

Rendering:

1.4 Bold text

```
1 **my bold text**
```

Rendering:

my bold text

1.5 Italic text

```
1 *my italic text*
```

Rendering:

my italic text

1.6 Create a note

```
1 > This is a note...
```

Rendering:

This is a note...

1.7 Code or CLI output

```
1  ```plaintext
2  regress@rtme-mx-25> show version
3  Hostname: rtme-mx-25
4  Model: mx480
5  Family: junos
6  Junos: 25.2I-20250303.0.2029
7  ```
```

Rendering:

```
1  regress@rtme-mx-25> show version
2  Hostname: rtme-mx-25
3  Model: mx480
4  Family: junos
5  Junos: 25.2I-20250303.0.2029
```

1.8 External Links

```
1  [external-link-name] (https://www.example.com)
```

Rendering:

[external-link-name](https://www.example.com)

1.9 Internal reference/link to a section

```
1  If you want to refer to a given section inside the same markdown file, use:
2
3  [Go to this section](#<this is a section reference>)
4
5  If you want to refer to a given section inside another markdown file part of the same book, use:
6
7  [Go to this far section](#<this is a section reference>)
```

Rendering:

[Go to this section](#)

1.10 Internal reference inside the text body

```
1  Your internal reference other than a section is created like that - the anchorX (X is a random/
   incrementing number that must be choosen/managed by the Author). It has a only meaning for
   mkdocs and is not visible by the reader:
2
3  [Internal-reference-name](#anchorX)
4
5  Then position your anchorX wherever you want in the body by using this simple html code in
   your markdown file:
6
7  \label{anchorX}</a>
```

Rendering:

Your internal reference other than a section is created like that - the anchorX (X is a random/incrementing number that must be choosen/managed by the Author). It has a only meaning for mkdocs and is not visible by the reader:

Internal-reference-name

Then position your anchorX wherever you want in the body by using this simple html code in your markdown file:

1.11 Images

```
1 Add figure caption if needed - numbering will be managed by the tool.  
2  
3 By default the image size is set to 70% and the image is clickable to open a "modal" for zooming  
4   in. They are also center automatically.  
5 ![your image caption](images/logo.png)
```

Rendering:



Figure 1: your image caption

Figure 1: your image caption

Image Caption numbering is incremented automatically and has a global significance.

```
1 If you want to override the default size of an image you should use the { width: x%} like below:  
2  
3 ![a smaller image](images/logo.png){ width=20%}
```

Rendering:



Figure 2: your image caption

Figure 2: a smaller image

1.12 Footnote

```
1 my text that needs footnote[^1]
2
3 and on the bottom of the md file:
4
5 [^1]: Put this to the end of the document, the footnote will be listed like this. Rendering will
   put the footnote on the right page - don't care about that.
```

Rendering:

my text that needs footnote¹

and on the bottom of the md file:

1.13 Tables

```
1 Table: This is table caption
2
3 | Header1 | header2 | header3 |
4 | :-|:-|:-|
5 | cell 1 | cell 2 | cell 3 |
6 | cell 1 | cell 2 | cell 3 |
7 | cell 1 | cell 2 | cell 3 |
```

Rendering:

Header1	header2	header3
cell 1	cell 2	cell 3
cell 1	cell 2	cell 3
cell 1	cell 2	cell 3

Table 1: This is table caption

Table Caption numbering is incremented automatically and has a global significance.

More info: [Table in MD](#)

¹ Put this to the end of the document, the footnote will be listed like this. Rendering will put the footnote on the right page - don't care about that.

1.14 List

```
1 This is a list:
2
3 - elem1
4 - elem2
5 - elem3
```

Rendering:

This is a list:

- elem1
- elem2
- elem3

1.15 Latex math Formula

One formula:

```
1 $$
2 \frac{10^{6}}{\text{policer clock tick}_{\mu s}} = \frac{10^{6}}{\text{policer tick} \cdot 2^{5R}}
3 $$
```

Rendering:

$$\frac{10^6}{\text{policer clock tick}_{\mu s}} = \frac{10^6}{\text{policer tick} \cdot 2^{5R}}$$

Need Help?: Go [here](#)

Hello, I'm the anchor1 :-) [Go back to the section](#)