Suite Hard · Simulation Module 04

22 questions · 35 minutes · official SAT Math Hard

Exclude-active: these items are not on current Bluebook full-length tests.

All items are Hard. This is not an adaptive Module 1. It is harder than test day.

Calculator / Desmos is allowed on every item, same as Bluebook.

Question 1 is the first page after this cover. Write answers on the last page.

Read the prompt carefully. Write the job on scratch before you copy numbers.

Domain mix in this module:

- Algebra: 5
- Advanced Math: 8
- PSDA: 4
- Geometry: 5

Do not open the next module until this one is timed and scored.

Question ID: e117d3b8

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Advanced Math	Equivalent expressions	Hard

Question

If a and c are positive numbers, which of the following is equivalent to $\sqrt{(a+c)^3} \cdot \sqrt{a+c}$?

Answer

A. $a+c$

B. a^2+c^2

C. $a^2+2ac+c^2$

D. a^2c^2

Question ID: 18ac8354

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Systems of two linear equations in two variables	Hard

Question



The graph of line g is shown in the *xy*-plane. Line k is defined by $165x + py = w$, where p and w are constants. If line k is graphed in this *xy*-plane, resulting in the graph of a system of two linear equations, the system of two linear equations will have infinitely many solutions. What is the value of $p + w$?

Question ID: db88a933

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Problem-Solving and Data Analysis	One-variable data: Distributions and measures of center and spread	Hard

Question

Data Set Q

Value	Frequency
a	110
b	30
c	0

Data Set R

Value	Frequency
a	0
b	3
c	11

Data sets Q and R are summarized in the tables shown, where a, b, and c are positive, consecutive integers and $a < b < c$. Which statement comparing the means of the data sets is true?

Answer

A. The mean of data set R is $\frac{2(11)}{14}$ less than the mean of data set Q.

B. The mean of data set R is $\frac{2(11)}{14}$ greater than the mean of data set Q.

C. The mean of data set Q is 10 times the mean of data set R.

D. The means of the two data sets are equal.

Question ID: 9fdc4eaa

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Geometry and Trigonometry	Area and volume	Hard

Question

A right square pyramid has a total surface area of $70{,}560$ square inches, and the combined surface area of the four lateral faces of this pyramid is $38{,}160$ square inches. What is the height, in inches, of this pyramid?

Answer

A. 56

B. 90

C. 106

D. 180

Question ID: ebed7dc6

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Advanced Math	Nonlinear functions	Hard

Question

An auditorium has seats for $1,800$ people. Tickets to attend a show at the auditorium currently cost $\$4.00$. For each $\$1.00$ increase to the ticket price, 100 fewer tickets will be sold. This situation can be modeled by the equation $y = -100x^2 + 1,400x + 7,200$, where x represents the increase in ticket price, in dollars, and y represents the revenue, in dollars, from ticket sales. If this equation is graphed in the *xy*-plane, at what value of x is the maximum of the graph?

Answer

A. 4

B. 7

C. 14

D. 18

Question ID: 25e1cfed

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in one variable	Hard

Question

How many solutions does the equation $10(15x-9)=-15(6-10x)$ have?

Answer

A. Exactly one

B. Exactly two

C. Infinitely many

D. Zero

Question ID: 34f8cd89

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Problem-Solving and Data Analysis	Percentages	Hard

Question

37% of the items in a box are green. Of those, 37% are also rectangular. Of the green rectangular items, 42% are also metal. Which of the following is closest to the percentage of the items in the box that are <u>not</u> rectangular green metal items?

Answer

A. 1.16%

B. 57.50%

C. 94.25%

D. 98.84%

Question ID: 149021da

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Geometry and Trigonometry	Circles	Hard

Question

A circle has center P, and points A and B lie on the circle. The measure of arc AB is $45°$ and the length of arc AB is 4π units. What is the length, in units, of the radius of the circle?

Question ID: 2289b199

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Advanced Math	Equivalent expressions	Hard

Question

$$\frac{\sqrt[3]{n^{17}p^5}}{5n^2\left(\sqrt[8]{p^8}\right)}$$

For all positive values of n and p, the given expression is equivalent to which of the following?

I. $\frac{\left(n^{\frac{14}{3}}\right)\left(p^{\frac{5}{3}}\right)}{5np}$

II. $\frac{\sqrt[3]{n^{11}p^2}}{5}$

Answer

A. I only

B. II only

C. I and II

D. Neither I nor II

Question ID: daad7c32

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear functions	Hard

Question

An object hangs from a spring. The formula $\ell = 30 + 2w$ relates the length ℓ, in centimeters, of the spring to the weight w, in newtons, of the object. Which of the following describes the meaning of the 2 in this context?

Answer

A. The length, in centimeters, of the spring with no weight attached

B. The weight, in newtons, of an object that will stretch the spring 30 centimeters

C. The increase in the weight, in newtons, of the object for each one-centimeter increase in the length of the spring

D. The increase in the length, in centimeters, of the spring for each one-newton increase in the weight of the object

Question ID: 9ba3e283

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Problem-Solving and Data Analysis	Inference from sample statistics and margin of error	Hard

Question

In State X, Mr. Camp's eighth-grade class consisting of 26 students was surveyed and 34.6 percent of the students reported that they had at least two siblings. The average eighth-grade class size in the state is 26. If the students in Mr. Camp's class are representative of students in the state's eighth-grade classes and there are 1,800 eighth-grade classes in the state, which of the following best estimates the number of eighth-grade students in the state who have fewer than two siblings?

Answer

A. 16,200

B. 23,400

C. 30,600

D. 46,800

Question ID: b8a225ff

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Geometry and Trigonometry	Circles	Hard

Question

Circle A in the *xy*-plane has the equation $(x+5)^2+(y-5)^2=4$. Circle B has the same center as circle A. The radius of circle B is two times the radius of circle A. The equation defining circle B in the *xy*-plane is $(x+5)^2+(y-5)^2=k$, where k is a constant. What is the value of k?

Question ID: 3d12b1e0

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Advanced Math	Nonlinear equations in one variable and systems of equations in two variables	Hard

Question

$$-16x^2 - 8x + c = 0$$

In the given equation, c is a constant. The equation has exactly one solution. What is the value of c?

Question ID: a7e2859a

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear functions	Hard

Question

The cost of renting a large canopy tent for up to 10 days is $\$430$ for the first day and $\$215$ for each additional day. Which of the following equations gives the cost y, in dollars, of renting the tent for x days, where x is a positive integer and $x \leq 10$?

Answer

A. $y = 215x + 215$

B. $y = 430x - 215$

C. $y = 430x + 215$

D. $y = 215x + 430$

Question ID: 8c5dbd3e

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Problem-Solving and Data Analysis	Percentages	Hard

Question

The number w is 110% greater than the number z. The number z is 55% less than 50. What is the value of w?

Question ID: b5d62bba

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Geometry and Trigonometry	Lines, angles, and triangles	Hard

Question



Note: Figure not drawn to scale.

In the figure, $\overline{LQ}$ intersects $\overline{MP}$ at point R, and $\overline{LM}$ is parallel to $\overline{PQ}$. The lengths of $\overline{MR}$ and $\overline{RP}$ are 8 and 14 units, respectively. The area of $\triangle LMR$ is 36 square units. What is the area of $\triangle PQR$, in square units?

Answer

A. $\frac{576}{49}$

B. $\frac{144}{7}$

C. 63

D. $\frac{441}{4}$

Question ID: 46308566

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Advanced Math	Nonlinear equations in one variable and systems of equations in two variables	Hard

Question

$$r^2 + qr = 2r - 55$$

In the given equation, q is an integer constant. The given equation has no real solutions. What is the largest possible value of q?

Question ID: b3abf40f

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear functions	Hard

Question

$$F\left(x\right)=\frac{9}{5}\left(x-273.15\right)+32$$

The function F gives the temperature, in degrees Fahrenheit, that corresponds to a temperature of x kelvins. If a temperature increased by 9.10 kelvins, by how much did the temperature increase, in degrees Fahrenheit?

Answer

A. 16.38

B. 48.38

C. 475.29

D. 507.29

Question ID: 14e7c114

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Geometry and Trigonometry	Right triangles and trigonometry	Hard

Question

For two acute angles, $\angle Q$ and $\angle R$, $\cos(Q) = \sin(R)$. The measures, in degrees, of $\angle Q$ and $\angle R$ are $x + 61$ and $4x + 4$, respectively. What is the value of x?

Answer

A. 5

B. 19

C. 23

D. 29

Question ID: 43926bd9

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Advanced Math	Nonlinear functions	Hard

Question

x	$f(x)$
1	a
2	a^5
3	a^9

For the exponential function f, the table above shows several values of x and their corresponding values of $f(x)$, where a is a constant greater than 1. If k is a constant and $f(k) = a^{29}$, what is the value of k ?

Question ID: c8db0e19

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Advanced Math	Nonlinear equations in one variable and systems of equations in two variables	Hard

Question

$$\frac{1}{4xy} + xyz = \frac{1}{3yz}$$

In the given equation, x, y, and z are positive numbers. Which expression is equivalent to y?

Answer

A. $\frac{4x-3z}{12x^2z^2}$

B. $\sqrt{\frac{4x-3z}{12x^2z^2}}$

C. $\frac{1}{3xz^2-4x^2z}$

D. $\sqrt{\frac{1}{3xz^2-4x^2z}}$

Question ID: f5aa5040

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Advanced Math	Nonlinear equations in one variable and systems of equations in two variables	Hard

Question

In the *xy*-plane, a line with equation $2y = c$ for some constant c intersects a parabola at exactly one point. If the parabola has equation $y = -2x^2 + 9x$, what is the value of c?

Module 04 · answer sheet

Write one answer per line. SPR: integer, decimal, or fraction.

1.	______	**12.**	______
2.	______	**13.**	______
3.	______	**14.**	______
4.	______	**15.**	______
5.	______	**16.**	______
6.	______	**17.**	______
7.	______	**18.**	______
8.	______	**19.**	______
9.	______	**20.**	______
10.	______	**21.**	______
11.	______	**22.**	______