

Math

22 QUESTIONS

DIRECTIONS


The questions in this section address a number of important math skills.
Use of a calculator is permitted for all questions.

NOTES

Unless otherwise indicated:


- All variables and expressions represent real numbers.
- Figures provided are drawn to scale.
- All figures lie in a plane.
- The domain of a given function f is the set of all real numbers x for which $f(x)$ is a real number.

REFERENCE




$$A = \pi r^2$$


$$C = 2\pi r$$




$$A = \ell w$$





$$A = \frac{1}{2}bh$$




$$c^2 = a^2 + b^2$$




Special Right Triangles




$$V = \ell wh$$




$$V = \pi r^2 h$$



$$V = \frac{4}{3}\pi r^3$$



$$V = \frac{1}{3}\pi r^2 h$$



$$V = \frac{1}{3}\ell wh$$

The number of degrees of arc in a circle is 360.

The number of radians of arc in a circle is 2π .

The sum of the measures in degrees of the angles of a triangle is 180.

For multiple-choice questions, solve each problem, choose the correct answer from the choices provided, and then circle your answer in this book. Circle only one answer for each question. If you change your mind, completely erase the circle. You will not get credit for questions with more than one answer circled, or for questions with no answers circled.

For student-produced response questions, solve each problem and write your answer next to or under the question in the test book as described below.

- Once you've written your answer, circle it clearly. You will not receive credit for anything written outside the circle, or for any questions with more than one circled answer.
- If you find **more than one correct answer**, write and circle only one answer.
- Your answer can be up to 5 characters for a **positive** answer and up to 6 characters (including the negative sign) for a **negative** answer, but no more.
- If your answer is a **fraction** that is too long (over 5 characters for positive, 6 characters for negative), write the decimal equivalent.
- If your answer is a **decimal** that is too long (over 5 characters for positive, 6 characters for negative), truncate it or round at the fourth digit.
- If your answer is a **mixed number** (such as $3\frac{1}{2}$), write it as an improper fraction ($\frac{7}{2}$) or its decimal equivalent (3.5).
- Don't include **symbols** such as a percent sign, comma, or dollar sign in your circled answer.

Question ID: e1248a5c

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Systems of two linear equations in two variables	Hard

Question

In the system of equations below, a and c are constants.

$$\frac{1}{2}x + \frac{1}{3}y = \frac{1}{6}$$
$$ax + y = c$$

If the system of equations has an infinite number of solutions (x,y) , what is the value of a ?

Answer

- A. $-\frac{1}{2}$
- B. 0
- C. $\frac{1}{2}$
- D. $\frac{3}{2}$

Question ID: b03adde3

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Advanced Math	Nonlinear equations in one variable and systems of equations in two variables	Hard ■■■■■

Question

If $u - 3 = \frac{6}{t-2}$, what is t in terms of u ?

Answer

A. $t = \frac{1}{u}$

B. $t = \frac{2u+9}{u}$

C. $t = \frac{1}{u-3}$

D. $t = \frac{2u}{u-3}$

Question ID: 8213b1b3

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Problem-Solving and Data Analysis	Percentages	Hard

Question

According to a set of standards, a certain type of substance can contain a maximum of **0.001%** phosphorus by mass. If a sample of this substance has a mass of **140** grams, what is the maximum mass, in grams, of phosphorus the sample can contain to meet these standards?

Question ID: 10e059a6

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Geometry and Trigonometry	Circles	Hard

Question

The measure of angle A is $\frac{\pi}{216}$ radians. The measure of angle B is **36** times the measure of angle A . What is the value of $\cos B$?

Answer

- A. 0
B. $\frac{1}{2}$
C. $\frac{\sqrt{2}}{2}$
D. $\frac{\sqrt{3}}{2}$

Question ID: 50f4cb9c

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear functions	Hard

Question

x	$f(x)$
1	−64
2	0
3	64

For the linear function f , the table shows three values of x and their corresponding values of $f(x)$. Function f is defined by $f(x) = ax + b$, where a and b are constants. What is the value of $a - b$?

Answer

- A. −64
- B. 62
- C. 128
- D. 192

Question ID: 58b4c6f3

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Advanced Math	Nonlinear functions	Hard

Question

The function h is defined by $h(x) = a^x + b$, where a and b are positive constants. The graph of $y = h(x)$ in the xy -plane passes through the points $(0, 10)$ and $(2, 13)$. What is the value of ab ?

- Answer**
- A. 13
 - B. 18
 - C. 20
 - D. 26

Question ID: 0ea56bb2

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Problem-Solving and Data Analysis	Percentages	Hard ■■■■■ ■■■■ ■■■■

Question

Year	Subscriptions sold
2012	5,600
2013	5,880

The manager of an online news service received the report above on the number of subscriptions sold by the service. The manager estimated that the percent increase from 2012 to 2013 would be double the percent increase from 2013 to 2014. How many subscriptions did the manager expect would be sold in 2014?

Answer

- A. 6,020
- B. 6,027
- C. 6,440
- D. 6,468

Question ID: b0dc920d

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Geometry and Trigonometry	Area and volume	Hard

Question

A manufacturer determined that right cylindrical containers with a height that is 4 inches longer than the radius offer the optimal number of containers to be displayed on a shelf. Which of the following expresses the volume, V , in cubic inches, of such containers, where r is the radius, in inches?

Answer

- A. $V = 4\pi r^3$
- B. $V = \pi(2r)^3$
- C. $V = \pi r^2 + 4\pi r$
- D. $V = \pi r^3 + 4\pi r^2$

Question ID: 466b87e3

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Systems of two linear equations in two variables	Hard

Question

$y = \frac{1}{2}x + 8$

$y = cx + 10$

In the system of equations above, c is a constant. If the system has no solution, what is the value of c ?

Question ID: 7dbd46d9

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Advanced Math	Nonlinear equations in one variable and systems of equations in two variables	Hard

Question

$8x + y = -11$

$2x^2 = y + 341$

The graphs of the equations in the given system of equations intersect at the point (x, y) in the xy -plane. What is a possible value of x ?

Answer

- A. -15
- B. -11
- C. 2
- D. 8

Question ID: 190be2fc

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Problem-Solving and Data Analysis	One-variable data: Distributions and measures of center and spread	Hard

Question

Data set A consists of 10 positive integers less than 60. The list shown gives 9 of the integers from data set A.

43, 45, 44, 43, 38, 39, 40, 46, 40

The mean of these 9 integers is 42. If the mean of data set A is an integer that is greater than 42, what is the value of the largest integer from data set A?

Question ID: 27d075d8

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Geometry and Trigonometry	Right triangles and trigonometry	Hard

Question

For two acute angles, $\angle Q$ and $\angle R$, $\cos(Q) = \sin(R)$. The measures, in degrees, of $\angle Q$ and $\angle R$ are $x + 52$ and $4x + 13$, respectively. What is the value of x ?

Answer

- A. 5
B. 13
C. 23
D. 38

Question ID: 9bbce683

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in two variables	Hard ■■■■■

Question

x	y
18	130
23	160
26	178

For line h , the table shows three values of x and their corresponding values of y . Line k is the result of translating line h down 5 units in the xy -plane. What is the x -intercept of line k ?

Answer

- A. $(-\frac{26}{3}, 0)$
- B. $(-\frac{9}{2}, 0)$
- C. $(-\frac{11}{3}, 0)$
- D. $(-\frac{17}{6}, 0)$

Question ID: 84e8cc72

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Advanced Math	Nonlinear functions	Hard

Question

A quadratic function models the height, in feet, of an object above the ground in terms of the time, in seconds, after the object is launched off an elevated surface. The model indicates the object has an initial height of **10** feet above the ground and reaches its maximum height of **1,034** feet above the ground **8** seconds after being launched. Based on the model, what is the height, in feet, of the object above the ground **10** seconds after being launched?

Answer

- A. 234
B. 778
C. 970
D. 1,014

Question ID: 4ff597db

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Problem-Solving and Data Analysis	One-variable data: Distributions and measures of center and spread	Hard ■■■■■

Question

The mean amount of time that the 20 employees of a construction company have worked for the company is 6.7 years. After one of the employees leaves the company, the mean amount of time that the remaining employees have worked for the company is reduced to 6.25 years. How many years did the employee who left the company work for the company?

Answer


- A. 0.45
- B. 2.30
- C. 9.00
- D. 15.25

Question ID: f88f27e5

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Geometry and Trigonometry	Lines, angles, and triangles	Hard

Question

Intersecting lines r , s , and t are shown below.



What is the value of x ?

Question ID: f718c9cf

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Systems of two linear equations in two variables	Hard

Question

$5x + 14y = 45$

$10x + 7y = 27$

The solution to the given system of equations is (x, y) . What is the value of xy ?

Question ID: 8462b105

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Advanced Math	Nonlinear functions	Hard

Question

The function f gives the product of a number, x , and a number that is 91 more than x . Which equation defines f ?

Answer

- A. $f(x) = x^2 + x + 91$
 B. $f(x) = x^2 + 91$
 C. $f(x) = x^2 + 91x$
 D. $f(x) = x^2 + 91x + 91$

Question ID: a5ff1a96

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Geometry and Trigonometry	Circles	Hard

Question

In the xy -plane, circle M is the graph of the equation $(x - 4)^2 + (y - 5)^2 = 9$. Circle P has the same center as circle M but has a radius that is twice the radius of circle M . Which equation represents circle P ?

Answer

- A. $(x-4)^2 + (y-5)^2 = 18$
 B. $(x-4)^2 + (y-5)^2 = 36$
 C. $(x-8)^2 + (y-10)^2 = 9$
 D. $(x-8)^2 + (y-10)^2 = 18$

Question ID: 3f8a701b

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in one variable	Hard

Question

The equation $9x + 5 = a(x + b)$, where a and b are constants, has no solutions. Which of the following must be true?

- I. $a = 9$
- II. $b = 5$
- III. $b \neq \frac{5}{9}$

Answer

- A. None
- B. I only
- C. I and II only
- D. I and III only

Question ID: 137cc6fd

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Advanced Math	Equivalent expressions	Hard

Question


$$\sqrt[5]{70n}(\sqrt[6]{70n})^2$$

For what value of x is the given expression equivalent to $(70n)^{30x}$, where $n > 1$?

Question ID: 6a3fbec3

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Geometry and Trigonometry	Lines, angles, and triangles	Hard

Question



Note: Figure not drawn to scale.

In the figure above, $BD = 6$ and $AD = 8$. What is the length of $\overline{DC}$?