

Math

22 QUESTIONS

DIRECTIONS


The questions in this section address a number of important math skills.
Use of a calculator is permitted for all questions.

NOTES

Unless otherwise indicated:


- All variables and expressions represent real numbers.
- Figures provided are drawn to scale.
- All figures lie in a plane.
- The domain of a given function f is the set of all real numbers x for which $f(x)$ is a real number.

REFERENCE




$$A = \pi r^2$$


$$C = 2\pi r$$




$$A = \ell w$$





$$A = \frac{1}{2}bh$$




$$c^2 = a^2 + b^2$$



Special Right Triangles




$$V = \ell wh$$




$$V = \pi r^2 h$$



$$V = \frac{4}{3}\pi r^3$$



$$V = \frac{1}{3}\pi r^2 h$$



$$V = \frac{1}{3}\ell wh$$

The number of degrees of arc in a circle is 360.

The number of radians of arc in a circle is 2π .

The sum of the measures in degrees of the angles of a triangle is 180.

For multiple-choice questions, solve each problem, choose the correct answer from the choices provided, and then circle your answer in this book. Circle only one answer for each question. If you change your mind, completely erase the circle. You will not get credit for questions with more than one answer circled, or for questions with no answers circled.


For student-produced response questions, solve each problem and write your answer next to or under the question in the test book as described below.

- Once you've written your answer, circle it clearly. You will not receive credit for anything written outside the circle, or for any questions with more than one circled answer.
- If you find **more than one correct answer**, write and circle only one answer.
- Your answer can be up to 5 characters for a **positive** answer and up to 6 characters (including the negative sign) for a **negative** answer, but no more.
- If your answer is a **fraction** that is too long (over 5 characters for positive, 6 characters for negative), write the decimal equivalent.
- If your answer is a **decimal** that is too long (over 5 characters for positive, 6 characters for negative), truncate it or round at the fourth digit.
- If your answer is a **mixed number** (such as $3\frac{1}{2}$), write it as an improper fraction ($\frac{7}{2}$) or its decimal equivalent (3.5).
- Don't include **symbols** such as a percent sign, comma, or dollar sign in your circled answer.

Question ID: dba6a25a

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Geometry and Trigonometry	Right triangles and trigonometry	Hard

Question



In the figure above, $\overline{BD}$ is parallel to $\overline{AE}$. What is the length of $\overline{CE}$?

Question ID: 0de8359f

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Advanced Math	Nonlinear functions	Hard

Question

$r(t) = 63t - 2t^2$

The function r is defined by the given equation. The function s is defined by $s(t) = r(t) + 1$. Which expression represents the maximum value of $s(t)$?

Answer

- A. $1 + \left(\frac{63}{2}\right)^2$
- B. $1 + 2\left(\frac{63}{4}\right)^2$
- C. $1 - 2\left(\frac{63}{4}\right)^2$
- D. $1 - \left(\frac{63}{2}\right)^2$

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Problem-Solving and Data Analysis	Probability and conditional probability	Hard

Question

	Site A	Site B	Total
Tulip	35	15	50
Daffodil	31	21	52
Total	66	36	102

The table shows the distribution of two types of flowers at two different sites. If a flower represented in the table is selected at random, what is the probability of selecting a flower from site A, given that the flower is a tulip? (Express your answer as a decimal or fraction, not as a percent.)

Question ID: 3008cfc3

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in two variables	Hard

Question

x	y
k	13
$k + 7$	-15

The table gives the coordinates of two points on a line in the xy -plane. The y -intercept of the line is $(k - 5, b)$, where k and b are constants. What is the value of b ?

Question ID: 310c87fe

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Geometry and Trigonometry	Area and volume	Hard

Question

A cube has a surface area of 54 square meters. What is the volume, in cubic meters, of the cube?

Answer

- A. 18
- B. 27
- C. 36
- D. 81

Question ID: bba18ecb

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Advanced Math	Nonlinear functions	Hard

Question

When the quadratic function f is graphed in the xy -plane, where $y = f(x)$, its vertex is $(-3, 6)$. One of the x -intercepts of this graph is $(-\frac{17}{4}, 0)$. What is the other x -intercept of the graph?

Answer

- A. $(-\frac{29}{4}, 0)$
- B. $(-\frac{7}{4}, 0)$
- C. $(\frac{5}{4}, 0)$
- D. $(\frac{17}{4}, 0)$

Question ID: 61f61789

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Problem-Solving and Data Analysis	Ratios, rates, proportional relationships, and units	Hard

Question

To study the moisture content in a group of trees, samples from the trunk of each tree were taken from **25** trees and cut in the shape of a cube. The length of the edge of one of these cubes is **2.00** centimeters. If this cube has a mass of **2.56** grams, what is the density of this cube, in grams per cubic centimeter?

Question ID: be9cb6a2

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear functions	Hard

Question

The cost of renting a backhoe for up to **10** days is **\$270** for the first day and **\$135** for each additional day. Which of the following equations gives the cost ***y***, in dollars, of renting the backhoe for ***x*** days, where ***x*** is a positive integer and ***x* ≤ 10**?

Answer

- A. ***y* = 270*x* − 135**
- B. ***y* = 270*x* + 135**
- C. ***y* = 135*x* + 270**
- D. ***y* = 135*x* + 135**

Question ID: fb58c0db

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Geometry and Trigonometry	Circles	Hard

Question

Points A and B lie on a circle with radius 1, and arc $\overline{AB}$ has length $\frac{\pi}{3}$. What fraction of the circumference of the circle is the length of arc $\overline{AB}$?

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Advanced Math	Equivalent expressions	Hard

Question

Which expression is equivalent to $\frac{4}{4x-5} - \frac{1}{x+1}$?

Answer

- A. $\frac{1}{(x+1)(4x-5)}$
- B. $\frac{3}{3x-6}$
- C. $-\frac{1}{(x+1)(4x-5)}$
- D. $\frac{9}{(x+1)(4x-5)}$

Question ID: 98958ae8


Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Problem-Solving and Data Analysis	One-variable data: Distributions and measures of center and spread	Hard

Question

Data set A consists of the heights of **75** objects and has a mean of **25** meters. Data set B consists of the heights of **50** objects and has a mean of **65** meters. Data set C consists of the heights of the **125** objects from data sets A and B. What is the mean, in meters, of data set C?

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in two variables	Hard

Question



The graph of $y = f(x) + 14$ is shown. Which equation defines function f ?

Answer

- A. $f(x) = -\frac{1}{4}x - 12$
- B. $f(x) = -\frac{1}{4}x + 16$
- C. $f(x) = -\frac{1}{4}x + 2$
- D. $f(x) = -\frac{1}{4}x - 14$

Question ID: 4757123b

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Geometry and Trigonometry	Area and volume	Hard

Question

Trapezoid A and trapezoid B are similar. The length of each side of trapezoid A is **41** times the length of the corresponding side of trapezoid B. The area of trapezoid A is how many times as large as the area of trapezoid B?

Question ID: 4661e2a9

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Advanced Math	Nonlinear equations in one variable and systems of equations in two variables	Hard

Question

$x - y = 1$
 $x + y = x^2 - 3$

Which ordered pair is a solution to the system of equations above?

Answer

- A. $(1 + \sqrt{3}, \sqrt{3})$
- B. $(\sqrt{3}, -\sqrt{3})$
- C. $(1 + \sqrt{5}, \sqrt{5})$
- D. $(\sqrt{5}, -1 + \sqrt{5})$

Question ID: 308084c5

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Problem-Solving and Data Analysis	Inference from sample statistics and margin of error	Hard

Question

Sample	Percent in favor	Margin of error
A	52%	4.2%
B	48%	1.6%

The results of two random samples of votes for a proposition are shown above. The samples were selected from the same population, and the margins of error were calculated using the same method. Which of the following is the most appropriate reason that the margin of error for sample A is greater than the margin of error for sample B?

Answer

- A. Sample A had a smaller number of votes that could not be recorded.
- B. Sample A had a higher percent of favorable responses.
- C. Sample A had a larger sample size.
- D. Sample A had a smaller sample size.

Question ID: 98d3393a

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in two variables	Hard

Question

Line ℓ in the xy -plane is perpendicular to the line with equation $x = 2$. What is the slope of line ℓ ?


Answer

- A. 0
- B. $-\frac{1}{2}$
- C. -2
- D. The slope of line ℓ is undefined.

Question ID: bd7f6e30

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Geometry and Trigonometry	Lines, angles, and triangles	Hard

Question



In the figure above, $RT = TU$. What is the value of x ?

Answer

- A. 72
- B. 66
- C. 64
- D. 58

Question ID: 2c5c22d0

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Advanced Math	Nonlinear equations in one variable and systems of equations in two variables	Hard

Question

$y = x^2 + 3x - 7$
 $y - 5x + 8 = 0$

How many solutions are there to the system of equations above?

Answer

- A. There are exactly 4 solutions.
- B. There are exactly 2 solutions.
- C. There is exactly 1 solution.
- D. There are no solutions.

Question ID: aee9fd2d

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in one variable	Hard

Question
If $\frac{x+6}{3} = \frac{x+6}{13}$, the value of $x + 6$ is between which of the following pairs of values?

- Answer**
- A. -7 and -3
 - B. -2 and 2
 - C. 2 and 7
 - D. 8 and 13

Question ID: 7bbfbe70

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Advanced Math	Nonlinear functions	Hard

Question

A lab analyst observes a sample of a substance. An exponential model estimates that the mass, in grams, of the sample decreases by **24%** every **22.96** minutes. Which of the following equations could represent this model, where ***M*** is the estimated mass, in grams, of the sample ***t*** minutes after the lab analyst began observing the sample?

Answer

- A. $M = 100(0.24)^{t+22.96}$
- B. $M = 100(0.24)^{\frac{t}{22.96}}$
- C. $M = 100(0.76)^{t+22.96}$
- D. $M = 100(0.76)^{\frac{t}{22.96}}$

Question ID: 71014fb1

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Advanced Math	Nonlinear equations in one variable and systems of equations in two variables	Hard

Question

$(x - 1)^2 = -4$

How many distinct real solutions does the given equation have?

Answer

- A. Exactly one
- B. Exactly two
- C. Infinitely many
- D. Zero

Question ID: ea6d05bb

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Advanced Math	Equivalent expressions	Hard

Question
The expression $(3x - 23)(19x + 6)$ is equivalent to the expression $ax^2 + bx + c$, where a , b , and c are constants. What is the value of b ?

Math • Module 3 • Answers

Write one answer per line. SPR: integer, decimal, or fraction.

1. _____

2. _____

3. _____

4. _____

5. _____

6. _____

7. _____

8. _____

9. _____

10. _____

11. _____

12. _____

13. _____

14. _____

15. _____

16. _____

17. _____

18. _____

19. _____

20. _____

21. _____

22. _____