

Math

22 QUESTIONS

DIRECTIONS


The questions in this section address a number of important math skills.
Use of a calculator is permitted for all questions.

NOTES

Unless otherwise indicated:


- All variables and expressions represent real numbers.
- Figures provided are drawn to scale.
- All figures lie in a plane.
- The domain of a given function f is the set of all real numbers x for which $f(x)$ is a real number.

REFERENCE




$$A = \pi r^2$$


$$C = 2\pi r$$




$$A = \ell w$$





$$A = \frac{1}{2}bh$$




$$c^2 = a^2 + b^2$$



Special Right Triangles




$$V = \ell wh$$




$$V = \pi r^2 h$$



$$V = \frac{4}{3}\pi r^3$$



$$V = \frac{1}{3}\pi r^2 h$$



$$V = \frac{1}{3}\ell wh$$

The number of degrees of arc in a circle is 360.

The number of radians of arc in a circle is 2π .

The sum of the measures in degrees of the angles of a triangle is 180.

For multiple-choice questions, solve each problem, choose the correct answer from the choices provided, and then circle your answer in this book. Circle only one answer for each question. If you change your mind, completely erase the circle. You will not get credit for questions with more than one answer circled, or for questions with no answers circled.

For student-produced response questions, solve each problem and write your answer next to or under the question in the test book as described below.

- Once you've written your answer, circle it clearly. You will not receive credit for anything written outside the circle, or for any questions with more than one circled answer.
- If you find **more than one correct answer**, write and circle only one answer.
- Your answer can be up to 5 characters for a **positive** answer and up to 6 characters (including the negative sign) for a **negative** answer, but no more.
- If your answer is a **fraction** that is too long (over 5 characters for positive, 6 characters for negative), write the decimal equivalent.
- If your answer is a **decimal** that is too long (over 5 characters for positive, 6 characters for negative), truncate it or round at the fourth digit.
- If your answer is a **mixed number** (such as $3\frac{1}{2}$), write it as an improper fraction ($\frac{7}{2}$) or its decimal equivalent (3.5).
- Don't include **symbols** such as a percent sign, comma, or dollar sign in your circled answer.

Question ID: 635f54ee

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Advanced Math	Nonlinear functions	Hard

Question

The surface area of a cube is $6\left(\frac{a}{4}\right)^2$, where a is a positive constant. Which of the following gives the perimeter of one face of the cube?

Answer

- A. $\frac{a}{4}$
- B. a
- C. $4a$
- D. $6a$

Question ID: 52cb8ea4

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Systems of two linear equations in two variables	Hard ■■■■■

Question

$$7x - 5y = 4$$

$$4x - 8y = 9$$

If (x, y) is the solution to the system of equations above, what is the value of $3x + 3y$?

Answer

A. -13

B. -5

C. 5

D. 13

Question ID: 322a6dfe

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Geometry and Trigonometry	Lines, angles, and triangles	Hard

Question

Quadrilaterals $PQRS$ and $WXYZ$ are similar, where P , Q , and R correspond to W , X , and Y , respectively. The measure of $\angle S$ is 135° , $PS = 45$, and $WZ = 9$. What is the measure of $\angle Z$?

- Answer**
- A. 5°
- B. 27°
- C. 45°
- D. 135°

Question ID: 8637294f

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Problem-Solving and Data Analysis	Ratios, rates, proportional relationships, and units	Hard

Question
If $\frac{4a}{b} = 6.7$ and $\frac{a}{bn} = 26.8$, what is the value of n ?

Question ID: fc3d783a

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Advanced Math	Nonlinear equations in one variable and systems of equations in two variables	Hard

Question

In the xy -plane, a line with equation $2y = 4.5$ intersects a parabola at exactly one point. If the parabola has equation $y = -4x^2 + bx$, where b is a positive constant, what is the value of b ?

Question ID: b8e73b5b

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear inequalities in one or two variables	Hard ■■■■■

Question

Ken is working this summer as part of a crew on a farm. He earned \$8 per hour for the first 10 hours he worked this week. Because of his performance, his crew leader raised his salary to \$10 per hour for the rest of the week. Ken saves 90% of his earnings from each week. What is the least number of hours he must work the rest of the week to save at least \$270 for the week?

Answer

- A. 38
- B. 33
- C. 22
- D. 16

Question ID: 3e577e4a

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Geometry and Trigonometry	Circles	Hard

Question
A circle in the xy -plane has its center at $(-4, -6)$. Line k is tangent to this circle at the point $(-7, -7)$. What is the slope of line k ?

- Answer**
- A. -3
 - B. $-\frac{1}{3}$
 - C. $\frac{1}{3}$
 - D. 3

Question ID: 1b96c116

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Problem-Solving and Data Analysis	Ratios, rates, proportional relationships, and units	Hard

Question
A rectangle has an area of **3,168** square inches. What is the area, in **square feet**, of this rectangle? (**1 foot = 12 inches**)

- Answer**
- A. **22**
 - B. **56.3**
 - C. **264**
 - D. **675.4**

Question ID: f2f3fa00

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Advanced Math	Nonlinear equations in one variable and systems of equations in two variables	Hard

Question

During a 5-second time interval, the average acceleration a , in meters per second squared, of an object with an initial velocity of 12 meters per second is defined by the equation $a = \frac{v_f - 12}{5}$, where v_f is the final velocity of the object in meters per second. If the equation is rewritten in the form $v_f = xa + y$, where x and y are constants, what is the value of x ?

Question ID: 94b48cbf

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in two variables	Hard

Question


The graph of $7x + 2y = -31$ in the xy -plane has an x -intercept at $(a, 0)$ and a y -intercept at $(0, b)$, where a and b are constants. What is the value of $\frac{b}{a}$?

- Answer**
- A. $-\frac{7}{2}$
- B. $-\frac{2}{7}$
- C. $\frac{2}{7}$
- D. $\frac{7}{2}$

Question ID: c4a9c94d

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Geometry and Trigonometry	Right triangles and trigonometry	Hard

Question



Note: Figure not drawn to scale.

In the figure, $\overline{AD}$ and $\overline{BC}$ intersect at point D . If the length of $\overline{BD}$ is 5 and the tangent of angle CAD is 1.3, what is the length of $\overline{AD}$?

Question ID: 2e92cc21

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Problem-Solving and Data Analysis	Percentages	Hard

Question

The number a is 110% greater than the number b . The number b is 90% less than 47. What is the value of a ?

Question ID: 2c88af4d

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Advanced Math	Equivalent expressions	Hard

Question

The expression $\frac{x^{-2}y^{\frac{1}{2}}}{x^{\frac{1}{3}}y^{-1}}$, where $x > 1$ and $y > 1$, is equivalent to which of the following?


Answer

- A. $\frac{\sqrt{y}}{\sqrt[3]{x^2}}$
- B. $\frac{y\sqrt{y}}{\sqrt[3]{x^2}}$
- C. $\frac{y\sqrt{y}}{x\sqrt{x}}$
- D. $\frac{y\sqrt{y}}{x^2\sqrt[3]{x}}$

Question ID: 9b7a1b67

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Systems of two linear equations in two variables	Hard

Question



The graph of line h is shown in the xy -plane. Line k (not shown) is defined by $sx + 48y = t$, where s and t are constants. If line k is graphed in this xy -plane, the result is a graph of two linear equations. This system of two linear equations has no solution. Which of the following is **NOT** a possible value of t ?

Answer

- A. -432
- B. -9
- C. 72
- D. 288

Question ID: 6708546e

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Geometry and Trigonometry	Area and volume	Hard

Question

Parallelogram $ABCD$ is similar to parallelogram $PQRS$. The length of each side of parallelogram $PQRS$ is **2** times the length of its corresponding side of parallelogram $ABCD$. The area of parallelogram $ABCD$ is **5** square centimeters. What is the area, in square centimeters, of parallelogram $PQRS$?

- Answer**
- A. **7**
 - B. **10**
 - C. **20**
 - D. **25**

Question ID: 6feae9c3

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Problem-Solving and Data Analysis	Percentages	Hard ■■■■■ ■■■■■ ■■■■■

Question

At a recreation center, visitors used the exercise room for a total of t hours in July. At the same recreation center, visitors used the exercise room for $3.49t$ hours in August. What is the percent increase in the number of hours visitors used the exercise room from July to August?

Answer

- A. ~~2.49~~%
- B. ~~3.49~~%
- C. ~~249~~%
- D. ~~349~~%

Question ID: f01108a8

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Advanced Math	Nonlinear functions	Hard

Question

$$y = 9\left(\frac{a}{7}\right)^{x+c} - b$$

How many times does the graph of the given equation in the xy -plane cross the x -axis, where a , b , and c are positive constants such that $a > 7$ and $b > c$?

Answer

- A. Zero
- B. One
- C. Two
- D. Three

Question ID: cc3e9528

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in two variables	Hard


Question

The graph of $9x - 10y = 19$ is translated down 4 units in the xy -plane. What is the x -coordinate of the x -intercept of the resulting graph?

Question ID: eeb4143c

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Geometry and Trigonometry	Lines, angles, and triangles	Hard

Question



Note: Figure not drawn to scale.

The area of triangle ABC above is at least 48 but no more than 60. If y is an integer, what is one possible value of x ?

Question ID: 66bce0c1

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Advanced Math	Nonlinear equations in one variable and systems of equations in two variables	Hard

Question

$$\sqrt{2x+6} + 4 = x + 3$$

What is the solution set of the equation above?

Answer

- A. $\{-1\}$
B. $\{5\}$
C. $\{-1, 5\}$
D. $\{0, -1, 5\}$

Question ID: 59813abf

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Systems of two linear equations in two variables	Hard

Question

$$38(x - n) = 38y + 38n$$

One of the equations in a system of two linear equations is given, where n is a positive constant. The system has no solution. Which equation could be the second equation in this system?

Answer

- A. $4x - 4y = 8n$
B. $4x + 4y = 4n$
C. $4x + 4y = 8n$
D. $4x - 4y = 4n$

Question ID: 98e02472

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Geometry and Trigonometry	Right triangles and trigonometry	Hard

Question

In right triangle XYZ , angles X and Z are acute angles. Point R lies on $\overline{XZ}$ such that $\overline{YR}$ is perpendicular to $\overline{XZ}$. The measure of $\angle XZY$ is a° , the measure of $\angle XYR$ is b° , and the length of $\overline{XY}$ is 19. If $\sin a^\circ = \frac{12}{13}$, what is the value of $\tan b^\circ$?

Math • Module 9 • Answers

Write one answer per line. SPR: integer, decimal, or fraction.

1. _____

2. _____

3. _____

4. _____

5. _____

6. _____

7. _____

8. _____

9. _____

10. _____

11. _____

12. _____

13. _____

14. _____

15. _____

16. _____

17. _____

18. _____

19. _____

20. _____

21. _____

22. _____