

Math

22 QUESTIONS

DIRECTIONS


The questions in this section address a number of important math skills.
Use of a calculator is permitted for all questions.

NOTES

Unless otherwise indicated:


- All variables and expressions represent real numbers.
- Figures provided are drawn to scale.
- All figures lie in a plane.
- The domain of a given function f is the set of all real numbers x for which $f(x)$ is a real number.

REFERENCE




$$A = \pi r^2$$


$$C = 2\pi r$$




$$A = \ell w$$





$$A = \frac{1}{2}bh$$




$$c^2 = a^2 + b^2$$



Special Right Triangles




$$V = \ell wh$$



$$V = \pi r^2 h$$



$$V = \frac{4}{3}\pi r^3$$



$$V = \frac{1}{3}\pi r^2 h$$



$$V = \frac{1}{3}\ell wh$$

The number of degrees of arc in a circle is 360.

The number of radians of arc in a circle is 2π .

The sum of the measures in degrees of the angles of a triangle is 180.

For multiple-choice questions, solve each problem, choose the correct answer from the choices provided, and then circle your answer in this book. Circle only one answer for each question. If you change your mind, completely erase the circle. You will not get credit for questions with more than one answer circled, or for questions with no answers circled.

For student-produced response questions, solve each problem and write your answer next to or under the question in the test book as described below.

- Once you've written your answer, circle it clearly. You will not receive credit for anything written outside the circle, or for any questions with more than one circled answer.
- If you find **more than one correct answer**, write and circle only one answer.
- Your answer can be up to 5 characters for a **positive** answer and up to 6 characters (including the negative sign) for a **negative** answer, but no more.
- If your answer is a **fraction** that is too long (over 5 characters for positive, 6 characters for negative), write the decimal equivalent.
- If your answer is a **decimal** that is too long (over 5 characters for positive, 6 characters for negative), truncate it or round at the fourth digit.
- If your answer is a **mixed number** (such as $3\frac{1}{2}$), write it as an improper fraction ($\frac{7}{2}$) or its decimal equivalent (3.5).
- Don't include **symbols** such as a percent sign, comma, or dollar sign in your circled answer.

Question ID: 1a621af4

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear inequalities in one or two variables	Hard

Question

A number x is at most 2 less than 3 times the value of y . If the value of y is -4 , what is the greatest possible value of x ?

Question ID: 65c49824

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Problem-Solving and Data Analysis	Percentages	Hard

Question

A school district is forming a committee to discuss plans for the construction of a new high school. Of those invited to join the committee, 15% are parents of students, 45% are teachers from the current high school, 25% are school and district administrators, and the remaining 6 individuals are students. How many more teachers were invited to join the committee than school and district administrators?

Question ID: a9084ca4

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Advanced Math	Nonlinear functions	Hard

Question

$f(x) = 9,000(0.66)^x$

The given function f models the number of advertisements a company sent to its clients each year, where x represents the number of years since 1997, and $0 \leq x \leq 5$. If $y = f(x)$ is graphed in the xy -plane, which of the following is the best interpretation of the y -intercept of the graph in this context?

Answer

- A. The minimum estimated number of advertisements the company sent to its clients during the 5 years was 1,708.
- B. The minimum estimated number of advertisements the company sent to its clients during the 5 years was 9,000.
- C. The estimated number of advertisements the company sent to its clients in 1997 was 1,708.
- D. The estimated number of advertisements the company sent to its clients in 1997 was 9,000.

Question ID: 92eb236a

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Geometry and Trigonometry	Right triangles and trigonometry	Hard

Question

In a right triangle, the tangent of one of the two acute angles is $\frac{\sqrt{3}}{3}$. What is the tangent of the other acute angle?

Answer

- A. $-\frac{\sqrt{3}}{3}$
B. $-\frac{3}{\sqrt{3}}$
C. $\frac{\sqrt{3}}{3}$
D. $\frac{3}{\sqrt{3}}$

Question ID: 1a2a0f59

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear functions	Hard

Question

A yoga studio is offering a deal where the first session is free, the second session is half off the regular price, and the remaining sessions are at the regular price. If the regular price of a session is **\$25.40**, which function **f** gives the total cost, in dollars, of purchasing **x** sessions using this deal, where **$x \geq 2$** ?

Answer

- A. $f(x) = 25.40(x - 1) + 12.70$
 B. $f(x) = 25.40(x - 2) + 12.70$
 C. $f(x) = 25.40(x - 1) + 12.70(x - 2)$
 D. $f(x) = 25.40(x - 2) + 12.70(x - 1)$

Question ID: 9d935bd8

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Problem-Solving and Data Analysis	One-variable data: Distributions and measures of center and spread	Hard ■■■■■

Question

Percent of Residents Who Earned
a Bachelor's Degree or Higher

State	Percent of residents
State A	21.9%
State B	27.9%
State C	25.9%
State D	19.5%
State E	30.1%
State F	36.4%
State G	35.5%

A survey was given to residents of all 50 states asking if they had earned a bachelor's degree or higher. The results from 7 of the states are given in the table above. The median percent of residents who earned a bachelor's degree or higher for all 50 states was 26.95%. What is the difference between the median percent of residents who earned a bachelor's degree or higher for these 7 states and the median for all 50 states?

Answer

- A. 0.05%
- B. 0.95%
- C. 1.22%
- D. 7.45%

Question ID: 4dd4efcf

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Advanced Math	Nonlinear functions	Hard

Question

$$f(x) = ax^2 + 4x + c$$

In the given quadratic function, a and c are constants. The graph of $y = f(x)$ in the xy -plane is a parabola that opens upward and has a vertex at the point (h, k) , where h and k are constants. If $k < 0$ and $f(-9) = f(3)$, which of the following must be true?

- I. $c < 0$
- II. $a \geq 1$


Answer

- A. I only
- B. II only
- C. I and II
- D. Neither I nor II

Question ID: e10d8313

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Geometry and Trigonometry	Lines, angles, and triangles	Hard ■■■■■

Question



Note: Figure not drawn to scale.

In the figure shown, points Q , R , S , and T lie on line segment PV , and line segment RU intersects line segment SX at point W . The measure of $\angle SQX$ is 48° , the measure of $\angle SXQ$ is 86° , the measure of $\angle SWU$ is 85° , and the measure of $\angle VTU$ is 162° . What is the measure, in degrees, of $\angle TUR$?

Question ID: 5e9b6079

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Systems of two linear equations in two variables	Hard

Question

$y = 7x + 18$

One of the equations in a system of two linear equations is given. The system has no solution. Which equation could be the second equation in the system?

Answer

- A. $-21x + y = 54$
- B. $-21x + y = 18$
- C. $-7x + y = 21$
- D. $-7x + y = 18$

Question ID: f6c18a66

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Problem-Solving and Data Analysis	One-variable data: Distributions and measures of center and spread	Hard ■■■■■

Question

For data set A, the table summarizes the distribution of the number of deliveries received by an office each day during a period of **11** days.

Deliveries	Days
0	2
3	2
4	2
5	2
6	1
7	1
13	1

The data value **13** was recorded in error and is removed from data set A to create data set B, which consists of the remaining **10** data values. Which statement best compares the median of data set A and the median of data set B?

Answer

- A. The median of data set B is less than the median of data set A.
- B. The median of data set B is greater than the median of data set A.
- C. The median of data set B is equal to the median of data set A.
- D. There is not enough information to compare the medians of the two data sets.

Question ID: 30281058

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Advanced Math	Nonlinear equations in one variable and systems of equations in two variables	Hard ■■■■■

Question

In the xy -plane, the graph of $y = x^2 - 9$ intersects line p at $(1, a)$ and $(5, b)$, where a and b are constants. What is the slope of line p ?

Answer

- A. 6
- B. 2
- C. -2
- D. -6

Question ID: 5b2b8866

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Geometry and Trigonometry	Area and volume	Hard

Question

A rectangular poster has an area of **360** square inches. A copy of the poster is made in which the length and width of the original poster are each increased by **20%**. What is the area of the copy, in square inches?

Question ID: 3cdbf026

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in two variables	Hard

Question

The graph of the equation $ax + ky = 6$ is a line in the xy -plane, where a and k are constants. If the line contains the points $(-2, -6)$ and $(0, -3)$, what is the value of k ?

Answer

- A. -2
- B. -1
- C. 2
- D. 3

Question ID: 89ff6a0a

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Problem-Solving and Data Analysis	Probability and conditional probability	Hard

Question
For **100** buttons, the table summarizes the distribution by group and diameter.

Group	Diameter (millimeters)		
	Less than 20	20 to 30	Greater than 30
Group 1	12	8	3
Group 2	0	17	18
Group 3	10	32	0

One of these buttons will be selected at random. What is the probability of selecting a button with a diameter that is less than or equal to **30** millimeters, given that it is **not** in group 2? (Express your answer as a decimal or fraction, not as a percent.)

Question ID: f65288e8

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Advanced Math	Nonlinear equations in one variable and systems of equations in two variables	Hard ■■■■■

Question

$$\frac{1}{x^2 + 10x + 25} = 4$$

If x is a solution to the given equation, which of the following is a possible value of $x + 5$?

Answer

- A. $\frac{1}{2}$
- B. $\frac{5}{2}$
- C. $\frac{9}{2}$
- D. $\frac{11}{2}$

Question ID: e6c557f9

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Geometry and Trigonometry	Area and volume	Hard

Question

The edge length, in inches, of cube Y is $\frac{3}{88}$ the edge length, in inches, of cube X. The surface area, in square inches, of cube Y is n times the surface area, in square inches, of cube X. What is the value of n ?

Answer

- A. $\frac{9}{7,744}$
B. $\frac{27}{3,872}$
C. $\frac{3}{88}$
D. $\frac{9}{44}$

Question ID: b7e6394d

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in one variable	Hard

Question

Alan drives an average of 100 miles each week. His car can travel an average of 25 miles per gallon of gasoline. Alan would like to reduce his weekly expenditure on gasoline by \$5. Assuming gasoline costs \$4 per gallon, which equation can Alan use to determine how many fewer average miles, m , he should drive each week?

Answer

A. $\frac{25}{4}m = 95$

B. $\frac{25}{4}m = 5$

c. $\frac{4}{25}m = 95$

D. $\frac{4}{25}m = 5$

Question ID: 1e8ccffd

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Problem-Solving and Data Analysis	One-variable data: Distributions and measures of center and spread	Hard

Question

The mean score of 8 players in a basketball game was 14.5 points. If the highest individual score is removed, the mean score of the remaining 7 players becomes 12 points. What was the highest score?

Answer

- A. 20
B. 24
C. 32
D. 36

Question ID: 5da5c665

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Advanced Math	Nonlinear equations in one variable and systems of equations in two variables	Hard ■■■■■

Question

$$4x^2 - 5x - 5 = 0$$

What is the greatest solution to the given equation?


Answer

- A. $\frac{5}{8} - \frac{\sqrt{105}}{8}$
- B. $\frac{5}{8} + \frac{\sqrt{105}}{8}$
- C. $\frac{5}{4} - \frac{\sqrt{105}}{4}$
- D. $\frac{5}{4} + \frac{\sqrt{105}}{4}$

Question ID: a67b9f88

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Geometry and Trigonometry	Right triangles and trigonometry	Hard ■■■■■

Question



Note: Figure not drawn to scale.

In the triangle shown, $RS = \sqrt{105}$. What is the value of $\sin R$?

Question ID: 38c90632

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Advanced Math	Equivalent expressions	Hard

Question

The expression $\frac{29x+102}{x(x+51)}$ is equivalent to $\frac{p}{x} + \frac{w}{x+51}$, where p and w are constants. What is the value of w ?

Question ID: f7dbde16

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Geometry and Trigonometry	Lines, angles, and triangles	Hard

Question

In triangles LMN and RST , angles L and R each have measure 60° , $LN = 10$, and $RT = 30$. Which additional piece of information is sufficient to prove that triangle LMN is similar to triangle RST ?

Answer

- A. $MN = 7$ and $ST = 7$
- B. $MN = 7$ and $ST = 21$
- C. The measures of angles M and S are 70° and 60° , respectively.
- D. The measures of angles M and T are 70° and 50° , respectively.

Math · Module 12 · Answers

Write one answer per line. SPR: integer, decimal, or fraction.

1. _____

2. _____

3. _____

4. _____

5. _____

6. _____

7. _____

8. _____

9. _____

10. _____

11. _____

12. _____

13. _____

14. _____

15. _____

16. _____

17. _____

18. _____

19. _____

20. _____

21. _____

22. _____