

Math

22 QUESTIONS

DIRECTIONS


The questions in this section address a number of important math skills.
Use of a calculator is permitted for all questions.

NOTES

Unless otherwise indicated:


- All variables and expressions represent real numbers.
- Figures provided are drawn to scale.
- All figures lie in a plane.
- The domain of a given function f is the set of all real numbers x for which $f(x)$ is a real number.

REFERENCE




$$A = \pi r^2$$


$$C = 2\pi r$$




$$A = \ell w$$





$$A = \frac{1}{2}bh$$




$$c^2 = a^2 + b^2$$



Special Right Triangles




$$V = \ell wh$$




$$V = \pi r^2 h$$



$$V = \frac{4}{3}\pi r^3$$



$$V = \frac{1}{3}\pi r^2 h$$



$$V = \frac{1}{3}\ell wh$$

The number of degrees of arc in a circle is 360.

The number of radians of arc in a circle is 2π .

The sum of the measures in degrees of the angles of a triangle is 180.

For multiple-choice questions, solve each problem, choose the correct answer from the choices provided, and then circle your answer in this book. Circle only one answer for each question. If you change your mind, completely erase the circle. You will not get credit for questions with more than one answer circled, or for questions with no answers circled.

For student-produced response questions, solve each problem and write your answer next to or under the question in the test book as described below.

- Once you've written your answer, circle it clearly. You will not receive credit for anything written outside the circle, or for any questions with more than one circled answer.
- If you find **more than one correct answer**, write and circle only one answer.
- Your answer can be up to 5 characters for a **positive** answer and up to 6 characters (including the negative sign) for a **negative** answer, but no more.
- If your answer is a **fraction** that is too long (over 5 characters for positive, 6 characters for negative), write the decimal equivalent.
- If your answer is a **decimal** that is too long (over 5 characters for positive, 6 characters for negative), truncate it or round at the fourth digit.
- If your answer is a **mixed number** (such as $3\frac{1}{2}$), write it as an improper fraction ($\frac{7}{2}$) or its decimal equivalent (3.5).
- Don't include **symbols** such as a percent sign, comma, or dollar sign in your circled answer.

Question ID: 3638f413

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Problem-Solving and Data Analysis	Ratios, rates, proportional relationships, and units	Hard

Question

Jeremy deposited x dollars in his investment account on January 1, 2001. The amount of money in the account doubled each year until Jeremy had 480 dollars in his investment account on January 1, 2005. What is the value of x ?

Question ID: 12e7faf8

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Advanced Math	Equivalent expressions	Hard

Question

The equation $\frac{x^2+6x-7}{x+7} = ax+d$ is true for all $x \neq -7$, where a and d are integers. What is the value of $a+d$?

Answer

- A. -6
- B. -1
- C. 0
- D. 1

Question ID: db422e7f

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in two variables	Hard


Question

Line p is defined by $4y + 8x = 6$. Line r is perpendicular to line p in the xy -plane. What is the slope of line r ?

Question ID: 053e5e9f

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Geometry and Trigonometry	Right triangles and trigonometry	Hard ■■■■■

Question



Note: Figure not drawn to scale.

In triangle QRS shown, $QR < RS$. Which expression represents the length of QS ?

Answer

- A. $25 \cos Q$
- B. $25 \sin Q$
- C. $\frac{25}{\cos Q}$
- D. $\frac{25}{\sin Q}$

Question ID: 1ea09200

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Problem-Solving and Data Analysis	Evaluating statistical claims: Observational studies and experiments	Hard ■■■■■

Question

A sample of 40 fourth-grade students was selected at random from a certain school. The 40 students completed a survey about the morning announcements, and 32 thought the announcements were helpful. Which of the following is the largest population to which the results of the survey can be applied?

Answer

- A. The 40 students who were surveyed
- B. All fourth-grade students at the school
- C. All students at the school
- D. All fourth-grade students in the county in which the school is located

Question ID: 18e35375

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Advanced Math	Nonlinear functions	Hard

Question

$$f(x) = (x - 14)(x + 19)$$

The function f is defined by the given equation. For what value of x does $f(x)$ reach its minimum?

Answer

- A. -266
B. -19
C. $-\frac{33}{2}$
D. $-\frac{5}{2}$

Question ID: 107d0c62

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in two variables	Hard

Question

$$0.10x + 0.20y = 0.17(x + y)$$

The equation gives a volume x , in gallons, of a **10%** solution that could be mixed with a volume y , in gallons, of a **20%** solution to produce a **17%** solution. According to this equation, what volume, in gallons, of the **20%** solution could be mixed with **90.0** gallons of the **10%** solution to produce a **17%** solution? (Assume that the volume of the mixture is the sum of the volumes of the two solutions before they were mixed.)

Question ID: 2266984b

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Geometry and Trigonometry	Circles	Hard

Question

$$x^2 + 20x + y^2 + 16y = -20$$

The equation above defines a circle in the xy -plane. What are the coordinates of the center of the circle?

Answer

- A. $(-20, -16)$
B. $(-10, -8)$
C. $(10, 8)$
D. $(20, 16)$

Question ID: 7d721177

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Problem-Solving and Data Analysis	Ratios, rates, proportional relationships, and units	Hard

Question

The density of a certain type of wood is **353** kilograms per cubic meter. A sample of this type of wood is in the shape of a cube and has a mass of **345** kilograms. To the nearest hundredth of a meter, what is the length of one edge of this sample?

Answer

- A. 0.98
B. 0.99
C. 1.01
D. 1.02

Question ID: 911c415b

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Advanced Math	Equivalent expressions	Hard ████████████████████

Question

$$(7532 + 100y^2) + 10(10y^2 - 110)$$

The expression above can be written in the form $ay^2 + b$, where a and b are constants. What is the value of $a + b$?

Question ID: 8383771a

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Systems of two linear equations in two variables	Hard

Question

$$x + y = 20$$

One of the two equations in a system of linear equations is given. The system has exactly one solution. Which equation could be the second equation in the system?

Answer

- A. $3x + 3y = 60$
B. $-x - y = 40$
C. $3x + 3y = 14$
D. $x - y = 20$

Question ID: c6dff223

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Geometry and Trigonometry	Right triangles and trigonometry	Hard

Question

Triangle ABC is similar to triangle DEF , where angle A corresponds to angle D and angles C and F are right angles. The length of $\overline{AB}$ is 2.9 times the length of $\overline{DE}$. If $\tan A = \frac{21}{20}$, what is the value of $\sin D$?

Question ID: c178d4da

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Problem-Solving and Data Analysis	One-variable data: Distributions and measures of center and spread	Hard ■■■■■

Question

Value	Data set A frequency	Data set B frequency
30	2	9
34	4	7
38	5	5
42	7	4
46	9	2

Data set A and data set B each consist of **27** values. The table shows the frequencies of the values for each data set. Which of the following statements best compares the means of the two data sets?

Answer

- A. The mean of data set A is greater than the mean of data set B.
- B. The mean of data set A is less than the mean of data set B.
- C. The mean of data set A is equal to the mean of data set B.
- D. There is not enough information to compare the means of the data sets.

Question ID: 22fd3e1f

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Advanced Math	Equivalent expressions	Hard ████████████████████

Question

$$f(x) = x^3 - 9x$$

$$g(x) = x^2 - 2x - 3$$

Which of the following expressions is equivalent to $\frac{f(x)}{g(x)}$, for $x > 3$?

Answer

A. $\frac{1}{x+1}$

B. $\frac{x+3}{x+1}$

C. $\frac{x(x-3)}{x+1}$

D. $\frac{x(x+3)}{x+1}$

Question ID: 628300a9

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in one variable	Hard ■■■■■

Question

A science teacher is preparing the 5 stations of a science laboratory. Each station will have either Experiment A materials or Experiment B materials, but not both. Experiment A requires 6 teaspoons of salt, and Experiment B requires 4 teaspoons of salt. If x is the number of stations that will be set up for Experiment A and the remaining stations will be set up for Experiment B, which of the following expressions represents the total number of teaspoons of salt required?


Answer

- A. $5x$
- B. $10x$
- C. $2x + 20$
- D. $10x + 20$

Question ID: bd87bc09

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Geometry and Trigonometry	Right triangles and trigonometry	Hard

Question



Triangle ABC above is a right triangle, and $\sin(B) = \frac{5}{13}$. What is the length of side $\overline{BC}$?

Question ID: 20b69297

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Problem-Solving and Data Analysis	Ratios, rates, proportional relationships, and units	Hard ■■■■■

Question

Anita created a batch of green paint by mixing 2 ounces of blue paint with 3 ounces of yellow paint. She must mix a second batch using the same ratio of blue and yellow paint as the first batch. If she uses 5 ounces of blue paint for the second batch, how much yellow paint should Anita use?

Answer

- A. Exactly 5 ounces
- B. 3 ounces more than the amount of yellow paint used in the first batch
- C. 1.5 times the amount of yellow paint used in the first batch
- D. 1.5 times the amount of blue paint used in the second batch

Question ID: 128c75e2

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Advanced Math	Nonlinear functions	Hard

Question

The function g is defined by $g(x) = \frac{|x|}{a} - 14$, where $a < 0$. What is the product of $g(15a)$ and $g(7a)$?

Question ID: d4572f55

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear functions	Hard

Question

x	y
-34	t
-17	$t + 23$
0	$t + 46$

For a linear relationship between x and y , the table gives three values of x and their corresponding values of y , where t is a constant. Which equation represents this relationship?

Answer

- A. $y = -2x + t + 23$
 B. $y = 2x + t + 23$
 C. $y = -\frac{23}{17}x + t + 46$
 D. $y = \frac{23}{17}x + t + 46$

Question ID: 27f1db42

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Geometry and Trigonometry	Circles	Hard

Question

In the xy -plane, circle F is defined by the equation $(x + 8)^2 + (y + 8)^2 = 25$. Circle G has the same center as circle F , and the radius of circle G is 2 units greater than the radius of circle F . Circle G is defined by the equation $(x + 8)^2 + (y + 8)^2 = p$, where p is a constant. What is the value of p ?

Question ID: 58b109d4

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Advanced Math	Nonlinear equations in one variable and systems of equations in two variables	Hard

Question

$x^2 + y + 7 = 7$

$20x + 100 - y = 0$

The solution to the given system of equations is (x, y) . What is the value of x ?

Question ID: f75bd744

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Systems of two linear equations in two variables	Hard

Question

$4x - 6y = 10y + 2$

$ty = \frac{1}{2} + 2x$

In the given system of equations, t is a constant. If the system has no solution, what is the value of t ?

Math · Module 13 · Answers

Write one answer per line. SPR: integer, decimal, or fraction.

1. _____

2. _____

3. _____

4. _____

5. _____

6. _____

7. _____

8. _____

9. _____

10. _____

11. _____

12. _____

13. _____

14. _____

15. _____

16. _____

17. _____

18. _____

19. _____

20. _____

21. _____

22. _____