

Math

22 QUESTIONS

DIRECTIONS


The questions in this section address a number of important math skills.
Use of a calculator is permitted for all questions.

NOTES

Unless otherwise indicated:


- All variables and expressions represent real numbers.
- Figures provided are drawn to scale.
- All figures lie in a plane.
- The domain of a given function f is the set of all real numbers x for which $f(x)$ is a real number.

REFERENCE




$$A = \pi r^2$$


$$C = 2\pi r$$




$$A = \ell w$$





$$A = \frac{1}{2}bh$$




$$c^2 = a^2 + b^2$$



Special Right Triangles




$$V = \ell wh$$




$$V = \pi r^2 h$$



$$V = \frac{4}{3}\pi r^3$$



$$V = \frac{1}{3}\pi r^2 h$$



$$V = \frac{1}{3}\ell wh$$

The number of degrees of arc in a circle is 360.

The number of radians of arc in a circle is 2π .

The sum of the measures in degrees of the angles of a triangle is 180.

For multiple-choice questions, solve each problem, choose the correct answer from the choices provided, and then circle your answer in this book. Circle only one answer for each question. If you change your mind, completely erase the circle. You will not get credit for questions with more than one answer circled, or for questions with no answers circled.

For student-produced response questions, solve each problem and write your answer next to or under the question in the test book as described below.

- Once you've written your answer, circle it clearly. You will not receive credit for anything written outside the circle, or for any questions with more than one circled answer.
- If you find **more than one correct answer**, write and circle only one answer.
- Your answer can be up to 5 characters for a **positive** answer and up to 6 characters (including the negative sign) for a **negative** answer, but no more.
- If your answer is a **fraction** that is too long (over 5 characters for positive, 6 characters for negative), write the decimal equivalent.
- If your answer is a **decimal** that is too long (over 5 characters for positive, 6 characters for negative), truncate it or round at the fourth digit.
- If your answer is a **mixed number** (such as $3\frac{1}{2}$), write it as an improper fraction ($\frac{7}{2}$) or its decimal equivalent (3.5).
- Don't include **symbols** such as a percent sign, comma, or dollar sign in your circled answer.

Question ID: ee2f611f

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear inequalities in one or two variables	Hard

Question

A local transit company sells a monthly pass for \$95 that allows an unlimited number of trips of any length. Tickets for individual trips cost \$1.50, \$2.50, or \$3.50, depending on the length of the trip. What is the minimum number of trips per month for which a monthly pass could cost less than purchasing individual tickets for trips?

Question ID: 1fe10d97

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Advanced Math	Nonlinear functions	Hard

Question

$$p(t) = 90,000(1.06)^t$$

The given function p models the population of Lowell t years after a census. Which of the following functions best models the population of Lowell m months after the census?

Answer

- A. $r(m) = \frac{90,000}{12}(1.06)^m$
- B. $r(m) = 90,000\left(\frac{1.06}{12}\right)^m$
- C. $r(m) = 90,000\left(\frac{1.06}{12}\right)^{\frac{m}{12}}$
- D. $r(m) = 90,000(1.06)^{\frac{m}{12}}$

Question ID: ed6b7e5f

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Problem-Solving and Data Analysis	Probability and conditional probability	Hard

Question

The table gives the distribution of topping and type of crust for customer orders at a pizza place.


Topping	Type of crust	
	Thin	Thick
Extra cheese	60	30
Pepperoni	20	30
Tomato	80	20

If one of these customer orders is selected at random, what is the probability of selecting an order with thin crust, given the topping is pepperoni? (Express your answer as a decimal or fraction, not as a percent.)

Question ID: eb70d2d0

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Geometry and Trigonometry	Area and volume	Hard

Question




What is the area, in square units, of the triangle formed by connecting the three points shown?

Question ID: c362c210

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in two variables	Hard

Question



The points plotted in the coordinate plane above represent the possible numbers of wallflowers and cornflowers that someone can buy at the Garden Store in order to spend exactly \$24.00 total on the two types of flowers. The price of each wallflower is the same and the price of each cornflower is the same. What is the price, in dollars, of 1 cornflower?

Question ID: d8789a4c

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Advanced Math	Equivalent expressions	Hard

Question

$$\frac{x^2 - c}{x - b}$$

In the expression above, b and c are positive integers. If the expression is equivalent to $x + b$ and $x \neq b$, which of the following could be the value of c ?

Answer

- A. 4
- B. 6
- C. 8
- D. 10

Question ID: f496d2c0

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Problem-Solving and Data Analysis	Probability and conditional probability	Hard

Question

The table shows the distribution of rooms in a certain facility by seating capacity.

Seating capacity	Proportion
Less than 18 seats	26%
18–40 seats	21%
41–65 seats	29%
Greater than 65 seats	24%

If a room in this facility is selected at random, which of the following is closest to the probability of selecting a room that has a seating capacity greater than **65** seats, given that the room has a seating capacity of at least **18** seats?

Answer

- A. 0.24
B. 0.32
C. 0.50
D. 0.92

Question ID: e3158182

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Geometry and Trigonometry	Right triangles and trigonometry	Hard

Question

Acute angle P has a measure of p radians, and acute angle T has a measure of t radians. The function g is defined by $g(x) = p(8)^x + 6t$. If $\sin p = \cos t$, which of the following represents the value $g(0)$ in terms of t ?

- Answer**
- A. $6t + \pi$
- B. $6t$
- C. $5t + \pi$
- D. $5t + \frac{\pi}{2}$

Question ID: e25f0807

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear functions	Hard

Question

<i>x</i>	<i>y</i>
−12	−45
6	45

The table shows two values of *x* and their corresponding values of *y*. The graph of the linear equation representing this relationship passes through the point $(\frac{1}{4}, a)$. What is the value of *a*?

Question ID: 9833d0e3

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Advanced Math	Nonlinear functions	Hard

Question

According to a model, the estimated volume of a certain tree in a forest increases by **13.9%** for every increase of **100** centimeters in the tree's height. The equation $y = ab^{\frac{x}{100}}$ represents this model, where y represents the estimated volume, in cubic centimeters, of this tree in the forest, x represents the tree's height, in centimeters, and a and b are constants. In this equation, what is the value of b ?

Answer

- A. 0.139
- B. 1
- C. 1.139
- D. 13.9

Question ID: 89f20d9e

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Problem-Solving and Data Analysis	Probability and conditional probability	Hard ■■■■■

Question

The table summarizes the distribution of age and assigned group for 90 participants in a study.

	0–9 years	10–19 years	20+ years	Total
Group A	5	17	8	30
Group B	6	8	16	30
Group C	19	5	6	30
Total	30	30	30	90

One of these participants will be selected at random. What is the probability of selecting a participant from group A, given that the participant is at least 10 years of age?

Answer

- A. $\frac{5}{18}$
- B. $\frac{5}{12}$
- C. $\frac{17}{30}$
- D. $\frac{5}{6}$

Question ID: f7e626b2

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Geometry and Trigonometry	Area and volume	Hard

Question

The dimensions of a right rectangular prism are 4 inches by 5 inches by 6 inches. What is the surface area, in square inches, of the prism?

Answer

- A. 30
B. 74
C. 120
D. 148

Question ID: ff501705

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Systems of two linear equations in two variables	Hard

Question

$$\frac{3}{2}y - \frac{1}{4}x = \frac{2}{3} - \frac{3}{2}y$$
$$\frac{1}{2}x + \frac{3}{2} = py + \frac{9}{2}$$

In the given system of equations, p is a constant. If the system has no solution, what is the value of p ?

Question ID: a7711fe8

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Advanced Math	Nonlinear functions	Hard

Question

What is the minimum value of the function f defined by $f(x) = (x-2)^2 - 4$?


Answer

- A. -4
- B. -2
- C. 2
- D. 4

Question ID: 0231050d

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Problem-Solving and Data Analysis	Percentages	Hard

Question




The line graph shows the total amount of snow, in inches, recorded each year in Washington, DC, from 2003 to 2015. If $p\%$ is the percent decrease in the annual snowfall from 2003 to 2007, what is the value of p ?

Question ID: 55bb437a

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Geometry and Trigonometry	Right triangles and trigonometry	Hard

Question



In the figure above, $\tan B = \frac{3}{4}$. If $BC = 15$ and $DA = 4$, what is the length of $\overline{DE}$?

Question ID: 6f6dfe3e

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear equations in two variables	Hard

Question

x	y
-6	$n + 184$
-3	$n + 92$
0	n

The table shows three values of x and their corresponding values of y , where n is a constant, for the linear relationship between x and y . What is the slope of the line that represents this relationship in the xy -plane?

Answer

- A. $-\frac{92}{3}$
B. $-\frac{3}{92}$
C. $\frac{n+92}{-3}$
D. $\frac{2n-92}{3}$

Question ID: 6ce95fc8

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Advanced Math	Nonlinear equations in one variable and systems of equations in two variables	Hard ■■■■■

Question

$$2x^2 - 2 = 2x + 3$$

Which of the following is a solution to the equation above?

Answer

A. 2

B. $1 - \sqrt{11}$

C. $\frac{1}{2} + \sqrt{11}$

D. $\frac{1 + \sqrt{11}}{2}$

Question ID: 1142af44

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Problem-Solving and Data Analysis	One-variable data: Distributions and measures of center and spread	Hard ■■■■■

Question

Value	Frequency
1	a
2	2a
3	3a
4	2a
5	a

The frequency distribution above summarizes a set of data, where a is a positive integer. How much greater is the mean of the set of data than the median?

Answer

- A. 0
- B. 1
- C. 2
- D. 3

Question ID: 25da87f8

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Geometry and Trigonometry	Right triangles and trigonometry	Hard

Question

A triangle with angle measures 30° , 60° , and 90° has a perimeter of $18 + 6\sqrt{3}$. What is the length of the longest side of the triangle?

Question ID: 512bd5b4

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Advanced Math	Nonlinear functions	Hard

Question

$f(x) = 27(1.20)^{\frac{x}{3}}$

For the given function f , the value of $f(x)$ increases by $p\%$ for every increase of x by 6. What is the value of p ?

Question ID: 502d9690

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Geometry and Trigonometry	Area and volume	Hard

Question

Rectangle $ABCD$ is similar to rectangle $EFGH$. The area of rectangle $ABCD$ is 648 square inches, and the area of rectangle $EFGH$ is 72 square inches. The length of the longest side of rectangle $ABCD$ is 36 inches. What is the length, in inches, of the longest side of rectangle $EFGH$?

Answer

- A. 4
B. 9
C. 12
D. 36

Math • Module 15 • Answers

Write one answer per line. SPR: integer, decimal, or fraction.

1. _____

2. _____

3. _____

4. _____

5. _____

6. _____

7. _____

8. _____

9. _____

10. _____

11. _____

12. _____

13. _____

14. _____

15. _____

16. _____

17. _____

18. _____

19. _____

20. _____

21. _____

22. _____