

Look up on logic

STACKED  
LEARNING

THIS. on props

DEBUGGING

READING NPM TEST OUTPUT

$\langle \text{DIV} \rangle \langle \text{DIV} \rangle \rightarrow \langle \rangle$


---

Q: 4 . composition of functions

NOTE: UNLOCK RETRO

PERSISTED  
DYNAMIC  
DATA

STATE



<HEADER />

<COUNT />

<COUNT />

<BUTTON />

count

# STEPS

## NEW APPLICATION

① `NPX CREATE-REACT-APP`

- MAKES A FOLDER + LOCAL REPO
- INSTALLS REACT BASIC APP

② GITHUB - CREATE NEW REPO (REMOTE)  
- URL

③ CONNECTED LOCAL TO REMOTE  
GIT REMOTE ADD ORIGIN URL

④ CLEAN UP REACT

<APP>

<HEADER

TITLE = "JOHN" />

PROP

PROPERTY VALUE

SEND "STUFF" TO A  
COMPONENT


COMPONENTS ARE  
JSX : CLASSES  
OR  
FUNCTIONS

HEADER (STRING, APP, OBJ  
FUNCTION)

# STATE?

---

TACTICAL: OBS



OWNED BY THE  
COMPONENT THAT MADE IT