

Akol For Legal Services Website

Completion and Technical Handover Report

Client: Akol For Legal Services

Developed by: Sky High Tech

Production domain: <https://www.akolforlegalservices.com>

Version: v1.1 Final

Date: 15 July 2026

Confidential - prepared for project handover and operational reference.

Table of Contents

2. Executive Summary
3. Project Background
4. Website Scope
5. Website Structure and Pages
6. Website Visual Overview
7. Project Metrics and Statistics
8. Project Delivery Timeline
9. Business Value and Benefits to Akol For Legal Services
10. Functional Features
11. Contact Form Architecture
12. Technology Stack
13. System Architecture
14. Domain and Hosting Configuration
15. SEO Implementation
16. Accessibility and User Experience
17. Security Measures
18. Testing and Quality Assurance
19. Deployment Process
20. Environment and Configuration Guide
21. Administration and Maintenance Guide
22. Backup and Recovery
23. Known Limitations and Remaining Actions
24. Future Enhancement Recommendations
25. Final Readiness Assessment
26. Final Verdict
27. Handover Checklist
28. Signature and Approval
29. Appendices

2. Executive Summary

The website provides Akol For Legal Services with a professional public presence for presenting the firm, explaining practice areas, sharing contact details, and collecting enquiries through a secure contact form.

The business value is a clearer digital first impression, easier client contact, and a public channel for potential clients to understand the firm's services before initiating a legal consultation.

Current completion status: the implemented codebase is production-ready from a frontend, validation, build, and serverless-contact architecture perspective. External email and domain configuration still require human setup and confirmation.

Major implemented features include responsive pages, header and footer navigation, a mobile menu, clickable phone and email links, a validated contact form, a Vercel serverless contact endpoint, Resend email delivery integration, SEO metadata, robots.txt, sitemap.xml, security headers, linting, tests, and a production build.

Production-readiness verdict: ready after external email configuration and final production contact-form testing.

3. Project Background

The website was developed to give Akol For Legal Services a polished and accessible online presence that communicates credibility, core services, and contact options.

The intended audience includes individuals, businesses, institutions, and prospective clients seeking legal advice or representation in South Sudan.

The main communication objectives are to introduce the firm, explain legal service areas, provide direct contact methods, and encourage qualified enquiries.

The website strengthens the firm's professional presence by presenting consistent branding, structured service information, and a secure enquiry pathway through the contact form.

4. Website Scope

Category	Scope
Included features	Public informational pages, custom frontend routing, responsive layout, header/footer navigation, mobile menu, CTA links, phone and email links, contact form, serverless contact API, Resend integration, SEO files, security headers, lint/test/build scripts.
Not included	Online booking, payments, client portal, CMS, blog publishing system, analytics dashboard, multilingual content, legal document upload workflow, live chat, WhatsApp integration, case management, authentication, database storage.
Current boundaries	Static public website plus serverless email submission. Contact submissions are emailed and not stored in a database.
Future options	Booking, WhatsApp, blog/legal updates, analytics, CMS, testimonials, multilingual support, privacy/cookie controls, advanced anti-spam controls, and enquiry dashboard.

5. Website Structure and Pages

Route or area	Purpose	Main content	Primary calls to action
/	Homepage and first impression.	Firm positioning, service preview, values, contact summary, firm logo.	Request Consultation; View Services.
/about	Introduce the firm and working style.	Background, client commitment, values.	Encourages confidence and later contact.

Route or area	Purpose	Main content	Primary calls to action
/services	Present implemented practice areas.	Corporate and Commercial Law, Dispute Resolution, Regulatory and Compliance, Real Estate and Land, Employment and Immigration, Private Client Services.	Start a Matter.
/team	Present current team and capability structure.	Legal Counsel, Corporate Advisory Desk, Dispute Resolution Desk.	Supports trust before contact.
/contact	Collect enquiries and show direct contact methods.	Contact details, hours, validated contact form.	Send Message.
Fallback page	Handle unknown routes.	404 message and homepage link.	Go Home.
Header/footer	Site-wide navigation and contact access.	Logo, nav links, mobile menu, footer links, phone, email, address.	Navigate to pages; call or email the firm.

6. Website Visual Overview



Figure 1. Homepage

The homepage introduces Akol For Legal Services, presents the main value proposition, and provides primary calls to action for consultations and services.




Figure 2. About Page

The About page explains the firm's client commitment and professional values in a clear executive-facing format.




Figure 3. Services Page

The Services page lists the implemented practice areas and directs visitors toward starting a matter.




Figure 4. Team Page

The Team page presents the firm's legal capability and service desks to build trust before contact.




Figure 5. Contact Page

The Contact page centralizes phone, email, office details, hours, and the secure enquiry form.




Figure 6. Mobile Responsive View

The mobile screenshot confirms that the website adapts to a small screen with accessible navigation and readable content.

7. Project Metrics and Statistics

Metric	Actual value	Notes
Number of public pages	5	Home, About, Services, Team, Contact.
Fallback/error page	1	NotFoundPage handles unknown routes.
Reusable components	6	3 layout components and 3 common components in src/components/.
API endpoints	1	Vercel serverless endpoint: /api/contact.
Forms	1	Contact form on the Contact page.
Environment variables	3	RESEND_API_KEY, CONTACT_RECIPIENT_EMAIL, CONTACT_FROM_EMAIL.
Automated tests	3	Node tests in test/contactValidation.test.js.
Implemented routes	6	Five public routes plus fallback route.
Deployed domains	2	Root domain and primary www domain are configured.
Build status	Passed	npm run build completed successfully.
Lint status	Passed	npm run lint completed successfully.

8. Project Delivery Timeline

Milestone	Status
Requirements and Planning	Complete
Design and Content Preparation	Complete
Frontend Development	Complete
Responsive Design Implementation	Complete
Contact Form Development	Complete
Security and Validation	Complete
Testing and Quality Assurance	Complete for local scope
Domain Configuration	DNS verification completed; SSL certificate generation initiated through Vercel
Deployment Preparation	Complete pending environment variables and final production checks
Production Readiness Review	Complete; final handover version prepared

9. Business Value and Benefits to Akol For Legal Services

The website gives Akol For Legal Services a professional online presence that reflects credibility, structure, and readiness to serve clients. It helps the firm make a strong first impression before a visitor makes direct contact.

The clear presentation of services, values, contact details, and firm capability improves client trust by making the firm easier to understand and easier to reach.

The production domain, search-friendly metadata, sitemap, and public page structure support better visibility and discoverability as the firm builds its online presence over time.

The responsive design makes the website accessible on mobile phones, tablets, laptops, and large screens, which is important for clients who browse and make enquiries from mobile devices.

The contact form and clickable phone/email links create a centralized contact channel, reducing friction for prospective clients who want to begin a conversation.

The website also creates a scalable digital foundation. Future services such as booking, legal updates, testimonials, analytics, WhatsApp integration, or multilingual content can be added without replacing the whole site.

By presenting the firm clearly online, Akol For Legal Services gains a competitive advantage and a long-term marketing asset that can support referrals, reputation, and client acquisition.

10. Functional Features

Feature	Actual implementation
Navigation	Custom lightweight router using browser history, popstate, and an app:navigate event. No external routing package is currently used.
Responsive design	CSS grid/flex layouts with media queries for desktop, tablet, and mobile.
Mobile menu	Header menu button toggles nav visibility and updates aria-expanded.
Contact links	Phone links use tel:+211923433113. Email links use mailto:info@akolforlegalservices.com.
Calls to action	Homepage and services CTA links route to contact or services pages.
Contact form	React controlled form with name, email, phone, subject, message, and hidden honeypot company field.
Validation	Shared frontend/server validation covers required fields, email format, phone format, message minimum length, and input length limits.
Feedback states	The form shows loading text, success messages, error messages, and field-level validation errors.
Duplicate prevention	The submit handler returns early while sending and disables form fields/button during submission.
Spam protection	Honeypot field plus basic in-memory IP rate limiting in the serverless function.

11. Contact Form Architecture

Submission flow: Website visitor -> React contact form -> frontend validation -> POST /api/contact -> Vercel serverless function -> server-side validation -> honeypot/rate-limit checks -> Resend email API -> law firm recipient inbox.

The frontend validates the form before sending and displays errors without contacting the API when required fields or formats are invalid.

The API route validates the same fields server-side, rejects invalid JSON, rejects unsupported methods, checks the hidden honeypot field, and applies a basic request limit by client IP for a 15-minute window.

If validation passes, the API reads RESEND_API_KEY, CONTACT_RECIPIENT_EMAIL, and CONTACT_FROM_EMAIL from server-side environment variables. It uses the visitor's email as reply_to and sends both text and safely escaped HTML email content through Resend.

Success is returned only when Resend accepts the request. If Resend rejects the request, the API returns a provider failure message instead of claiming success.

Environment variable	Purpose
RESEND_API_KEY	Secret API key used by the serverless function to authenticate with Resend.
CONTACT_RECIPIENT_EMAIL	Recipient inbox for website enquiry emails.
CONTACT_FROM_EMAIL	Verified Resend sender address used in outbound emails.

Secrets are not stored in frontend code and are not committed to Git. `.env` and `.env.*` are ignored, while `.env.example` is committed as a template.

12. Technology Stack

Technology	Actual use	Suitability
React 19	Frontend UI components and stateful contact form.	Appropriate for a modern responsive marketing and enquiry website.
Vite 8	Development server and production bundling.	Fast builds and simple static deployment output.
JavaScript	Application, validation, and serverless API code.	Keeps the project compact and consistent across frontend and API.
CSS	Custom responsive styling, layout, focus states, and brand presentation.	Avoids unnecessary UI framework weight for a small site.
Custom router	Lightweight client-side routing in <code>src/router</code> and <code>src/utlis/router.js</code> .	Removes need for a routing dependency for the current route set.
Vercel	Intended hosting platform for frontend and serverless function.	Matches the serverless <code>/api/contact</code> implementation and static frontend deployment.
Vercel serverless functions	<code>api/contact.js</code> handles secure email submission.	Protects secrets on the server side.
Resend	Email delivery provider for contact submissions.	Modern transactional email API suitable for website forms.
ESLint	Code quality check via <code>npm run lint</code> .	Catches syntax and common JavaScript/React issues before deployment.
Node test runner	Tests contact validation and safe email rendering.	No extra dependency required for current unit tests.
Git and GitHub	Expected source control and remote backup process.	Recommended for deployment traceability; the inspected local folder was not recognized as a Git repository, so repository status requires manual confirmation.
Other dev dependencies	<code>@vitejs/plugin-react</code> , <code>@rolldown/plugin-babel</code> , Babel React Compiler preset, React type packages, React Hooks/Refresh ESLint plugins, globals.	Support development, build, linting, and React compiler behavior.

13. System Architecture

Text architecture diagram:

Website visitor -> React frontend -> Vercel hosting/CDN -> Vercel serverless contact endpoint -> Resend -> Law firm email inbox

Layer	Description
Frontend layer	React/Vite static site rendered in the browser with custom routing and responsive CSS.

Layer	Description
API layer	Vercel serverless function at /api/contact that validates and sends messages.
Email-delivery layer	Resend API accepts outbound email requests from the serverless function.
DNS and domain layer	Root domain akolforlegalservices.com and primary domain www.akolforlegalservices.com have verified DNS records for Vercel. SSL certificate generation was initiated through Vercel.
Deployment layer	Vercel build should run npm run build and serve the generated dist output plus /api serverless functions.

14. Domain and Hosting Configuration

Item	Verified configuration
Root domain	akolforlegalservices.com.
Primary domain	www.akolforlegalservices.com.
A record	Host: @; Value: 76.76.21.21.
CNAME record	Host: www; Value: 869ee8e21ebb50ca.vercel-dns-017.com.
DNS verification	DNS verification was successfully completed.
SSL certificate	SSL certificate generation was initiated through Vercel.
DNS propagation	DNS propagation may still take time depending on registrar and network caching.
Final production verification	Final browser verification, HTTPS confirmation, and production contact-form testing should still be completed after deployment and environment configuration.

15. SEO Implementation

SEO item	Implementation
Page title	Akol For Legal Services South Sudan Law Firm.
Meta description	Present in index.html and describes the legal services offering.
Canonical URL	https://www.akolforlegalservices.com/.
Open Graph metadata	og:type, og:url, og:title, og:description, and og:image are present.
Twitter metadata	summary card, title, and description are present.
Favicon	favicon.svg plus alternate favicon.jpeg.
robots.txt	Allows indexing and references the sitemap.
sitemap.xml	Lists /, /about, /services, /team, and /contact.
Semantic HTML	Uses header, nav, main, section, article, aside, footer, address, headings, labels, and buttons.
Image alt text	Implemented for the firm logo images.
Indexing readiness	Ready at code level; live indexing depends on deployment, domain resolution, and search-engine crawl timing.

16. Accessibility and User Experience

Area	Implementation or limitation
Responsive layouts	Verified at mobile, tablet, laptop, and large viewport widths with no horizontal overflow in browser checks.
Keyboard navigation	Native links, buttons, inputs, and visible focus styles are implemented through CSS focus-visible.
Form labels	All visible form inputs and textarea have associated labels.
Contrast	Dark slate background with white/silver text and amber accents. No automated contrast audit was run, but visual contrast is intentionally high.
Loading states	Submit button changes to Sending... and form controls are disabled while submitting.
Error messages	Field-level errors and form-level alert/status messages are present.
Mobile usability	Mobile menu, responsive grids, and full-width mobile buttons are implemented.
Clickable contacts	Phone and email links are clickable in content and footer.
Limitations	No formal WCAG audit with assistive technology was completed. No automated axe or screen-reader test is included.

17. Security Measures

Implemented control	Details
Server-side environment variables	Resend and recipient configuration are read from process.env in api/contact.js.
No exposed API keys	The frontend posts to /api/contact and does not contain RESEND_API_KEY.
Input validation	Frontend and server validate required fields, email, phone, minimum message length, and max lengths.
Message-length limits	Name 80, email 254, phone 32, subject 120, message 2500 characters.
Honeypot	Hidden company field triggers accepted no-op behavior for likely bot submissions.
Rate limiting	Basic in-memory IP limit of 5 requests per 15 minutes per function instance.
Safe rendering	HTML email content escapes user-submitted values.
HTTP headers	Vercel config sets nosniff, referrer policy, frame deny, permissions policy, and HSTS.
Git ignore	.env and .env.* are ignored; .env.example remains trackable.

Recommended future improvements: durable rate limiting backed by external storage, CAPTCHA or managed bot protection if spam increases, monitoring/alerting for email failures, dependency update cadence, formal security review, and privacy/cookie notices if analytics or tracking are added.

18. Testing and Quality Assurance

Check	Result
npm run lint	Passed on July 15, 2026.
npm test	Passed 3 tests on July 15, 2026.
npm run build	Passed on July 15, 2026. Production bundle generated successfully.

Check	Result
Browser-width checks	Previously verified at 390, 768, 1366, and 1920 widths with no horizontal overflow.
Mobile-menu verification	Previously verified menu opens and aria-expanded updates.
Console error checks	Previously verified no browser console errors/warnings during local checks.
Contact API mocked acceptance	Previously verified mocked Resend OK response returns success.
Invalid payload rejection	Previously verified invalid payload returns 400 with field errors.

Test scope: static build, linting, validation tests, safe HTML escaping test, local browser responsiveness, menu behavior, and contact API logic with mocked email provider.

Test limitations: no live production deployment test, no real Resend delivery test, no DNS/SSL verification, no formal accessibility audit, no end-to-end test suite connected to a real Vercel deployment.

Recommended final production tests: submit a real contact form after Vercel environment variables are configured, confirm inbox delivery and reply-to behavior, test root-domain redirect and HTTPS, test mobile devices, and check spam/junk folder placement.

19. Deployment Process

Recommended process:

1. Commit the current codebase to Git.
2. Push the repository to GitHub or the configured remote source.
3. Connect the repository to Vercel if not already connected.
4. Configure RESEND_API_KEY, CONTACT_RECIPIENT_EMAIL, and CONTACT_FROM_EMAIL in Vercel.
5. Redeploy the production site after environment variables are added.
6. Connect and verify the custom domain in Vercel.
7. Confirm DNS records in Bluehost or the active DNS provider.
8. Verify HTTPS/SSL and root-to-www redirect behavior.
9. Submit a real contact form and confirm delivery to the recipient inbox.

20. Environment and Configuration Guide

Variable	Purpose	Example format	Secret	Configure in
RESEND_API_KEY	Authenticates serverless function with Resend.	re_XXXXXXXXXXXX	Yes	Vercel Environment Variables
CONTACT_RECIPIENT_EMAIL	Inbox receiving contact submissions.	office@example.com	No, but operationally sensitive	Vercel Environment Variables
CONTACT_FROM_EMAIL	Verified sender address for Resend.	Akol For Legal Services <website@example.com>	No	Vercel Environment Variables

Do not place real API keys in .env.example, frontend files, screenshots, documents, or Git commits.

21. Administration and Maintenance Guide

Task	Where to update
Update page content	Edit the relevant files in <code>src/pages/</code> .
Change phone/email/address	Edit <code>src/data/siteData.js</code> .
Update team members	Edit the team array in <code>src/data/siteData.js</code> .
Add or revise services	Edit the services array in <code>src/data/siteData.js</code> .
Update SEO metadata	Edit <code>index.html</code> , <code>public/robots.txt</code> , and <code>public/sitemap.xml</code> as needed.
Replace images	Replace or add files in <code>src/assets</code> or <code>public</code> and update imports/links.
Review deployments	Use the Vercel dashboard for build logs, deployment history, and domain status.
Rotate Resend API key	Create a new key in Resend, update <code>RESEND_API_KEY</code> in Vercel, redeploy, and revoke the old key.
Change recipient inbox	Update <code>CONTACT_RECIPIENT_EMAIL</code> in Vercel and redeploy if required.
Renew domain	Use the registrar/DNS provider account. Bluehost was named in the requested handover scope but must be manually confirmed.
Monitor form delivery	Check Resend activity logs, recipient inbox, spam folder, and Vercel function logs.

22. Backup and Recovery

The recommended source backup is a GitHub repository containing the website source code. The current inspected local folder was not recognized as a Git repository, so source-control status must be confirmed.

Vercel deployment history can serve as an operational rollback point after the project is connected and deployed.

Environment variables should be documented securely outside the repository. Do not store real secrets in this report or in Git.

DNS and domain settings should be recorded by the account owner, including registrar, DNS provider, root record, www record, Resend DNS records, and renewal dates.

Recovery after a failed deployment: revert to the last known good Git commit or Vercel deployment, confirm environment variables, redeploy, verify the site loads, and run the production contact-form test.

23. Known Limitations and Remaining Actions

Item	Status
Resend account setup	Requires human confirmation.
Resend sending-domain verification	Required before using a production sender domain.
Bluehost DNS records for Resend	Required if Resend domain verification records are managed through Bluehost or the active DNS provider.
Creation of Resend API key	Requires human action in Resend.
Vercel environment variables	Must be entered in Vercel before production form delivery works.
Real production contact-form test	Still required after deployment and environment configuration.
Email delivery/spam-folder confirmation	Still required with the recipient inbox.
Git/GitHub status	Local folder was not recognized as a Git repository during inspection; repository status requires confirmation.
Rate limiting	Implemented in memory only; for high traffic, use durable storage or a managed edge/bot-protection service.

Item	Status
Accessibility	Good baseline implementation, but no formal WCAG audit or screen-reader test has been completed.

24. Future Enhancement Recommendations

Priority	Recommendations
Immediate	Complete Resend verification, Vercel environment setup, production contact-form test, DNS/SSL verification, and client approval review.
Medium-term	Add analytics, privacy/cookie controls if tracking is introduced, CMS integration for easier content updates, testimonials, blog/legal updates, and enhanced anti-spam protection.
Optional long-term	Legal consultation booking, WhatsApp integration, client enquiry dashboard, multilingual support, case-study content, client portal, and richer performance monitoring.

These recommendations are not currently implemented and should be scoped separately.

25. Final Readiness Assessment

Area	Status	Notes
Design	Complete	Professional responsive visual identity is implemented.
Responsiveness	Complete	Browser checks found no overflow at tested widths.
Functionality	Complete	Navigation, CTAs, contact links, and form behavior are implemented.
Contact form	Complete pending external configuration	Code is complete; Resend/Vercel production variables and real delivery test remain.
SEO	Complete	Core metadata, sitemap, robots, favicon, and canonical domain are implemented.
Accessibility	Partially complete	Baseline semantics and labels are implemented; formal WCAG audit remains.
Security	Complete with recommended future improvements	Secrets server-side, validation, escaping, honeypot, rate limiting, and headers are implemented.
Testing	Complete for local scope	Lint, tests, build, local browser checks, and mocked API checks passed.
Deployment	Complete pending external configuration	Vercel-ready code exists; actual deployment/domain/email setup requires confirmation.
Documentation	Complete	This handover report plus README and .env.example are present.

26. Final Verdict

The website is ready after external email configuration.

The codebase, DNS record configuration, and Vercel-oriented deployment setup are ready for public production use once the Resend sending domain, Resend API key, Vercel environment variables, SSL completion, and real production contact-form delivery are confirmed.

It should not be considered fully operational for client enquiries until the production contact form has been tested with the real recipient inbox.

27. Handover Checklist

- ☐ Code committed
- ☐ GitHub updated
- ☐ Vercel deployment complete
- ☐ Custom domain verified
- ☐ SSL active
- ☐ Resend domain verified
- ☐ Environment variables configured
- ☐ Contact form production-tested
- ☐ Recipient confirmed
- ☐ Client approval received
- ☐ Maintenance responsibility confirmed

28. Signature and Approval

Prepared By: Sky High Tech

Founder, CEO & Lead Software Engineer: Peter Jur Makender Makech

Company: Sky High Tech

Slogan: Technology Made Simple

Date: 15 July 2026

Approval	Name	Signature	Date
Prepared By	Sky High Tech / Peter Jur Makender Makech	—	15 July 2026
Reviewed By	—	—	—
Client Acceptance	Akol For Legal Services	—	—

29. Appendices

Key directory or file	Purpose
src/pages/	Page-level React components.
src/components/	Reusable layout and common components.
src/data/siteData.js	Contact details, nav links, services, values, and team data.
src/utls/contactValidation.js	Shared contact-form validation rules.
src/utls/router.js	Lightweight client-side navigation helpers.
api/contact.js	Vercel serverless contact endpoint.
public/robots.txt	Search crawler instruction file.
public/sitemap.xml	Search-engine sitemap.
vercel.json	SPA rewrite and security headers.
.env.example	Environment variable template.
test/contactValidation.test.js	Node tests for validation and safe email rendering.

Command	Purpose
npm install	Install dependencies.
npm run dev	Start local development server.
npm run lint	Run ESLint.
npm test	Run Node tests.
npm run build	Create production build.
npm run preview	Preview production build locally.

Environment-variable template: RESEND_API_KEY=, CONTACT_RECIPIENT_EMAIL=, CONTACT_FROM_EMAIL=.

Manual test checklist: visit every page, open/close mobile menu, click phone/email links, submit empty contact form, submit valid contact form after environment setup, confirm email delivery, confirm reply-to, verify HTTPS, verify root/www domain behavior, check mobile and desktop layouts.

Contact-form data flow: visitor input -> frontend validation -> /api/contact -> server validation -> spam checks -> Resend -> recipient inbox -> user-facing success or error response.

Glossary: Vercel is the hosting/deployment platform; serverless function is backend code that runs on demand; Resend is the email delivery provider; environment variable is a private deployment setting; DNS connects a domain name to hosting/email services; SSL/HTTPS encrypts website traffic; sitemap helps search engines find pages.