

Method assignments


When creating the program code, you must apply the following basic principles:

- create a separate project for each assignment;
- create one solution for each week containing the projects for that week.


Assignment 1 (Console Application)

Enter a price. Use a separate method to determine the 21% VAT on this price; this method accepts a float parameter and returns a float value ('return value type' is float).

Print the price, VAT, and the price + VAT.




```
file:///C:/Users/Gerwin van Dijken/Docum...
Enter a price: 100
price: 100.00, VAT: 21.00, total: 121.00
```




```
file:///C:/Users/Gerwin van Dijken/Docum...
Enter a price: 50.75
price: 50.75, VAT: 10.66, total: 61.41
```

Assignment 2 (Console Application)

Several numbers are entered until number 0 is stated. Use a separate method 'IsPrimeNumber' to determine whether the positive numbers (>0) are prime numbers; this method accepts an int parameter and returns a boolean value. (*prime numbers were discussed in week 4 - Iteration*)




```
file:///C:/Users/Gerwin van ...
Enter number (0 is stop value): 5
5 is a prime number.
Enter number (0 is stop value): 99
99 is a not prime number.
Enter number (0 is stop value): 7
7 is a prime number.
Enter number (0 is stop value): 8
8 is a not prime number.
Enter number (0 is stop value): 103
103 is a prime number.
Enter number (0 is stop value): -2
Negative number entered...
Enter number (0 is stop value): 37
37 is a prime number.
Enter number (0 is stop value): 0
end of program
```



```
file:///C:/Users/Gerwin van ...
Enter number (0 is stop value): 0
end of program
```

Assignment 3 (Console Application)

Several years are entered until number 0 is stated. Use a separate method 'IsLeapYear' to determine whether each year is a leap year; this method accepts an int parameter and returns a boolean value.




```

file:///C:/Users/Gerwin van...
Enter year (0 is stop value): 2017
2017 is not a leap year.
Enter year (0 is stop value): 2016
2016 is a leap year.
Enter year (0 is stop value): 2000
2000 is a leap year.
Enter year (0 is stop value): 1900
1900 is not a leap year.
Enter year (0 is stop value): 2018
2018 is not a leap year.
Enter year (0 is stop value): -100
-100 is not a leap year.
Enter year (0 is stop value): 0
end of program
  
```

Assignment 4 (Console Application)

Enter a text (string). Determine the number of times that the characters . (full stop) , (comma) and ; (semi-colon) occur in this string. Use a separate method 'SearchText' for this purpose, with a string as an input parameter, and with 3 out parameters: nrOfFullStops, nrOfCommas, nrOfSemiColons. This method has no return value.




```

file:///C:/Users/Gerwin van Dijken/Documents/Visual...
Enter a text> Mama always said; life was like a box of
chocolates, you never know, what you're gonna get...
result: 3 full stops, 2 commas, 1 semicolons
  
```

Assignment 5 (Windows Application)

Depending on the user's choice, the numbers number1 and number2 are added up, subtracted, multiplied or divided. Write a method for each calculation, clearly name the method to reflect its task. Pass to each method the (int) value of number1 and number2 (as parameters). After the calculation, each method will return an int (or double) as the calculation result.




Assignment 6 (Windows Application)

This application is calculating (and displaying) the square of a number entered. Three methods can be used to calculate squares. The first method is based on the principle of 'call by reference', the second on 'call by reference out' and the third on 'call by value'. When the user presses a command button, the corresponding method is being called. Use the following /signatures for the three methods:

```
void SquareByReference(ref int number)
```

```
void SquareByReferenceOut(int number, out int square),
```

```
int SquareByValue(int number)
```



Assignment 7 (Windows Application)

A Windows Forms application must be designed and implemented to convert temperatures. If, for example, a temperature is entered in degrees Celsius, it can be converted to Kelvin or degrees Fahrenheit or vice versa by selecting a radiobutton and clicking the Calculate button.

Implement a method for each conversion. These 3 methods must be called with an argument, i.e. the temperature that should be converted. Each method returns the converted temperature value. Use the following method names: Celsius2Kelvin(c), Celsius2Fahrenheit(c) and Fahrenheit2Celsius(f).

Conversion formulas (C: Celsius, K: Kelvin and F: Fahrenheit):

- $c\text{ }^{\circ}\text{C} \rightarrow (c + 273)\text{ K}$
- $c\text{ }^{\circ}\text{C} \rightarrow (c \times 9/5 + 32)\text{ }^{\circ}\text{F}$
- $f\text{ }^{\circ}\text{F} \rightarrow ((f - 32) \times 5/9)\text{ }^{\circ}\text{C}$

The screenshot shows a window titled "Methods assignment 7". It contains a text box labeled "Degrees" with the value "21". Below it is a group box labeled "Conversion" containing three radio buttons: "Celsius to Kelvin" (selected), "Celsius to Fahrenheit", and "Fahrenheit to Celsius". At the bottom is a blue "Calculate" button. Below the button, the text "Converted degrees" is followed by the value "294.00".

The screenshot shows a window titled "Methods assignment 7". It contains a text box labeled "Degrees" with the value "21". Below it is a group box labeled "Conversion" containing three radio buttons: "Celsius to Kelvin", "Celsius to Fahrenheit" (selected), and "Fahrenheit to Celsius". At the bottom is a blue "Calculate" button. Below the button, the text "Converted degrees" is followed by the value "69.80".

The screenshot shows a window titled "Methods assignment 7". It contains a text box labeled "Degrees" with the value "70". Below it is a group box labeled "Conversion" containing three radio buttons: "Celsius to Kelvin", "Celsius to Fahrenheit", and "Fahrenheit to Celsius" (selected). At the bottom is a greyed-out "Calculate" button. Below the button, the text "Converted degrees" is followed by the value "21.11".