

Qassim University

College of Computer

Department of Information Technology



Project Title

Restaurant Website

Students:

- Juri Aloreani
- Leen Alashab
- Deem Al-Mutairi
- Yafa Alribi

Course Code : IT271

Instructor : D.Muna alsliem

Academic Year : 1447(471)

Table of Contents

- Introduction
- Project Objectives
- Tools & Technologies
- Implementation (Front-end + Back-end + Database)
- Screenshots of Website
- Conclusion
- References

Introduction

This project aims to develop a fully functional restaurant website that allows users to view the menu, place orders, and contact the restaurant. The website was created as part of the **IT271** course to apply **HTML**, **CSS**, **JavaScript**, **PHP**, and **MySQL** skills in a real-world web application.

Project Objectives

- Create a responsive restaurant website.
- Display menu items dynamically using PHP.
- Allow users to submit contact messages.
- Store order and feedback data in a MySQL database.
- Improve teamwork and project development skills.

Tools & Technologies

- **HTML5** – Structure
- **CSS3** – Design
- **JavaScript** – Interaction
- **PHP** – Server-side
- **MySQL** – Database
- **XAMPP** – Server
- **VS Code** – Coding
- **GitHub** – Collaboration

Implementation

➤ Front-end

HTML:

The HTML structure defines the layout of the website.

In **index.html**, a navigation bar, offers section, and footer were implemented. In **contact.html**, a contact form with input fields for name, email, and message was created. All images and text content were placed using semantic HTML tags.

Index:

```
1  <!DOCTYPE html>
2  <html>
3  <head>
4  <meta charset="UTF-8">
5  <meta name="viewport" content="width=device-width, initial-scale=1.0">
6  <title>Restaurant Website</title>
7  <link rel="stylesheet" href="style.css">
8  </head>
9  <body>
10 <header>
11   <h1>Restaurant 🍕</h1>
12   <nav>
13     <a href="order.php">ORDER</a>
14     <a href="menu.php">MENU</a>
15     <a href="contact.html">CONTACT</a>
16   </nav>
17 </header>
18 <section class="offers-section">
19   <h2 class="ji">OFFERS</h2>
20
21   <div class="offers-container">
22     <div class="offer-card">
23       
24     </div>
25
26     <div class="offer-card">
27       
28     </div>
29
30     <div class="offer-card">
31       
32     </div>
33
34     <div class="offer-card">
35       
36     </div>
37   </div>
38
39   <div class="order-msg">
40     <a href="menu.php">What are you waiting for, order now!</a>
41   </div>
42 </section>
43 <footer class="jh">
44   <p>2025 Restaurant</p>
45 </footer>
46 </body>
47 </html>
```

Contact:



```
1  <!DOCTYPE html>
2  <html lang="en">
3  <head>
4    <meta charset="UTF-8">
5    <meta name="viewport" content="width=device-width, initial-scale=1.0">
6    <title>Contact Us - Restaurant</title>
7    <link rel="stylesheet" href="style.css">
8
9    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.5.0/css/all.min.css">
10 </head>
11 <body>
12   <header>
13     <h1>CONTACT US !</h1>
14     <nav>
15       <a href="index.html">HOME</a>
16     </nav>
17   </header>
18
19   <div class="contact-container">
20     <form action="" class="contact-left">
21       <div class="contact-left-titel">
22         <h2>Get in touch</h2>
23         <hr>
24       </div>
25
26       <input type="text" name="name" placeholder="Your name" class="contact-inputs" required>
27       <input type="email" name="email" placeholder="Your email" class="contact-inputs" required>
28
29       <textarea name="message" placeholder="Your message" class="contact-inputs" required></textarea>
30
31       <button type="submit">Send </button>
32     </form>
33     <div class="contact-right">
34     </div>
35     <div class="social">
36       <a href="#" class="icon"><i class="fa-brands fa-whatsapp"></i></a>
37       <a href="#" class="icon"><i class="fa-brands fa-instagram"></i></a>
38     </div>
39   </div>
40   <footer class="jh">
41     <p>2025 Restaurant</p>
42   </footer>
43   <script>
44     document.addEventListener('submit', e => {
45       if (e.target.matches('form')) {
46         e.preventDefault();
47         alert('Send 📩');
48         e.target.reset();
49       }
50     });
51   </script>
52 </body>
53 </html>
```

CSS :

CSS was used to **style** all website components. A gradient background was applied across the pages. Flexbox was used to align content. Buttons, cards, and form inputs were styled using border-radius, box-shadow, hover effects, and custom colors.

General:

```
1  /* general */
2  h1 {
3      text-align: center;
4      border: 2px solid rgba(245, 245, 245, 0);
5      border-radius: 5%;
6      /* background-color: rgba(238, 205, 205, 0.702); */
7      padding: 3%;
8      color: rgb(131, 82, 82);
9      font-family: 'Gill Sans', 'Gill Sans MT', Calibri, 'Trebuchet MS', sans-serif;
10 }
11
12
13
14 a {
15     border: 2px solid rgba(245, 245, 245, 0);
16     border-radius: 24px;
17     padding: 12px 20px 12px 20px;
18     text-align: center;
19     text-decoration: dashed;
20     font-size: 18px;
21     font-family: 'Gill Sans', 'Gill Sans MT', Calibri, 'Trebuchet MS', sans-serif;
22     color: rgb(138, 69, 69);
23     margin: 2px;
24     display: inline-block;
25     margin: 3px;
26 }
27
28
29 nav {
30     text-align: center;
31 }
32
33
34 a:hover {
35     background: linear-gradient(45deg, #b0847f, #e3a8b7, #aa57a399); /* box-shadow: 0 4px 15px rgba(0, 0, 0, 0.3); */
36     color: #6c3e3f;
37     transition: 0.6s;
38     transform: scale(0.98);
39     font-size: 20px;
40     text-decoration: none;
41 }
42
43
44 h1:hover {
45     font-size: 35px;
46     transition: 0.6s;
47     font-family: 'Gill Sans', 'Gill Sans MT', Calibri, 'Trebuchet MS', sans-serif;
48 }
49
50
51 }
52
53 body {
54     font-family: 'outfit';
55     background: linear-gradient(250deg, #b0847f, #e3a8b7, #aa57a399, #f5f3f3 );
56 }
57
58 .ji {
59     background: linear-gradient(270deg, #934b57, #a77179, #934b57, #a77179);
60     -webkit-background-clip: text;
61     color: transparent;
62     font-family: 'Gill Sans', 'Gill Sans MT', Calibri, 'Trebuchet MS', sans-serif;
63     text-align: center;
64     font-size: 30px;
65     text-shadow: 2px 2px 5px rgba(0, 0, 0, 0.3);
66 }
67
68 header {
69     text-align: center;
70     bottom: 100;
71     left: 0;
72     width: 100%;
73     padding: 0;
74     background-color: rgba(238, 205, 205, 0.338);
75     margin: 0px;
76 }
77
78 header h1 {
79     font-size: 32px;
80     font-weight: bold;
81     margin: 0;
82 }
83
84 hr {
85     border: none;
86     height: 2px;
87     background-color: pink;
88 }
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
```


Offers:



```
1  /* offers */
2  .offers {
3      display: block;
4      width: fit-content;
5      margin-left: auto;
6  }
7
8  .offers-section {
9      display: flex;
10     flex-direction: column;
11     align-items:center;
12     gap: 25px;
13     margin-top: 40px;
14     margin-bottom: 200px;
15     text-align: center;
16     padding: 40px 0 30px;
17 }
18
19 .offers-container {
20     display: flex;
21     justify-content:center;
22     gap: 40px;
23     margin-bottom: 10px;
24 }
25
26 .offers-container img {
27     width:250px;
28     height: auto;
29     border-radius: 10px;
30     transition: transform 0.3s ease, box-shadow 0.4s ease;
31 }
32
33
34 .offers-container img:hover {
35     transform: scale(1.08);
36     box-shadow: 0px 4px 15px rgba(0, 0, 0, 0.3);
37 }
38
39 .offers-track {
40     width: 320px;
41     overflow: hidden;
42 }
43
44 .offers-card{
45     background: #ffe9e5;
46     padding: 18px;
47     border-radius: 25px;
48     transition: 0.3s;
49     box-shadow: 0px 0px 0px rgba(0,0,0,0) ;
50 }
51 .offers-card img{
52     display: block;
53     width: 220px ;
54     height: auto;
55     border-radius: 20px;
56     margin: 0 auto 10px;
57 }
58 .offers-card:hover{
59     transform: translateY(-8px) scale(1.03);
60     box-shadow: 0 10px 35px rgba(0, 0, 0, 0.10);
61 }
```

Contact:

```
1  /* contact */
2
3  .contact-container{
4    /* height: 100vh; */
5    display: flex;
6    flex-direction: row;
7    align-items: flex-start;
8    justify-content: center;
9    margin-top: 20px;
10   gap: 40px;
11   margin-bottom: 200px;
12 }
13 .contact-left{
14   display: flex;
15   flex-direction: column;
16   align-items: start;
17   gap: 20px;
18   margin-top: 2px;
19 }
20 .contact-left-titel h2{
21   font-weight: 600;
22   background: linear-gradient(45deg, #934b57, #a77179, #934b57, #a77179);
23   -webkit-background-clip: text;
24   color: transparent;
25   font-size: 40px;
26   margin-bottom: 5px;
27   margin-top: 10px;
28   text-shadow: 2px 2px 5px rgba(0, 0, 0, 0.3) ;
29 }
30 .contact-left-titel hr{
31   border: none;
32   width: 120px;
33   height: 5px;
34   background: linear-gradient(270deg, #bd8089, #934b57);
35   border-radius: 10px;
36   margin-bottom: 20px;
37   box-shadow: 2px 2px 5px rgba(0, 0, 0, 0.3) ;
38 }
39 .contact-inputs{
40   width: 400px;
41   height: 50px;
42   border: none;
43   outline: none;
44   padding-left: 25px;
45   font-weight: 500;
46   color: #666;
47   border-radius: 50px;
48   margin-bottom: 10px;
49 }
50 .contact-left textarea{
51   height: 140px;
52   padding-top: 15px;
53   border-radius: 20px;
54 }
55 .contact-inputs:focus{
56   border: 2px solid #a363aa;
57 }
58 .contact-inputs::placeholder{
59   color: #a9a9a9;
60 }
61 }
62 .contact-left button{
63   display: flex;
64   align-items: center;
65   padding: 15px 30px;
66   font-size: #fff ;
67   gap: 10px;
68   border: none;
69   border-radius: 50px;
70   background: linear-gradient(270deg, #ff4fb0, #cf959f);
71   cursor: pointer;
72 }
73
74 .contact-left button:hover{
75   background: linear-gradient(270deg, #ed7dbb, #edaab7);
76 }
77 .contact-left button img{
78   height: 10px;
79 }
80 .contact-right img{
81   width: 500px;
82 }
83 /* icons */
84 .social {
```

Icons:



```
1  /* icons */
2  .social {
3      display: flex;
4      gap: 15px;
5      margin-top: 200px;
6      margin-left: 50px;
7  }
8
9  .icon {
10     width: 45px;
11     height: 45px;
12     border-radius: 50%;
13     border: 2px solid #5e5e5e;
14     display: flex;
15     justify-content: center;
16     align-items: center;
17     transition: 0.3s;
18     cursor: pointer;
19 }
20
21 .icon i {
22     font-size: 20px;
23     color: #5e5e5e;
24 }
25
26 .icon:hover {
27     background: linear-gradient(270deg, #d8bfc3, #c999a1);
28     color: white;
29     border-color: transparent;
30     transform: scale(1.1);
31 }
32
33 .icon:hover i {
34     color: white;
35 }
```

Menu:

```
1  /* menu */
2
3  .menu-container {
4      display: flex;
5      flex-wrap: wrap;
6      justify-content: center;
7      padding: 37px;
8  }
9  .item-card {
10     background-color: rgba(238, 205, 205, 0.5);
11     border-radius: 10px;
12     margin: 10px;
13     width: 220px;
14     text-align: center;
15     padding: 15px;
16     box-shadow: 0 4px 6px rgba(0,0,0,0.1);
17 }
18 .item-card img {
19     width: 100%;
20     border-radius: 10px;
21 }
22 .item-name {
23     font-size: 18px;
24     font-weight: bold;
25     margin: 10px 0 5px 0;
26     color: #333;
27 }
28 .item-price {
29     font-size: 16px;
30     color: #a32c65;
31 }
32 .lab {
33     display: block;
34     margin: 10px 0 5px 0;
35     color: #333;
36     font-weight: bold;
37     border-radius: 16px;
38 }
39 input, select {
40     width: 100%;
41     padding: 8px;
42     border-radius: 6px;
43     border: 1px solid #ccc;
44     box-sizing: border-box;
45     border-radius: 16px;
46 }
47
48 /* order */
49
50 .for {
51     background-color: rgba(238, 205, 205, 0.5);
52     width: 400px;
53     margin: 30px auto;
54     padding: 25px;
55     box-shadow: 0 4px 6px rgba(0,0,0,0.1);
56     border-radius: 16px;
57     margin-bottom: 250px;
58 }
59
60 input[type="submit"] {
61     background: linear-gradient(270deg, #ff4fb0, #cf959f);
62     color: white;
63     font-size: 16px;
64     border: none;
65     cursor: pointer;
66     margin-top: 15px;
67     border-radius: 16px;
68 }
69 input[type="submit"]:hover {
70     background: linear-gradient(270deg, #ed7dbb, #edaab7);
71 }
72 .success {
73     text-align: center;
74     color: rgb(17, 130, 96);
75     font-size: 20px;
76     margin-top: 20px;
77 }
78 nav {
79     text-align:
```

Order:

```
1  /* order */
2
3      .for {
4          background-color: rgba(238, 205, 205, 0.5);
5          width: 400px;
6          margin: 30px auto;
7          padding: 25px;
8          box-shadow: 0 4px 6px rgba(0,0,0,0.1);
9          border-radius: 16px;
10         margin-bottom: 250px;
11
12     }
13     input[type="submit"] {
14         background: linear-gradient(270deg, #ff4fb0, #cf959f);
15         color: white;
16         font-size: 16px;
17         border: none;
18         cursor: pointer;
19         margin-top: 15px;
20         border-radius: 16px;
21     }
22     input[type="submit"]:hover {
23         background: linear-gradient(270deg, #ed7dbb, #edaab7);
24     }
25     .success {
26         text-align: center;
27         color: rgb(17, 130, 96);
28         font-size: 20px;
29         margin-top: 20px;
30     }
31     nav {
32         text-align: center;
33         margin: 20px;
34     }
35     nav a {
36         text-decoration: none;
37         color: rgb(138, 69, 69);
38         font-weight: bold;
39         margin: 0 10px;
40     }
```

JS:

JavaScript was used to add interactivity.

In **contact.html**, JavaScript was used to validate the form by preventing default submission and showing a confirmation message.



```
1  <script>
2      document.addEventListener('submit', e => {
3          if (e.target.matches('form')) {
4              e.preventDefault();
5              alert('Send ✅');
6              e.target.reset();
7          }
8      });
9  </script>
```

➤ Back-end

PHP

was used to build the menu section dynamically.

Instead of writing each menu item manually in the HTML, an array was created to store all items along with their details.

In menu.html, the PHP code defines an array that contains each food item with its name, price, and image link.

After that, a foreach loop is used to automatically generate the HTML structure for every item in the list.

Menu:

```
1
2 <!DOCTYPE html>
3 <html lang="ar">
4 <head>
5   <meta charset="UTF-8">
6   <title> Restaurant Menu</title>
7
8   <link rel="stylesheet" href="style.css">
9 </head>
10 <body>
11   <header>
12     <h1>MENU</h1>
13
14     <a href="index.html">HOME</a>
15   </nav>
16   <br>
17
18 </header>
19 <br>
20 <div class="menu-container">
21   <?php
22   // قائمة الأطعمة
23   $menu = [
24     ['name' => 'Classic burger ', 'price' => 'SAR 15', 'image' => 'https://s7d1.scene7.com/is/image/mcdonalds/DC_202201_0007-005_QuarterPounderwithCheese_1564x1564?wid=1000&hei=1000&dpr=off'],
25     ['name' => 'Cheese burger ', 'price' => 'SAR 18', 'image' => 'https://s7d1.scene7.com/is/image/mcdonalds/DC_202302_0592-999_McDouble_Alt_1564x1564-1?wid=1000&hei=1000&dpr=off'],
26     ['name' => 'Chicken burger ', 'price' => 'SAR 16', 'image' => 'https://s7d1.scene7.com/is/image/mcdonalds/DC_202012_0370_DeluxeCrispyChicken_PotatoBun_1564x1564-1?wid=1000&hei=1000&dpr=off'],
27     ['name' => 'Spicy burger ', 'price' => 'SAR 20 ', 'image' => 'https://s7d1.scene7.com/is/image/mcdonalds/DC_202104_0100_DeluxeSpicyCrispyChickenSandwich_PotatoBun_1564x1564-1?wid=1000&hei=1000&dpr=off'],
28     ['name' => 'coca cola ', 'price' => 'SAR 5 ', 'image' => 'https://s7d1.scene7.com/is/image/mcdonalds/DC_202402_0521_MediumCoke_ContourGlassv1_1564x1564?wid=1000&hei=1000&dpr=off'],
29     ['name' => 'Sprite', 'price' => 'SAR 5 ', 'image' => 'https://s7d1.scene7.com/is/image/mcdonalds/DC_202212_0721_MediumSprite_Glass_1564x1564-1?wid=1000&hei=1000&dpr=off'],
30     ['name' => 'fanta orange', 'price' => 'SAR 7 ', 'image' => 'https://s7d1.scene7.com/is/image/mcdonalds/DC_202212_1262_MediumFantaOrange_Glass_1564x1564-1?wid=1000&hei=1000&dpr=off'],
31     ['name' => 'water ', 'price' => 'SAR 1', 'image' => 'https://s7d1.scene7.com/is/image/mcdonalds/DC_202402_5474_DasaniBottledWater_1564x1564:nutrition-calculator-tille?wid=750&hei=750&dpr=off'],
32   ];
33   // عرض الأطعمة
34   foreach($menu as $item) {
35     echo <div class="item-card">;
36     echo ;
37     echo <div class="item-name">{$item['name']}</div>;
38     echo <div class="item-price">{$item['price']}</div>;
39     echo </div>;
40   }
41   <?>
42 </div>
43 <footer class="jh">
44   <p>2025 Restaurant</p>
45 </footer>
46 </body>
47 </html>
```

Order:

This code displays an order form where the user enters their name, phone number, item, and quantity. When the form is submitted, PHP receives the data and shows a confirmation message with the order details. If no data is submitted yet, the form appears for the user to fill out.

```
1
2 <!DOCTYPE html>
3 <html lang="ar">
4 <head>
5   <meta charset="UTF-8">
6   <title>Order</title>
7   <link rel="stylesheet" href="style.css">
8 </head>
9 <body>
10  <header>
11    <h1>ORDER</h1>
12    <nav>
13      <a href="index.html">HOME</a>
14    </nav>
15    <br>
16  </header>
17  <?php
18    if ($_SERVER["REQUEST_METHOD"] == "POST") {
19      $name = $_POST['name'];
20      $phone = $_POST['phone'];
21      $item = $_POST['item'];
22      $quantity = $_POST['quantity'];
23
24      echo "<div class='success'>";
25      echo "Your order has been successfully received <b>$name</b><br>";
26      echo "order: <b>$item</b> x $quantity<br>";
27      echo "You will be contacted on this number: <b>$phone</b>";
28      echo "</div>";
29    } else {
30  >
31    <form method="POST" action="" class="for">
32      <div class="">
33        <label for="name">Full Name :</label>
34        <input type="text" id="name" name="name" required>
35
36        <label for="phone">Phone Number :</label>
37        <input type="text" id="phone" name="phone" required>
38
39
40        <label for="item" class="lab"> Select Item: </label>
41        <select id="item" name="item" required>
42          <option value="">-- Select --</option>
43          <option value="Classic burger ">Classic burger </option>
44          <option value="Cheese burger ">Cheese burger </option>
45          <option value=" Chicken burge">Chicken burger </option>
46          <option value="Spicy burger ">Spicy burger </option>
47          <option value="coca cola ">coca cola </option>
48          <option value="Sprite">Sprite</option>
49          <option value=" Fanta orange">Fanta orange </option>
50          <option value="Water">Water</option>
51        </select>
52        <label for="quantity">Quantity :</label>
53        <input type="number" id="quantity" name="quantity" min="1" required>
54
55        <input type="submit" value="Order">
56      </div>
57    </form>
58    <?php } ?>
59  <footer class="jh">
60    <p>2025 Restaurant</p>
61  </footer>
62
63 </body>
64 </html>
```


Database :

A database was created to store and manage all the data used in the restaurant system.

Several tables were designed, and each table has a specific purpose such as storing users, menu items, orders, and reservations.

MySQL was used to structure the data, and each table includes fields that describe the information it holds.

Below is an overview of the database tables along with a simple explanation of what each table does.


```
1  -- جدول المستخدمين
2  CREATE TABLE users (
3      id INT AUTO_INCREMENT PRIMARY KEY,
4      name VARCHAR(100) NOT NULL,
5      email VARCHAR(100) UNIQUE NOT NULL,
6      password VARCHAR(255) NOT NULL
7  ) DEFAULT CHARSET=utf8 COLLATE=utf8_general_ci;
8
9  -- قائمة الطعام
10 CREATE TABLE menu_items (
11     id INT AUTO_INCREMENT PRIMARY KEY,
12     name VARCHAR(100) NOT NULL,      -- اسم الطبق بالعربية
13     price DECIMAL(10,2) NOT NULL,
14     description TEXT                  -- وصف الطبق بالعربية
15 ) DEFAULT CHARSET=utf8 COLLATE=utf8_general_ci;
16
17 -- الطلبات الخارجية
18 CREATE TABLE orders (
19     id INT AUTO_INCREMENT PRIMARY KEY,
20     customer_name VARCHAR(100) NOT NULL,
21     email VARCHAR(100) NOT NULL,
22     delivery_time DATETIME NOT NULL,
23     payment_method VARCHAR(50) NOT NULL,
24     status ENUM('ملغي', 'مكتمل', 'قيد التنفيذ') DEFAULT 'قيد التنفيذ'
25 ) DEFAULT CHARSET=utf8 COLLATE=utf8_general_ci;
26
27 -- الحجوزات
28 CREATE TABLE reservations (
29     id INT AUTO_INCREMENT PRIMARY KEY,
30     customer_name VARCHAR(100) NOT NULL,
31     email VARCHAR(100) NOT NULL,
32     guests_count INT NOT NULL,
33     reservation_date DATE NOT NULL,
34     reservation_time TIME NOT NULL,
35     status ENUM('ملغي', 'مكتمل', 'قيد التنفيذ') DEFAULT 'قيد التنفيذ'
36 ) DEFAULT CHARSET=utf8 COLLATE=utf8_general_ci;
```

db.php:


```
1  <?php
2
3  $servername = "localhost";
4  $username   = "root";
5  $password   = "";
6  $dbname     = "marina_luxe";
7
8  $conn = new mysqli($servername, $username, $password, $dbname);
9
10 if ($conn->connect_error) {
11     die("فشل الاتصال بقاعدة البيانات: " . $conn->connect_error);
12 }
13
14 $conn->set_charset("utf8");
15
16 // اضافة حجر جديد
17 function الحجوزات($conn, $الاسم, $البريد, $عدد_المبوف, $التاريخ, $الوقت) {
18     $stmt = $conn->prepare("INSERT INTO reservations (customer_name, email, guests_count, reservation_date, reservation_time) VALUES (?, ?, ?, ?, ?)");
19     $stmt->bind_param("ssiss", $الوقت, $التاريخ, $عدد_المبوف, $البريد, $الاسم);
20     return $stmt->execute();
21 }
22
23 // اضافة طلب خارجي
24 function الطلبات($conn, $الاسم, $البريد, $وقت_التوصيل, $طريقة_الدفع) {
25     $stmt = $conn->prepare("INSERT INTO orders (customer_name, email, delivery_time, payment_method) VALUES (?, ?, ?, ?)");
26     $stmt->bind_param("ssss", $طريقة_الدفع, $وقت_التوصيل, $البريد, $الاسم);
27     return $stmt->execute();
28 }
29
30 // عرض الحجوزات
31 function عرض_الحجوزات($conn) {
32     return $conn->query("SELECT * FROM reservations ORDER BY reservation_date DESC");
33 }
34
35 // عرض الطلبات
36 function الطلبات_عرض($conn) {
37     return $conn->query("SELECT * FROM orders ORDER BY delivery_time DESC");
38 }
39
40 // عرض القائمة
41 function القائمة($conn) {
42     return $conn->query("SELECT * FROM menu_items ORDER BY id ASC");
43 }
44 ?>
```

Screenshots of the Website

Home page



Menu page



Order page

ORDER

HOME

Full Name :

Phone Number :

Select Item:

-- Select --

Quantity :

Order

2025 Restaurant

Contact page

CONTACT US !

HOME

Get in touch

Your name

Your email

Your message

Send →

2025 Restaurant

Conclusion

The project helped us apply web development concepts and improve teamwork skills. We successfully developed a functional restaurant website that meets the basic requirements of an online food service system.

References

- Satr Platform
- YouTube
- AI
- Google
- GitHub