

juskel — Open Banking consent & multi-bank limits

Reference document: why UK Open Banking / TrueLayer cannot automatically link all banks and all accounts in one click.
All URLs below are clickable in supported PDF viewers.

Document date: 2026-09-03

Context: juskel SME onboarding — TrueLayer (production), PSD2 / UK Open Banking rules

Executive summary

Access to business bank data requires **explicit customer consent, per bank (ASPSP)**, and often **per account** at the bank's own screen. There is no standard API to auto-discover and connect every bank a business uses in one OAuth. Product policy (terms, multi-bank guided flow, attestation) can require completeness; regulation and bank UX cannot be bypassed via TrueLayer.

1. UK Open Banking — primary standards (clickable)

Account Information Consent (Customer Experience Guidelines)

<https://standards.openbanking.org.uk/customer-experience-guidelines/account-information-services/account-information-consent/latest/>

PSU selects their bank (ASPSP), authenticates at the bank, and selects account(s) to share. CEG #1: AISP must ask PSU to identify ASPSP before consent.

Account Information Services — specification overview

<https://standards.openbanking.org.uk/specification/account-information-services/>

AISPs may access account information only with the PSU's explicit consent. Links to core journeys: consent, corporate access, permissions & data clusters.

Permissions & Data clusters for AIS journeys

<https://standards.openbanking.org.uk/customer-experience-guidelines/account-information-services/permissions-and-data-clusters-for-ais-journeys/latest/>

How data permissions are grouped for informed consent.

Open Banking Standards — home

<https://standards.openbanking.org.uk/>

Index of all UK Open Banking standards and customer experience guidelines.

Key quote (Account Information Consent journey)

"PSU selects the ASPSP(s) where their payment account(s) is held. The PSU is then directed to the domain of its ASPSP for authentication and to select the account(s) they want to give access to."

2. TrueLayer — implementation documentation (clickable)

Connect an account

<https://docs.truelayer.com/docs/connect-an-account>

User selects provider (bank); at bank they select account(s) to connect; code exchanged for token.

Enable your users to connect their bank account (Data API v3)

<https://docs.truelayer.com/docs/enable-your-users-to-connect-their-bank-account>

One connection = one authorised bank link; Connection-Id per connection; recurring vs one_time access; 90-day reconfirmation.

Create a connection (Data API v3)

<https://docs.truelayer.com/docs/create-a-connection-v3>

provider_selection: user_selected vs preselected; scopes; hosted vs custom UI (AISP regulation applies).

TrueLayer documentation index

<https://docs.truelayer.com/lms.txt>

Full list of TrueLayer docs pages.

TrueLayer Console (sandbox / live apps)

<https://console.truelayer.com/>

Register app, redirect URIs, client_id / client_secret.

Key quote (TrueLayer — Connect an account)

“Send the user to their mobile banking app or online banking where they’ll select the account(s) they’d like to connect (they can choose more than one).”

3. Regulatory background (PSD2 / FCA)

FCA Handbook — Regulatory Technical Standards (RTS)

<https://www.handbook.fca.org.uk/handbook/RTS/>

UK implementation context for payment services, SCA, and related RTS.

EU PSD2 Directive (EUR-Lex)

<https://eur-lex.europa.eu/legal-content/EN/TXT/?uri=CELEX:32015L2366>

Original PSD2 framework; account information services require customer consent.

FCA — Open Banking

<https://www.fca.org.uk/firms/open-banking>

FCA overview of open banking in the UK.

4. Question → document map

Question	Best document
Why must the user pick the bank?	OB Account Information Consent (CEG #1)
Why can they pick which accounts?	OB Account Information Consent + TrueLayer Connect an account
Why is explicit consent required?	OB AIS specification
How does TrueLayer implement it?	TrueLayer Data API v3 user journey
juskel TrueLayer sandbox UI	http://127.0.0.1:8767 (local)
juskel sandbox README	api/sandbox/truelayer/README.md (repo)

5. What is NOT possible (by design)

- Auto-discover all banks a business uses
- Single OAuth connecting every UK bank at once
- Force access to all accounts without bank-side consent UI
- Bypass account selection when the ASPSP offers it

What juskel can do: multi-bank guided connect flow; use all accounts returned by TrueLayer; terms requiring all business banks; attestation; coverage checks vs declared turnover.

6. juskel production code reference

Path: api/src/Infrastructure/juskel.Integrations/OpenBanking/TrueLayerOpenBankingProvider.cs
Returns all accounts from GET /data/v1/accounts (no per-account picker in the API layer).