


Speck



How-To Guide

Ver: 1.2

Welcome to Speck, the user-friendly endpoint vulnerability scanner!

Pock* *Pock This is Speck writing and here to help you with all the app's functionalities.

Looking for inquiry about a specific part of the app? Feel free to refer to these sections below ***Pock* *Pock***:

- [Side Panel](#)
- [Speck.AI](#)
- [Dashboard](#)
- [Scan](#)
- [Vulnerabilities](#)
- [Logs](#)
- [Customization](#)
- [Settings](#)


Side Panel

This is the main navigation tool in Speck. All forms (except for the [AI chat box](#)) are accessed by selecting the corresponding buttons to access said pages.




Speck.AI


Speck.AI is a Qwen 2.5 3B Instruct Model, fine-tuned on a vulnerability dataset to be able to provide sufficient mitigation steps and explanation regarding various vulnerabilities. To access it, press on the small button on the right-end side of the screen:




This will then open the AI Chat Box.



Then you can write a message to Speck.AI and it will generate a message in a while.




Furthermore than asking directly, vulnerabilities found and displayed in the data grid of [Vulnerabilities](#) can be asked about.



This allows Speck to be a user-friendly endpoint vulnerability scanner because of its ability to provide mitigation steps that any users can undertake and understand that is provided directly from Speck.AI.

Dashboard


This is the main form that always open whenever Speck is started. Displayed in the form are basic overview information regarding the latest [scan](#), [vulnerabilities](#) found, and the current risk metric of all [vulnerabilities](#) found.




Along with the overview information, Speck is also here to remind you to do a [scan](#) if it has been quite a while since your last scan.

Scan


The main function of Speck. This is the form where you can call the scan function to scan for any vulnerability in your endpoint device.




The form is made up of several component, the scan button; the scan type combo box; and the scan console. By default, the scan button is disabled until a scan type has been selected. There are two type of scans provided by Speck; Quick and Full. Quick scans, scans your filesystem but only scan HTTP ports, while Full scans, scans your filesystem and scans all ports (except for service ports such as 135, 139, 445, 3389, 5985, 5986).




Once a scan type has been selected, the scan button is enabled, and you are able to start your scan. While scanning, the scan button is disabled the running scan information is pumped and displayed unto the scan console.



Once a scan has concluded, it will be indicated by a scan complete message in the scan console and the scan button enabled again (given that a scan type has been chosen again).



Furthermore, the completed scan and vulnerabilities will be displayed in the [Logs](#) form and [vulnerabilities](#) form accordingly.



Speck

Dashboard

Scan

Vulnerabilities

Logs

Customization

Settings

"Pock" "Pock" That's a lot of vulnerabilities!



Critical5

High13

Medium15

Low1

Info1

Unknown0

Vulnerabilities Found


Last Scan At: 04/03/2026 16:45:27 SE Asia Standard Time

Search Database...

Severity	Category	Identifier	Title	Tool	Exposed	ID
CRITICAL	vulnerability	CVE-2025-55315	dotnet: .NET Security Feature Bypass Vulnerability	trivy	Not Exposed	b1b37
MEDIUM	vulnerability	CVE-2024-91319	dotnet: .NET Denial of Service Vulnerability	trivy	Not Exposed	49c25
MEDIUM	vulnerability	CVE-2022-26907	Azure SDK for .NET Information Disclosure Vulnerability	trivy	Not Exposed	40d6d
HIGH	vulnerability	CVE-2024-21907	Improper Handling of Exceptional Conditions in Newtonsoft.Json	trivy	Not Exposed	721e9
HIGH	vulnerability	CVE-2023-29337	dotnet: vulnerability exists in NuGet where a potential race condition can lead to a symlink attack	trivy	Not Exposed	ec9ad
CRITICAL	vulnerability	CVE-2024-0057	dotnet: X509 Certificates - Validation Bypass across Azure	trivy	Not Exposed	18f08
HIGH	vulnerability	CVE-2022-41032	dotnet: Nuget cache poisoning on Linux via world-writable cache directory	trivy	Not Exposed	ff1ca1
HIGH	vulnerability	CVE-2023-29337	dotnet: vulnerability exists in NuGet where a potential race condition can lead to a symlink attack	trivy	Not Exposed	84966
HIGH	vulnerability	CVE-2024-0056	dotnet: Information Disclosure: MD-SqlClient(MDS) & System.data.SqlClient (SDS)	trivy	Not Exposed	7c

Vulnerabilities

This page displays the vulnerabilities found in the latest [scan](#). This page is made up of several components such as, the executive overview; data grid search bar; and vulnerabilities data grid. The executive overview categorizes and counts the number of vulnerabilities based on their severity.



The data grid displays all information about the vulnerabilities. To sort the data grid, it can be done by selecting a header. To filter it, insert any keywords onto the data grid search bar and the data grid will update its data in accordance with the similarity with the text inputted into the bar.

Speck

Dashboard
Scan
Vulnerabilities
Logs
Customization

Settings

"Pock" "Pock" That's a lot of vulnerabilities!

Critical 5 High 13 Medium 15 Low 1 Info 1 Unknown 0

Vulnerabilities Found

Last Scan At: 04/03/2026 16:45:27 SE Asia Standard Time

Search Database...

Severity	Category	Identifier	Title	Tool	Exposed	ID
CRITICAL	vulnerability	CVE-2025-55315	dotnet: .NET Security Feature Bypass Vulnerability	trivy	Not Exposed	bfb3f
MEDIUM	vulnerability	CVE-2024-21519	dotnet: .NET Denial of Service Vulnerability	trivy	Not Exposed	49c3f
MEDIUM	vulnerability	CVE-2022-26907	Azure SDK for .NET Information Disclosure Vulnerability	trivy	Not Exposed	40dd
HIGH	vulnerability	CVE-2024-21907	Improper Handling of Exceptional Conditions in Newtonsoft.Json	trivy	Not Exposed	751ef
HIGH	vulnerability	CVE-2023-29337	dotnet: vulnerability exists in NuGet where a potential race condition can lead to a symlink attack	trivy	Not Exposed	ec9af
CRITICAL	vulnerability	CVE-2024-0057	dotnet: X509 Certificates - Validation Bypass across Azure	trivy	Not Exposed	1f09f
HIGH	vulnerability	CVE-2022-41032	dotnet: Nuget cache poisoning on Linux via world-writable cache directory	trivy	Not Exposed	ff6ac
HIGH	vulnerability	CVE-2023-29337	dotnet: vulnerability exists in NuGet where a potential race condition can lead to a symlink attack	trivy	Not Exposed	ec9af
HIGH	vulnerability	CVE-2024-0056	dotnet: Information Disclosure: MD5Client(MD5) & System.data.SqlClient (SDS)	trivy	Not Exposed	ee3af

Executive Overview

Settings

"Pock" "Pock" That's a lot of vulnerabilities!

Critical 5 High 13 Medium 15 Low 1 Info 1 Unknown 0


Vulnerabilities Found

Last Scan At: 04/03/2026 16:45:27 SE Asia Standard Time


CRITICAL

Severity	Category	Identifier	Title	Tool	Exposed	ID
CRITICAL	vulnerability	CVE-2025-55315	dotnet: .NET Security Feature Bypass Vulnerability	trivy	Not Exposed	bfb3f
CRITICAL	vulnerability	CVE-2024-0057	dotnet: X509 Certificates - Validation Bypass across Azure	trivy	Not Exposed	1f09f
CRITICAL	vulnerability	CVE-2021-26701	dotnet: System.Text.Encoding.Web Remote Code Execution	trivy	Not Exposed	3eebf
CRITICAL	vulnerability	CVE-2024-0057	dotnet: X509 Certificates - Validation Bypass across Azure	trivy	Not Exposed	1f09f
CRITICAL	vulnerability	CVE-2024-0057	dotnet: X509 Certificates - Validation Bypass across Azure	trivy	Not Exposed	ee3af

By double-clicking on an entry of the data grid, this will display a prompt asking whether the user wants to ask [Speck \(Speck.AI\)](#) regarding the selected vulnerability.



By clicking the “Ask Speck” button, the [AI Chat Box](#) will be opened and a question formatted as “How do I mitigate {CVE}?” will be inserted into the input box. Clicking send will invoke the [Speck.AI](#) function.



Speck

Dashboard

Scan

Vulnerabilities

Logs

Customization

Settings

"Pock" "Pock" That's a lot of vulnerabilities!

Critical5

High13

Medium15

Low1

Vulnerabilities Found

Last Scan At: 04/03/2026 16:45:27 SE Asia Standard Time

Severity	Category	Identifier	Title
CRITICAL	vulnerability	CVE-2025-55315	dotnet: .NET Security Feature Bypass Vulnerability
MEDIUM	vulnerability	CVE-2024-21319	dotnet: .NET Denial of Service Vulnerability
MEDIUM	vulnerability	CVE-2022-26907	Azure SDK for .NET Information Disclosure Vulnerability
HIGH	vulnerability	CVE-2024-21907	Improper Handling of Exceptional Conditions in Newtonsoft.Json
HIGH	vulnerability	CVE-2023-29337	dotnet: vulnerability exists in NuGet where a potential race condition can lead to a symlink att
CRITICAL	vulnerability	CVE-2024-0057	dotnet: X509 Certificates - Validation Bypass across Azure
HIGH	vulnerability	CVE-2022-41032	dotnet: Nuget cache poisoning on Linux via world-writable cache directory
HIGH	vulnerability	CVE-2023-29337	dotnet: vulnerability exists in NuGet where a potential race condition can lead to a symlink att
HIGH	vulnerability	CVE-2024-0056	dotnet: Information Disclosure: MD.SqlClient(MDS) & System.data.SqlClient (SDS)

SpeckAI

How do I mitigate CVE-2024-21907?

"Pock" "Pock"

To mitigate "CVE-2024-2024-21907", follow these steps - simple, clear, and safe:
...
✅ Step 1: Upgrade Newtonsoft.Json to Version 13.0.1 or Later

This is the "most effective and immediate fix".

- The vulnerability exists in versions "before 13.0.1".
- Version "13.0.1" includes a patch that properly handles exceptional conditions during deserialization.
- Update your project's 'Newtonsoft.Json' package to "13.0.1 or higher".

Example (in NuGet):
- bash
dotnet add package Newtonsoft.Json --version 13.0.1
...

Or in 'packages.config':
- xml
<package id="Newtonsoft.Json" version="13.0.1" targetFramework="net6.0" />
...
...
...
...

Ask Speck...

Logs

This page displays all [scans](#) that had been run before. This page is made up of several components such as the data grid search bar; and vulnerabilities data grid.

Export format can be changed in the settings.

"Pock" "Pock" Here are logs of your previous scans, feel free to export them!

Scan Logs

Search Database...

ID	Type	Tools	Started_at	Finished_at	Status	Count
1bb56603-095e-4efc-bf98-08e9292d88e4	quick	trivy,nuclei,osquery	2026-03-04 09:56:58	2026-03-04 09:45:27	completed	35
a492b572-c8c2-42c2-a65c-d6b326a9f8a0	quick	trivy,nuclei,osquery	2026-02-25 17:36:09	2026-02-25 17:37:06	completed	35
6a4b3316-644c-4434-991f-1e4efc4b45e7	quick	trivy,nuclei,osquery	2026-02-21 02:13:50	2026-02-21 02:16:12	completed	35
4f2b6c1b-6dc6-4b4b-e07e-456e2d1bf8ac	quick	trivy,nuclei,osquery	2026-02-21 16:56:27	2026-02-21 16:57:46	completed	35
e12d8a0d-d800-4bce-9e81-bb99389a831f	quick	trivy,nuclei,osquery	2026-02-21 16:50:49	2026-02-21 16:50:51	completed	1
400eccc3-5c06-4952-a55a-66b892c51836	quick	trivy,nuclei,osquery	2026-02-21 16:45:40	2026-02-21 16:45:42	completed	1
27700d28-e164-4d9c-b04b-3470f89f9e85	quick	trivy,nuclei,osquery	2026-02-21 16:42:11	2026-02-21 16:42:12	completed	1
7167d4f2-d84b-49e2-3ac67-47ed66f60c7b	quick	trivy,nuclei,osquery	2026-02-21 16:40:03	2026-02-21 16:40:04	completed	1

The data grid displays all information about the previously run scans. To sort the data grid, it can be done by selecting a header. To filter it, insert any keywords onto the data grid search bar and the data grid will update its data in accordance with the similarity with the text inputted into the bar.

Export format can be changed in the settings.

"Pock" "Pock" Here are logs of your previous scans, feel free to export them!

Scan Logs

Search Database...

ID	Type	Tools	Started_at	Finished_at	Status	Count
3156ed10-3910-4b10-bd36-46b4f2175500	full	trivy,nuclei,osquery	2026-02-11 13:14:37	2026-02-11 13:15:52	failed	34
0a0a4937-cf9a-43b6-b140-4434b0c7851	full	trivy,nuclei,osquery	2026-02-11 13:17:49	2026-02-11 13:18:53	failed	34
43909342-0f07-4b75-954f-d21b4966a9	full	trivy,nuclei,osquery	2026-02-11 13:21:04	2026-02-11 13:21:48	completed	35
10540605-66f9-48ea-8d1f-cfbf020225aae	quick	trivy,nuclei,osquery	2026-02-14 16:11:41	2026-02-14 16:12:54	completed	35
c50bb810-97f8-4558-931b-163bc99567c4	quick	trivy,nuclei,osquery	2026-02-14 16:28:54	2026-02-14 16:29:32	completed	35
ec98b99c-9535-4fbd-b598-161d892966ac	quick	trivy,nuclei,osquery	2026-02-21 16:39:32	2026-02-21 16:39:34	completed	1
7167da72-d84b-49a2-ba67-47ed66f60c7b	quick	trivy,nuclei,osquery	2026-02-21 16:40:03	2026-02-21 16:40:04	completed	1
27700d29-e164-4d9c-b04b-347d8999a85	quick	trivy,nuclei,osquery	2026-02-21 16:42:11	2026-02-21 16:42:12	completed	1
400eccc3-5ca6-4952-a55a-66b4f2c51816	quick	trivy,nuclei,osquery	2026-02-21 16:45:40	2026-02-21 16:45:42	completed	1

Export format can be changed in the settings.


"Pock" "Pock" Here are logs of your previous scans, feel free to export them!

Scan Logs

quick

ID	Type	Tools	Started_at	Finished_at	Status	Count
10540605-66f9-48ea-8d1f-cfbf020225aae	quick	trivy,nuclei,osquery	2026-02-14 16:11:41	2026-02-14 16:12:54	completed	35
c50bb810-97f8-4558-931b-163bc99567c4	quick	trivy,nuclei,osquery	2026-02-14 16:28:54	2026-02-14 16:29:32	completed	35
ec98b99c-9535-4fbd-b598-161d892966ac	quick	trivy,nuclei,osquery	2026-02-21 16:39:32	2026-02-21 16:39:34	completed	1
7167da72-d84b-49a2-ba67-47ed66f60c7b	quick	trivy,nuclei,osquery	2026-02-21 16:40:03	2026-02-21 16:40:04	completed	1
27700d29-e164-4d9c-b04b-347d8999a85	quick	trivy,nuclei,osquery	2026-02-21 16:42:11	2026-02-21 16:42:12	completed	1
400eccc3-5ca6-4952-a55a-66b4f2c51816	quick	trivy,nuclei,osquery	2026-02-21 16:45:40	2026-02-21 16:45:42	completed	1
e12daa0d-d600-4bce-9a81-bb99399a831f	quick	trivy,nuclei,osquery	2026-02-21 16:50:49	2026-02-21 16:50:51	completed	1
4f216fbb-6dc4-4b0b-a71e-456e2d1bf8ac	quick	trivy,nuclei,osquery	2026-02-21 16:56:27	2026-02-21 16:57:46	completed	35
6a1fb31b-844e-4434-991f-fede4cabb5a7	quick	trivy,nuclei,osquery	2026-02-23 02:13:50	2026-02-23 02:16:10	completed	35


By double-clicking on an entry of the data grid, this will display a prompt with the scan's vulnerabilities and a question of whether the user wants to export the scan or not.




By clicking the “Export Log” button, the scan log will be exported in either a JSON, CSV, or XML format that can be set from the [Settings](#) page.

Customization

This is the page where you can customize Speck. In version 1.0 and during time of writing, you are able to choose between 5 Speck variants; Kampong, Orpington, Leghorn, Australorp, and Sussex.




By selecting any variants, all Specks in the app will be updated to be that specific Speck variant.



Settings

This is the page where you can change some settings and open this very guide. As stated above in the [Logs](#) section, this is where you can select what file format the scan log will be exported in.



The file formats include JSON, CSV, and XML.

