Software Requirement Specification

I. Product Overview

The **Artisan Bridge** is a digital platform designed to **connect travel agencies with traditional craft villages**, helping promote cultural tourism and local craftsmanship. The platform allows travel agencies to browse and select suitable villages based on available tours of craft villages, then create and manage electronic contracts. Craft villages can upload tour information, manage their activities, and communicate directly with agencies to finalize cooperation.

The platform is developed to support the **Hanoi Department of Tourism** in achieving its goal of expanding and developing craft village tourism activities. Therefore, the Hanoi Department of Tourism (Admin) can oversee the system by viewing performance dashboard, managing user accounts, maintaining user notifications, and suggesting suitable craft villages to tour agencies for matching.

By digitizing the cooperation process, The Artisan Bridge aims to modernize cultural tourism, increase operational transparency, and preserve Vietnam's handicraft heritage through sustainable digital transformation.

II. User Requirements

No.	Actor	Description
1	**Guest**	A visitor who has not yet registered. Guests can browse general information and register for an account to access more features.
2	**Member**	A registered user with basic privileges, including logging in, updating profiles, managing personal information, receiving notifications, and viewing e-contracts. Acts as the base role for other specialized actors.
3	**Craft village**	Represents local artisan communities or village coordinators. They can upload and edit tour information, accept e-contracts, and interact with travel agencies through chat and feedback features.
4	**Travel agency**	A business user acts as a proactive partner who can select and match craft villages, create and manage e-contracts, and edit or update contract details. This actor also sends ratings and communicates with villages through the chat system.
5	**Hanoi Department of Tourism (Admin)**	The system administrator responsible for user management, craft village suggestions, user notification

		moderation, and performance oversight.

III. Function Requirement Specification

1. Use Case Diagram



2. **Group list of Use Case**

GROUP 1: ACCOUNT MANAGEMENT
UC-G01: Register Account
UC-M01: Login
UC-M02: Logout
UC-M03: Forgot Password
UC-M04: Change Password

GROUP 2: PROFILE MANAGEMENT
UC-M05: View Profile
UC-M06: Update Profile

GROUP 3: DIRECTORY & SEARCH
UC-A01: Select Craft Villages (For Matching)
UC-A02: Select Available Tour
UC-A03: Match Craft Villages

GROUP 4: E-CONTRACT MANAGEMENT
UC-M07: View e-Contract
UC-A04: Create e-Contract
UC-A05: Edit e-Contract
UC-C03: Accept e-Contract

GROUP 5: TOUR MANAGEMENT
UC-C01: Upload New Tour
UC-C02: Edit Tour

GROUP 6: NOTIFICATION SERVICES
UC-M08: Receive Notifications

GROUP 7: RATINGS
UC-M09: View Ratings
UC-A06: Send Ratings
UC-C04: Send Ratings

GROUP 8: CHAT
UC-A07: Chat
UC-C05: Chat

GROUP 9: PLATFORM ADMINISTRATION
UC-Ad01: Approve Account
UC-Ad02: Reject Account
UC-Ad03: View Account
UC-Ad04: Ban Account
UC-Ad05: View Dashboard
UC-Ad06: Send Notifications
UC-Ad07: Select Craft Villages (For Suggestion)
UC-Ad08: Suggest Craft Villages

3. **Breakdown Use Case with Function List**

<u>GROUP 1: ACCOUNT MANAGEMENT</u>

UC-G01: Register Account

Steps	Functions
Open the registration page	**F-USER-01:** Display user registration form

Fill in required details	**F-USER-02:** Record and validate user input
Press “Register”	**F-USER-03:** Verify data and check for duplicates
Get registration confirmation	**F-USER-04:** Create account and save to system

UC-M01: Login

Steps	Functions
Access the login page	**F-USER-05:** Display login interface
Enter username and password	**F-USER-06:** Capture and verify credentials
Click “Login”	**F-USER-07:** Authenticate and grant access
Back to homepage	**F-USER-08:** Redirect to homepage

UC-M02: Logout

Steps	Functions
Select “Logout”	**F-USER-09:** Terminate session
Confirm logout	**F-USER-10:** Confirm logout

UC-M03: Forgot Password

Steps	Functions
Click "Forgot Password" on the login page	**F-USER-11:** Display password recovery interface
Enter email to get OTP and submit	**F-USER-12:** Validate email existence and generate recovery token
Get OTP sent to email	**F-USER-13:** Deliver recovery notification via email
Enter and confirm a new password	**F-USER-14:** Verify recovery token and validate new password complexity

Press "Reset Password"	**F-USER-15:** Update password in database and invalidate old token

UC-M04: Change Password

Steps	Functions
Access the settings section	**F-USER-016:** Display change password form
Enter current password, new password, and confirmation	**F-USER-017:** Authenticate current password and validate new input match
Press "Change Password"	**F-USER-018:** Encrypt and save new password to the database
Receive success confirmation	**F-USER-019:** Display password change success notification

<u>GROUP 2: PROFILE MANAGEMENT</u>

UC-M05: View Profile

Steps	Functions
Go to “My Profile” section	**F-PROFILE-01:** Display profile interface
View personal information	**F-PROFILE-02:** Retrieve user data from the database
Check account details (name, contact, etc.)	**F-PROFILE-03:** Show detailed information
Return to homepage or previous page	**F-PROFILE-04:** Redirect to previous interface

UC-M06: Update Profile

Steps	Functions
Open “My Profile” section	**F-PROFILE-01:** Display profile interface

Click the “Edit” icon	**F-PROFILE-05:** Display editable profile form
Select field(s) to update	**F-PROFILE-06:** Enable editing for selected fields
Enter new information	**F-PROFILE-07:** Capture and validate input
Click “Save changes”	**F-PROFILE-08:** Update user data in the database
View confirmation message	**F-PROFILE-09:** Display update success notification

<u>GROUP 3: DIRECTORY & SEARCH</u>

UC-A01: Select Craft Villages (For Matching)

Steps	Functions
Access the “Craft Villages” directory	**F-DIR-01:** Display list of available craft villages
Browse or search for a village	**F-DIR-02:** Filter and sort villages based on keywords or categories
Select a craft village to view details	**F-DIR-03:** Retrieve and show village information (overview, specialties, location)
Return to directory or homepage	**F-DIR-04:** Redirect to previous interface (directory or homepage)

UC-A02: Select Available Tour

Steps	Functions
Go to the “Available Tours” section	**F-DIR-05:** Display list of current tours
Browse or search for a tour	**F-DIR-06:** Filter and sort tours by date, location, or theme
Select a tour to view details	**F-DIR-07:** Retrieve and show tour information (schedule, price, capacity)
Return to tour list or homepage	**F-DIR-04:** Redirect to previous interface (tour list or homepage)

UC-A03: Match Craft Villages

Steps	Functions
Access the “Craft Village” list or a specific village profile	**F-DIR-08:** Display matching button on village interface
Click the “Match” button	**F-DIR-09:** Trigger matching request process
Receive pop-up notification “Request sent successfully”	**F-DIR-10:** Display matching request confirmation
View confirmation or matching status	**F-DIR-11:** Display matching request status list

<u>GROUP 4: E-CONTRACT MANAGEMENT</u>

UC-M07: View e-Contract

Steps	Functions
Open the “e-Contracts” section	**F-CONTRACT-01:** Display e-Contract list
Choose a specific e-Contract to view	**F-CONTRACT-02:** Retrieve and display e-Contract details
Return to the list or homepage	**F-CONTRACT-03:** Redirect to previous interface

UC-A04: Create e-Contract

Steps	Functions
Open "Accepted Matches" to initiate contract	**F-DIR-08:** Display list of accepted matching requests (From UC-A03)
Click “Create e-Contract”	**F-CONTRACT-04:** Auto-generate e-Contract from template
Fill in/Customize terms (Price, Dates, etc.)	**F-CONTRACT-05:** Capture and validate e-Contract inputs

Save as Draft or Send for Review	**F-CONTRACT-06:** Save e-Contract and set Pending status
Receive confirmation	**F-CONTRACT-07:** Display success notification and notify Craft Village

UC-A05: Edit e-Contract

Steps	Functions
Access the “e-Contracts” section	**F-CONTRACT-01:** Display e-Contract list (Filtering editable contracts)
Select an e-Contract to edit	**F-CONTRACT-02:** Retrieve and display e-Contract details from database
Modify contract terms	**F-CONTRACT-08:** Validate updated inputs and maintain version history
Click “Save changes”	**F-CONTRACT-09:** Update e-Contract data and notify Craft Village
Receive confirmation	**F-CONTRACT-07:** Display success notification and trigger alert

UC-C03: Accept e-Contract

Steps	Functions
Access the “eContracts” section	**F-CONTRACT-01:** Display e-Contract list (Filtering pending contracts)
Select an e-Contract to review	**F-CONTRACT-02:** Retrieve and display e-Contract details from database
Click “Accept Contract”	**F-CONTRACT-10:** Update e-Contract to finalized status

Receive confirmation pop-up "Contract accepted successfully"	**F-CONTRACT-11:** Display success confirmation message
System automatically finalizes and seals the document	**F-CONTRACT-12**: Generate digital signature page

GROUP 5: TOUR MANAGEMENT

UC-C01: Upload New Tour

Steps	Functions
Display tour upload form	**F-TOUR-01:** Render form for uploading a tour
Enter tour details	**F-TOUR-02:** Input and validate tour information
Upload tour	**F-TOUR-03:** Save tour data and upload media files
Publish tour	**F-TOUR-04:** Make tour publicly visible on the platform

UC-C02: Edit Tour

Steps	Functions
Select the tour for editing	**F-TOUR-05:** Retrieve and display existing tour for editing
Edit tour details	**F-TOUR-06:** Modify tour information such as title, description, and media
Save tour changes	**F-TOUR-07:** Save updated tour information to the database

GROUP 6: NOTIFICATION SERVICES

UC-M08: Receive Notifications

Steps	Functions
Detect notification event	**F-NOTI-01:** Identify system or user-triggered events that require notification
Generate notification	**F-NOTI-02:** Create notification message and assign target recipient(s)
Send notification	**F-NOTI-03:** Deliver notification via in-app or email channels

Steps	Functions
Display notification list	**F-NOTI-04:** Show received notifications on the user dashboard

<u>GROUP 7: RATINGS</u>

UC-M09: View Ratings

Steps	Functions
Access ratings section	**F-RT-01:** Display rating interface (e.g., stars, comment box)
Retrieve rating data	**F-RT-02:** Fetch rating information from the database
Display rating summary	**F-RT-03:** Show overall average rating and number of reviews
Display detailed reviews	**F-RT-04:** Present individual ratings with reviewer name, score, and comment
Filter or sort ratings	**F-RT-05:** Enable filtering or sorting by score, date, or reviewer

UC-A06/UC-C04: Send Ratings

Steps	Functions
Open rating form	**F-RT-01:** Display rating interface (e.g., stars, comment box)
Input rating and comment	**F-RT-06:** Allow user to select a rating score and enter an optional comment
Validate rating input	**F-RT-07:** Check that rating value is valid and required fields are completed
Submit rating	**F-RT-08:** Send rating data to the system and store it in the database
Confirm submission	**F-RT-09:** Display success message and update rating list in real time

GROUP 8: CHAT

UC-A07/UC-C05: Chat

Steps	Functions
Initiate chat session	**F-CRM-01:** Start a chat conversation with another user
Send chat message	**F-CRM-02:** Transmit a text message during a chat session
Receive chat message	**F-CRM-03:** Display incoming messages in real time
End chat session	**F-CRM-04:** Terminate chat and save conversation record

GROUP 9: PLATFORM ADMINISTRATION

UC-Ad01: Approve Account

Steps	Functions
View pending account list	**F-ADMIN-01:** Retrieve and display the list of unapproved user accounts
Review account details	**F-ADMIN-02:** Access detailed information and uploaded documents
Approve account	**F-ADMIN-03:** Confirm approval and activate user access

UC-Ad02: Reject Account

Steps	Functions
View pending account list	**F-ADMIN-04:** Retrieve and display accounts awaiting review
Review account details	**F-ADMIN-05:** Check submitted information and reasons for rejection
Reject the account and notify the user	**F-ADMIN-06:** Mark the account as rejected and send rejection notification

UC-Ad03: View Account

Steps	Functions
Search for the user account	**F-ADMIN-07:** Use search/filter options to locate the

Steps	Functions
	user
Select the account from the results	**F-ADMIN-08:** Choose a specific user from the search output
View account information	**F-ADMIN-09:** Display full profile, activity log, and status

UC-Ad04: Ban Account

Steps	Functions
Identify the violator account	**F-ADMIN-10:** Detect accounts violating community or platform rules
Apply ban action	**F-ADMIN-11:** Restrict access and update account status to “banned”
Notify the banned user	**F-ADMIN-12:** Send notification informing user of the ban reason and duration

UC-Ad05: View Dashboard

Steps	Functions
Open the admin dashboard	**F-ADMIN-13:** Display main dashboard overview for administrators
View matching history	**F-ADMIN-14:** Access logs of matching activities and outcomes
View system reports	**F-ADMIN-15:** Review performance and user engagement reports
Generate analytics	**F-ADMIN-16:** Produce data visualizations and key metrics summaries

UC-Ad06: Send notifications

Steps	Functions
Access notification center	**F-ADMIN-17:** Display notification management dashboard
Compose notification	**F-ADMIN-18:** Enter title, message content, and

Steps	Functions
	recipient group
Preview notification	**F-ADMIN-19:** Show notification preview before sending
Send notification	**F-ADMIN-20:** Dispatch notification to selected users or user groups
Confirm delivery status	**F-ADMIN-21:** Display confirmation of successful or failed sends

UC-Ad07: Select Craft Villages (For Suggestion)

Steps	Functions
Access the **Craft Village Suggestion Management** module	**F-ADMIN-22:** Open suggestion management interface
Enter keywords in the search bar to find a village	**F-ADMIN-23:** Search and filter craft villages
View detailed information to verify the village's suitability	**F-ADMIN-24:** Display specific craft village details

UC-Ad08: Suggest Craft Villages

Steps	**Functions**
Select the desired village to include in the suggestion process	**F-ADMIN-25:** Select village for suggestion
Input justification, rationale, or highlight notes for the selection	**F-ADMIN-26:** Capture justification or highlight notes for suggestion
Confirm and save the village to the official suggestion list	**F-ADMIN-27:** Record suggestion to database

Receive success confirmation and system updates records	**F-ADMIN-28:** Display success message and notify Travel Agencies

4. **Function Details List**

<u>GROUP 1: ACCOUNT MANAGEMENT</u>

UC-G01: Register Account

F-USER-01: Display user registration form	
Field	**Description**
Function ID	F-USER-01
Function Name	DISPLAY USER REGISTRATION FORM
Description	Displays the form interface allowing a new user (Guest) to input information to register for an account.
Input Parameters	None
Output/Return	The registration page interface with necessary fields (e.g., full name, email, password, confirm password, account type).
Business Rules	- The form must clearly mark all required fields. - Must include links to the "Terms of Service" and "Privacy Policy" pages.
Priority	Critical
Complexity	Low
Dependencies	None
Acceptance Criteria	- User navigates to the registration page and sees all required input fields.

	- The interface displays correctly across common browsers and devices.
Error Conditions	None (this function only displays the interface).
Performance	Page load time should not exceed 2 seconds.

F-USER-02: Record and validate user input	
Field	**Description**
Function ID	F-USER-02
Function Name	RECORD AND VALIDATE USER INPUT
Description	Captures the user-entered information from the registration form and validates the data for correctness.
Input Parameters	- Full Name (string) - Email (email format) - Password (string) - Confirm Password (string) - Account Type (Craft Village/Travel Agency)
Output/Return	- Validated user data. - Error message if data is invalid.
Business Rules	- Email must be in a valid format and unique within the system. - Password must meet minimum complexity requirements (e.g., 8 characters, including uppercase, lowercase, numbers, and special characters). - Password and Confirm Password fields must match. - Required fields cannot be empty.
Priority	Critical

Complexity	Low
Dependencies	None
Acceptance Criteria	- The system provides real-time error feedback if the user enters data in an incorrect format. - The system accepts the data when all business rules are met.
Error Conditions	- Invalid email format. - Password does not meet complexity requirements. - Passwords do not match. - A required field is left blank.
Performance	Validation and feedback response time under 1 second.

F-USER-03: Verify data and check for duplicates	
Field	**Description**
Function ID	F-USER-03
Function Name	VERIFY DATA AND CHECK FOR DUPLICATES
Description	After the user clicks the "Register" button, the system checks if the provided email already exists in the database.
Input Parameters	User-provided email address.
Output/Return	- Valid status (not a duplicate). - "Email already exists" error message.
Business Rules	- Each email address can only be associated with one user account.
Priority	Critical

Complexity	Low
Dependencies	User Database.
Acceptance Criteria	- The system prevents a new account from being created if the email is already in use. - The system allows the registration process to continue if the email is unique.
Error Conditions	The email has been previously registered.
Performance	Database check time under 1 second.

F-USER-04: Create account and save to system	
Field	**Description**
Function ID	F-USER-04
Function Name	CREATE ACCOUNT AND SAVE TO SYSTEM
Description	Creates a new user record in the database with the validated information and displays a confirmation message.
Input Parameters	Validated user data (full name, email, hashed password, account type).
Output/Return	- Newly created User ID. - Registration success message.
Business Rules	- The password must be securely hashed before being stored in the database. - The newly created account will have a "Pending Approval" status and must be approved by an Admin.
Priority	Critical

Complexity	Average
Dependencies	F-USER-02, F-USER-03.
Acceptance Criteria	- A new user account is successfully created in the database with the correct information. - The user sees an on-screen message confirming that registration was successful and the account is awaiting approval.
Error Conditions	Database connection error during the save process.
Performance	Account creation and save time should not exceed 2 seconds.

UC-M01: Login

F-USER-05: Display login interface	
Field	**Description**
Function ID	F-USER-05
Function Name	DISPLAY LOGIN INTERFACE
Description	Displays the form interface that allows a registered user to enter their credentials to log in to the system.
Input Parameters	None
Output/Return	The login page interface with "Email" and "Password" fields.
Business Rules	Must include a "Forgot Password?" link.
Priority	Critical
Complexity	Low
Dependencies	None

Acceptance Criteria	- User navigates to the login page and sees all required fields. - The interface displays correctly across all supported devices.
Error Conditions	None.
Performance	Page load time should not exceed 2 seconds.

F-USER-06: Capture and verify credentials	
Field	**Description**
Function ID	F-USER-06
Function Name	CAPTURE AND VERIFY CREDENTIALS
Description	Captures the email and password entered by the user and performs initial validation.
Input Parameters	- Email (string) - Password (string)
Output/Return	Captured login credentials.
Business Rules	- Both email and password fields cannot be empty.
Priority	Critical
Complexity	Low
Dependencies	None
Acceptance Criteria	- The system successfully receives the data from the input fields when the user clicks "Login".
Error Conditions	One or both fields are left empty.

Performance	Data capture time under 0.5 seconds.

F-USER-07: Authenticate and grant access	
Field	**Description**
Function ID	F-USER-07
Function Name	AUTHENTICATE AND GRANT ACCESS
Description	Compares the user's login credentials against the database records. If they match, it grants access by creating a user session.
Input Parameters	- Email - Plain-text password
Output/Return	- Authenticated user session or token. - "Invalid email or password" error message.
Business Rules	- The system must compare the user-entered password against the hashed password stored in the database. - The user's account must have an "Approved" status to log in. - The system should implement a mechanism to temporarily lock an account after a certain number of failed login attempts (e.g., 5 attempts).
Priority	Critical
Complexity	Average
Dependencies	User Database.
Acceptance Criteria	- A user with correct credentials and an approved account can log in successfully.

	- A user with incorrect credentials or an account that is pending, rejected, or banned cannot log in.
Error Conditions	- Incorrect email or password. - Account has not been approved by an Admin. - Account has been locked or banned.
Performance	Authentication time should not exceed 2 seconds.

F-USER-08: Redirect to homepage	
Field	**Description**
Function ID	F-USER-08
Function Name	REDIRECT TO HOMEPAGE
Description	After a successful login, automatically redirects the user to their personalized dashboard or the main homepage.
Input Parameters	Valid user session.
Output/Return	The authenticated user's homepage or dashboard interface.
Business Rules	None
Priority	High
Complexity	Low
Dependencies	F-USER-07
Acceptance Criteria	The user is redirected to the correct page immediately after a successful login.
Error Conditions	Redirection failure.

Performance	Redirection should be instantaneous.

UC-M02: Logout

F-USER-09: Terminate session	
Field	**Description**
Function ID	F-USER-09
Function Name	TERMINATE SESSION
Description	When the user selects "Logout," the system invalidates the current user session or authentication token.
Input Parameters	Logout request from the user.
Output/Return	Terminated user session.
Business Rules	All server-side session information for the user must be cleared.
Priority	High
Complexity	Low
Dependencies	Session Management System.
Acceptance Criteria	- The user can no longer access authenticated pages after logging out. - The session token is no longer valid.
Error Conditions	Failure to terminate the session on the server.
Performance	Logout process completes in under 1 second.

F-USER-10: Confirm logout

Field	Description
Function ID	F-USER-10
Function Name	CONFIRM LOGOUT
Description	Displays a confirmation message to the user indicating they have successfully logged out of the system.
Input Parameters	None (triggered after F-USER-09).
Output/Return	"You have been successfully logged out" message.
Business Rules	The message can be a pop-up, a toast notification, or part of the page the user is redirected to.
Priority	Medium
Complexity	Low
Dependencies	F-USER-09
Acceptance Criteria	The user sees a clear confirmation message after logging out.
Error Conditions	None.
Performance	The message should display immediately.

UC-M03: Forgot Password

F-USER-11: Display password recovery interface	
Field	**Description**
Function ID	F-USER-11

Function Name	DISPLAY PASSWORD RECOVERY INTERFACE
Description	Displays the form allowing a user to enter registered email to start the recovery process.
Input Parameters	None
Output/Return	The "Forgot Password" page with an email input field and a "Submit" button.
Business Rules	The interface must be accessible from the Login page without authentication.
Priority	High
Complexity	Low
Dependencies	None
Acceptance Criteria	User clicks "Forgot Password" and is redirected to the correct recovery form immediately.
Error Conditions	None.
Performance	Page load time should not exceed 1 second.

F-USER-12: Validate email existence and generate recovery token	
Field	**Description**
Function ID	F-USER-12
Function Name	VALIDATE EMAIL AND GENERATE TOKEN
Description	Checks if the email exists in the system and generates a secure, time-limited token for password reset.

Input Parameters	User-provided email address.
Output/Return	Success or failure status; a generated unique token stored in the database.
Business Rules	- If the email does not exist, for security reasons, the system should show a generic message to prevent account enumeration. - The token must be cryptographically secure and unique.
Priority	Critical
Complexity	High
Dependencies	User Database.
Acceptance Criteria	A record is created in the tokens table linked to the User ID.
Error Conditions	Database connection error.
Performance	Validation and token generation should take less than 1 second.

F-USER-13: Deliver recovery notification via email	
Field	**Description**
Function ID	F-USER-13
Function Name	DELIVER RECOVERY NOTIFICATION
Description	Sends an email to the user containing a unique reset link or an OTP (One-Time Password).
Input Parameters	User Email, Recovery Token/Link.

Output/Return	Email sent status (Success/Fail).
Business Rules	- The email must include clear instructions and a warning if the user did not request the reset. - The OTP must expire after 15 minutes.
Priority	High
Complexity	Average
Dependencies	F-USER-12, Email Gateway Service.
Acceptance Criteria	The user receives the email in their inbox (or spam folder) with a clickable, valid link.
Error Conditions	Email service down; invalid recipient email address.
Performance	Email should be handed off to the gateway within 2 seconds.

F-USER-14: Verify recovery token and validate new password complexity	
Field	**Description**
Function ID	F-USER-14
Function Name	VERIFY TOKEN AND VALIDATE PASSWORD
Description	Validates the recovery token when the user clicks the link and ensures the new password meets security requirements.
Input Parameters	Recovery Token, New Password, Confirm Password.
Output/Return	Validation status (Pass/Fail).

Business Rules	- Token must be checked for expiration. - New password must meet complexity: 8+ characters, including numbers and special characters. - New Password and Confirm Password fields must match.
Priority	Critical
Complexity	Low
Dependencies	F-USER-13, User Database.
Acceptance Criteria	System prevents submission if the token is expired or the password is too weak.
Error Conditions	Expired token; Passwords do not match; Weak password.
Performance	Validation response time under 1 second.

F-USER-15: Update password in database and invalidate old token	
Field	**Description**
Function ID	F-USER-15
Function Name	UPDATE PASSWORD AND INVALIDATE TOKEN
Description	Permanently saves the new hashed password to the database and ensures the recovery token can never be used again.
Input Parameters	User ID, Validated New Password (hashed).
Output/Return	Success message; Redirect to Login page.
Business Rules	- The password must be hashed using a strong algorithm. - The recovery token must be deleted or marked as used immediately.

	- All current active sessions for this user should be terminated.
Priority	Critical
Complexity	High
Dependencies	F-USER-14, User Database.
Acceptance Criteria	User can now log in with the new password; the old password no longer works.
Error Conditions	Database write error; Session termination failure.
Performance	Database update and redirect should be completed under 2 seconds.

UC-M04: Change Password

F-USER-16: Display change password form	
Field	**Description**
Function ID	F-USER-16
Function Name	DISPLAY CHANGE PASSWORD FORM
Description	Provides the interface within the user settings for a logged-in Member to initiate a password update.
Input Parameters	None
Output/Return	Form interface containing fields for: "Current Password", "New Password", and "Confirm New Password".
Business Rules	Only accessible to users with an active and valid login session.
Priority	High

Complexity	Low
Dependencies	Login function (UC-M01).
Acceptance Criteria	User navigates to the security settings and see a clear, empty form for password modification.
Error Conditions	Session timeout (redirects to Login).
Performance	Page load time should not exceed 1 second.

F-USER-17: Authenticate current password and validate new input match	
Field	**Description**
Function ID	F-USER-17
Function Name	AUTHENTICATE CURRENT AND VALIDATE NEW PASSWORD
Description	Verifies that the user knows their existing password before allowing a change and ensures the new password follows security protocols.
Input Parameters	Current Password, New Password, Confirm New Password.
Output/Return	Validation status (Pass/Fail) and specific error messages if applicable.
Business Rules	- The "Current Password" must match the hashed password stored in the database. - The "New Password" must differ from the "Current Password". - "New Password" and "Confirm New Password" must be identical.

	- Complexity: 8+ characters, including uppercase, lowercase, numbers, and symbols.
Priority	Critical
Complexity	Low
Dependencies	F-USER-16, User Database.
Acceptance Criteria	System blocks the update if the current password is wrong or if the new password is weak/duplicate.
Error Conditions	Incorrect current password; Passwords do not match; Complexity requirement not met; New password matches old password.
Performance	Authentication and validation response time under 1 second.

F-USER-18: Encrypt and save new password to the database	
Field	**Description**
Function ID	F-USER-18
Function Name	ENCRYPT AND SAVE NEW PASSWORD
Description	Hashes the validated new password and updates the user's record in the database.
Input Parameters	User ID, Validated New Password.
Output/Return	Success/Failure status of the database write operation.
Business Rules	- The password must be encrypted using a high-security hashing algorithm. - The system should update the "Last Password Change" timestamp in the user profile.

	- For security, the system may invalidate other active sessions for this specific user.
Priority	Critical
Complexity	Low
Dependencies	F-USER-17, User Database.
Acceptance Criteria	The user record is updated correctly; the old password no longer works for future logins.
Error Conditions	Database connection or write error.
Performance	Encryption and saving process should complete in under 2 seconds.

F-USER-19: Display password change success notification	
Field	**Description**
Function ID	F-USER-19
Function Name	DISPLAY PASSWORD CHANGE SUCCESS NOTIFICATION
Description	Provides immediate visual feedback to the user confirming that their password has been successfully updated.
Input Parameters	Success status from F-USER-18.
Output/Return	On-screen popup success message (e.g., "Your password has been changed successfully").
Business Rules	The message should be clear and may include a recommendation to log in again if other sessions were terminated.
Priority	Medium

Complexity	Low
Dependencies	F-USER-18.
Acceptance Criteria	User sees a success toast or popup immediately after the database update is confirmed.
Error Conditions	None.
Performance	Notification should appear instantly (no perceivable delay).

GROUP 2: PROFILE MANAGEMENT

UC-M05: View Profile

F-PROFILE-001: Display profile interface	
Field	**Description**
Function ID	F-PROFILE-001
Function Name	DISPLAY PROFILE INTERFACE
Description	Displays the personal profile information page for the logged-in user.
Input Parameters	User ID from the current login session.
Output/Return	The "My Profile" page interface.
Business Rules	The system must identify the currently logged-in user to display the correct profile information.
Priority	High
Complexity	Average
Dependencies	Login function (UC-M01).

Acceptance Criteria	When the user clicks on the "My Profile" link, their personal profile page is displayed.
Error Conditions	The user is not logged in.
Performance	Page load time should not exceed 2 seconds.

F-PROFILE-02: Retrieve user data from the database	
Field	**Description**
Function ID	F-PROFILE-02
Function Name	RETRIEVE USER DATA FROM THE DATABASE
Description	Fetches the detailed information of the currently logged-in user from the database.
Input Parameters	User ID.
Output/Return	A user data object (e.g., containing name, email, phone number, profile picture, description).
Business Rules	Only retrieve information that is permitted to be displayed; do not fetch sensitive data like passwords.
Priority	High
Complexity	Low
Dependencies	User Database.
Acceptance Criteria	The system successfully and accurately retrieves all profile data for the corresponding User ID.
Error Conditions	- User not found for the given ID.

	- Database connection error.
Performance	Query and data retrieval time under 1 second.

F-PROFILE-03: Show detailed information	
Field	**Description**
Function ID	F-PROFILE-03
Function Name	SHOW DETAILED INFORMATION
Description	Populates and displays the retrieved user data into the corresponding fields on the profile interface.
Input Parameters	User data object.
Output/Return	A profile interface populated with the user's information.
Business Rules	- Data should be formatted for readability (e.g., date formats). - If a data field is empty, it should display "Not provided" or be left blank.
Priority	High
Complexity	Low
Dependencies	F-PROFILE-02.
Acceptance Criteria	All information fields on the profile interface correctly display the data retrieved from the database.
Error Conditions	The input data object is null or missing attributes.
Performance	Time to render data on the interface should be under 0.5 seconds.

F-PROFILE-04: Redirect to previous interface	
Field	**Description**
Function ID	F-PROFILE-04
Function Name	REDIRECT TO PREVIOUS INTERFACE
Description	Provides functionality for the user to navigate back to the previous page or the homepage from the profile page.
Input Parameters	User click event on a "Back" or "Home" button.
Output/Return	The interface of the previous page or the homepage.
Business Rules	None.
Priority	Medium
Complexity	Low
Dependencies	Browser history.
Acceptance Criteria	The user is correctly navigated to the intended page.
Error Conditions	No previous page exists in the browser history.
Performance	Redirection should be instantaneous.

UC-M06: Update Profile

F-PROFILE-001: Display profile interface	
Field	**Description**
Function ID	F-PROFILE-001

Function Name	DISPLAY PROFILE INTERFACE
Description	Displays the personal profile information page for the logged-in user.
Input Parameters	User ID from the current login session.
Output/Return	The "My Profile" page interface.
Business Rules	The system must identify the currently logged-in user to display the correct profile information.
Priority	High
Complexity	Average
Dependencies	Login function (UC-M01).
Acceptance Criteria	When the user clicks on the "My Profile" link, their personal profile page is displayed.
Error Conditions	The user is not logged in.
Performance	Page load time should not exceed 2 seconds.

F-PROFILE-05: Display editable profile form	
Field	**Description**
Function ID	F-PROFILE-05
Function Name	DISPLAY EDITABLE PROFILE FORM
Description	When the user clicks the "Edit" icon, the system displays the profile information within an editable form.
Input Parameters	User click event on the "Edit" button.

Output/Return	An editable form pre-filled with the user's current information.
Business Rules	Some fields may be non-editable (e.g., email, user role).
Priority	High
Complexity	Average
Dependencies	F-PROFILE-001.
Acceptance Criteria	The edit form appears with all fields populated with the user's current data.
Error Conditions	None.
Performance	Form load time under 1 second.

F-PROFILE-06: Enable editing for selected fields	
Field	**Description**
Function ID	F-PROFILE-06
Function Name	ENABLE EDITING FOR SELECTED FIELDS
Description	Allows the user to interact with the form fields to update their information.
Input Parameters	Displayed editable form.
Output/Return	A state where input fields are active and accept user input.
Business Rules	None.
Priority	High
Complexity	Low

Dependencies	F-PROFILE-05.
Acceptance Criteria	The user can click into and modify the content of all editable fields.
Error Conditions	A field that should be editable is disabled.
Performance	No latency.

F-PROFILE-07: Capture and validate input	
Field	**Description**
Function ID	F-PROFILE-07
Function Name	CAPTURE AND VALIDATE INPUT
Description	Captures the new information entered by the user and validates it for correctness.
Input Parameters	Updated profile data from the form.
Output/Return	- Validated data. - Error messages if data is invalid.
Business Rules	Apply validation rules to specific fields (e.g., phone number format, required fields cannot be empty).
Priority	High
Complexity	Low
Dependencies	None.
Acceptance Criteria	The system correctly validates the input and provides clear feedback to the user in case of an error.

Error Conditions	- Data entered in an incorrect format. - A required field is left blank.
Performance	Validation and response time under 1 second.

F-PROFILE-08: Update user data in the database	
Field	**Description**
Function ID	F-PROFILE-08
Function Name	UPDATE USER DATA IN THE DATABASE
Description	Saves the validated and updated user information to the database.
Input Parameters	A valid, updated user data object.
Output/Return	A success or failure status for the update operation.
Business Rules	The update operation must target the correct user record in the database.
Priority	Critical
Complexity	Average
Dependencies	F-PROFILE-07, User Database.
Acceptance Criteria	The user's record in the database is accurately updated with the new information.
Error Conditions	- Database connection error. - Data writing error.
Performance	Time to save to the database should not exceed 2 seconds.

F-PROFILE-09: Display update success notification

Field	Description
Function ID	F-PROFILE-09
Function Name	DISPLAY UPDATE SUCCESS NOTIFICATION
Description	Displays a success message to the user after their profile has been updated.
Input Parameters	Success status from F-PROFILE-08.
Output/Return	A "Profile updated successfully" notification.
Business Rules	The notification should be clear and either auto-dismiss after a few seconds or be dismissible by the user.
Priority	High
Complexity	Low
Dependencies	F-PROFILE-08.
Acceptance Criteria	The user sees a confirmation message after successfully saving their changes.
Error Conditions	None.
Performance	Displays immediately after the successful update.

GROUP 3: DIRECTORY & SEARCH

UC-A01: Select Craft Villages (For Matching)

F-DIR-01: Display list of available craft villages	
Field	**Description**
Function ID	F-DIR-01
Function Name	DISPLAY LIST OF AVAILABLE CRAFT VILLAGES
Description	Retrieves and displays a list or grid of all available craft villages on the platform for users (primarily Travel Agencies) to browse.
Input Parameters	- Request to access the directory page. - (Optional) Pagination parameters (e.g., page number).
Output/Return	An interface displaying a list of craft villages, each with summary information (name, main picture, primary specialty).
Business Rules	- Only display villages that have been approved by the Admin and are in an “Active” state. - The default list can be sorted alphabetically or by join date.
Priority	Critical
Complexity	Low
Dependencies	Craft Village Database.
Acceptance Criteria	- The user navigates to the page and sees a list of all valid craft villages. - Pagination works correctly if there are many villages.
Error Conditions	- Database connection error. - No craft villages exist in the system to display.
Performance	Directory page load time should not exceed 3 seconds.

F-DIR-02: Filter and sort villages based on keywords or categories	
Field	**Description**
Function ID	F-DIR-02

Function Name	FILTER AND SORT VILLAGES BASED ON KEYWORDS OR CATEGORIES
Description	Allows users to search, filter, and sort craft villages in the directory based on relevant criteria (e.g., name, specialty, location).
Input Parameters	- Search keyword. - Filter parameters (e.g., specialty, region). - Sort option (e.g., alphabetical, newest).
Output/Return	Updated list of craft villages according to the selected filters and sorting method.
Business Rules	- The search is case-insensitive. - Filters and sorting can be combined. - Results update dynamically without page reload.
Priority	High
Complexity	Low
Dependencies	F-DIR-001
Acceptance Criteria	- Filter and sorting criteria return the correct and relevant results. - The user can easily reset filters.
Error Conditions	- No matching results found. - Invalid filter input.
Performance	Filter and sorting operation should respond within 2 seconds.

F-DIR-03: Retrieve and show village information	
Field	**Description**
Function ID	F-DIR-03
Function Name	RETRIEVE AND SHOW VILLAGE INFORMATION
Description	Retrieves and displays detailed information about a specific craft village when selected by the user.

Input Parameters	- Village ID.
Output/Return	A detail page showing the village's full information, including description, photos, location, specialties, and available tours.
Business Rules	- The village must have an "Approved" and "Active" status. - Only public information is displayed.
Priority	High
Complexity	Average
Dependencies	Craft Village Database, F-DIR-001
Acceptance Criteria	- The village detail page displays all information accurately. - Images and text render correctly across devices.
Error Conditions	- Invalid or missing Village ID. - Database connection error.
Performance	Village detail page load time should not exceed 3 seconds.

F-DIR-04: Redirect to previous interface	
Field	**Description**
Function ID	F-DIR-04
Function Name	REDIRECT TO PREVIOUS INTERFACE
Description	Allows the user to navigate back to the directory or homepage from the craft village detail page.
Input Parameters	- User click event on the "Back" button or breadcrumb link.
Output/Return	Redirects the user to the previous page (directory view or homepage).
Business Rules	- The navigation must maintain the previously applied filters and search results if applicable.
Priority	Low

Complexity	Low
Dependencies	F-DIR-001, F-DIR-03
Acceptance Criteria	- The system redirects the user correctly to the previous interface. - The page state (filters, scroll position) is preserved when returning.
Error Conditions	- Browser navigation error. - Missing navigation history.
Performance	Redirection should be instantaneous (< 1 second).

UC-A02: Select Available Tour

F-DIR-05: Display list of current tours	
Field	**Description**
Function ID	F-DIR-05
Function Name	DISPLAY LIST OF CURRENT TOURS
Description	Retrieves and displays a list or grid of all currently available tours uploaded by craft villages for Travel Agencies to view and select.
Input Parameters	- Request to access the “Available Tours” section. - (Optional) Pagination parameters (e.g., page number).
Output/Return	A tour list interface showing summary details (tour name, price, schedule, capacity, and village).
Business Rules	- Only tours marked as “Published” and within valid dates are shown. - The default sort order is by start date (soonest first).
Priority	Critical
Complexity	Low
Dependencies	Tour Database.
Acceptance Criteria	- The user sees all currently valid and published tours. - Pagination or scrolling functions properly.
Error Conditions	- No tours available.

	- Database retrieval failure.
Performance	List retrieval should not exceed 3 seconds.

F-DIR-06: Filter and sort tours by date, location, or theme	
Field	**Description**
Function ID	F-DIR-06
Function Name	FILTER AND SORT TOURS BY DATE, LOCATION, OR THEME
Description	Provides options for the user to filter and sort the list of tours based on various criteria.
Input Parameters	- Filter criteria (e.g., date range, location, themes like “hands-on experience,” “heritage visit”). - Sorting options (e.g., price low/high, nearest date).
Output/Return	An updated list of tours reflecting the user’s filter and sort selections.
Business Rules	- Date filtering must allow users to select a range. - Users can combine multiple filters.
Priority	High
Complexity	Low
Dependencies	F-DIR-05.
Acceptance Criteria	The tour list updates accurately and quickly based on the user-selected criteria.
Error Conditions	No tours match the filter criteria.
Performance	Response time after filtering should be under 2 seconds.

F-DIR-07: Retrieve and show tour information	
Field	**Description**
Function ID	F-DIR-07

Function Name	RETRIEVE AND SHOW TOUR INFORMATION
Description	When a user selects a tour, the system retrieves and displays its detailed information page.
Input Parameters	ID of the selected tour.
Output/Return	A tour detail page interface, including: schedule, price, capacity, what's included/excluded, images, and a detailed description.
Business Rules	The page must clearly display all critical information for a Travel Agency to make a decision.
Priority	Critical
Complexity	Average
Dependencies	Tour Database.
Acceptance Criteria	All detailed information for the selected tour is displayed accurately.
Error Conditions	- Invalid or non-existent tour ID. - Database connection error.
Performance	Detail page load time should not exceed 2 seconds.

UC-A03: Match Craft Villages

F-DIR-08: Display matching button on village interface	
Field	**Description**
Function ID	F-DIR-08
Function Name	DISPLAY MATCHING BUTTON ON VILLAGE INTERFACE
Description	Displays a "Match" or "Send Request" button on the craft village directory list and detail pages for Travel Agencies.
Input Parameters	User Role (Travel Agency)
Output/Return	Interactive "Match" button visible on the UI.

Business Rules	- The button is only visible to users logged in with the "Travel Agency" role. - If a request has already been sent and is pending, the button should display a "Request Sent" status and be disabled.
Priority	High
Complexity	Average
Dependencies	F-DIR-01 (List villages).
Acceptance Criteria	Travel Agency users see the button; Craft Village does not.
Error Conditions	The user is not a Travel Agency.
Performance	No latency.

F-DIR-09: Trigger matching request process	
Field	**Description**
Function ID	F-DIR-09
Function Name	TRIGGER MATCHING REQUEST PROCESS
Description	Creates a new record in the Matching Request Database to signal interest from an Agency to a Village.
Input Parameters	Travel Agency ID, Craft Village ID(s).
Output/Return	Success or failure status of the request creation.
Business Rules	- System creates a record in the Matching Request Database with initial status "Pending". - Triggers an automated notification (F-NOTI-01) to the target Craft Village(s). - This process does not create any legal obligations; it is strictly for partnership initiation.

Priority	High
Complexity	Average
Dependencies	Matching Request Database, Notification Service.
Acceptance Criteria	A new entry appears in the matching table; Craft Village receives a notification.
Error Conditions	Database write error.
Performance	Completes in under 2 seconds.

F-DIR-10: Display matching request confirmation	
Field	**Description**
Function ID	F-DIR-10
Function Name	DISPLAY MATCHING REQUEST CONFIRMATION
Description	Shows a confirmation message to the Travel Agency that the request was sent successfully and updates the interface to reflect the new status.
Input Parameters	Success status from F-DIR-09.
Output/Return	A pop-up notification “Matching Request sent successfully.”
Business Rules	The UI must update immediately to reflect that the request is now in "Pending" status to prevent duplicate requests.
Priority	High
Complexity	Low
Dependencies	F-DIR-09.
Acceptance Criteria	Agency sees the success message and the button state changes to "Pending".
Error Conditions	None.

Performance	Displays immediately.

F-DIR-11: Display matching request status list	
Field	**Description**
Function ID	F-DIR-11
Function Name	DISPLAY MATCHING REQUEST STATUS LIST
Description	A dashboard for Travel Agencies to track the status of all sent partnership requests.
Input Parameters	Travel Agency ID
Output/Return	A list of villages with request statuses: Pending, Accepted, or Rejected.
Business Rules	- Data is retrieved from the Matching Request Database. - Only when the status is "Accepted", the system will enable the "Chat" and "Create e-Contract" features for this specific pair. - Agencies can cancel a "Pending" request from this list.
Priority	Critical
Complexity	Average
Dependencies	Matching Request Database.
Acceptance Criteria	Agency can see an accurate history of their requests and their current status.
Error Conditions	Database query error.
Performance	Load time under 2 seconds.

GROUP 4: E-CONTRACT MANAGEMENT

UC-M07: View e-Contract

F-CONTRACT-01: Display e-Contract list	
Field	**Description**
Function ID	F-CONTRACT-01
Function Name	DISPLAY E-CONTRACT LIST
Description	Retrieves and displays a summary list of all electronic contracts that the logged-in user is authorized to see.
Input Parameters	User ID, User Role (Travel Agency, Craft Village, or Admin).
Output/Return	A list/table interface showing contract summaries (Contract ID, Counterparty Name, Creation Date, Current Status).
Business Rules	- **Travel Agency:** Sees contracts they created or are negotiating. - **Craft Village:** Sees contracts sent to them for review or already accepted. - **Admin:** Sees a master list but is restricted to viewing only contracts in "Finalized/Signed" status. - The list must allow filtering by status (Draft, Pending Review, Finalized).
Priority	Critical
Complexity	Low
Dependencies	User Database, e-Contract Database.
Acceptance Criteria	Users see only the contracts relevant to their account and role.
Error Conditions	Database connection failure; No contracts found (display "No contracts available").
Performance	List retrieval and display should not exceed 2 seconds.

F-CONTRACT-02: Retrieve and display e-Contract details	
Field	**Description**

Function ID	F-CONTRACT-02
Function Name	RETRIEVE AND DISPLAY E-CONTRACT DETAILS
Description	Fetches the full content and metadata of a specific e-contract for detailed viewing.
Input Parameters	Contract ID, User ID (for permission verification).
Output/Return	A full-page view or PDF preview showing all terms, conditions, and participant information.
Business Rules	- The system must verify the user belongs to one of the parties involved or is an authorized Admin (for Finalized contracts). - In "View mode," all fields must be non-editable to prevent accidental changes. - The current stage of the contract (e.g., "Waiting for Village Approval") must be clearly visible.
Priority	Critical
Complexity	Low
Dependencies	F-CONTRACT-01, e-Contract Database.
Acceptance Criteria	All data fields (Price, Dates, Services) match the records stored in the database.
Error Conditions	Contract ID not found; Unauthorized access attempt (display "Access Denied").
Performance	Data retrieval and rendering should be completed under 1.5 seconds.

F-CONTRACT-03: Redirect to previous interface	
Field	**Description**
Function ID	F-CONTRACT-03
Function Name	REDIRECT TO PREVIOUS INTERFACE
Description	Handles the navigation logic to return the user to their previous screen (List view or Dashboard).

Input Parameters	User click event on "Back" or "Close" button.
Output/Return	Redirection to the previously accessed URL or state.
Business Rules	The system should preserve any applied filters or scroll positions on the list view when the user returns.
Priority	High
Complexity	Low
Dependencies	Browser History / Session State.
Acceptance Criteria	User is successfully navigated back without losing their session context.
Error Conditions	None.
Performance	Redirection should be instantaneous.

UC-A04: Create e-Contract

F-DIR-08: Display list of accepted matching requests	
Field	**Description**
Function ID	**F-DIR-08**
Function Name	DISPLAY LIST OF ACCEPTED MATCHING REQUESTS
Description	Retrieves and displays a list of Craft Villages that have accepted a matching request from the current Travel Agency but do not yet have an active contract.
Input Parameters	Travel Agency ID.
Output/Return	A list/table showing accepted matches (Village Name, Matching Date, "Create e-Contract" button).

Business Rules	- The system filters the **Matching Request Database** for records where Status = 'Accepted'. - Once a contract is initiated for a match, that specific match should no longer appear in this "New Initiation" list to prevent duplicates.
Priority	High
Complexity	Average
Dependencies	UC-A03 (Matching Request Database).
Acceptance Criteria	Only villages that clicked "Accept" on a matching request are displayed.
Error Conditions	No accepted matches found (display "No pending matches for contract creation").
Performance	Retrieval should take less than 2 seconds.

F-CONTRACT-04: Auto-generated e-Contract from template	
Field	**Description**
Function ID	F-CONTRACT-04
Function Name	AUTO-GENERATE E-CONTRACT FROM TEMPLATE
Description	Automatically populates a standardized legal contract template with profile information from both the Travel Agency and the Craft Village.
Input Parameters	Match ID / Request ID.
Output/Return	A pre-filled contract form/document.
Business Rules	- The system must fetch the latest authorized template provided by the system. - Essential data (Names, Addresses, Tax IDs) are pulled from User Profiles and set as read-only in the contract form.

Priority	Critical
Complexity	Average
Dependencies	User Database, Template Settings.
Acceptance Criteria	The contract form opens with correct participant details automatically filled in.
Error Conditions	Missing profile information for either party (prompts user to complete profile).
Performance	Document generation should occur in under 1 second.

F-CONTRACT-05: Capture and validate e-Contract inputs	
Field	**Description**
Function ID	F-CONTRACT-05
Function Name	CAPTURE AND VALIDATE E-CONTRACT INPUTS
Description	Records the specific commercial terms entered by the Travel Agency and validates them against system rules.
Input Parameters	Price, Tour Dates, Service Description, Special Requirements.
Output/Return	Validated contract data object.
Business Rules	- Mandatory fields: Price and Dates cannot be empty. - Date validation: Contract effective dates must be in the future. - Format: Price must be a positive numerical value.
Priority	Critical
Complexity	Low
Dependencies	F-CONTRACT-04.
Acceptance Criteria	Form prevents submission if invalid data is entered and displays clear error messages.
Error Conditions	Invalid date range; Non-numerical price; Empty mandatory fields.

Performance	Real-time validation should have no perceivable latency.

F-CONTRACT-06: Save e-Contract and set Pending status	
Field	**Description**
Function ID	F-CONTRACT-06
Function Name	SAVE E-CONTRACT AND SET PENDING STATUS
Description	Persists the validated contract data into the database and marks it as awaiting review by the Craft Village.
Input Parameters	Validated Contract Data Object.
Output/Return	Database success/failure status.
Business Rules	- The record is created in the e-Contract Database. - Initial status is set to "Pending Review" (making it visible to the Craft Village). - An "Edit History" log is initialized for this contract.
Priority	Critical
Complexity	Low
Dependencies	F-CONTRACT-05, e-Contract Database.
Acceptance Criteria	Data is saved accurately; the contract status is updated in the system.
Error Conditions	Database connection or write error.
Performance	Save operation should complete under 2 seconds.

F-CONTRACT-07: Display success notification and notify Craft Village	
Field	**Description**
Function ID	F-CONTRACT-07
Function Name	DISPLAY SUCCESS NOTIFICATION AND NOTIFY CRAFT VILLAGE
Description	Confirms the action to the Travel Agency and sends an automated system notification to the Craft Village coordinator.
Input Parameters	Success status from F-CONTRACT-06.
Output/Return	On-screen success message; System Notification (via F-NOTI-001).
Business Rules	The notification to the Craft Village must include a direct link to view the contract details (F-CONTRACT-02).
Priority	Medium
Complexity	Low
Dependencies	F-CONTRACT-06, Notification Service.
Acceptance Criteria	Agency sees a success toast/modal; the Village receives a notification in their dashboard/email.
Error Conditions	Notification service failure (log error but do not rollback contract creation).
Performance	Notification delivery should be near real-time.

UC-A05: Edit e-Contract

F-CONTRACT-08: Validate updated inputs and maintain version history

Field	Description
Function ID	F-CONTRACT-08
Function Name	VALIDATE UPDATED INPUTS AND MAINTAIN VERSION HISTORY
Description	Validates modified commercial terms and records the specific changes made during the negotiation process for audit and transparency.
Input Parameters	Modified Contract Fields (Price, Dates, Services), User ID of the editor.
Output/Return	Validation status (Pass/Fail) and a logged change entry.
Business Rules	- Only contracts with status "Draft" or "Pending Review" can be edited. - The system must record "Old Value," "New Value," "Editor Name," and "Timestamp" for every change. - Re-applies the same validation rules as F-CONTRACT-05 (e.g., no past dates, positive pricing).
Priority	High
Complexity	Average
Dependencies	F-CONTRACT-02, e-Contract Database.
Acceptance Criteria	Users can successfully change terms; the system rejects invalid inputs and records a history of the modification.
Error Conditions	Attempting to edit a "Finalized" contract (Access Denied); Validation errors (same as F-05).
Performance	Logging and validation should be processed in under 1 second.

F-CONTRACT-09: Update e-Contract data and notify Craft Village

Field	Description
Function ID	F-CONTRACT-09
Function Name	UPDATE E-CONTRACT DATA AND NOTIFY CRAFT VILLAGE
Description	Commits the validated changes to the database and alerts the other party involved in the contract to review the new terms.
Input Parameters	Validated Contract Data, Recipient ID.
Output/Return	Database success/failure status.
Business Rules	- Updates the "Last Modified" timestamp. - If Travel Agency edits, this will trigger an automated alert to craft village via F-NOTI-001. - If the contract was previously "Rejected," saving new changes may reset its status to "Pending Review."
Priority	Critical
Complexity	Average
Dependencies	F-CONTRACT-08, Notification Service.
Acceptance Criteria	The database record is updated with new terms; the counterparty receives a notification with a link to the updated contract.
Error Conditions	Database update failure; Notification delivery failure.
Performance	Update and notification trigger should complete under 2 seconds.

UC-C03: Accept e-Contract

F-CONTRACT-10: Update e-Contract to finalized status

Field	Description
Function ID	F-CONTRACT-10
Function Name	UPDATE CONTRACT TO FINALIZED STATUS
Description	Updates the record in the e-Contract Database to "Accepted" or "Finalized," signaling that both parties have agreed to the terms.
Input Parameters	Contract ID, User ID (Craft Village Coordinator).
Output/Return	Success/Failure status of the status update.
Business Rules	- Only the recipient party (Craft Village) can trigger this action. - Once the status is set to "Accepted," the contract content is permanently locked and cannot be edited by any user (including Admin). - The system must record the exact timestamp and the unique Account ID that performed the acceptance.
Priority	Critical
Complexity	Low
Dependencies	F-CONTRACT-02, e-Contract Database.
Acceptance Criteria	The database reflects the status change; the Travel Agency is notified of the acceptance.
Error Conditions	Database connection error; Contract already finalized or expired.
Performance	Status update should take less than 1 second.

F-CONTRACT-11: Display success confirmation message

Field	Description
Function ID	F-CONTRACT-11
Function Name	DISPLAY SUCCESS CONFIRMATION MESSAGE
Description	Provides immediate feedback to the Craft Village user confirming that the contract has been successfully accepted.
Input Parameters	Success status from F-CONTRACT-10.
Output/Return	On-screen confirmation (e.g., "Contract accepted successfully. A digital signature page is being generated").
Business Rules	The message should inform the user that the contract is now legally binding within the platform.
Priority	Medium
Complexity	Low
Dependencies	F-CONTRACT-10.
Acceptance Criteria	User sees the success toast/modal immediately after clicking "Accept".
Error Conditions	None.
Performance	Notification should appear instantly.

F-CONTRACT-12: Generate digital signature page	
Field	**Description**
Function ID	F-CONTRACT-12

Function Name	GENERATE DIGITAL SIGNATURE PAGE
Description	A background system process that generates a final, non-editable PDF document including a verification log of both parties.
Input Parameters	Final Contract Data, Participant IDs, Timestamps of Match Acceptance and Contract Acceptance.
Output/Return	A finalized PDF document stored in the System Records.

Business Rules	- The final document must append a "Digital Signature Page" showing:
	  + Representative names and Account IDs.
	  + Verification timestamps.
	  + Unique Contract Hash/QR Code for authenticity.
	- Once generated, this document becomes visible to the admin for monitoring purposes.

Priority	Critical
Complexity	High
Dependencies	F-CONTRACT-10.
Acceptance Criteria	A downloadable PDF is produced that contains all agreed terms and the verification log.
Error Conditions	PDF generation failure (triggers a system alert to technical support).
Performance	The document should be ready for viewing/download within 3-5 seconds of acceptance.

<u>GROUP 5: TOUR MANAGEMENT</u>

UC-C01: Upload New Tour

F-TOUR-01: Render form for uploading a tour	
Field	**Description**
Function ID	F-TOUR-01
Function Name	RENDER FORM FOR UPLOADING A TOUR
Description	Displays a blank form for a user (Craft Village) to enter the details of a new tour.
Input Parameters	A request from the user to create a new tour (e.g., clicking an "Add New Tour" button).
Output/Return	A form interface with necessary fields: Tour Name, Description, Schedule, Price, Capacity, Photos/Videos, etc.
Business Rules	The user must have the "Craft Village" role to access this function.
Priority	High
Complexity	Average
Dependencies	Login function (UC-M01).
Acceptance Criteria	When a Craft Village user chooses to create a new tour, a blank form with all required fields is displayed.
Error Conditions	The user does not have permission to access this function.
Performance	Form load time should not exceed 2 seconds.

F-TOUR-02: Input and validate tour information	
Field	**Description**

Function ID	F-TOUR-02
Function Name	INPUT AND VALIDATE TOUR INFORMATION
Description	Captures the data entered by the user into the tour creation form and validates it for correctness.
Input Parameters	Data from the form fields (Tour Name, Price, Dates, etc.).
Output/Return	- Validated data, ready to be saved. - Error messages if the data is invalid.
Business Rules	- Tour name cannot be empty. - Price and capacity must be positive numerical values. - The start date must be in the future. - All required fields must be filled.
Priority	Critical
Complexity	Low
Dependencies	F-CRAFT-01.
Acceptance Criteria	The system provides real-time, inline error messages if data is invalid (e.g., text in a price field). The system accepts valid data.
Error Conditions	- Data is in the wrong format (e.g., price is not a number). - A required field is left blank.
Performance	Validation and feedback response time under 1 second.

F-TOUR-03: Save tour data and upload media files	
Field	**Description**

Function ID	F-TOUR-03
Function Name	SAVE TOUR DATA AND UPLOAD MEDIA FILES
Description	Saves the validated tour information to the database and handles the upload of any associated media files (images, videos).
Input Parameters	- Validated tour data object. - Media files uploaded by the user.
Output/Return	- The ID of the newly created tour. - A success message.
Business Rules	- Media files must be in an accepted format (JPG, PNG, MP4, etc.) and below a maximum file size. - A new tour record is created in the database with a default status of "Draft".
Priority	Critical
Complexity	High
Dependencies	F-TOUR-02, Tour Database, File Storage System.
Acceptance Criteria	- The textual data for the tour is saved correctly in the database. - Media files are successfully uploaded and linked to the corresponding tour record.
Error Conditions	- Error writing to the database. - File upload failure (file too large, invalid format). - Network connection error.
Performance	Text data save time under 2 seconds. A progress indicator should be shown for file uploads.

F-TOUR-04: Make tour publicly visible on the platform

Field	Description
Function ID	F-TOUR-04
Function Name	MAKE TOUR PUBLICLY VISIBLE ON THE PLATFORM
Description	Allows the Craft Village user to change the status of a tour from "Draft" to "Published," making it visible to Travel Agencies.
Input Parameters	The ID of the tour to be published.
Output/Return	A "Tour published successfully" message.
Business Rules	- Only tours with all required information filled out can be published. - The status of the tour in the database is updated to "Published".
Priority	High
Complexity	Low
Dependencies	F-TOUR-03.
Acceptance Criteria	- The tour's status in the database is updated. - The tour becomes visible in the list of available tours for Travel Agencies to browse.
Error Conditions	The tour does not meet the requirements for publishing (e.g., missing information).
Performance	Status update time under 1 second.

UC-C02: Edit Tour

F-TOUR-05: Retrieve and display existing tour for editing	
Field	**Description**

Function ID	F-TOUR-05
Function Name	RETRIEVE AND DISPLAY EXISTING TOUR FOR EDITING
Description	Fetches the data of an existing tour from the database and displays it within an editing form.
Input Parameters	The ID of the tour selected for editing.
Output/Return	An edit form pre-filled with the tour's current information.
Business Rules	The user must be the owner/creator of the tour to have editing rights.
Priority	High
Complexity	Average
Dependencies	Tour Database.
Acceptance Criteria	The edit form accurately displays all the information for the selected tour.
Error Conditions	- Invalid tour ID. - The user does not have permission to edit this tour.
Performance	Data retrieval and form display time should not exceed 2 seconds.

F-TOUR-06: Modify tour information such as title, description, and media	
Field	**Description**
Function ID	F-TOUR-06
Function Name	MODIFY TOUR INFORMATION SUCH AS TITLE, DESCRIPTION, AND MEDIA

Description	Allows the user to change the information in the fields of the edit form, including title, description, and media. This function includes re-validating the new data.
Input Parameters	New data entered by the user into the edit form.
Output/Return	- Validated data. - Error messages if the new data is invalid.
Business Rules	All validation rules from F-TOUR-02 are reapplied to the new data.
Priority	High
Complexity	Low
Dependencies	F-TOUR-05.
Acceptance Criteria	The user can edit the content in the fields, and the system validates these changes.
Error Conditions	Newly entered data does not comply with validation rules.
Performance	Validation time under 1 second.

F-TOUR-07: Save updated tour information to the database	
Field	**Description**
Function ID	F-TOUR-07
Function Name	SAVE UPDATED TOUR INFORMATION TO THE DATABASE
Description	Saves the validated changes to the tour into the corresponding record in the database.

Input Parameters	- A validated, updated tour data object. - The ID of the tour being edited.
Output/Return	An "Update successful" message.
Business Rules	The UPDATE command must target the correct tour record in the database via its ID.
Priority	Critical
Complexity	High
Dependencies	F-TOUR-06, Tour Database.
Acceptance Criteria	The tour's data in the database is accurately updated with the new information saved by the user.
Error Conditions	- Database connection or write error. - Error processing new/old media files.
Performance	Database update time should not exceed 2 seconds.

<u>GROUP 6: NOTIFICATION SERVICES</u>

UC-M05: Receive Notifications

F-NOTI-001: Identify system or user-triggered events that require notification	
Field	**Description**
Function ID	F-NOTI-001
Function Name	IDENTIFY SYSTEM OR USER-TRIGGERED EVENTS THAT REQUIRE NOTIFICATION
Description	A background process or trigger that detects when a specific event occurs in the system that requires a notification to be sent.
Input Parameters	System events (e.g., new e-contract created, e-contract accepted, new message received, account approved).

Output/Return	An event flag or trigger containing the event type and relevant data (e.g., User ID, Contract ID).
Business Rules	- A predefined list of notifiable events must be maintained. - The system must capture essential context data associated with the event. - Examples of events include: Account status changes (Approved/Rejected), new contract offers, contract status changes (Accepted), new chat messages, ratings received.
Priority	High
Complexity	Low
Dependencies	All modules that generate notifiable events (e.g., E-contract Management, Chat, Account Management).
Acceptance Criteria	When a defined event occurs (e.g., a Craft Village accepts a contract), the system correctly identifies the event and gathers the necessary data (who accepted, which contract) to generate a notification.
Error Conditions	- The system fails to detect a notifiable event. - The event is detected, but the associated data is missing or incorrect.
Performance	Event detection should be near real-time (under 2 seconds).

F-NOTI-02: Create notification message and assign target recipient(s)	
Field	**Description**
Function ID	F-NOTI-02
Function Name	CREATE NOTIFICATION MESSAGE AND ASSIGN TARGET RECIPIENT(S)

Description	Constructs the content of the notification message based on the event type and identifies the correct user(s) to receive it.
Input Parameters	The event flag and associated data from F-NOTI-001.
Output/Return	A complete notification object (Recipient ID(s), message title, message body, link to the relevant page).
Business Rules	- Use predefined templates for different notification types to ensure consistency. - The system must correctly map the event to the appropriate recipient (e.g., a "contract accepted" event for a Travel Agency should notify that specific agency). - The message should be clear, concise, and informative.
Priority	High
Complexity	Low
Dependencies	F-NOTI-001, User Database.
Acceptance Criteria	- For a given event, the correct notification template is used. - The correct recipient is identified. - All dynamic fields in the message (like village name or agency name) are populated accurately.
Error Conditions	- Cannot find a template for the event type. - Cannot determine the recipient for the notification.
Performance	Notification object creation time under 1 second.

F-NOTI-03: Deliver notification via in-app or email channels	
Field	**Description**
Function ID	F-NOTI-03

Function Name	DELIVER NOTIFICATION VIA IN-APP OR EMAIL CHANNELS
Description	Sends the composed notification to the target user(s) through the designated channels (e.g., a notification center within the platform, email).
Input Parameters	The complete notification object from F-NOTI-02.
Output/Return	- A delivery status (Success/Fail). - A record of the sent notification in the database.
Business Rules	- The system should check the user's notification preferences to determine which channel(s) to use. - A record of every sent notification must be stored for history and auditing purposes. - For email notifications, an external email gateway service will be used.
Priority	Critical
Complexity	High
Dependencies	F-NOTI-02, User Notification Preferences, Email Gateway Service.
Acceptance Criteria	- In-app notifications are successfully saved to the user's notification list in the database. - Email notifications are successfully handed off to the email service for delivery. - The delivery status is logged correctly.
Error Conditions	- Email gateway is down or returns an error. - Error writing the notification record to the database. - Invalid recipient email address.
Performance	The notification should be dispatched within 5 seconds of creation.

F-NOTI-04: Show received notifications on the user dashboard	
Field	**Description**
Function ID	F-NOTI-04
Function Name	SHOW RECEIVED NOTIFICATIONS ON THE USER DASHBOARD
Description	Fetches and displays a list of a user's notifications in their in-app notification center or dashboard.
Input Parameters	The ID of the currently logged-in user.
Output/Return	A formatted list of notifications, typically sorted by date with the newest first.
Business Rules	- The list should show a summary of each notification (e.g., title, a short snippet). - There should be a visual indicator for unread notifications. - Clicking a notification should mark it as "read" and navigate the user to the relevant page (e.g., the specific e-contract page).
Priority	High
Complexity	Average
Dependencies	Notification Database.
Acceptance Criteria	- The user's notification list is displayed accurately. - Unread notifications are clearly distinguished from read ones. - The total count of unread notifications is displayed correctly on a notification icon/bell.
Error Conditions	- Error fetching notification data from the database. - User ID is invalid.

Performance	Notification list should load in under 2 seconds.

GROUP 7: RATINGS

UC-M09: View Ratings

F-RT-001: Display rating interface (e.g., stars, comment box)	
Field	**Description**
Function ID	F-RT-001
Function Name	DISPLAY RATING INTERFACE
Description	Displays the rating interface (e.g., stars, comment box) for the user to submit a review.
Input Parameters	User action to open the form (e.g., clicking a "Leave a Review" button).
Output/Return	A modal or form section containing an interactive star selector and a text area for comments.
Business Rules	- User must be logged in to access the rating form. - A user should only be able to rate an entity (e.g., a Craft Village or Tour) they have a confirmed interaction with.
Priority	High
Complexity	Low
Dependencies	User Authentication System.
Acceptance Criteria	The rating form, including interactive stars (1-5) and a comment box, is successfully displayed to the user.
Error Conditions	The user is not logged in or is not authorized to leave a review for the item.
Performance	The form should load in under 1 second.

F-RT-02: Fetch rating information from the database	
Field	**Description**
Function ID	F-RT-02
Function Name	FETCH RATING INFORMATION FROM THE DATABASE
Description	Queries and retrieves all rating data related to a specific item (e.g., a craft village) from the database.
Input Parameters	ID of the rated item (e.g., craft_village_id).
Output/Return	A collection of rating records, each containing (reviewer ID, reviewer name, score, comment, date).
Business Rules	The system must retrieve all ratings that have been approved.
Priority	Critical
Complexity	Low
Dependencies	Ratings Database.
Acceptance Criteria	The system accurately and completely returns all valid rating records for the provided item ID.
Error Conditions	- No ratings found for the item. - Database connection error.
Performance	Query time under 1 second.

F-RT-03: Show overall average rating and number of reviews	
Field	**Description**

Function ID	F-RT-03
Function Name	SHOW OVERALL AVERAGE RATING AND NUMBER OF REVIEWS
Description	Calculates and displays the average rating score and the total number of reviews received.
Input Parameters	A collection of rating data (from F-RT-02).
Output/Return	A UI displaying summary metrics (e.g., "4.5 stars" and "120 reviews").
Business Rules	- The average score must be rounded to one decimal place. - If there are no reviews, it should display "No reviews yet."
Priority	High
Complexity	Average
Dependencies	F-RT-02.
Acceptance Criteria	- The average score is calculated and displayed correctly. - The total number of reviews is counted and displayed correctly.
Error Conditions	The input data is empty.
Performance	Calculation and display time under 0.5 seconds.

F-RT-04: Present individual ratings with reviewer name, score, and comment	
Field	**Description**
Function ID	F-RT-04

Function Name	PRESENT INDIVIDUAL RATINGS WITH REVIEWER NAME, SCORE, AND COMMENT
Description	Displays a list of individual reviews, including the reviewer's name, the score they gave, and the text of their comment.
Input Parameters	A collection of rating data (from F-RT-02).
Output/Return	A list of detailed reviews rendered on the user interface.
Business Rules	- The reviewer's name may be partially anonymized for privacy (e.g., "John D."). - Implement pagination if the number of reviews is large (e.g., 10 reviews per page).
Priority	High
Complexity	Low
Dependencies	F-RT-02.
Acceptance Criteria	Each review in the list accurately displays the reviewer's information, score, and comment.
Error Conditions	The input data is empty.
Performance	Loads quickly and does not slow down the UI, even with a large number of reviews.

F-RT-05: Enable filtering or sorting by score, date, or reviewer	
Field	**Description**
Function ID	F-RT-05

Function Name	ENABLE FILTERING OR SORTING BY SCORE, DATE, OR REVIEWER
Description	Provides the user with options to filter or sort the list of reviews based on various criteria.
Input Parameters	User's selection (e.g., filter by "5 stars," sort by "Most recent").
Output/Return	The list of reviews is updated and re-rendered according to the selected criteria.
Business Rules	- Sorting options must include: Most Recent, Oldest, Highest Score, Lowest Score. - Filtering options must include: by star rating (1 through 5 stars).
Priority	Medium
Complexity	Average
Dependencies	F-RT-04.
Acceptance Criteria	- When a user selects a filter/sort option, the review list immediately refreshes to reflect the choice. - The options function correctly.
Error Conditions	Error in applying the filter or sorting logic.
Performance	Response time after selecting a filter/sort option is under 1 second.

UC-A06/UC-C04: Send Ratings

F-RT-001: Display rating interface (e.g., stars, comment box)	
Field	**Description**
Function ID	F-RT-001

Function Name	DISPLAY RATING INTERFACE
Description	Displays the rating interface (e.g., stars, comment box) for the user to submit a review.
Input Parameters	User action to open the form (e.g., clicking a "Leave a Review" button).
Output/Return	A modal or form section containing an interactive star selector and a text area for comments.
Business Rules	- User must be logged in to access the rating form. - A user should only be able to rate an entity (e.g., a Craft Village or Tour) they have a confirmed collaboration with.
Priority	High
Complexity	Low
Dependencies	User Authentication System.
Acceptance Criteria	The rating form, including interactive stars (1-5) and a comment box, is successfully displayed to the user.
Error Conditions	The user is not logged in or is not authorized to leave a review for the item.
Performance	The form should load in under 1 second.

F-RT-06: Allow user to select a rating score and enter an optional comment	
Field	**Description**
Function ID	F-RT-06
Function Name	ALLOW USER TO SELECT A RATING SCORE AND ENTER AN OPTIONAL COMMENT

Description	Enables the user to interact with the rating form to select a star rating and type a comment.
Input Parameters	User interactions with the form elements (e.g., clicking on a star, typing in the text box).
Output/Return	The state of the rating form is updated to reflect the user's input.
Business Rules	- The rating score (1-5 stars) is a mandatory field. - The comment is optional but may have a character limit (e.g., 1000 characters).
Priority	High
Complexity	High
Dependencies	F-RT-05
Acceptance Criteria	- The user can successfully select a star rating, and the selection is visually confirmed. - The user can type text into the comment box.
Error Conditions	None for this function; validation occurs at submission.
Performance	User input should be reflected with no perceivable delay.

F-RT-07: Check that rating value is valid and required fields are completed	
Field	**Description**
Function ID	F-RT-07
Function Name	CHECK THAT RATING VALUE IS VALID AND REQUIRED FIELDS ARE COMPLETED

Description	Validates the user's input upon submission to ensure all required fields have been completed correctly.
Input Parameters	User's submitted rating data (score, comment).
Output/Return	- A validation status (pass/fail). - An error message if validation fails (e.g., "Please select a star rating.").
Business Rules	- A rating score (value from 1 to 5) must be present.
Priority	Critical
Complexity	Low
Dependencies	F-RT-06.
Acceptance Criteria	- The system correctly identifies if a star rating has been selected. - The submission is blocked, and an error message is shown if no rating score is selected.
Error Conditions	The user attempts to submit the form without selecting a star rating.
Performance	Client-side validation should be instantaneous.

F-RT-08: Send rating data to the system and store it in the database	
Field	**Description**
Function ID	F-RT-08
Function Name	SEND RATING DATA TO THE SYSTEM AND STORE IT IN THE DATABASE

Description	Transmits the validated rating data to the server and creates a new rating record in the database.
Input Parameters	- Validated rating data (score, comment). - User ID of the reviewer. - ID of the item being rated.
Output/Return	A success or failure status for the database write operation.
Business Rules	The new rating record must be correctly associated with both the user who submitted it and the item that was rated.
Priority	Critical
Complexity	Average
Dependencies	F-RT-07, Ratings Database.
Acceptance Criteria	A new rating record containing the correct user ID, item ID, score, and comment is successfully created in the database.
Error Conditions	- Database connection failure. - Error during the data insertion process.
Performance	The data submission and saving process should complete in under 2 seconds.

F-RT-09: Display success message and update rating list in real time	
Field	**Description**
Function ID	F-RT-09
Function Name	DISPLAY SUCCESS MESSAGE AND UPDATE RATING LIST IN REAL TIME

Description	Informs the user that their submission was successful and dynamically updates the list of reviews to include the new rating.
Input Parameters	A success status from F-RT-09.
Output/Return	- A success notification on the UI (e.g., "Thank you for your review!"). - An updated view of the ratings list showing the new review.
Business Rules	- The new rating should ideally appear at the top of the ratings list (if sorted by "Most recent"). - The rating form should be closed or reset after successful submission.
Priority	High
Complexity	Low
Dependencies	F-RT-08.
Acceptance Criteria	- The user sees a clear success message. - The user's new review is immediately visible in the list of reviews without requiring a page reload.
Error Conditions	The UI fails to update after a successful database write.
Performance	The UI update should appear to be instantaneous to the user.

<u>GROUP 8: CHAT</u>

UC-A07/UC-C05: Chat

F-CRM-01: Start a chat conversation with another user	
Field	**Description**
Function ID	F-CRM-01

Function Name	START A CHAT CONVERSATION WITH SUPPORT OR ANOTHER USER
Description	Allows an authenticated user (e.g., Travel Agency) to open a chat window and initiate a new conversation with another Craft Village.
Input Parameters	- Initiator's User ID. - Recipient's User ID.
Output/Return	- A new, active chat session is created in the backend. - The chat window interface for this session is displayed to the user.
Business Rules	- A chat session can only be initiated between a Travel Agency and a Craft Village after the Craft Village has officially accepted the "Matching Request" from that Agency. - The chat button/interface remains disabled (greyed out) on both the Village and Agency profiles until the request status is updated to "Accepted". - Each chat session is tied to a specific matched pair to ensure discussions are relevant to their cooperation.
Priority	High
Complexity	Low
Dependencies	User Authentication System, User Database.
Acceptance Criteria	A chat window successfully opens, displaying the name of the recipient and the conversation history if it exists. A new session is registered on the server.
Error Conditions	- The recipient user does not exist or cannot be chatted with. - Network connection error prevents session creation.
Performance	The chat window should open and be ready for input in under 2 seconds.

F-CRM-02: Transmit a text message during a chat session	
Field	**Description**
Function ID	F-CRM-02
Function Name	TRANSMIT A TEXT MESSAGE DURING A CHAT SESSION
Description	Captures the text input from the sender and sends it over the network to the recipient(s) within the context of an active chat session.
Input Parameters	- Active Session ID. - Sender's User ID. - Message content (string).
Output/Return	The message is successfully sent to the chat server for delivery to the recipient. The message also appears in the sender's own chat window.
Business Rules	- Message content cannot be empty. - A character limit per message may apply (e.g., 2000 characters).
Priority	Critical
Complexity	Average
Dependencies	An active chat session (created by F-CRM-04), Real-time communication server (e.g., WebSocket).
Acceptance Criteria	When the user types a message and clicks 'Send', the message is immediately displayed in their chat history and is successfully transmitted to the server.
Error Conditions	- The message fails to send due to a loss of network connectivity. - The chat session has expired or been closed.
Performance	Message transmission from client to server should be under 500ms.

F-CRM-03: Display incoming messages in real time	
Field	**Description**
Function ID	F-CRM-03
Function Name	DISPLAY INCOMING MESSAGES IN REAL TIME
Description	Actively listens for new messages from the chat server and, upon receipt, displays them in the recipient's chat window without requiring a page refresh.
Input Parameters	New message data received from the server (e.g., Session ID, sender's name, message content, timestamp).
Output/Return	The new message is rendered and appended to the conversation history in the recipient's chat UI.
Business Rules	- Messages must be displayed in chronological order. - A notification (visual or audio) should be triggered for new messages. - The sender of each message should be clearly identified.
Priority	Critical
Complexity	Low
Dependencies	Real-time communication client, Active chat UI.
Acceptance Criteria	A message sent by one user appears in the other user's active chat window almost instantly, with the correct sender information and content.
Error Conditions	- The client is disconnected from the real-time server. - Incoming message data is malformed or corrupted.
Performance	The delay between a message being received by the client and displayed on the screen should be less

F-CRM-04: Terminate chat and save conversation record	
Field	**Description**
Function ID	F-CRM-04
Function Name	TERMINATE CHAT AND SAVE CONVERSATION RECORD
Description	Ends the active chat session (e.g., when the user closes the window) and ensures the complete conversation history is persisted in the database.
Input Parameters	- Session ID. - User action to close the chat.
Output/Return	The chat session is marked as inactive or closed. The conversation is saved as a historical record.
Business Rules	- The entire chat history for the session must be saved and associated with both participating users. - The saved conversation should be accessible to both users for future reference in a "Message History" section.
Priority	High
Complexity	Low
Dependencies	Chat Database, Active chat session.
Acceptance Criteria	When a chat is closed, the session is properly terminated. The full conversation log is successfully saved and can be retrieved later by either participant.
Error Conditions	- Failure to write the conversation log to the database due to a connection error.

	- The session fails to close properly on the server.
Performance	Saving the conversation log should occur in the background and not block the UI. The process should complete within a few seconds.

<u>GROUP 9: PLATFORM ADMINISTRATION</u>

UC-Ad01 Approve Account

F-ADMIN-001: Retrieve and display the list of unapproved user accounts	
Field	**Description**
Function ID	F-ADMIN-001
Function Name	RETRIEVE AND DISPLAY UNAPPROVED USER ACCOUNTS
Description	Fetches and displays a list of all user accounts that are currently in a "Pending Approval" state.
Input Parameters	Admin user session.
Output/Return	A list/table of pending accounts, showing key details like name, email, account type, and registration date.
Business Rules	The list should only show accounts with a "pending" status. The list should be sortable by registration date.
Priority	Critical
Complexity	Low
Dependencies	User Database.
Acceptance Criteria	Admin can view a complete and accurate list of all user accounts awaiting approval.
Error Conditions	Database connection error. No pending accounts to display.
Performance	The list should load in under 3 seconds, even with a large number of pending users.

F-ADMIN-02: Access detailed information and uploaded documents

Field	Description
Function ID	F-ADMIN-02
Function Name	ACCESS DETAILED INFORMATION AND DOCUMENTS
Description	Allows the admin to view the full details of a selected pending account, including any documents uploaded during registration.
Input Parameters	User ID of the selected pending account.
Output/Return	A detailed view of the user's profile information and a link to view/download uploaded documents.
Business Rules	Admin must have the necessary permissions to view user data.
Priority	Critical
Complexity	Average
Dependencies	User Database, Document Storage System.
Acceptance Criteria	Admin can select any pending user and see all the information they submitted during registration.
Error Conditions	User ID does not exist. Uploaded documents are missing or corrupt.
Performance	User details should load in under 2 seconds.

F-ADMIN-03: Confirm approval and activate user access	
Field	**Description**
Function ID	F-ADMIN-03
Function Name	CONFIRM APPROVAL AND ACTIVATE USER ACCESS
Description	Changes the status of a user account from "Pending" to "Active" or "Approved," granting them access to the platform.
Input Parameters	User ID of the account to be approved. Admin confirmation action.

Output/Return	A success message. The user account status is updated in the database.
Business Rules	Once approved, the user should receive an automated notification about their account activation. The account can now be used to log in.
Priority	Critical
Complexity	Average
Dependencies	User Database, Notification Service (F-NOTI-001).
Acceptance Criteria	The user's status is changed to "Active" in the database, and they are removed from the pending list.
Error Conditions	Database update failure. The account is no longer in a "pending" state.
Performance	The update should process in under 1 second.

UC-Ad02 Reject Account

F-ADMIN-04: Retrieve and display accounts awaiting review	
Field	**Description**
Function ID	F-ADMIN-04
Function Name	RETRIEVE AND DISPLAY ACCOUNTS AWAITING REVIEW
Description	Fetches and displays a list of all user accounts that are currently in a "Pending Approval" state. (Note: This is functionally identical to F-ADMIN-001).
Input Parameters	Admin user session.
Output/Return	A list/table of pending accounts with key details.
Business Rules	The list should only show accounts with a "pending" status.
Priority	Critical
Complexity	Low
Dependencies	User Database.

Acceptance Criteria	Admin can view a complete and accurate list of all user accounts awaiting review.
Error Conditions	Database connection error.
Performance	The list should load in under 3 seconds.

F-ADMIN-05: Check submitted information and reasons for rejection	
Field	**Description**
Function ID	F-ADMIN-05
Function Name	CHECK SUBMITTED INFORMATION AND REASONS FOR REJECTION
Description	Allows the admin to review the full details of a selected pending account to determine the reason for rejection. Admin may be required to select or input a reason for rejection.
Input Parameters	User ID of the selected pending account.
Output/Return	A detailed view of the user's profile and an interface to provide a rejection reason.
Business Rules	Providing a reason for rejection may be mandatory.
Priority	High
Complexity	Average
Dependencies	User Database.
Acceptance Criteria	Admin can view the user's information and successfully input or select a reason for the rejection.
Error Conditions	User ID does not exist.
Performance	User details should load in under 2 seconds.

F-ADMIN-06: Mark the account as rejected and send rejection notification	
Field	**Description**
Function ID	F-ADMIN-06
Function Name	MARK ACCOUNT AS REJECTED AND SEND NOTIFICATION
Description	Updates the user account status to "Rejected" in the database and triggers a notification to be sent to the user.
Input Parameters	User ID of the account to be rejected. Reason for rejection.
Output/Return	A success message. The user account status is updated.
Business Rules	A rejected account cannot be used to log in. The rejection notification sent to the user should include the reason provided by the admin.
Priority	Critical
Complexity	Average
Dependencies	User Database, Notification Service (F-NOTI-001).
Acceptance Criteria	The user's status is changed to "Rejected" in the database, and they are removed from the pending list. An email/notification is sent to the user.
Error Conditions	Database update failure. Notification service failure.
Performance	The update and notification trigger should process in under 2 seconds.

UC-Ad03 View Account

F-ADMIN-07: Use search/filter options to locate the user	
Field	**Description**
Function ID	F-ADMIN-07
Function Name	USE SEARCH/FILTER OPTIONS TO LOCATE THE USER
Description	Provides an interface for the admin to search for user accounts based on various criteria (e.g., name, email, account type, status).

Input Parameters	Search keywords and/or filter parameters.
Output/Return	A list of user accounts that match the search/filter criteria.
Business Rules	Search should be case-insensitive. Filters should be combinable (e.g., search for "active" Travel Agencies).
Priority	High
Complexity	Average
Dependencies	User Database.
Acceptance Criteria	Admin can successfully find a specific user or a group of users by applying relevant search terms and filters.
Error Conditions	No results found for the given criteria. Invalid search parameter.
Performance	Search results should appear in under 3 seconds.

F-ADMIN-08: Choose a specific user from the search output	
Field	**Description**
Function ID	F-ADMIN-08
Function Name	CHOOSE A SPECIFIC USER FROM THE SEARCH OUTPUT
Description	Allows the admin to select a single user account from the search results list to view its details.
Input Parameters	User selection from the results list (e.g., a click event).
Output/Return	Triggers the display of the selected user's detailed profile.
Business Rules	None.
Priority	High
Complexity	Low
Dependencies	F-ADMIN-07.

Acceptance Criteria	Clicking a user in the search results list correctly navigates the admin to that user's detailed view.
Error Conditions	The link to the user's profile is broken or incorrect.
Performance	Navigation should be instantaneous.

F-ADMIN-09: Display full profile, activity log, and status	
Field	**Description**
Function ID	F-ADMIN-09
Function Name	DISPLAY FULL PROFILE, ACTIVITY LOG, AND STATUS
Description	Displays a comprehensive view of the selected user's account, including all profile information, current status (Active, Banned, etc.), and a log of their key activities on the platform.
Input Parameters	User ID.
Output/Return	A detailed user profile page.
Business Rules	The activity log should display recent, relevant actions (e.g., contract creations, tour uploads, logins).
Priority	High
Complexity	Average
Dependencies	User Database, Activity Log Database.
Acceptance Criteria	Admin can view all relevant information for a selected user account in a clear and organized manner.
Error Conditions	User ID does not exist. Error fetching activity log.
Performance	The full profile and activity log should load in under 3 seconds.

UC-Ad04: Ban Account

F-ADMIN-10: Detect accounts violating community or platform rules	
Field	**Description**
Function ID	F-ADMIN-10
Function Name	DETECT ACCOUNTS VIOLATING COMMUNITY OR PLATFORM RULES
Description	The process by which an admin identifies an account that has violated platform rules. This can be through manual review, user reports, or automated system flags.
Input Parameters	User account information, user reports, system alerts.
Output/Return	Identification of a violator's account (User ID).
Business Rules	The criteria for what constitutes a violation must be clearly defined in the platform's terms of service.
Priority	Critical
Complexity	Average
Dependencies	User Profile (F-ADMIN-09), Reporting System.
Acceptance Criteria	Admin can successfully identify and confirm an account for a ban action based on evidence of a rule violation.
Error Conditions	Insufficient evidence for a ban. False positive from automated flags.
Performance	N/A (Manual process).

F-ADMIN-11: Restrict access and update account status to “banned”	
Field	**Description**
Function ID	F-ADMIN-11
Function Name	RESTRICT ACCESS AND UPDATE ACCOUNT STATUS TO "BANNED"

Description	Applies the ban action to an account by changing its status to "Banned" and immediately restricting its access to the platform.
Input Parameters	User ID. Duration and reason for the ban. Admin confirmation.
Output/Return	A success message. The user account status is updated.
Business Rules	A banned account cannot be used to log in. The system must invalidate any active sessions for the banned user immediately.
Priority	Critical
Complexity	Average
Dependencies	User Database, Session Management System.
Acceptance Criteria	The user's account status is changed to "Banned" in the database, and the user is immediately logged out and blocked from logging back in.
Error Conditions	Database update failure. Failure to terminate the user's active session.
Performance	The ban action should take effect in under 2 seconds.

F-ADMIN-12: Send notification informing user of the ban reason and duration	
Field	**Description**
Function ID	F-ADMIN-12
Function Name	SEND NOTIFICATION INFORMING USER OF BAN
Description	Triggers a notification to be sent to the banned user, informing them of the ban, the reason, and its duration.
Input Parameters	User ID, ban reason, ban duration.
Output/Return	A dispatched notification.
Business Rules	The notification must clearly state the reason for the ban to maintain transparency.
Priority	High

Complexity	Average
Dependencies	Notification Service (F-NOTI-001).
Acceptance Criteria	An email/notification is successfully sent to the user's registered email address.
Error Conditions	Notification service failure. User's email is invalid.
Performance	Notification should be sent within 5 seconds of the ban action.

UC-Ad05 View Dashboard

F-ADMIN-13: Display main dashboard overview for administrators	
Field	**Description**
Function ID	F-ADMIN-13
Function Name	DISPLAY MAIN DASHBOARD OVERVIEW FOR ADMINISTRATORS
Description	Displays the main administrative dashboard, which provides a high-level overview of key platform metrics and activities.
Input Parameters	Admin user session.
Output/Return	The admin dashboard interface.
Business Rules	The dashboard should show metrics like new user registrations, number of active contracts, newly uploaded tours, and pending accounts.
Priority	Critical
Complexity	High
Dependencies	User Database, Contract Database, Tour Database.
Acceptance Criteria	Admin can access the dashboard and see up-to-date, relevant summary statistics about the platform.
Error Conditions	Error fetching data from one or more databases.
Performance	Dashboard should load with all key metrics in under 4 seconds.

F-ADMIN-14: Access logs of matching activities and outcomes	
Field	**Description**
Function ID	F-ADMIN-14
Function Name	ACCESS LOGS OF MATCHING ACTIVITIES AND OUTCOMES
Description	Allows the admin to view logs and history related to the matching process between travel agencies and craft villages.
Input Parameters	Date range or other filter criteria.
Output/Return	A detailed log view showing which agencies matched with which villages, the status of offers, and contract outcomes.
Business Rules	Logs should be detailed enough to trace the history of a partnership.
Priority	Medium
Complexity	Average
Dependencies	Contract/Matching Log Database.
Acceptance Criteria	Admin can successfully retrieve and review the history of matching activities on the platform.
Error Conditions	Error fetching log data.
Performance	Logs should be searchable and display results within 3 seconds.

F-ADMIN-15: Review performance and user engagement reports	
Field	**Description**
Function ID	F-ADMIN-15
Function Name	REVIEW PERFORMANCE AND USER ENGAGEMENT REPORTS
Description	Generates and displays reports on platform performance, user engagement, popular craft villages, and active travel agencies.

Input Parameters	Report type, date range.
Output/Return	A generated report in a readable format (table or chart).
Business Rules	Reports should be exportable (e.g., to CSV or PDF).
Priority	Medium
Complexity	High
Dependencies	Analytics Database/Service.
Acceptance Criteria	Admin can generate various performance and engagement reports to gain insights into platform usage.
Error Conditions	Analytics data is unavailable. Report generation fails.
Performance	Simple reports should generate in under 5 seconds; complex reports in under 15 seconds.

F-ADMIN-16: Produce data visualizations and key metrics summaries	
Field	**Description**
Function ID	F-ADMIN-16
Function Name	PRODUCE DATA VISUALIZATIONS AND KEY METRICS SUMMARIES
Description	Renders data from the dashboard and reports as visual charts and graphs (e.g., bar charts for user growth, pie charts for account types).
Input Parameters	Aggregated data for a specific metric.
Output/Return	Visual charts and graphs embedded in the dashboard or reports.
Business Rules	Visualizations must accurately represent the underlying data and be easy to understand.
Priority	High
Complexity	Average

Dependencies	F-ADMIN-13, F-ADMIN-15, Charting/Graphing Library.
Acceptance Criteria	Key metrics on the dashboard are displayed as clear and accurate visualizations.
Error Conditions	Data formatting is incorrect for the charting library.
Performance	Charts should render in under 2 seconds after the data is fetched.

UC-Ad06: Send Notifications

F-ADMIN-17: Display notification management dashboard	
Field	**Description**
Function ID	F-ADMIN-17
Function Name	DISPLAY NOTIFICATION MANAGEMENT DASHBOARD
Description	Displays the main interface for creating and managing system-wide or targeted notifications.
Input Parameters	Admin user session.
Output/Return	A dashboard showing a history of sent notifications and an option to create a new one.
Business Rules	The dashboard should show the status of past notifications (e.g., sent, number of recipients).
Priority	High
Complexity	Average
Dependencies	Notification Database.
Acceptance Criteria	Admin can access the notification dashboard and see a history of previous communications.
Error Conditions	Error fetching notification history.
Performance	Dashboard should load in under 3 seconds.

F-ADMIN-18: Enter title, message content, and recipient group

Field	Description
Function ID	F-ADMIN-18
Function Name	ENTER TITLE, MESSAGE CONTENT, AND RECIPIENT GROUP
Description	Provides a form for the admin to compose a new notification, including its title, body content, and target audience.
Input Parameters	Text for title and message body. Selection of recipient group.
Output/Return	A composed notification ready for previewing or sending.
Business Rules	Recipient groups can be defined (e.g., "All Users," "All Travel Agencies," "All Craft Villages," or specific users). The message editor should support basic formatting.
Priority	High
Complexity	Low
Dependencies	User Database (for recipient groups).
Acceptance Criteria	Admin can successfully compose a message and select a valid group of recipients.
Error Conditions	Recipient group is empty. Title or message body is empty.
Performance	No performance lag during composition.

F-ADMIN-19: Show notification preview before sending	
Field	**Description**
Function ID	F-ADMIN-19
Function Name	SHOW NOTIFICATION PREVIEW BEFORE SENDING
Description	Displays a preview of how the notification will look to the end-user before the admin confirms sending it.
Input Parameters	The composed notification from F-ADMIN-18.

Output/Return	A preview of the final notification.
Business Rules	The preview should accurately reflect the final appearance.
Priority	High
Complexity	Average
Dependencies	F-ADMIN-18.
Acceptance Criteria	Admin can see an accurate preview of the notification before committing to send it.
Error Conditions	Preview generation fails.
Performance	Preview should appear instantly.

F-ADMIN-20: Dispatch notification to selected users or user groups	
Field	**Description**
Function ID	F-ADMIN-20
Function Name	DISPATCH NOTIFICATION TO SELECTED USERS OR USER GROUPS
Description	Sends the composed and confirmed notification to all users in the selected recipient group.
Input Parameters	Finalized notification content and the list of recipient User IDs.
Output/Return	An acknowledgement that the sending process has started. A job ID for tracking.
Business Rules	For large groups, sending should be handled as a background job to avoid UI freezes. A record of the sent notification should be stored.
Priority	Critical
Complexity	Average
Dependencies	Notification Service, Background Job Queue.

Acceptance Criteria	The system successfully queues the notification for delivery to all intended recipients.
Error Conditions	Notification service is down. Recipient list is invalid.
Performance	The dispatch command should be acknowledged in under 2 seconds. The background job handles the actual sending.

F-ADMIN-21: Display confirmation of successful or failed sends	
Field	**Description**
Function ID	F-ADMIN-21
Function Name	DISPLAY CONFIRMATION OF SUCCESSFUL OR FAILED SENDS
Description	Shows the final status of the dispatch job on the notification dashboard, indicating whether the sends were successful, partially successful, or failed.
Input Parameters	The job ID from the dispatch process (F-ADMIN-20).
Output/Return	A status update on the dashboard (e.g., "Sent successfully to 500 users," "Failed to send to 5 users").
Business Rules	The system should provide details on any failed sends if possible.
Priority	High
Complexity	Average
Dependencies	Notification Sending Log.
Acceptance Criteria	Admin can clearly see the outcome of the notification dispatch on the dashboard.
Error Conditions	Unable to retrieve the status of the sending job.
Performance	Status should be updated in near real-time as the background job completes.

UC-Ad07: Select Craft Villages (For Suggestion)

F-ADMIN-22: Open suggestion management interface	
Field	**Description**
Function ID	F-ADMIN-22
Function Name	OPEN SUGGESTION MANAGEMENT INTERFACE
Description	Displays the primary dashboard for the Admin to start the process of identifying and managing village suggestions.
Input Parameters	Admin user session.
Output/Return	The "Craft Village Suggestion Management" page containing the search bar and the initial list of villages.
Business Rules	- Only users with the "Admin" role (Department of Tourism) can access this module. - By default, the interface should display a list of the most recently joined or highly-rated active villages.
Priority	High
Complexity	Low
Dependencies	Login function (UC-M01).
Acceptance Criteria	Admin clicks the menu item and is immediately navigated to the Suggestion Management dashboard.
Error Conditions	Unauthorized access (Redirect to Home).
Performance	Page load time should be under 2 seconds.

F-ADMIN-23: Search and filter craft villages	
Field	**Description**
Function ID	F-ADMIN-23
Function Name	SEARCH AND FILTER CRAFT VILLAGES
Description	Allows the Admin to search for a specific village or filter results by categories like region, specialty, or status.
Input Parameters	Search keywords (string), Filter criteria (Region, Specialty).
Output/Return	A filtered list of villages matching the search/filter parameters.
Business Rules	- Search must be case-insensitive and support partial matches for village names. - Admin can search for both "Active" and "Inactive" villages to decide which ones to promote.
Priority	Critical
Complexity	Low
Dependencies	F-ADMIN-22, Craft Village Database.
Acceptance Criteria	Results accurately reflect the keywords entered; search results appear in a clear table/list format.
Error Conditions	No matching results found (display "No villages found matching your criteria").
Performance	Search query should return results within 1.5 seconds.

F-ADMIN-24: Display specific craft village details	
Field	**Description**
Function ID	F-ADMIN-24
Function Name	DISPLAY CRAFT VILLAGE DETAILS
Description	Opens a detailed view of a selected village so the Admin can verify if they are suitable for recommendation.
Input Parameters	Village ID.
Output/Return	A detailed interface showing the village's profile, tour history, ratings, and current specialties.
Business Rules	- Displays internal data that Guests might not see, such as contact details of coordinators and account history. - This function is for viewing and verification purposes only.
Priority	High
Complexity	High
Dependencies	F-ADMIN-23, Craft Village Database.
Acceptance Criteria	All information shown (Address, Tours, Ratings) must be real-time data from the database.
Error Conditions	Village ID not found; Database connection error.
Performance	Detail page load time should not exceed 1 second.

UC-Ad08: Suggest Craft Villages

F-ADMIN-25: Select village for suggestion

Field	Description
Function ID	F-ADMIN-25
Function Name	SELECT VILLAGE FOR SUGGESTION
Description	Marks the chosen village(s) as the subject for suggestion.
Input Parameters	Selected Village ID(s), Admin Action (Select).
Output/Return	A "Selection state" that enables the "Add Suggestion" or "Write Rationale" button.
Business Rules	- The system must remember the selection even if the Admin navigates back to the list. - If a village is already in the suggestion list, the system should show a warning indicator.
Priority	High
Complexity	Low
Dependencies	F-ADMIN-24.
Acceptance Criteria	The UI highlights the selected village, and the action button to "Suggest" becomes active.
Error Conditions	None.
Performance	Selection feedback should be instantaneous.

F-ADMIN-26: Capture justification or highlight notes for suggestion	
Field	**Description**

Function ID	F-ADMIN-26
Function Name	CAPTURE JUSTIFICATION OR HIGHLIGHT NOTES FOR SUGGESTION
Description	Provides a text input field for the Admin to explain why a village is being recommended (e.g., "Top pick for pottery workshops").
Input Parameters	Rationale text (string), Highlight tags (optional).
Output/Return	Validated text data ready for database insertion.
Business Rules	- The justification should be limited to 500 characters to ensure concise display on the Agency dashboard.< - To maintain quality, the Admin must provide at least a short note to explain the suggestion.
Priority	Medium
Complexity	Low
Dependencies	F-ADMIN-25 (Selection confirmation).
Acceptance Criteria	The system successfully captures the input and prevents submission if the field is empty or exceeds the limit.
Error Conditions	Validation error (Text too long).
Performance	Input capture and validation should be instantaneous.

F-ADMIN-27: Record suggestion to database	
Field	**Description**

Function ID	F-ADMIN-27
Function Name	RECORD SUGGESTION TO DATABASE
Description	Formally saves the link between the Admin, the Craft Village, and the Rationale notes into the Admin Suggestions Database.
Input Parameters	Admin ID, Village ID, Justification Text, Timestamp.
Output/Return	Success/Failure status of the database write operation.
Business Rules	- The record must correctly link the Admin ID who made the choice and the Village ID. - Suggestions may have an optional "Valid Until" date if it is a seasonal recommendation.< - Once recorded, the village is marked as "Suggested" in the Directory for a specific period.
Priority	Critical
Complexity	Low
Dependencies	F-ADMIN-26, Suggestion Database.
Acceptance Criteria	A new entry is created in the Suggestion table; the village status in the Directory updates to reflect its recommended state.
Error Conditions	Database connection or write error.
Performance	Saving the record should complete in under 2 seconds.

F-ADMIN-28: Display success message and notify Travel Agencies

Field	Description
Function ID	F-ADMIN-28
Function Name	DISPLAY SUCCESS MESSAGE AND NOTIFY TRAVEL AGENCIES
Description	Confirms the suggestion to the Admin and triggers a system-wide or targeted notification to Travel Agencies about the new recommendation.
Input Parameters	Success status from F-ADMIN-27.
Output/Return	Success message: "Village has been added to the official suggestion list"; System Notification (F-NOTI).
Business Rules	- This function triggers the Notification Service (F-NOTI-001) to alert all active Travel Agency accounts. - The Admin sees an updated view of the "Current Suggestion List."
Priority	High
Complexity	Average
Dependencies	F-ADMIN-27, Notification Service.
Acceptance Criteria	The Admin receives visual confirmation; at least one sample Travel Agency account receives a notification about the new suggestion.
Error Conditions	Notification delivery failure (log the error, but keep the database record).
Performance	Notification trigger should occur near real-time.