


NAMA : Muhammad Ilham Reza Pratama

NIM : 2024230003

Karena saya bermain game CS2 dan Ini juga merupakan Hobi Saya

Diagram Flowchart



ABOUT.PHP

```
<?php
session_start();
$current_page = "about";

// FUNCTION: get tech badge color
function getTechColor(string $tech): string {
    $colors = [
        "PHP 8+"      => "#8847ff",
        "Bootstrap 5.3" => "#4b96e5",
        "HTML5"       => "#e4432d",
        "CSS3"        => "#4b96e5",
        "JavaScript"   => "#fbbf24",
    ];
    return $colors[$tech] ?? "#888";
}
?>

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>About – CS2 Knife Wiki</title>
    <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.min.css"
rel="stylesheet">
    <link
href="https://fonts.googleapis.com/css2?family=Rajdhani:wght@400;600;700&family=Orbitron:wght@700;900&family=Inter:wght@300;400&display=swap"
rel="stylesheet">
    <link rel="stylesheet" href="style.css">
</head>
<body>

<?php include 'navbar.php'; ?>

<div class="page-header py-5 text-center">
    <div class="container">
        <h1 class="hero-title">ABOUT <span class="accent">US</span></h1>
        <p class="hero-sub">Tentang aplikasi CS2 Knife Wiki</p>
    </div>
</div>

<section class="py-5">
    <div class="container">
        <div class="row justify-content-center">
            <div class="col-lg-10">
                <div class="row align-items-center g-4">
```

```

        <div class="col-md-3 text-center">
            
        </div>
        <div class="col-md-9">
            <div class="detail-card">
                <h2 style="font-
family:'Orbitron',monospace;color:#fff">CS Knife Encyclopedia</h2>
                <p class="detail-text">
                    A PHP-powered wiki dedicated to Counter-Strike
knife skins.

                    This site covers the three most iconic knife
types in CS2: the Karambit, Butterfly Knife, and M9 Bayonet – including their
origins, stats, popular skins, and fun facts.
                </p>
                <p class="detail-text">
                    Built by <strong style="color:#fff">CS Knife
Wiki Team</strong> as a PHP learning project demonstrating
                    variables, branching, looping, arrays,
functions, procedures, sessions, cookies, and form handling.
                </p>
                <div class="d-flex flex-wrap gap-2 mt-3">
                    <?php
                    $techs = ["PHP 8+", "Bootstrap 5.3", "HTML5",
"CSS3", "JavaScript"];

                    // LOOPING: foreach tech stack badges
                    foreach ($techs as $tech):
                        $tc = getTechColor($tech);
                    ?>
                    <span class="wear-pill" style="border-
color:<?= $tc ?>;color:<?= $tc ?>">
                        <?= htmlspecialchars($tech) ?>
                    </span>
                    <?php endforeach; ?>
                </div>
            </div>
        </div>
    </div>
</div>
</div>
</div>
</div>
</div>
</section>

<?php include 'footer.php'; ?>
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/js/bootstrap.bundle.min
.js"></script>
<script src="main.js"></script>

```

```
</body>
</html>
```

ADMIN.PHP

```
<?php
// =====
// admin.php – Admin Panel: CRUD Knives
// CS2 Knife Wiki | UAS PHP
// =====
session_start();
require_once 'db.php';

$current_page = 'admin';

// BRANCHING: cek login & role admin
if (!isset($_SESSION['user']) || $_SESSION['role'] !== 'admin') {
    header('Location: login.php');
    exit();
}

$db      = getDB();
$message = '';
$error   = '';

// =====
// FUNCTION: handle upload gambar – $_FILES
// =====
function uploadImage(): string {
    // Kalau ga ada file yang di-upload, return path default atau path lama
    if (empty($_FILES['image_file']['name'])) {
        return trim($_POST['image'] ?? 'images/placeholder.png');
    }

    $file      = $_FILES['image_file'];
    $allowed   = ['image/jpeg', 'image/png', 'image/gif', 'image/webp'];
    $max_size  = 2 * 1024 * 1024; // 2MB

    // BRANCHING: validasi tipe file
    if (!in_array($file['type'], $allowed)) {
        return 'ERROR:Format file harus JPG, PNG, GIF, atau WEBP.';
    }

    // BRANCHING: validasi ukuran file
    if ($file['size'] > $max_size) {
        return 'ERROR:Ukuran file maksimal 2MB.';
    }
}
```

```

// Buat nama file unik biar ga bentrok
$ext      = pathinfo($file['name'], PATHINFO_EXTENSION);
$filename = 'knife_' . time() . '_' . rand(100, 999) . '.' . $ext;

$target = __DIR__ . '/images/' . $filename;

// BRANCHING: pindahkan file dari temp ke folder images/
if (move_uploaded_file($file['tmp_name'], $target)) {
    return 'images/' . $filename;
}

return 'ERROR:Upload gagal. Cek permission folder images/.';
}

// =====
// CREATE - tambah knife baru
// =====
if ($_SERVER['REQUEST_METHOD'] === 'POST' && isset($_POST['action']) &&
$_POST['action'] === 'create') {
    $slug      = trim($_POST['slug']      ?? '');
    $name      = trim($_POST['name']      ?? '');
    $category_id = (int)($_POST['category_id'] ?? 1);
    $origin    = trim($_POST['origin']    ?? '');
    $rarity    = trim($_POST['rarity']    ?? 'Covert');
    $rarity_color = trim($_POST['rarity_color'] ?? '#e4432d');
    $price_range = trim($_POST['price_range'] ?? '');
    $short_desc = trim($_POST['short_desc'] ?? '');

    // Upload gambar
    $image = uploadImage();

    if (substr($image, 0, 6) === 'ERROR:') {
        $error = '✗ ' . substr($image, 6);
    } elseif (empty($slug) || empty($name)) {
        $error = 'Slug and Name are required.';
    } else {
        $stmt = $db->prepare('INSERT INTO knives (slug, name, category_id,
origin, rarity, rarity_color, price_range, short_desc, image) VALUES
(?,?,?,?,?,?,?,?,?)');
        $stmt->bind_param('ssissssss', $slug, $name, $category_id, $origin,
$rarity, $rarity_color, $price_range, $short_desc, $image);
        if ($stmt->execute()) {
            $message = '✅ Knife "' . htmlspecialchars($name) . '" added
successfully!';
        } else {
            $error = '✗ Failed to add knife. Slug might already exist.';
        }
    }
}

```

```

        $stmt->close();
    }
}

// =====
// UPDATE - edit knife
// =====
if ($_SERVER['REQUEST_METHOD'] === 'POST' && isset($_POST['action']) &&
$_POST['action'] === 'update') {
    $id      = (int)($_POST['id']      ?? 0);
    $name     = trim($_POST['name']    ?? '');
    $origin   = trim($_POST['origin']  ?? '');
    $rarity   = trim($_POST['rarity']  ?? 'Covert');
    $rarity_color = trim($_POST['rarity_color'] ?? '#e4432d');
    $price_range = trim($_POST['price_range'] ?? '');
    $short_desc = trim($_POST['short_desc'] ?? '');

    // Upload gambar (kalau ga upload baru, pakai path lama)
    $image = uploadImage();

    if (substr($image, 0, 6) === 'ERROR:') {
        $error = '✗ ' . substr($image, 6);
    } else {
        $stmt = $db->prepare('UPDATE knives SET name=?, origin=?, rarity=?,
rarity_color=?, price_range=?, short_desc=?, image=? WHERE id=?');
        $stmt->bind_param('ssssssi', $name, $origin, $rarity, $rarity_color,
$price_range, $short_desc, $image, $id);
        if ($stmt->execute()) {
            $message = '✅ Knife updated successfully!';
        } else {
            $error = '✗ Update failed.';
        }
        $stmt->close();
    }
}

// =====
// DELETE - hapus knife
// =====
if ($_SERVER['REQUEST_METHOD'] === 'POST' && isset($_POST['action']) &&
$_POST['action'] === 'delete') {
    $id = (int)($_POST['id'] ?? 0);
    $stmt = $db->prepare('DELETE FROM knives WHERE id = ?');
    $stmt->bind_param('i', $id);
    if ($stmt->execute()) {
        $message = '✅ Knife deleted.';
    } else {
        $error = '✗ Delete failed.';
    }
}

```

```

    }
    $stmt->close();
}

// =====
// SEARCH + READ - ambil data dari DB
// =====
$search = isset($_GET['search']) ? trim($_GET['search']) : '';
$edit_id = isset($_GET['edit']) ? (int)$_GET['edit'] : 0;

if (!empty($search)) {
    $like = '%' . $search . '%';
    $stmt = $db->prepare('SELECT k.*, c.name AS category_name FROM knives k
LEFT JOIN categories c ON k.category_id = c.id WHERE k.name LIKE ? OR k.origin
LIKE ? OR k.rarity LIKE ? ORDER BY k.id ASC');
    $stmt->bind_param('sss', $like, $like, $like);
    $stmt->execute();
    $knives_result = $stmt->get_result();
    $stmt->close();
} else {
    $knives_result = $db->query('SELECT k.*, c.name AS category_name FROM
knives k LEFT JOIN categories c ON k.category_id = c.id ORDER BY k.id ASC');
}

$knives = $knives_result->fetch_all(MYSQLI_ASSOC);
$categories = $db->query('SELECT * FROM categories ORDER BY name ASC')->fetch_all(MYSQLI_ASSOC);

$edit_knife = null;
if ($edit_id > 0) {
    $stmt = $db->prepare('SELECT * FROM knives WHERE id = ?');
    $stmt->bind_param('i', $edit_id);
    $stmt->execute();
    $edit_knife = $stmt->get_result()->fetch_assoc();
    $stmt->close();
}

$db->close();
?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Admin Panel - CS2 Knife Wiki</title>
    <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.min.css"
rel="stylesheet">

```

```

    <link
href="https://fonts.googleapis.com/css2?family=Rajdhani:wght@400;600;700&family=Orbitron:wght@700;900&family=Inter:wght@300;400&display=swap"
rel="stylesheet">
    <link rel="stylesheet" href="style.css">
    <style>
        .admin-table { background: #0d0d1a; border-radius: 12px; overflow:
hidden; }
        .admin-table th { background: #1a1a2e; color: #8847ff; font-family:
'Rajdhani', sans-serif; font-size: 0.85rem; text-transform: uppercase; letter-
spacing: 1px; border: none; padding: 12px 16px; }
        .admin-table td { border-color: #1e1e3a; color: #ccc; font-size:
0.9rem; padding: 10px 16px; vertical-align: middle; }
        .admin-table tr:hover td { background: rgba(136,71,255,0.05); }
        .thumb { width: 50px; height: 50px; object-fit: contain; background:
#0d0d1a; border-radius: 6px; }
        .form-admin { background: #0d0d1a; border: 1px solid #1e1e3a; border-
radius: 12px; padding: 24px; }
        .badge-rarity { font-size: 0.75rem; padding: 3px 8px; border-radius:
4px; background: rgba(255,255,255,0.05); }
        .upload-box { border: 2px dashed #2a2a4a; border-radius: 8px; padding:
12px; text-align: center; cursor: pointer; transition: border-color 0.2s; }
        .upload-box:hover { border-color: #8847ff; }
        .upload-box input[type=file] { display: none; }
        .preview-img { max-width: 100%; max-height: 80px; object-fit: contain;
border-radius: 6px; margin-top: 8px; display: none; }
    </style>
</head>
<body>

<?php include 'navbar.php'; ?>

<div class="page-header py-4 text-center">
    <div class="container">
        <h1 class="hero-title" style="font-size:2.2rem">ADMIN <span
class="accent">PANEL</span></h1>
        <p class="hero-sub">Manage Knife Database – CRUD Operations</p>
        <small style="color:#555">Logged in as: <strong
style="color:#8847ff"><?= htmlspecialchars($_SESSION['user'])
?></strong></small>
    </div>
</div>

<div class="container pb-5">

    <?php if ($message): ?>
    <div class="alert-cs2 success mb-4"><?= $message ?></div>
    <?php endif; ?>

```

```

<?php if ($error): ?>
<div class="alert-cs2 error mb-4"><?= htmlspecialchars($error) ?></div>
<?php endif; ?>

<div class="row g-4">

    <div class="col-lg-4">
        <div class="form-admin">
            <?php if ($edit_knife): ?>
                <h5 class="mb-3" style="color:#fbbf24;font-
family:'Rajdhani',sans-serif">✍ EDIT KNIFE</h5>
                <form method="POST" action="admin.php"
enctype="multipart/form-data">
                    <input type="hidden" name="action" value="update">
                    <input type="hidden" name="id" value="<?=
$edit_knife['id'] ?>">
                    <input type="hidden" name="image" value="<?=
htmlspecialchars($edit_knife['image']) ?>">
                    <?php else: ?>
                        <h5 class="mb-3" style="color:#4ade80;font-
family:'Rajdhani',sans-serif">✚ ADD NEW KNIFE</h5>
                        <form method="POST" action="admin.php"
enctype="multipart/form-data">
                            <input type="hidden" name="action" value="create">
                            <input type="hidden" name="image"
value="images/placeholder.png">
                            <div class="form-group-cs2 mb-3">
                                <label class="form-label-cs2">Slug <small
style="color:#555">(URL key, no spaces)</small></label>
                                <input type="text" name="slug" class="form-input-
cs2" placeholder="e.g. gut_knife" required>
                            </div>
                        <?php endif; ?>

                            <div class="form-group-cs2 mb-3">
                                <label class="form-label-cs2">Knife Name</label>
                                <input type="text" name="name" class="form-input-
cs2" placeholder="e.g. Gut Knife"
                                value="<?= $edit_knife ?
htmlspecialchars($edit_knife['name']) : '' ?>" required>
                            </div>

                            <div class="form-group-cs2 mb-3">
                                <label class="form-label-cs2">Category</label>
                                <select name="category_id" class="form-input-cs2">
                                    <?php foreach ($categories as $cat): ?>
                                        <option value="<?= $cat['id'] ?>"

```

```

                <?=$edit_knife &&
$edit_knife['category_id'] == $cat['id']) ? 'selected' : '' ?>>
                <?=$htmlspecialchars($cat['name']) ?>
            </option>
        <?php endforeach; ?>
    </select>
</div>

    <div class="form-group-cs2 mb-3">
        <label class="form-label-cs2">Origin</label>
        <input type="text" name="origin" class="form-
input-cs2" placeholder="e.g. United States"
            value="<?=$edit_knife ?
htmlspecialchars($edit_knife['origin']) : '' ?>">
    </div>

    <div class="row g-2 mb-3">
        <div class="col-8">
            <label class="form-label-cs2">Rarity</label>
            <select name="rarity" class="form-input-cs2">
                <?php foreach
(['Covert','Classified','Restricted','Mil-Spec'] as $r): ?>
                    <option value="<?=$r ?>" <?=$edit_knife
&& $edit_knife['rarity'] === $r) ? 'selected' : '' ?>>
                        <?=$r ?>
                    </option>
                <?php endforeach; ?>
            </select>
        </div>
        <div class="col-4">
            <label class="form-label-cs2">Color</label>
            <input type="color" name="rarity_color"
class="form-input-cs2" style="padding:4px;height:42px"
            value="<?=$edit_knife ?
htmlspecialchars($edit_knife['rarity_color']) : '#e4432d' ?>">
        </div>
    </div>

    <div class="form-group-cs2 mb-3">
        <label class="form-label-cs2">Price Range</label>
        <input type="text" name="price_range" class="form-
input-cs2" placeholder="e.g. $50 – $800+"
            value="<?=$edit_knife ?
htmlspecialchars($edit_knife['price_range']) : '' ?>">
    </div>

    <div class="form-group-cs2 mb-3">

```

```

<label class="form-label-cs2">Short
Description</label>
<textarea name="short_desc" class="form-input-cs2"
rows="2" style="resize:vertical"><?= $edit_knife ?
htmlspecialchars($edit_knife['short_desc']) : '' ?></textarea>
</div>

<div class="form-group-cs2 mb-3">
<label class="form-label-cs2">
Knife Image
<?php if ($edit_knife &&
!empty($edit_knife['image'])): ?>
<small style="color:#555">(kosongkan = pakai
foto lama)</small>
<?php endif; ?>
</label>

<?php if ($edit_knife &&
!empty($edit_knife['image'])): ?>
<div class="mb-2">

<small style="color:#555;display:block;margin-
top:4px">Foto saat ini</small>
</div>
<?php endif; ?>

<div class="upload-box"
onclick="document.getElementById('img_upload').click()">
<span style="color:#666;font-size:0.85rem">📁
Klik untuk pilih foto</span><br>
<small style="color:#444">JPG, PNG, GIF, WEBP
– maks 2MB</small>
<input type="file" id="img_upload"
name="image_file"
accept="image/jpeg,image/png,image/gif,
image/webp"
onchange="previewImage(this)">
<img id="img_preview" class="preview-img"
alt="Preview">
</div>
</div>

<div class="d-flex gap-2">
<?php if ($edit_knife): ?>

```

```

        <button type="submit" class="btn-cs2 flex-
fill">UPDATE ✓</button>
        <a href="admin.php" class="btn-cs2-outline
flex-fill text-center" style="padding:10px">CANCEL</a>
        <?php else: ?>
        <button type="submit" class="btn-cs2 w-
100">ADD KNIFE +</button>
        <?php endif; ?>
    </div>
</form>
</div>
</div>

<div class="col-lg-8">
    <form method="GET" action="admin.php" class="d-flex gap-2 mb-4">
        <input type="text" name="search" class="form-input-cs2 flex-
fill"
            placeholder="🔍 Search knife by name, origin, or
rarity..."
            value="<? = htmlspecialchars($search) ?>"
            <button type="submit" class="btn-cs2" style="white-
space:nowrap">SEARCH</button>
            <?php if (!empty($search)): ?>
            <a href="admin.php" class="btn-cs2-outline"
style="padding:10px 16px;white-space:nowrap">CLEAR</a>
            <?php endif; ?>
        </form>

        <?php if (!empty($search)): ?>
        <p style="color:#666;font-size:0.85rem" class="mb-2">
            Showing <strong style="color:#8847ff"><? = count($knives)
?></strong> result(s) for "<? = htmlspecialchars($search) ?>"
        </p>
        <?php endif; ?>

        <div class="table-responsive admin-table">
            <table class="table table-borderless mb-0">
                <thead>
                    <tr>
                        <th>IMG</th>
                        <th>Name</th>
                        <th>Category</th>
                        <th>Rarity</th>
                        <th>Price</th>
                        <th>Actions</th>
                    </tr>
                </thead>
                <tbody>

```

```

        <?php if (empty($knives)): ?>
        <tr>
            <td colspan="6" class="text-center py-4"
style="color:#555">
                No knives found <?= !empty($search) ? 'for "'
. htmlspecialchars($search) . '"': '' ?>
            </td>
        </tr>
        <?php endif; ?>

        <?php foreach ($knives as $k): ?>
        <tr>
            <td>
                "
                onerror="this.src='images/placeholder.png'"
            </td>
            <td>
                <strong style="color:#eee"><?=
htmlspecialchars($k['name']) ?></strong>
                <br><small style="color:#555"><?=
htmlspecialchars($k['slug']) ?></small>
            </td>
            <td style="color:#aaa"><?=
htmlspecialchars($k['category_name'] ?? '-') ?></td>
            <td>
                <span class="badge-rarity" style="color:<?=
htmlspecialchars($k['rarity_color']) ?>">
                    <?= htmlspecialchars($k['rarity']) ?>
                </span>
            </td>
            <td style="color:#fbbf24;font-size:0.8rem"><?=
htmlspecialchars($k['price_range'] ?? '-') ?></td>
            <td>
                <div class="d-flex gap-1">
                    <a href="admin.php?edit=<?= $k['id'] ?><?=
!empty($search) ? '&search=' . urlencode($search) : '' ?>"
                        class="btn btn-sm"
                        style="background:#1e1e3a;color:#fbbf24;border:1px solid #fbbf24;font-
size:0.75rem">
                        Edit
                    </a>
                    <form method="POST" action="admin.php"
                        onsubmit="return confirm('Delete <?=
htmlspecialchars(addslashes($k['name'])) ?>?')">

```

```

        <input type="hidden" name="action"
value="delete">
        <input type="hidden" name="id"
value="<?= $k['id'] ?>">
        <button type="submit" class="btn btn-
sm"
style="background:#1e1e3a;colo
r:#f87171;border:1px solid #f87171;font-size:0.75rem">
Delete
        </button>
    </form>
</div>
</td>
</tr>
<?php endforeach; ?>
</tbody>
</table>
</div>

<p class="mt-2" style="color:#444;font-size:0.8rem">
    Total: <?= count($knives) ?> knife(s) in database
</p>
</div>

</div>
</div>

<?php include 'footer.php'; ?>
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/js/bootstrap.bundle.min
.js"></script>
<script>
function previewImage(input) {
    const preview = document.getElementById('img_preview');
    if (input.files && input.files[0]) {
        const reader = new FileReader();
        reader.onload = function(e) {
            preview.src = e.target.result;
            preview.style.display = 'block';
        };
        reader.readAsDataURL(input.files[0]);
    }
}
</script>
</body>
</html>

```

COMPARE.PHP

```
<?php
session_start();
$current_page = "compare";

$knives_compare = [
    "karambit" => [
        "name"          => "Karambit",
        "image"         => "images/karambit.png",
        "color"         => "#e4432d",
        "avg_price"     => 800,
        "rarity_score"  => 95,
        "cool_factor"   => 98,
        "anim_score"    => 97,
        "value_score"   => 70,
        "drop_rate"     => 72,
        "avg_label"     => "~$800 avg",
        "tier"          => "S+",
    ],
    "butterfly" => [
        "name"          => "Butterfly Knife",
        "image"         => "images/butterfly.png",
        "color"         => "#8847ff",
        "avg_price"     => 900,
        "rarity_score"  => 93,
        "cool_factor"   => 97,
        "anim_score"    => 99,
        "value_score"   => 65,
        "drop_rate"     => 72,
        "avg_label"     => "~$900 avg",
        "tier"          => "S+",
    ],
    "m9bayonet" => [
        "name"          => "M9 Bayonet",
        "image"         => "images/m9bayonet.png",
        "color"         => "#4b96e5",
        "avg_price"     => 400,
        "rarity_score"  => 88,
        "cool_factor"   => 85,
        "anim_score"    => 82,
        "value_score"   => 90,
        "drop_rate"     => 72,
        "avg_label"     => "~$400 avg",
        "tier"          => "A",
    ],
];

$stats_labels = [
```

```

    "rarity_score" => "Rarity Score",
    "cool_factor"  => "Cool Factor",
    "anim_score"   => "Animation",
    "value_score"  => "Value for Money",
    "drop_rate"    => "Drop Rate",
];

// FUNCTION: determine winner for a stat
function getWinner(array $knives, string $stat): string {
    $best_val = -1; $best_name = "";
    foreach ($knives as $k) {
        if ($k[$stat] > $best_val) { $best_val = $k[$stat]; $best_name =
$k['name']; }
    }
    return $best_name;
}

// FUNCTION: get tier badge color – BRANCHING CASE 1
function getTierColor(string $tier): string {
    if ($tier === "S+") return "#fbbf24";
    elseif ($tier === "S") return "#e4432d";
    elseif ($tier === "A") return "#4b96e5";
    else return "#9ca3af";
}

// FUNCTION: get bar color per knife – BRANCHING CASE 2
function getBarColor(string $id): string {
    $colors = ["karambit" => "#e4432d", "butterfly" => "#8847ff", "m9bayonet"
=> "#4b96e5"];
    return $colors[$id] ?? "#888";
}
?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Compare Knives – CS2 Knife Wiki</title>
    <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.min.css"
rel="stylesheet">
    <link
href="https://fonts.googleapis.com/css2?family=Rajdhani:wght@400;600;700&family=Orbitron:wght@700;900&family=Inter:wght@300;400&display=swap"
rel="stylesheet">
    <link rel="stylesheet" href="style.css">
</head>
<body>

```

```

<?php include 'navbar.php'; ?>

<!-- PAGE HEADER -->
<div class="page-header py-5 text-center">
    <div class="container">
        <h1 class="hero-title">KNIFE <span class="accent">COMPARE</span></h1>
        <p class="hero-sub">Side-by-side knife statistics</p>
    </div>
</div>

<section class="py-5">
    <div class="container">

        <!-- ===== KNIFE HEADER CARDS (dengan gambar besar) ===== -->
        <div class="row g-4 mb-5">
            <?php
                // LOOPING CASE 1: foreach render knife compare cards
                foreach ($knives_compare as $id => $k):
                    $tier_color = getTierColor($k['tier']);
                ?>
                <div class="col-md-4">
                    <div class="cmp-header-card" style="--knife-color: <?=$k['color'] ?>">
                        <!-- Colored top accent line -->
                        <div class="cmp-card-accent" style="background: <?=$k['color'] ?>"></div>

                        <!-- Knife image — centered, large -->
                        <div class="cmp-img-box">
                            "
                                class="cmp-knife-img"
                                onerror="this.parentElement.innerHTML='<div class=\`cmp-img-fallback\` style=\`color:<?=$k['color'] ?>\`>❌</div>'"
                                />
                            </div>

                        <!-- Knife info -->
                        <h4 class="cmp-knife-name" style="color: <?=$k['color'] ?>">
                            <?=$k['name'] ?>
                        </h4>
                        <div class="cmp-avg-price"><?=$k['avg_label'] ?></div>
                        <span class="cmp-tier-badge" style="color: <?=$tier_color ?>; border-color: <?=$tier_color ?>">
                            <?=$k['tier'] ?> Tier
                        </span>
                    </div>
                </div>
            </foreach>
        </div>
    </div>

```

```

        </div>
    </div>
    <?php endforeach; ?>
</div>

<!-- ===== STAT COMPARISON ROWS ===== -->
<h2 class="section-title mb-4"><img alt="Bar chart icon" data-bbox="500 190 520 205"/> STAT <span
class="accent">BREAKDOWN</span></h2>

<?php
// LOOPING CASE 2: for loop over each stat category
$stat_keys = array_keys($stats_labels);
for ($si = 0; $si < count($stat_keys); $si++):
    $stat = $stat_keys[$si];
    $label = $stats_labels[$stat];
    $winner = getWinner($knives_compare, $stat);
?>
<div class="cmp-stat-block mb-3">
    <!-- Stat label row -->
    <div class="cmp-stat-header">
        <span class="cmp-stat-name"><?= htmlspecialchars($label)
?></span>
        <span class="cmp-stat-winner"><img alt="Winner icon" data-bbox="565 455 585 475"/> <?=
htmlspecialchars($winner) ?></span>
    </div>

    <!-- 3 bars side by side -->
    <div class="row g-3 mt-1">
        <?php foreach ($knives_compare as $id => $k): ?>
            <div class="col-md-4">
                <div class="cmp-bar-group">
                    <div class="cmp-bar-label-row">
                        <span class="cmp-bar-knife-name"><?=
htmlspecialchars($k['name']) ?></span>
                        <span class="cmp-bar-score" style="color: <?=
getBarColor($id) ?>">
                            <?= $k[$stat] ?>
                        </span>
                    </div>
                    <div class="cmp-bar-track">
                        <div class="cmp-bar-fill"
                            style="width: <?= $k[$stat] ?>%; background:
linear-gradient(90deg, <?= getBarColor($id) ?>99, <?= getBarColor($id) ?>)">
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>
    <?php endforeach; ?>

```

```

        </div>
    </div>
    <?php endfor; ?>

    </div>
</section>

<?php include 'footer.php'; ?>
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/js/bootstrap.bundle.min
.js"></script>
<script src="main.js"></script>
</body>
</html>

```

CONTACT.PHP

```

<?php
session_start();
$current_page = "contact";

// =====
// ARRAY: contact form topics
// =====
$topics = [
    "general"    => "General Question",
    "knife_info" => "Knife Information",
    "pricing"    => "Pricing / Market",
    "bug"        => "Report a Bug",
    "other"      => "Other",
];

$form_submitted = false;
$errors         = [];
$form_data      = [];

// =====
// FUNCTION: sanitize input
// =====
function sanitize(string $input): string {
    return htmlspecialchars(trim($input));
}

// FUNCTION: validate email
function isValidEmail(string $email): bool {
    return filter_var($email, FILTER_VALIDATE_EMAIL) !== false;
}

```

```

// PROCEDURE: log submission to session history
function logSubmission(string $name, string $topic): void {
    if (!isset($_SESSION['contact_log'])) {
        $_SESSION['contact_log'] = [];
    }
    $_SESSION['contact_log'][] = [
        "name" => $name,
        "topic" => $topic,
        "time" => date("H:i:s"),
    ];
}

// =====
// POST REQUEST: process form
// =====
if ($_SERVER['REQUEST_METHOD'] === 'POST') {
    $name      = sanitize($_POST['name']      ?? '');
    $email      = sanitize($_POST['email']     ?? '');
    $topic      = sanitize($_POST['topic']     ?? '');
    $message    = sanitize($_POST['message']   ?? '');

    $form_data = compact('name', 'email', 'topic', 'message');

    // BRANCHING CASE 1: validate name
    if (empty($name)) {
        $errors[] = "Name is required.";
    } elseif (strlen($name) < 2) {
        $errors[] = "Name must be at least 2 characters.";
    }

    // BRANCHING CASE 2: validate email
    if (empty($email)) {
        $errors[] = "Email is required.";
    } elseif (!isValidEmail($email)) {
        $errors[] = "Please enter a valid email address.";
    }

    // Validate topic
    if (empty($topic) || !array_key_exists($topic, $topics)) {
        $errors[] = "Please select a valid topic.";
    }

    // Validate message
    if (empty($message)) {
        $errors[] = "Message cannot be empty.";
    } elseif (strlen($message) < 10) {
        $errors[] = "Message must be at least 10 characters.";
    }
}

```



```

        <p style="color:#aaa">Thanks for reaching out. We'll get
back to you soon, Agent.</p>
        <a href="index.php" class="btn-cs2 mt-3">Return Home</a>

        <?php if (isset($_SESSION['contact_log']) &&
count($_SESSION['contact_log']) > 0): ?>
            <div class="mt-4 text-start"
style="background:rgba(255,255,255,0.03); padding:1rem; border-radius:8px;
border:1px solid #333">
                <p style="color:#888; font-size:0.85rem; margin-
bottom:0.5rem">Session – Previous submissions this session:</p>
                <?php
                // LOOPING: show submission history from session
                foreach ($_SESSION['contact_log'] as $log):
                ?>
                    <div style="color:#ccc; font-size:0.8rem">
                        ✉ <?= sanitize($log['name']) ?> – <?=
$topics[$log['topic']] ?? $log['topic'] ?> at <?= $log['time'] ?>
                    </div>
                <?php endforeach; ?>
            </div>
        <?php endif; ?>
    </div>

    <?php else: ?>
    <!-- CONTACT FORM -->
    <div class="login-card">
        <h3 style="font-family:'Rajdhani',sans-serif; color:#fff;
margin-bottom:1.5rem;">Send a Message</h3>

        <?php if (!empty($errors)): ?>
        <div class="alert-cs2 error mb-3">
            <?php foreach ($errors as $err): ?>
            <div>⚠ <?= htmlspecialchars($err) ?></div>
            <?php endforeach; ?>
        </div>
        <?php endif; ?>

        <form method="POST" action="contact.php">

            <div class="row g-3">
                <!-- INPUT 1: Name -->
                <div class="col-md-6">
                    <label class="form-label-cs2">Your
Name</label>

                    <input
                        type="text"
                        name="name"

```

```

        class="form-input-cs2"
        placeholder="Agent name"
        value="<?=
htmlspecialchars($form_data['name'] ?? '') ?>"
        required
    >
</div>

<!-- INPUT 2: Email -->
<div class="col-md-6">
    <label class="form-label-cs2">Email
Address</label>

    <input
        type="email"
        name="email"
        class="form-input-cs2"
        placeholder="your@email.com"
        value="<?=
htmlspecialchars($form_data['email'] ?? '') ?>"
        required
    >
</div>
</div>

<!-- INPUT 3: Topic dropdown -->
<div class="form-group-cs2 mt-3">
    <label class="form-label-cs2">Topic</label>
    <select name="topic" class="form-input-cs2"
required>

        <option value="">– Select a topic </option>
        <?php foreach ($topics as $val => $label): ?>
            <option value="<?= $val ?>" <?=
(($form_data['topic'] ?? '') == $val) ? 'selected' : '' ?>>
                <?= htmlspecialchars($label) ?>
            </option>
        <?php endforeach; ?>
    </select>
</div>

<!-- INPUT 4: Message -->
<div class="form-group-cs2 mt-3">
    <label class="form-label-cs2">Message</label>
    <textarea
        name="message"
        class="form-input-cs2"
        rows="5"
        placeholder="Write your message here..."
        required

```

```

                ><?= htmlspecialchars($form_data['message'] ?? '')
?></textarea>

            </div>

            <button type="submit" class="btn-cs2 w-100 mt-4">SEND
MESSAGE →</button>

        </form>
    </div>
    <?php endif; ?>

</div>
</div>
</div>
</section>

<?php include 'footer.php'; ?>

<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/js/bootstrap.bundle.min
.js"></script>
</body>
</html>

```

DB.PHP

```

<?php
// =====
// db.php – Database Connection
// CS2 Knife Wiki
// =====

define('DB_HOST', 'localhost');
define('DB_USER', 'root');           // ganti sesuai hosting
define('DB_PASS', '');               // ganti sesuai hosting
define('DB_NAME', 'cs2wiki');

function getDB(): mysqli {
    $conn = new mysqli(DB_HOST, DB_USER, DB_PASS, DB_NAME);
    if ($conn->connect_error) {
        die("<div style='background:#1a0000;color:#ff4444;padding:20px;font-
family:monospace;'>
            ✖ Database connection failed: " . $conn->connect_error . "
            <br><small>Check DB_HOST, DB_USER, DB_PASS, DB_NAME in
db.php</small>
            </div>");
    }
    $conn->set_charset('utf8mb4');
}

```

```
    return $conn;
}
```

DETAIL.PHP

```
<?php
session_start();
require_once 'db.php';
$current_page = "knives";

$slug = isset($_GET['id']) ? trim($_GET['id']) : '';

$db = getDB();

// FUNCTION: return warna per wear level – BRANCHING switch
function getWearColor(string $wear): string {
    switch ($wear) {
        case "Factory New":    return "#4ade80";
        case "Minimal Wear":   return "#86efac";
        case "Field-Tested":   return "#fbbf24";
        case "Well-Worn":      return "#fb923c";
        case "Battle-Scarred": return "#f87171";
        default:               return "#9ca3af";
    }
}

// FUNCTION: return tier investasi – BRANCHING if/elseif
function getInvestmentTier(string $rarity): string {
    if ($rarity === "Covert")    return "High – Strong market retention";
    elseif ($rarity === "Classified") return "Medium-High – Stable value";
    elseif ($rarity === "Restricted") return "Medium – Accessible entry point";
    else                        return "Low – Budget option";
}

// READ: ambil knife dari DB berdasarkan slug
$stmt = $db->prepare('
    SELECT k.*, c.name AS category_name
    FROM knives k
    LEFT JOIN categories c ON k.category_id = c.id
    WHERE k.slug = ?
');
$stmt->bind_param('s', $slug);
$stmt->execute();
$knife = $stmt->get_result()->fetch_assoc();
$stmt->close();
```

```

// Ambil skins untuk knife ini
$skins = [];
if ($knife) {
    $stmt2 = $db->prepare('SELECT * FROM skins WHERE knife_id = ? ORDER BY id
ASC');
    $stmt2->bind_param('i', $knife['id']);
    $stmt2->execute();
    $skins = $stmt2->get_result()->fetch_all(MYSQLI_ASSOC);
    $stmt2->close();
}

$db->close();

// Wear levels static (sama untuk semua knife di CS2)
$wear_levels = ["Factory New", "Minimal Wear", "Field-Tested", "Well-Worn",
"Battle-Scarred"];

// BRANCHING: validasi knife ditemukan atau tidak
if (!$knife) {
    $error = true;
    $page_title = "Knife Not Found";
} else {
    $error = false;
    $page_title = $knife['name'] . " - CS2 Knife Wiki";
}
?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title><?= htmlspecialchars($page_title) ?></title>
    <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.min.css"
rel="stylesheet">
    <link
href="https://fonts.googleapis.com/css2?family=Rajdhani:wght@400;600;700&family=Orbitron:wght@700;900&family=Inter:wght@300;400&display=swap"
rel="stylesheet">
    <link rel="stylesheet" href="style.css">
</head>
<body>

<?php include 'navbar.php'; ?>

<?php if ($error): ?>
<div class="container py-5 text-center">
    <h1 class="hero-title">404</h1>

```

```

        <p class="hero-sub">Knife not found in the database.</p>
        <a href="knives.php" class="btn-cs2"><- Back to All Knives</a>
    </div>

<?php else: ?>
<div class="page-header py-4 text-center" style="--rarity-color: <?=
htmlspecialchars($knife['rarity_color']) ?>">
    <div class="container">
        <div class="knife-img-wrap hero-knife-img mx-auto">
            "
                class="knife-img"
                onerror="this.src='images/placeholder.png'"
            >
        </div>
        <h1 class="hero-title mt-3" style="color: <?=
htmlspecialchars($knife['rarity_color']) ?>">
            <?= htmlspecialchars($knife['name']) ?>
        </h1>
        <p class="hero-sub">
            <?= htmlspecialchars($knife['category_name'] ?? '-') ?> · Origin:
            <?= htmlspecialchars($knife['origin'] ?? '-') ?>
        </p>
    </div>
</div>

<section class="py-5">
    <div class="container">
        <div class="row g-4">
            <div class="col-lg-7">

                <!-- OVERVIEW -->
                <div class="detail-card">
                    <h2 class="section-title">Overview</h2>
                    <p class="detail-text">
                        <?= htmlspecialchars($knife['description'] ??
$knife['short_desc'] ?? '-') ?>
                    </p>
                    <?php if (!empty($knife['fun_fact'])): ?>
                    <div class="fun-fact-box mt-3">
                        <span class="accent">💡 Fun Fact:</span>
                        <?= htmlspecialchars($knife['fun_fact']) ?>
                    </div>
                    <?php endif; ?>
                </div>

                <!-- WEAR LEVELS -->

```

```

        <div class="detail-card mt-4">
            <h2 class="section-title">Wear Levels</h2>
            <div class="wear-grid">
                <?php
                // LOOPING: foreach wear levels
                foreach ($wear_levels as $wear):
                    $wcolor = getWearColor($wear);
                ?>
                <div class="wear-pill" style="border-color: <?=
$wcolor ?>; color: <?= $wcolor ?>">
                    <?= htmlspecialchars($wear) ?>
                </div>
                <?php endforeach; ?>
            </div>
        </div>

        <!-- TOP SKINS dari database -->
        <?php if (!empty($skins)): ?>
        <div class="detail-card mt-4">
            <h2 class="section-title">Top Skins</h2>
            <div class="d-flex flex-wrap gap-2 mt-2">
                <?php
                // LOOPING: for loop dengan index nomor urut
                for ($s = 0; $s < count($skins); $s++):
                ?>
                <span class="skin-pill large">
                    #<?= $s + 1 ?> <?=
htmlspecialchars($skins[$s]['name']) ?>
                    <small style="color:#888;font-size:0.75em"> - <?=
htmlspecialchars($skins[$s]['wear']) ?></small>
                </span>
                <?php endfor; ?>
            </div>
        </div>
        <?php endif; ?>

    </div>

    <div class="col-lg-5">
        <!-- STATS -->
        <div class="detail-card" style="--rarity-color: <?=
htmlspecialchars($knife['rarity_color']) ?>">
            <h2 class="section-title">Knife Stats</h2>
            <table class="stats-table w-100">
                <tr>
                    <td>Rarity</td>
                    <td style="color:<?=
htmlspecialchars($knife['rarity_color']) ?>">

```

```

                <strong><?= htmlspecialchars($knife['rarity'])
?></strong>
            </td>
        </tr>
        <tr>
            <td>Market Price</td>
            <td><strong><?=
htmlspecialchars($knife['price_range'] ?? '-') ?></strong></td>
        </tr>
        <tr>
            <td>Inspect Anim</td>
            <td><?= htmlspecialchars($knife['inspect_anim'] ??
'-' ) ?></td>
        </tr>
        <tr>
            <td>Drop Chance</td>
            <td><?= htmlspecialchars($knife['drop_chance'] ??
'~0.26%' ) ?></td>
        </tr>
        <tr>
            <td>Investment</td>
            <td><?=
htmlspecialchars(getInvestmentTier($knife['rarity'])) ?></td>
        </tr>
    </table>
</div>
<div class="detail-card mt-4 text-center">
    <a href="knives.php" class="btn-cs2-outline w-100">← All
Knives</a>
</div>
</div>
</div>
</section>
<?php endif; ?>

<?php include 'footer.php'; ?>
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/js/bootstrap.bundle.min
.js"></script>
<script src="main.js"></script>
</body>
</html>

```

FOOTER.PHP

```
<?php
$footer_year = date("Y");
?>
<footer class="cs2-footer mt-auto py-4">
    <div class="container text-center">
        <div class="mb-2">
            
            </div>
            <p class="footer-brand"><span class="accent">CS2 Knife Wiki</span></p>
            <p class="footer-sub">Not affiliated with Valve Corporation. Fan-made
educational project.</p>
            <p class="footer-copy">© <?= $footer_year ?> CS2 Knife Wiki. Built
with PHP & Bootstrap.</p>
        </div>
    </footer>
```

INDEX.PHP

```
<?php
session_start();

$site_name    = "CS2 Knife Wiki";
$site_tagline = "The Ultimate Counter-Strike 2 Knife Encyclopedia";
$current_page = "home";

// COOKIE: track visit count
if (isset($_COOKIE['visit_count'])) {
    $visit_count = (int)$_COOKIE['visit_count'] + 1;
} else {
    $visit_count = 1;
}
setcookie('visit_count', $visit_count, time() + (86400 * 30), "/");

// ARRAY of featured knives – with image paths instead of emoji
$featured_knives = [
    [
        "id"    => "karambit",
        "name"   => "Karambit",
        "rarity" => "Covert",
        "color"  => "#e4432d",
        "image"  => "images/karambit.png",
        "desc"   => "Inspired by the tiger's claw, the Karambit is the most
iconic knife in CS2.",
    ]
];
```

```

    ],
    [
        "id"    => "butterfly",
        "name"   => "Butterfly Knife",
        "rarity" => "Covert",
        "color"  => "#8847ff",
        "image"  => "images/butterfly.png",
        "desc"   => "A balisong-style flipping knife known for its mesmerizing
animations.",
    ],
    [
        "id"    => "m9bayonet",
        "name"   => "M9 Bayonet",
        "rarity" => "Covert",
        "color"  => "#4b96e5",
        "image"  => "images/m9bayonet.png",
        "desc"   => "A military-grade combat knife with a clip-point blade and
iconic design.",
    ],
];

function getGreeting() {
    $hour = (int)date("H");
    if ($hour >= 5 && $hour < 12)      return "Good Morning, Agent";
    elseif ($hour >= 12 && $hour < 17)  return "Good Afternoon, Agent";
    elseif ($hour >= 17 && $hour < 21)  return "Good Evening, Agent";
    else                               return "Welcome Back, Night Owl";
}

$greeting = getGreeting();
?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title><?= $site_name ?> - Home</title>
    <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.min.css"
rel="stylesheet">
    <link
href="https://fonts.googleapis.com/css2?family=Rajdhani:wght@400;600;700&family=Orbitron:wght@700;900&family=Inter:wght@300;400&display=swap"
rel="stylesheet">
    <link rel="stylesheet" href="style.css">
</head>
<body>

```

```

<?php include 'navbar.php'; ?>

<!-- HERO SECTION -->
<section class="hero-section">
    <div class="container position-relative z-1 text-center">
        <p class="greeting-text"><?= htmlspecialchars($greeting) ?></p>
        <h1 class="hero-title">CS2 KNIFE<br><span
class="accent">WIKI</span></h1>
        <p class="hero-sub"><?= $site_tagline ?></p>

        <?php if (isset($_SESSION['user']) && !empty($_SESSION['user'])): ?>
            <div class="session-badge">
                ✓ Logged in as <strong><?=
htmlspecialchars($_SESSION['user']) ?></strong>
            </div>
        <?php else: ?>
            <a href="login.php" class="btn-cs2 me-2">Login</a>
        <?php endif; ?>
        <a href="knives.php" class="btn-cs2-outline">View All Knives</a>
    </div>
</section>

<!-- FEATURED KNIVES -->
<section class="py-5">
    <div class="container">
        <h2 class="section-title">Featured <span
class="accent">Knives</span></h2>
        <div class="row g-4 mt-2">
            <?php
// LOOPING CASE 1: foreach
foreach ($featured_knives as $knife):
?>
            <div class="col-md-4">
                <div class="knife-card" style="--rarity-color: <?=
$knife['color'] ?>">
                    <!-- IMAGE instead of emoji -->
                    <div class="knife-img-wrap">
                        "
                            class="knife-img"
                            onerror="this.src='images/placeholder.png'"
                        >
                    </div>
                    <span class="rarity-badge" style="color: <?=
$knife['color'] ?>">
                        ★ <?= htmlspecialchars($knife['rarity']) ?>
                    </span>
                </div>
            </div>
        </div>
    </div>

```

```

        <h3 class="knife-name"><?=
htmlspecialchars($knife['name']) ?></h3>
        <p class="knife-desc"><?= htmlspecialchars($knife['desc'])
?></p>
        <a href="detail.php?id=<?= $knife['id'] ?>" class="btn-
cs2-sm">View Details →</a>
    </div>
</div>
<?php endforeach; ?>
</div>
</div>
</section>

<!-- STATS BAR -->
<section class="stats-section py-4">
    <div class="container">
        <div class="row text-center g-3">
            <?php
            $stats = [
                ["label" => "Knives Documented", "value" => "3"],
                ["label" => "Your Visits",          "value" => $visit_count],
                ["label" => "Rarity Tier",          "value" => "Covert"],
                ["label" => "Wiki Version",         "value" => "2.0"],
            ];
            // LOOPING CASE 2: for loop
            for ($i = 0; $i < count($stats); $i++):
            ?>
            <div class="col-6 col-md-3">
                <div class="stat-box">
                    <div class="stat-value"><?= $stats[$i]['value'] ?></div>
                    <div class="stat-label"><?= $stats[$i]['label'] ?></div>
                </div>
            </div>
            <?php endfor; ?>
        </div>
    </div>
</section>

<?php include 'footer.php'; ?>

<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/js/bootstrap.bundle.min
.js"></script>
<script src="main.js"></script>
</body>
</html>

```

KNIVES.PHP

```
<?php
session_start();
require_once 'db.php';
$current_page = "knives";

$db = getDB();

// FUNCTION: return bintang sesuai rarity
function rarityStars(string $rarity): string {
    if ($rarity === "Covert") return "★★★★★";
    elseif ($rarity === "Classified") return "★★★★☆";
    elseif ($rarity === "Restricted") return "★★★☆☆";
    else return "★★☆☆☆";
}

// READ: ambil semua knife dari database
$knives = $db->query('
    SELECT k.*, c.name AS category_name
    FROM knives k
    LEFT JOIN categories c ON k.category_id = c.id
    ORDER BY k.id ASC
')->fetch_all(MYSQLI_ASSOC);

$db->close();
?>

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>All Knives – CS2 Knife Wiki</title>
    <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.min.css"
rel="stylesheet">
    <link
href="https://fonts.googleapis.com/css2?family=Rajdhani:wght@400;600;700&family=Orbitron:wght@700;900&family=Inter:wght@300;400&display=swap"
rel="stylesheet">
    <link rel="stylesheet" href="style.css">
</head>
<body>

<?php include 'navbar.php'; ?>

<div class="page-header py-5 text-center">
    <div class="container">
        <h1 class="hero-title">ALL <span class="accent">KNIVES</span></h1>
```

```

        <p class="hero-sub">Browse the complete CS2 Knife collection</p>
    </div>
</div>

<section class="py-5">
    <div class="container">
        <div class="row g-4">
            <?php
                // LOOPING: foreach tampilkan semua knife dari database
                foreach ($knives as $knife):
                    ?>
                    <div class="col-md-4">
                        <div class="knife-card" style="--rarity-color: <?=
htmlspecialchars($knife['rarity_color']) ?>">

                            <div class="knife-img-wrap">
                                "
                                    class="knife-img"
                                    onerror="this.src='images/placeholder.png'"
                                >
                            </div>

                            <span class="rarity-badge" style="color: <?=
htmlspecialchars($knife['rarity_color']) ?>">
                                <?= rarityStars($knife['rarity']) ?> <?=
htmlspecialchars($knife['rarity']) ?>
                            </span>
                            <h3 class="knife-name"><?=
htmlspecialchars($knife['name']) ?></h3>
                            <p class="knife-type">Type: <?=
htmlspecialchars($knife['category_name']) ?? '-' ?></p>
                            <p class="knife-desc"><?=
htmlspecialchars($knife['short_desc']) ?? '' ?></p>

                            <div class="price-row">
                                Market Price: <span class="price-tag"><?=
htmlspecialchars($knife['price_range']) ?? '-' ?></span>
                            </div>

                            <a href="detail.php?id=<?=
htmlspecialchars($knife['slug']) ?>" class="btn-cs2-sm mt-3 d-block text-
center">View Full Details →</a>
                        </div>
                    </div>
                <?php endforeach; ?>

```

```

        <?php if (empty($knives)): ?>
        <div class="col-12 text-center py-5">
            <p style="color:#555">No knives in database yet.</p>
            <?php if (isset($_SESSION['role']) && $_SESSION['role'] ===
'admin'): ?>
                <a href="admin.php" class="btn-cs2">✚ Add Knife</a>
            <?php endif; ?>
        </div>
        <?php endif; ?>
    </div>
</div>
</section>

<?php include 'footer.php'; ?>
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/js/bootstrap.bundle.min
.js"></script>
<script src="main.js"></script>
</body>
</html>

```

LOGIN.PHP

```

<?php
// =====
// login.php – Login with Database
// CS2 Knife Wiki
// =====
session_start();
require_once 'db.php';

$current_page = 'login';

// Already logged in? Redirect
if (isset($_SESSION['user'])) {
    header('Location: index.php');
    exit();
}

$error_msg = '';
$success_msg = '';

// =====
// POST: process login
// =====
if ($_SERVER['REQUEST_METHOD'] === 'POST') {
    $username = isset($_POST['username']) ? trim($_POST['username']) : '';

```

```

$password      = isset($_POST['password']) ? $_POST['password']      : '';

// BRANCHING: validasi input kosong
if (empty($username) || empty($password)) {
    $error_msg = 'Username and password are required.';
} else {
    $db = getDB();

    // QUERY: ambil user dari database
    $stmt = $db->prepare('SELECT id, username, password, role FROM users
WHERE username = ?');
    $stmt->bind_param('s', $username);
    $stmt->execute();
    $result = $stmt->get_result();
    $user    = $result->fetch_assoc();
    $stmt->close();
    $db->close();

    // BRANCHING: cek password
    if ($user && password_verify($password, $user['password'])) {
        // Login berhasil - set session
        $_SESSION['user']      = $user['username'];
        $_SESSION['user_id']   = $user['id'];
        $_SESSION['role']      = $user['role'];
        $_SESSION['login_time'] = date('Y-m-d H:i:s');

        // COOKIE: remember me 7 hari
        if (isset($_POST['remember_me'])) {
            setcookie('remembered_user', $username, time() + (86400 * 7),
'/' );
        }

        $success_msg = 'Login successful! Redirecting...';
        header('refresh:1;url=index.php');
    } else {
        $error_msg = 'Invalid username or password.';
    }
}
}

// Pre-fill dari cookie
$prefill_user = '';
if (isset($_COOKIE['remembered_user'])) {
    $prefill_user = htmlspecialchars($_COOKIE['remembered_user']);
}
?>
<!DOCTYPE html>
<html lang="en">

```

```

<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Login – CS2 Knife Wiki</title>
  <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.min.css"
rel="stylesheet">
  <link
href="https://fonts.googleapis.com/css2?family=Rajdhani:wght@400;600;700&family=Orbitron:wght@700;900&family=Inter:wght@300;400&display=swap"
rel="stylesheet">
  <link rel="stylesheet" href="style.css">
</head>
<body>

<?php include 'navbar.php'; ?>

<section class="py-5 d-flex align-items-center" style="min-height: 80vh;">
  <div class="container">
    <div class="row justify-content-center">
      <div class="col-md-5">
        <div class="login-card">
          <div class="text-center mb-4">
            <div style="font-size:3rem">✂</div>
            <h2 class="hero-title" style="font-size: 2rem">AGENT
<span class="accent">LOGIN</span></h2>
            <p class="text-muted" style="font-size:0.85rem">Access
the full CS2 Knife Wiki</p>
          </div>

          <?php if ($error_msg): ?>
            <div class="alert-cs2 error"><?=
htmlspecialchars($error_msg) ?></div>
          <?php endif; ?>

          <?php if ($success_msg): ?>
            <div class="alert-cs2 success"><?=
htmlspecialchars($success_msg) ?></div>
          <?php endif; ?>

          <!-- FORM: POST method -->
          <form method="POST" action="login.php">
            <div class="form-group-cs2">
              <label class="form-label-cs2">Username</label>
              <input
                type="text"
                name="username"
                class="form-input-cs2"

```

```

        placeholder="Enter your username"
        value="<?= $prefill_user ?>"
        required
    >
</div>

<div class="form-group-cs2 mt-3">
    <label class="form-label-cs2">Password</label>
    <input
        type="password"
        name="password"
        class="form-input-cs2"
        placeholder="Enter your password"
        required
    >
</div>

<div class="form-check mt-3">
    <input type="checkbox" name="remember_me"
id="remember_me" class="form-check-input" style="background:#1a1a2e;border-
color:#8847ff">
        <label for="remember_me" class="form-check-label"
style="color:#ccc;font-size:0.9rem">Remember me for 7 days</label>
    </div>

    <button type="submit" class="btn-cs2 w-100 mt-4">LOGIN
-></button>

</form>

<p class="text-center mt-3" style="color:#888; font-
size:0.85rem">
    Don't have an account?
    <a href="register.php" style="color:#8847ff">Register
here</a>
</p>
</div>
</div>
</div>
</div>
</section>

<?php include 'footer.php'; ?>
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/js/bootstrap.bundle.min
.js"></script>
</body>
</html>

```

LOGOUT.PHP

```
<?php
// logout.php – destroy session and clear cookie
session_start();

// BRANCHING: only log out if actually logged in
if (isset($_SESSION['user'])) {
    $username = $_SESSION['user'];

    // Destroy session
    session_unset();
    session_destroy();

    // Clear remember me cookie
    if (isset($_COOKIE['remembered_user'])) {
        setcookie('remembered_user', '', time() - 3600, "/");
    }

    $message = "You have been logged out successfully, Agent " .
htmlspecialchars($username) . ".";
} else {
    $message = "You were not logged in.";
}
?>

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Logged Out – CS2 Knife Wiki</title>
    <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.min.css"
rel="stylesheet">
    <link
href="https://fonts.googleapis.com/css2?family=Rajdhani:wght@400;600;700&family=Orbitron:wght@700;900&family=Inter:wght@300;400&display=swap"
rel="stylesheet">
    <link rel="stylesheet" href="style.css">
    <meta http-equiv="refresh" content="3;url=index.php">
</head>
<body>

<section class="d-flex align-items-center justify-content-center" style="min-
height: 100vh;">
    <div class="text-center">
        <div style="font-size: 4rem">🔒</div>
        <h1 class="hero-title mt-3">LOGGED <span
class="accent">OUT</span></h1>
```

```

        <p style="color:#aaa"><?=$message ?></p>
        <p style="color:#666; font-size:0.85rem">Redirecting to home in 3
seconds...</p>
        <a href="index.php" class="btn-cs2 mt-3">Go Home Now</a>
    </div>
</section>

<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/js/bootstrap.bundle.min
.js"></script>
</body>
</html>

```

NAVBAR.PHP

```

<?php
// navbar.php – shared navigation component
$nav_links = [
    ["href" => "index.php", "label" => "Home", "icon" => "🏠"],
    ["href" => "knives.php", "label" => "Knives", "icon" => "🔪"],
    ["href" => "compare.php", "label" => "Compare", "icon" => "⚖️"],
    ["href" => "quiz.php", "label" => "Quiz", "icon" => "❓"],
    ["href" => "contact.php", "label" => "Contact", "icon" => "✉️"],
    ["href" => "about.php", "label" => "About", "icon" => "📄"],
];
$current_file = basename($_SERVER['PHP_SELF']);
?>
<nav class="navbar navbar-expand-lg cs2-navbar sticky-top">
    <div class="container">
        <a class="navbar-brand cs2-brand" href="index.php">
            
            <span class="nav-logo-text"><span class="accent">CS2</span> KNIFE
WIKI</span>
        </a>
        <button class="navbar-toggler" type="button" data-bs-toggle="collapse"
data-bs-target="#navMenu">
            <span class="navbar-toggler-icon"></span>
        </button>
        <div class="collapse navbar-collapse" id="navMenu">
            <ul class="navbar-nav ms-auto gap-1 align-items-center">
                <?php foreach ($nav_links as $link):
                    $active = ($current_file === $link['href']) ? 'active' :
'';
                    ?>
                    <li class="nav-item">

```

```

        <a class="nav-link cs2-nav-link <?= $active ?>" href="<?=
$link['href'] ?>">
            <?= $link['icon'] ?> <?= $link['label'] ?>
        </a>
    </li>
<?php endforeach; ?>

<?php if (isset($_SESSION['user']) && $_SESSION['role'] ===
'admin'): ?>
    <li class="nav-item">
        <a class="nav-link cs2-nav-link <?= $current_file ===
'admin.php' ? 'active' : '' ?>"
            href="admin.php" style="color:#fbbf24">
             Admin
        </a>
    </li>
<?php endif; ?>

<li class="nav-item ms-2">
    <?php if (isset($_SESSION['user'])): ?>
        <a href="logout.php" class="btn-nav-logout">Logout</a>
    <?php else: ?>
        <a href="register.php" class="btn-nav-login"
style="margin-right:6px;background:transparent;border:1px solid
#8847ff;color:#8847ff">Register</a>
        <a href="login.php" class="btn-nav-login">Login</a>
    <?php endif; ?>
</li>
</ul>
</div>
</div>
</nav>

```

QUIZ.PHP

```

<?php
session_start();
$current_page = "quiz";

// ARRAY: Quiz questions
$questions = [
    [
        "q"      => "Knife manakah yang punya animasi inspect paling kompleks
di CS2?",
        "options" => ["Karambit", "Butterfly Knife", "M9 Bayonet",
"Huntsman"],
        "answer"  => 1,
    ],

```

```

        "reason" => "Butterfly Knife punya animasi flipping balisong yang
paling detail dan membutuhkan waktu pengembangan terlama.",
        "img"    => "images/butterfly.png",
    ],
    [
        "q"       => "Dari mana asal usul pisau Karambit?",
        "options" => ["Jepang", "Filipina", "Asia Tenggara
(Indonesia/Malaysia)", "Amerika"],
        "answer"  => 2,
        "reason"  => "Karambit berasal dari Asia Tenggara, terinspirasi dari
cakar harimau dalam seni bela diri Silat.",
        "img"     => "images/karambit.png",
    ],
    [
        "q"       => "Berapa perkiraan harga Butterfly Knife Factory New di
market CS2?",
        "options" => ["\$50-\$100", "\$100-\$200", "\$300-\$5,000+", "\$10-
\$50"],
        "answer"  => 2,
        "reason"  => "Butterfly Knife Factory New bisa dihargai \$300 hingga
\$5,000+ tergantung skin-nya.",
        "img"     => "images/butterfly.png",
    ],
    [
        "q"       => "M9 Bayonet terinspirasi dari senjata militer negara
mana?",
        "options" => ["Rusia", "Amerika Serikat", "Jerman", "Inggris"],
        "answer"  => 1,
        "reason"  => "M9 Bayonet adalah bayonet standar militer Amerika
Serikat (US Army) sejak 1980-an.",
        "img"     => "images/m9bayonet.png",
    ],
    [
        "q"       => "Skin apa yang paling populer untuk Karambit di CS2?",
        "options" => ["Crimson Web", "Doppler", "Safari Mesh", "Forest
DDPAT"],
        "answer"  => 1,
        "reason"  => "Karambit Doppler adalah salah satu skin paling ikonik
dan paling banyak dicari.",
        "img"     => "images/karambit.png",
    ],
];

// PROCEDURE: save quiz result to session
function saveQuizResult(int $score, int $total): void {
    $_SESSION['last_quiz_score'] = $score;
    $_SESSION['last_quiz_total'] = $total;
    $_SESSION['last_quiz_time']  = date("H:i:s");
}

```

```

}

// FUNCTION: get result message - BRANCHING CASE 1
function getResultMessage(int $score, int $total): string {
    $pct = ($score / $total) * 100;
    if ($pct === 100.0)    return "👉 PERFECT! Kamu adalah Master CS2 Knife!";
    elseif ($pct >= 80)    return "👊 Luar biasa! Pengetahuan knife lo sangat tinggi!";
    elseif ($pct >= 60)    return "👍 Bagus! Lo tau cukup banyak soal CS2 knife.";
    elseif ($pct >= 40)    return "😬 Lumayan, tapi masih perlu banyak belajar nih.";
    else                   return "🧠 Belajar dulu yuk dari halaman Knives!";
}

// FUNCTION: get result color - BRANCHING CASE 2
function getResultColor(int $score, int $total): string {
    $pct = ($score / $total) * 100;
    if ($pct >= 80)        return "#4ade80";
    elseif ($pct >= 60)    return "#fbbf24";
    else                   return "#f87171";
}

$submitted    = false;
$score        = 0;
$user_answers = [];

if ($_SERVER['REQUEST_METHOD'] === 'POST') {
    // LOOPING: for loop to check each answer
    for ($i = 0; $i < count($questions); $i++) {
        $user_answers[$i] = isset($_POST["q$i"]) ? (int)$_POST["q$i"] : -1;
        if ($user_answers[$i] === $questions[$i]['answer']) $score++;
    }
    saveQuizResult($score, count($questions));
    $submitted = true;
}
?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Quiz - CS2 Knife Wiki</title>
    <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.min.css"
rel="stylesheet">

```

```

    <link
href="https://fonts.googleapis.com/css2?family=Rajdhani:wght@400;600;700&family=Orbitron:wght@700;900&family=Inter:wght@300;400&display=swap"
rel="stylesheet">
    <link rel="stylesheet" href="style.css">
</head>
<body>
<?php include 'navbar.php'; ?>

<!-- PAGE HEADER -->
<div class="page-header py-5 text-center">
    <div class="container">
        <h1 class="hero-title">KNIFE <span class="accent">QUIZ</span></h1>
        <p class="hero-sub">Seberapa dalam pengetahuan CS2 knife kamu?</p>
        <?php if (isset($_SESSION['last_quiz_score'])): ?>
            <div class="session-badge mt-3">
                Skor terakhir: <strong><?=$_SESSION['last_quiz_score'] ?>/<?=$_SESSION['last_quiz_total'] ?></strong>
                &nbsp;<?=$_SESSION['last_quiz_time'] ?>
            </div>
        <?php endif; ?>
    </div>
</div>

<section class="py-5">
    <div class="container">
        <div class="row justify-content-center">
            <div class="col-lg-9">

                <?php if ($submitted): ?>
                <!-- ===== RESULT PAGE ===== -->
                <div class="quiz-result-card text-center">

                    <!-- Score circle -->
                    <div class="quiz-score-circle" style="--result-color: <?=getResultColor($score, count($questions)) ?>">
                        <span class="quiz-score-num" style="color: <?=getResultColor($score, count($questions)) ?>">
                            <?=$score ?>/<?= count($questions) ?>
                        </span>
                    </div>
                    <p class="quiz-result-msg mt-3"><?= getResultMessage($score, count($questions)) ?></p>

                    <!-- Review each Q -->
                    <div class="quiz-review-list mt-4">
                        <?php
                        // LOOPING: foreach show each Q&A review

```

```

        foreach ($questions as $qi => $q):
            $is_correct = ($user_answers[$qi] === $q['answer']);
            ?>
            <div class="quiz-review-item <?= $is_correct ? 'correct' :
'wrong' ?>">
                <div class="quiz-review-left">
                    
                </div>
                <div class="quiz-review-right">
                    <p class="quiz-review-q">
                        <span class="quiz-review-num">Q<?= $qi+1 ?></span>
                        <?= htmlspecialchars($q['q']) ?>
                    </p>
                    <p class="quiz-review-ans">
                        <?= $is_correct ? '✓' : '✗' ?>
                        Jawaban benar: <strong><?=
htmlspecialchars($q['options'][$q['answer']]) ?></strong>
                    </p>
                    <?php if (!$is_correct): ?>
                    <p class="quiz-review-reason"><?=
htmlspecialchars($q['reason']) ?></p>
                    <?php endif; ?>
                </div>
            </div>
        <?php endforeach; ?>
    </div>

    <div class="mt-4 d-flex gap-3 justify-content-center flex-
wrap">
        <a href="quiz.php" class="btn-cs2">🔄 Coba Lagi</a>
        <a href="knives.php" class="btn-cs2-outline">📖 Pelajari
Knife</a>
    </div>
</div>

<?php else: ?>
<!-- ===== QUIZ FORM ===== -->

<!-- Progress bar -->
<div class="quiz-progress-wrap mb-4">
    <div class="quiz-progress-label">
        <span><?= count($questions) ?> Pertanyaan</span>
        <span class="accent">CS2 Knife Quiz</span>
    </div>
    <div class="quiz-progress-bar">
        <div class="quiz-progress-fill" style="width: 0%"></div>
    </div>
</div>

```

```

    </div>
</div>

<form method="POST" action="quiz.php" id="quizForm">
    <?php
        // LOOPING: for loop render each question card
        for ($qi = 0; $qi < count($questions); $qi++):
            $q = $questions[$qi];
            ?>
            <div class="quiz-question-card">

                <!-- Question header: number + image -->
                <div class="quiz-card-header">
                    <div class="quiz-card-meta">
                        <span class="quiz-q-num">Q<?=$qi+1 ?></span>
                        <span class="quiz-q-of">/ <?=$count($questions)
?></span>

                    </div>
                    
                    </div>

                    <!-- Question text -->
                    <p class="quiz-q-text"><?=$htmlspecialchars($q['q'])
?></p>

                    <!-- Options grid 2x2 -->
                    <div class="quiz-options-grid">
                        <?php for ($oi = 0; $oi < count($q['options']);
$oi++): ?>

                            <label class="quiz-option-tile">
                                <input type="radio" name="q<?=$qi ?>" value="<?=$oi ?>" required>
                                <span class="quiz-option-letter"><?=$chr(65 + $oi)
?></span>

                                <span class="quiz-option-text"><?=$
htmlspecialchars($q['options'][$oi]) ?></span>
                            </label>
                        <?php endfor; ?>
                    </div>

                </div>
                <?php endfor; ?>

                <div class="text-center mt-4">

```

```

        <button type="submit" class="btn-cs2 px-5 py-3"
style="font-size:1rem">
            ☒ Submit Jawaban
        </button>
    </div>
</form>
<?php endif; ?>

</div>
</div>
</div>
</section>

<?php include 'footer.php'; ?>
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/js/bootstrap.bundle.min
.js"></script>
<script src="main.js"></script>
<script>
// Animate progress bar as user answers
const radios = document.querySelectorAll('input[type="radio"]');
const fill = document.querySelector('.quiz-progress-fill');
const total = <?=> count($questions) ?>;
let answered = new Set();

if (fill) {
    radios.forEach(r => {
        r.addEventListener('change', () => {
            answered.add(r.name);
            fill.style.width = (answered.size / total * 100) + '%';
        });
    });
}

// Highlight selected option tile
radios.forEach(r => {
    r.addEventListener('change', () => {
        const group = document.querySelectorAll(`input[name="${r.name}"]`);
        group.forEach(g => g.closest('.quiz-option-
tile').classList.remove('selected'));
        r.closest('.quiz-option-tile').classList.add('selected');
    });
});
</script>
</body>
</html>

```

REGISTER.PHP

```
<?php
// =====
// register.php - User Registration
// CS2 Knife Wiki
// =====
session_start();
require_once 'db.php';

$current_page = 'register';

// Already logged in? Redirect
if (isset($_SESSION['user'])) {
    header('Location: index.php');
    exit();
}

$error_msg = '';
$success_msg = '';

// FUNCTION: validate username (alphanumeric + underscore, 3-20 chars)
function isValidUsername(string $u): bool {
    return preg_match('/^[a-zA-Z0-9_]{3,20}$/ ', $u);
}

// =====
// POST: process registration
// =====
if ($_SERVER['REQUEST_METHOD'] === 'POST') {
    $username = isset($_POST['username']) ? trim($_POST['username']) : '';
    $email = isset($_POST['email']) ? trim($_POST['email']) : '';
    $password = isset($_POST['password']) ? $_POST['password'] : '';
    $password2 = isset($_POST['password2']) ? $_POST['password2'] : '';

    // BRANCHING: validasi input
    if (empty($username) || empty($password) || empty($password2)) {
        $error_msg = 'Username and password are required.';
    } elseif (!isValidUsername($username)) {
        $error_msg = 'Username must be 3-20 characters (letters, numbers, underscore only).';
    } elseif (strlen($password) < 6) {
        $error_msg = 'Password must be at least 6 characters.';
    } elseif ($password !== $password2) {
        $error_msg = 'Passwords do not match.';
    } elseif (!empty($email) && !filter_var($email, FILTER_VALIDATE_EMAIL)) {
        $error_msg = 'Invalid email format.';
    } else {
        $db = getDB();
    }
}
```

```

        // BRANCHING: cek apakah username sudah ada
        $stmt = $db->prepare('SELECT id FROM users WHERE username = ?');
        $stmt->bind_param('s', $username);
        $stmt->execute();
        $stmt->store_result();

        if ($stmt->num_rows > 0) {
            $error_msg = 'Username already taken. Choose another.';
        } else {
            // Hash password + INSERT ke database
            $hashed = password_hash($password, PASSWORD_DEFAULT);
            $stmt2 = $db->prepare('INSERT INTO users (username, email,
password, role) VALUES (?, ?, ?, "user")');
            $stmt2->bind_param('sss', $username, $email, $hashed);

            if ($stmt2->execute()) {
                $success_msg = 'Account created! Redirecting to login...';
                header('refresh:2;url=login.php');
            } else {
                $error_msg = 'Registration failed. Please try again.';
            }
            $stmt2->close();
        }
        $stmt->close();
        $db->close();
    }
}
?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Register - CS2 Knife Wiki</title>
    <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.min.css"
rel="stylesheet">
    <link
href="https://fonts.googleapis.com/css2?family=Rajdhani:wght@400;600;700&family=Orbitron:wght@700;900&family=Inter:wght@300;400&display=swap"
rel="stylesheet">
    <link rel="stylesheet" href="style.css">
</head>
<body>

<?php include 'navbar.php'; ?>

```

```

<section class="py-5 d-flex align-items-center" style="min-height: 80vh;">
  <div class="container">
    <div class="row justify-content-center">
      <div class="col-md-5">
        <div class="login-card">
          <div class="text-center mb-4">
            <div style="font-size:3rem">🔒</div>
            <h2 class="hero-title" style="font-size:2rem">CREATE
<span class="accent">ACCOUNT</span></h2>
            <p class="text-muted" style="font-size:0.85rem">Join
the CS2 Knife Wiki community</p>
          </div>

          <?php if ($error_msg): ?>
            <div class="alert-cs2 error"><?=
htmlspecialchars($error_msg) ?></div>
          <?php endif; ?>

          <?php if ($success_msg): ?>
            <div class="alert-cs2 success"><?=
htmlspecialchars($success_msg) ?></div>
          <?php endif; ?>

          <!-- FORM: register -->
          <form method="POST" action="register.php">

            <div class="form-group-cs2">
              <label class="form-label-cs2">Username <span
style="color:#e4432d">*</span></label>
              <input
                type="text"
                name="username"
                class="form-input-cs2"
                placeholder="3-20 chars, no spaces"
                value="<?= isset($_POST['username']) ?
htmlspecialchars($_POST['username']) : '' ?>"
                required
              >
            </div>

            <div class="form-group-cs2 mt-3">
              <label class="form-label-cs2">Email <span
style="color:#666">(optional)</span></label>
              <input
                type="email"
                name="email"
                class="form-input-cs2"
                placeholder="your@email.com"

```

```

        value="<?= isset($_POST['email']) ?
htmlspecialchars($_POST['email']) : '' ?>"
    >
</div>

<div class="form-group-cs2 mt-3">
    <label class="form-label-cs2">Password <span
style="color:#e4432d">*</span></label>
    <input
        type="password"
        name="password"
        class="form-input-cs2"
        placeholder="Min. 6 characters"
        required
    >
</div>

<div class="form-group-cs2 mt-3">
    <label class="form-label-cs2">Confirm Password
<span style="color:#e4432d">*</span></label>
    <input
        type="password"
        name="password2"
        class="form-input-cs2"
        placeholder="Repeat your password"
        required
    >
</div>

<button type="submit" class="btn-cs2 w-100 mt-
4">REGISTER →</button>
</form>

<p class="text-center mt-3" style="color:#888; font-
size:0.85rem">
    Already have an account?
    <a href="login.php" style="color:#8847ff">Login
here</a>
</p>
</div>
</div>
</div>
</div>
</section>

<?php include 'footer.php'; ?>

```

```
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/js/bootstrap.bundle.min
.js"></script>
</body>
</html>
```

STYLE.CSS

```
/* =====
CS2 KNIFE WIKI – Main Stylesheet
Dark tactical aesthetic inspired by CS2's UI design
===== */

@import
url('https://fonts.googleapis.com/css2?family=Rajdhani:wght@400;600;700&family=Orbitron:wght@700;900&family=Inter:wght@300;400&display=swap');

/* === CSS VARIABLES === */
:root {
  --bg-primary: #0a0a0f;
  --bg-secondary: #11111a;
  --bg-card: #13131e;
  --bg-card-hover: #1a1a2e;
  --accent: #e4a317;
  --accent-purple: #8847ff;
  --accent-blue: #4b96e5;
  --text-primary: #f0f0f0;
  --text-muted: #888;
  --border: rgba(255,255,255,0.07);
  --border-accent: rgba(228,163,23,0.3);
  --shadow-glow: 0 0 30px rgba(228,163,23,0.08);
}

/* === BASE === */
*, *::before, *::after { box-sizing: border-box; }

html, body {
  margin: 0;
  padding: 0;
  background: var(--bg-primary);
  color: var(--text-primary);
  font-family: 'Inter', sans-serif;
  font-size: 16px;
  line-height: 1.6;
  min-height: 100vh;
}
```

```
/* === TYPOGRAPHY === */
.accent { color: var(--accent); }

.hero-title {
  font-family: 'Orbitron', monospace;
  font-weight: 900;
  font-size: clamp(2.5rem, 6vw, 5rem);
  color: #fff;
  line-height: 1.05;
  letter-spacing: -1px;
  margin: 0 0 0.5rem;
  text-shadow: 0 0 40px rgba(228,163,23,0.15);
}

.hero-sub {
  font-family: 'Rajdhani', sans-serif;
  font-size: 1.15rem;
  color: var(--text-muted);
  letter-spacing: 1px;
  text-transform: uppercase;
  margin-bottom: 1.5rem;
}

.greeting-text {
  font-family: 'Rajdhani', sans-serif;
  font-size: 1rem;
  color: var(--accent);
  letter-spacing: 3px;
  text-transform: uppercase;
  margin-bottom: 0.5rem;
}

.section-title {
  font-family: 'Orbitron', monospace;
  font-weight: 700;
  font-size: 1.4rem;
  color: #fff;
  margin-bottom: 1rem;
  letter-spacing: 0.5px;
}

/* === NAVBAR === */
.cs2-navbar {
  background: rgba(10,10,15,0.97);
  border-bottom: 1px solid var(--border-accent);
  backdrop-filter: blur(12px);
  padding: 0.75rem 0;
}
```

```
.cs2-brand {
  font-family: 'Orbitron', monospace;
  font-weight: 700;
  font-size: 1.1rem;
  color: #fff !important;
  letter-spacing: 1px;
  text-decoration: none;
}

.cs2-nav-link {
  font-family: 'Rajdhani', sans-serif;
  font-size: 1rem;
  font-weight: 600;
  color: #aaa !important;
  letter-spacing: 1px;
  text-transform: uppercase;
  text-decoration: none;
  transition: color 0.2s;
  padding: 0.4rem 0.75rem !important;
}

.cs2-nav-link:hover { color: var(--accent) !important; }

.btn-nav-login {
  font-family: 'Rajdhani', sans-serif;
  font-weight: 700;
  font-size: 0.85rem;
  letter-spacing: 1px;
  text-transform: uppercase;
  color: var(--accent) !important;
  border: 1px solid var(--accent);
  border-radius: 4px;
  padding: 0.35rem 1rem;
  text-decoration: none;
  transition: all 0.2s;
}

.btn-nav-login:hover {
  background: var(--accent);
  color: #000 !important;
}

.btn-nav-logout {
  font-family: 'Rajdhani', sans-serif;
  font-weight: 700;
  font-size: 0.85rem;
  letter-spacing: 1px;
```

```

    text-transform: uppercase;
    color: #f87171 !important;
    border: 1px solid #f87171;
    border-radius: 4px;
    padding: 0.35rem 1rem;
    text-decoration: none;
    transition: all 0.2s;
}

.btn-nav-logout:hover {
    background: #f87171;
    color: #fff !important;
}

/* === HERO SECTION === */
.hero-section {
    position: relative;
    min-height: 35vh;
    display: flex;
    align-items: center;
    background:
        radial-gradient(ellipse 80% 60% at 50% 0%, rgba(228,163,23,0.07) 0%,
transparent 70%),
        linear-gradient(180deg, #0d0d18 0%, var(--bg-primary) 100%);
    overflow: hidden;
    padding: 2rem 0;
}

.hero-section::before {
    content: '';
    position: absolute;
    inset: 0;
    background-image:
        repeating-linear-gradient(0deg, rgba(255,255,255,0.015) 0px,
        rgba(255,255,255,0.015) 1px, transparent 1px, transparent 60px),
        repeating-linear-gradient(90deg, rgba(255,255,255,0.015) 0px,
        rgba(255,255,255,0.015) 1px, transparent 1px, transparent 60px);
    pointer-events: none;
}

.session-badge {
    display: inline-block;
    background: rgba(74,222,128,0.1);
    border: 1px solid rgba(74,222,128,0.3);
    color: #4ade80;
    font-family: 'Rajdhani', sans-serif;
    font-size: 0.9rem;
    letter-spacing: 1px;

```

```

padding: 0.4rem 1.2rem;
border-radius: 4px;
margin-bottom: 1rem;
}

/* === PAGE HEADER === */
.page-header {
  background:
    radial-gradient(ellipse 70% 80% at 50% 0%, rgba(var(--rarity-color,
228,163,23), 0.06) 0%, transparent 70%),
    linear-gradient(180deg, #0d0d18 0%, var(--bg-primary) 100%);
  border-bottom: 1px solid var(--border);
}

/* === BUTTONS === */
.btn-cs2 {
  display: inline-block;
  font-family: 'Orbitron', monospace;
  font-weight: 700;
  font-size: 0.8rem;
  letter-spacing: 2px;
  text-transform: uppercase;
  background: var(--accent);
  color: #000 !important;
  border: none;
  border-radius: 4px;
  padding: 0.75rem 2rem;
  text-decoration: none !important;
  cursor: pointer;
  transition: all 0.2s;
}

.btn-cs2:hover {
  background: #fbbf24;
  transform: translateY(-1px);
  box-shadow: 0 4px 20px rgba(228,163,23,0.3);
}

.btn-cs2-outline {
  display: inline-block;
  font-family: 'Orbitron', monospace;
  font-weight: 700;
  font-size: 0.8rem;
  letter-spacing: 2px;
  text-transform: uppercase;
  background: transparent;
  color: var(--accent) !important;
  border: 1px solid var(--accent);
}

```

```

border-radius: 4px;
padding: 0.75rem 2rem;
text-decoration: none !important;
cursor: pointer;
transition: all 0.2s;
}

.btn-cs2-outline:hover {
background: rgba(228,163,23,0.1);
transform: translateY(-1px);
}

.btn-cs2-sm {
display: inline-block;
font-family: 'Rajdhani', sans-serif;
font-weight: 700;
font-size: 0.85rem;
letter-spacing: 1px;
text-transform: uppercase;
background: transparent;
color: var(--accent) !important;
border: 1px solid rgba(228,163,23,0.4);
border-radius: 4px;
padding: 0.45rem 1.2rem;
text-decoration: none !important;
cursor: pointer;
transition: all 0.2s;
}

.btn-cs2-sm:hover {
background: rgba(228,163,23,0.1);
border-color: var(--accent);
}

/* === KNIFE CARDS === */
.knife-card {
background: var(--bg-card);
border: 1px solid var(--border);
border-top: 2px solid var(--rarity-color, var(--accent));
border-radius: 8px;
padding: 2rem 1.5rem;
height: 100%;
transition: all 0.25s ease;
position: relative;
overflow: hidden;
}

.knife-card::before {

```

```
    content: '';
    position: absolute;
    top: 0; left: 0; right: 0;
    height: 100px;
    background: linear-gradient(180deg, rgba(var(--rarity-color, 228,163,23),
0.04) 0%, transparent 100%);
    pointer-events: none;
}

.knife-card:hover {
    transform: translateY(-4px);
    border-color: var(--rarity-color, var(--accent));
    box-shadow: 0 8px 32px rgba(0,0,0,0.4);
}

.knife-icon {
    font-size: 2.5rem;
    margin-bottom: 0.75rem;
    display: block;
}

.knife-icon.large { font-size: 3.5rem; }
.knife-icon.xlarge { font-size: 5rem; margin-bottom: 1rem; }

.rarity-badge {
    font-family: 'Rajdhani', sans-serif;
    font-size: 0.8rem;
    font-weight: 700;
    letter-spacing: 2px;
    text-transform: uppercase;
    display: block;
    margin-bottom: 0.5rem;
}

.knife-name {
    font-family: 'Orbitron', monospace;
    font-weight: 700;
    font-size: 1.2rem;
    color: #fff;
    margin-bottom: 0.5rem;
}

.knife-type {
    font-family: 'Rajdhani', sans-serif;
    font-size: 0.9rem;
    color: var(--text-muted);
    letter-spacing: 1px;
    margin-bottom: 0.5rem;
}
```

```

}

.knife-desc {
  color: #aaa;
  font-size: 0.9rem;
  line-height: 1.5;
  margin-bottom: 1rem;
}

.price-row {
  font-family: 'Rajdhani', sans-serif;
  font-size: 0.9rem;
  color: var(--text-muted);
  margin-top: 0.75rem;
}

.price-tag {
  color: #4ade80;
  font-weight: 700;
}

/* === SKIN PILLS === */
.skin-pill {
  display: inline-block;
  background: rgba(255,255,255,0.04);
  border: 1px solid rgba(255,255,255,0.08);
  color: #ccc;
  font-size: 0.75rem;
  font-family: 'Rajdhani', sans-serif;
  letter-spacing: 0.5px;
  padding: 0.2rem 0.6rem;
  border-radius: 3px;
  margin: 0.15rem 0.1rem;
}

.skin-pill.large {
  font-size: 0.85rem;
  padding: 0.35rem 0.9rem;
  border-color: rgba(136,71,255,0.25);
  color: #c4b5fd;
}

/* === STATS SECTION === */
.stats-section {
  background: linear-gradient(180deg, transparent, rgba(228,163,23,0.03),
transparent);
  border-top: 1px solid var(--border);
  border-bottom: 1px solid var(--border);
}

```

```

}

.stat-box {
  background: var(--bg-card);
  border: 1px solid var(--border);
  border-radius: 6px;
  padding: 1.25rem 1rem;
  transition: border-color 0.2s;
}

.stat-box:hover { border-color: var(--accent); }

.stat-value {
  font-family: 'Orbitron', monospace;
  font-weight: 900;
  font-size: 1.6rem;
  color: var(--accent);
  line-height: 1;
}

.stat-label {
  font-family: 'Rajdhani', sans-serif;
  font-size: 0.8rem;
  color: var(--text-muted);
  letter-spacing: 1px;
  text-transform: uppercase;
  margin-top: 0.25rem;
}

/* === DETAIL PAGE === */
.detail-card {
  background: var(--bg-card);
  border: 1px solid var(--border);
  border-radius: 8px;
  padding: 2rem;
}

.detail-text {
  color: #bbb;
  font-size: 1rem;
  line-height: 1.7;
}

.fun-fact-box {
  background: rgba(228,163,23,0.05);
  border: 1px solid rgba(228,163,23,0.15);
  border-radius: 6px;
  padding: 1rem 1.25rem;
}

```

```

    color: #ccc;
    font-size: 0.9rem;
    line-height: 1.6;
}

.wear-grid {
    display: flex;
    flex-wrap: wrap;
    gap: 0.5rem;
    margin-top: 0.5rem;
}

.wear-pill {
    font-family: 'Rajdhani', sans-serif;
    font-size: 0.85rem;
    font-weight: 600;
    letter-spacing: 0.5px;
    border: 1px solid;
    border-radius: 4px;
    padding: 0.3rem 0.9rem;
}

.stats-table td {
    padding: 0.65rem 0;
    border-bottom: 1px solid var(--border);
    font-size: 0.9rem;
    color: #aaa;
}

.stats-table td:first-child {
    color: var(--text-muted);
    font-family: 'Rajdhani', sans-serif;
    letter-spacing: 1px;
    text-transform: uppercase;
    font-size: 0.8rem;
    width: 45%;
}

.stats-table tr:last-child td { border-bottom: none; }

/* === LOGIN / FORM CARDS === */
.login-card {
    background: var(--bg-card);
    border: 1px solid var(--border);
    border-top: 2px solid var(--accent);
    border-radius: 10px;
    padding: 2.5rem;
}

```

```

.form-label-cs2 {
  display: block;
  font-family: 'Rajdhani', sans-serif;
  font-size: 0.8rem;
  font-weight: 700;
  letter-spacing: 2px;
  text-transform: uppercase;
  color: var(--text-muted);
  margin-bottom: 0.4rem;
}

.form-input-cs2 {
  display: block;
  width: 100%;
  background: rgba(255,255,255,0.03);
  border: 1px solid rgba(255,255,255,0.1);
  border-radius: 5px;
  color: #fff;
  font-family: 'Inter', sans-serif;
  font-size: 0.95rem;
  padding: 0.7rem 1rem;
  outline: none;
  transition: border-color 0.2s;
  resize: vertical;
}

.form-input-cs2:focus {
  border-color: var(--accent);
  box-shadow: 0 0 0 3px rgba(228,163,23,0.1);
}

.form-input-cs2::placeholder { color: #555; }

.form-input-cs2 option {
  background: var(--bg-card);
  color: #fff;
}

/* === ALERTS === */
.alert-cs2 {
  border-radius: 5px;
  padding: 0.85rem 1.1rem;
  font-size: 0.9rem;
  margin-bottom: 0.5rem;
}

.alert-cs2.error {

```

```

    background: rgba(248,113,113,0.08);
    border: 1px solid rgba(248,113,113,0.25);
    color: #fca5a5;
}

.alert-cs2.success {
    background: rgba(74,222,128,0.08);
    border: 1px solid rgba(74,222,128,0.25);
    color: #86efac;
}

/* === FOOTER === */
.cs2-footer {
    background: var(--bg-secondary);
    border-top: 1px solid var(--border);
    margin-top: auto;
}

.footer-brand {
    font-family: 'Orbitron', monospace;
    font-weight: 700;
    font-size: 1rem;
    color: #fff;
    margin-bottom: 0.25rem;
}

.footer-sub {
    color: var(--text-muted);
    font-size: 0.8rem;
    margin-bottom: 0.1rem;
}

.footer-copy {
    color: #555;
    font-size: 0.75rem;
    margin: 0;
}

/* === ANIMATIONS === */
@keyframes fadeInUp {
    from { opacity: 0; transform: translateY(20px); }
    to   { opacity: 1; transform: translateY(0); }
}

.hero-section .container > * {
    animation: fadeInUp 0.5s ease both;
}

```

```

.hero-section .container > *:nth-child(1) { animation-delay: 0.0s; }
.hero-section .container > *:nth-child(2) { animation-delay: 0.1s; }
.hero-section .container > *:nth-child(3) { animation-delay: 0.2s; }
.hero-section .container > *:nth-child(4) { animation-delay: 0.3s; }

.knife-card {
  animation: fadeInUp 0.4s ease both;
}

/* === BOOTSTRAP OVERRIDES === */
.navbar-toggler {
  border-color: rgba(255,255,255,0.2) !important;
}

.navbar-toggler-icon {
  filter: invert(1);
}

code {
  background: rgba(255,255,255,0.07);
  border-radius: 3px;
  padding: 0.1rem 0.4rem;
  font-size: 0.85rem;
}

/* === SCROLLBAR === */
::-webkit-scrollbar { width: 8px; }
::-webkit-scrollbar-track { background: var(--bg-primary); }
::-webkit-scrollbar-thumb { background: #333; border-radius: 4px; }
::-webkit-scrollbar-thumb:hover { background: var(--accent); }

/* =====
  IMAGE REPLACEMENTS (replaces emoji icons)
  ===== */

/* Navbar logo */
.nav-logo-img {
  height: 36px;
  width: auto;
  object-fit: contain;
  margin-right: 8px;
  vertical-align: middle;
  image-rendering: crisp-edges;
}

.nav-logo-text {
  font-family: 'Orbitron', monospace;
  font-weight: 700;
}

```

```

    font-size: 1rem;
    letter-spacing: 1px;
    vertical-align: middle;
}

/* Knife image wrapper inside cards */
.knife-img-wrap {
    width: 120px;
    height: 120px;
    margin: 0 auto 1rem auto;
    display: flex;
    align-items: center;
    justify-content: center;
    background: rgba(255,255,255,0.03);
    border-radius: 16px;
    border: 1px solid rgba(255,255,255,0.06);
    padding: 10px;
    transition: all 0.3s ease;
}

.knife-card:hover .knife-img-wrap {
    background: rgba(255,255,255,0.06);
    border-color: var(--rarity-color, var(--accent));
    box-shadow: 0 0 20px rgba(0,0,0,0.3);
}

.knife-img {
    width: 100%;
    height: 100%;
    object-fit: contain;
    transition: transform 0.3s ease;
}

.knife-card:hover .knife-img {
    transform: scale(1.08) rotate(-3deg);
}

/* Large hero knife image on detail page */
.hero-knife-img {
    width: 160px;
    height: 160px;
    background: rgba(255,255,255,0.04);
    border-radius: 24px;
    border: 1px solid rgba(255,255,255,0.08);
    padding: 14px;
}

/* Footer logo */

```

```

.footer-logo-img {
  height: 40px;
  width: auto;
  object-fit: contain;
  opacity: 0.8;
}

/* Replace old emoji icon styles */
.knife-icon { display: none; }

/* =====
COMPARE PAGE
===== */

.compare-card {
  background: var(--bg-card);
  border: 1px solid var(--border);
  border-top: 3px solid var(--accent);
  border-radius: 10px;
  padding: 1.5rem;
  text-align: center;
  transition: transform 0.2s;
}

.compare-card:hover { transform: translateY(-3px); }

.compare-knife-img-wrap {
  width: 100px; height: 100px;
  margin: 0 auto 1rem;
  background: rgba(255,255,255,0.03);
  border-radius: 12px;
  display: flex; align-items: center; justify-content: center;
  padding: 8px;
}

.compare-knife-img { width: 100%; height: 100%; object-fit: contain; }
.compare-knife-name {
  font-family: 'Orbitron', monospace;
  font-size: 1rem; color: #fff; margin-bottom: 0.3rem;
}

.compare-avg { color: #4ade80; font-family: 'Rajdhani', sans-serif; font-size: 1rem; font-weight: 700; }
.compare-tier {
  display: inline-block;
  font-family: 'Rajdhani', sans-serif;
  font-weight: 700; font-size: 0.85rem;
  border: 1px solid; border-radius: 4px;
  padding: 0.2rem 0.75rem; margin-top: 0.5rem;
}

.compare-row {
  background: var(--bg-card);

```

```

border: 1px solid var(--border);
border-radius: 8px;
padding: 1rem 1.25rem;
margin-bottom: 0.75rem;
}
.compare-stat-label {
  font-family: 'Rajdhani', sans-serif;
  font-size: 0.85rem; font-weight: 700;
  letter-spacing: 1px; text-transform: uppercase;
  color: var(--text-muted); margin-bottom: 0.6rem;
  display: flex; justify-content: space-between; align-items: center;
}
.compare-winner {
  font-size: 0.8rem; color: #fbbf24;
  font-weight: 400; letter-spacing: 0;
}
.compare-bar-wrap {
  display: flex; align-items: center; gap: 0.5rem;
}
.compare-bar-track {
  flex: 1; height: 10px;
  background: rgba(255,255,255,0.06);
  border-radius: 999px; overflow: hidden;
}
.compare-bar-fill {
  height: 100%; border-radius: 999px;
  transition: width 1s ease;
}
.compare-bar-val {
  font-family: 'Rajdhani', monospace;
  font-weight: 700; color: #fff; font-size: 0.9rem;
  min-width: 28px; text-align: right;
}

/* =====
QUIZ PAGE
===== */
.quiz-question-card {
  background: var(--bg-card);
  border: 1px solid var(--border);
  border-radius: 10px;
  padding: 1.75rem;
  margin-bottom: 1.25rem;
}
.quiz-num {
  font-family: 'Rajdhani', sans-serif;
  font-size: 0.8rem; letter-spacing: 2px;
  text-transform: uppercase; color: var(--accent);

```

```

    margin-bottom: 0.5rem;
}
.quiz-q-text {
    font-size: 1rem; color: #fff;
    font-weight: 500; margin-bottom: 1rem;
}
.quiz-options { display: flex; flex-direction: column; gap: 0.5rem; }
.quiz-option-label {
    display: flex; align-items: center; gap: 0.75rem;
    background: rgba(255,255,255,0.03);
    border: 1px solid rgba(255,255,255,0.07);
    border-radius: 6px; padding: 0.65rem 1rem;
    cursor: pointer; transition: all 0.15s;
}
.quiz-option-label:hover {
    border-color: var(--accent);
    background: rgba(228,163,23,0.05);
}
.quiz-option-label input { accent-color: var(--accent); }
.quiz-option-text { color: #ccc; font-size: 0.95rem; }

.quiz-result-card {
    background: var(--bg-card);
    border: 1px solid var(--border);
    border-radius: 12px;
    padding: 2.5rem;
}
.quiz-score {
    font-family: 'Orbitron', monospace;
    font-size: 4rem; font-weight: 900;
    line-height: 1; margin-bottom: 0.5rem;
}
.quiz-result-msg {
    font-size: 1.1rem; color: #ccc; margin-bottom: 1.5rem;
}
.quiz-review-item {
    text-align: left;
    background: rgba(255,255,255,0.02);
    border: 1px solid rgba(255,255,255,0.06);
    border-radius: 8px;
    padding: 1rem; margin-bottom: 0.75rem;
}
.quiz-review-item.correct { border-color: rgba(74,222,128,0.25); }
.quiz-review-item.wrong { border-color: rgba(248,113,113,0.25); }
.quiz-answer-text { color: #aaa; font-size: 0.9rem; margin: 0.25rem 0 0; }
.quiz-reason { color: #777; font-size: 0.82rem; margin: 0.25rem 0 0; font-
style: italic; }

```

```

/* =====
PAGE HERO IMAGE (compare, quiz, about headers)
===== */
.page-hero-img {
  width: 80px; height: 80px;
  object-fit: contain;
  opacity: 0.85;
}

/* ACTIVE NAV LINK */
.cs2-nav-link.active {
  color: var(--accent) !important;
  background: rgba(228,163,23,0.08);
  border-radius: 4px;
}

/* =====
COMPARE PAGE — REDESIGN
===== */

/* Header card per knife */
.cmp-header-card {
  background: var(--bg-card);
  border: 1px solid var(--border);
  border-radius: 12px;
  padding: 0;
  text-align: center;
  overflow: hidden;
  transition: transform 0.25s, box-shadow 0.25s;
  position: relative;
}

.cmp-header-card:hover {
  transform: translateY(-5px);
  box-shadow: 0 12px 40px rgba(0,0,0,0.5);
}

/* Colored top bar */
.cmp-card-accent {
  height: 4px;
  width: 100%;
  margin-bottom: 0;
}

/* Image box */
.cmp-img-box {
  width: 140px;
  height: 140px;

```

```
margin: 1.5rem auto 1rem;
background: rgba(255,255,255,0.04);
border-radius: 50%;
display: flex;
align-items: center;
justify-content: center;
padding: 14px;
border: 2px solid rgba(255,255,255,0.06);
transition: border-color 0.2s, background 0.2s;
}

.cmp-header-card:hover .cmp-img-box {
background: rgba(255,255,255,0.07);
border-color: var(--knife-color, var(--accent));
}

.cmp-knife-img {
width: 100%;
height: 100%;
object-fit: contain;
transition: transform 0.3s ease;
}

.cmp-header-card:hover .cmp-knife-img {
transform: scale(1.1) rotate(-5deg);
}

.cmp-img-fallback {
font-size: 3rem;
line-height: 1;
}

.cmp-knife-name {
font-family: 'Orbitron', monospace;
font-weight: 700;
font-size: 1.1rem;
margin-bottom: 0.35rem;
padding: 0 1rem;
}

.cmp-avg-price {
font-family: 'Rajdhani', sans-serif;
font-size: 1rem;
color: #4ade80;
font-weight: 700;
margin-bottom: 0.5rem;
}
```

```
.cmp-tier-badge {
  display: inline-block;
  font-family: 'Rajdhani', sans-serif;
  font-weight: 700;
  font-size: 0.85rem;
  letter-spacing: 1px;
  border: 1px solid;
  border-radius: 4px;
  padding: 0.2rem 0.85rem;
  margin-bottom: 1.5rem;
}

/* Stat comparison blocks */
.cmp-stat-block {
  background: var(--bg-card);
  border: 1px solid var(--border);
  border-radius: 10px;
  padding: 1.25rem 1.5rem;
}

.cmp-stat-header {
  display: flex;
  justify-content: space-between;
  align-items: center;
  margin-bottom: 0.75rem;
}

.cmp-stat-name {
  font-family: 'Rajdhani', sans-serif;
  font-size: 0.85rem;
  font-weight: 700;
  letter-spacing: 2px;
  text-transform: uppercase;
  color: var(--text-muted);
}

.cmp-stat-winner {
  font-size: 0.8rem;
  color: #fbbf24;
}

.cmp-bar-label-row {
  display: flex;
  justify-content: space-between;
  align-items: center;
  margin-bottom: 0.3rem;
}
```

```

.cmp-bar-knife-name {
  font-family: 'Rajdhani', sans-serif;
  font-size: 0.8rem;
  color: #999;
  letter-spacing: 0.5px;
}

.cmp-bar-score {
  font-family: 'Orbitron', monospace;
  font-weight: 700;
  font-size: 0.9rem;
}

.cmp-bar-track {
  height: 10px;
  background: rgba(255,255,255,0.05);
  border-radius: 999px;
  overflow: hidden;
}

.cmp-bar-fill {
  height: 100%;
  border-radius: 999px;
  animation: barGrow 1s ease both;
}

@keyframes barGrow {
  from { width: 0 !important; }
}

/* =====
QUIZ PAGE — REDESIGN
===== */

/* Progress bar at top */
.quiz-progress-wrap {
  background: var(--bg-card);
  border: 1px solid var(--border);
  border-radius: 8px;
  padding: 1rem 1.25rem;
}

.quiz-progress-label {
  display: flex;
  justify-content: space-between;
  font-family: 'Rajdhani', sans-serif;
  font-size: 0.85rem;
  letter-spacing: 1px;
}

```

```

    text-transform: uppercase;
    color: var(--text-muted);
    margin-bottom: 0.6rem;
}

.quiz-progress-bar {
    height: 6px;
    background: rgba(255,255,255,0.06);
    border-radius: 999px;
    overflow: hidden;
}

.quiz-progress-fill {
    height: 100%;
    background: var(--accent);
    border-radius: 999px;
    transition: width 0.4s ease;
}

/* Question card */
.quiz-question-card {
    background: var(--bg-card);
    border: 1px solid var(--border);
    border-radius: 12px;
    padding: 1.75rem;
    margin-bottom: 1.25rem;
    transition: border-color 0.2s;
}

.quiz-question-card:hover {
    border-color: rgba(228,163,23,0.2);
}

/* Card header: number + image side by side */
.quiz-card-header {
    display: flex;
    justify-content: space-between;
    align-items: flex-start;
    margin-bottom: 1rem;
}

.quiz-card-meta {
    display: flex;
    align-items: baseline;
    gap: 0.25rem;
}

.quiz-q-num {

```

```
    font-family: 'Orbitron', monospace;
    font-weight: 900;
    font-size: 2rem;
    color: var(--accent);
    line-height: 1;
}

.quiz-q-of {
    font-family: 'Rajdhani', sans-serif;
    font-size: 1rem;
    color: var(--text-muted);
}

/* Knife image in question card */
.quiz-card-img {
    width: 90px;
    height: 90px;
    object-fit: contain;
    background: rgba(255,255,255,0.03);
    border: 1px solid rgba(255,255,255,0.07);
    border-radius: 12px;
    padding: 8px;
    flex-shrink: 0;
}

/* Question text */
.quiz-q-text {
    font-size: 1.05rem;
    color: #f0f0f0;
    font-weight: 500;
    margin-bottom: 1.25rem;
    line-height: 1.5;
}

/* Options: 2x2 grid */
.quiz-options-grid {
    display: grid;
    grid-template-columns: 1fr 1fr;
    gap: 0.65rem;
}

.quiz-option-tile {
    display: flex;
    align-items: center;
    gap: 0.75rem;
    background: rgba(255,255,255,0.03);
    border: 1px solid rgba(255,255,255,0.08);
    border-radius: 8px;
```

```
padding: 0.75rem 1rem;
cursor: pointer;
transition: all 0.15s ease;
user-select: none;
}

.quiz-option-tile:hover {
  border-color: var(--accent);
  background: rgba(228,163,23,0.06);
}

.quiz-option-tile.selected {
  border-color: var(--accent);
  background: rgba(228,163,23,0.1);
}

.quiz-option-tile input[type="radio"] {
  display: none; /* hide default radio, use tile styling instead */
}

.quiz-option-letter {
  display: inline-flex;
  align-items: center;
  justify-content: center;
  width: 28px;
  height: 28px;
  border-radius: 50%;
  background: rgba(255,255,255,0.06);
  border: 1px solid rgba(255,255,255,0.12);
  font-family: 'Orbitron', monospace;
  font-size: 0.75rem;
  font-weight: 700;
  color: var(--text-muted);
  flex-shrink: 0;
  transition: all 0.15s;
}

.quiz-option-tile:hover .quiz-option-letter,
.quiz-option-tile.selected .quiz-option-letter {
  background: var(--accent);
  border-color: var(--accent);
  color: #000;
}

.quiz-option-text {
  color: #ccc;
  font-size: 0.93rem;
  line-height: 1.3;
```

```
}

/* Result page */
.quiz-result-card {
  background: var(--bg-card);
  border: 1px solid var(--border);
  border-radius: 14px;
  padding: 2.5rem 2rem;
}

.quiz-score-circle {
  width: 120px;
  height: 120px;
  border-radius: 50%;
  border: 4px solid var(--result-color, var(--accent));
  display: flex;
  align-items: center;
  justify-content: center;
  margin: 0 auto;
  background: rgba(255,255,255,0.03);
  box-shadow: 0 0 30px color-mix(in srgb, var(--result-color, var(--accent)))
20%, transparent);
}

.quiz-score-num {
  font-family: 'Orbitron', monospace;
  font-weight: 900;
  font-size: 1.8rem;
  line-height: 1;
}

.quiz-result-msg {
  font-size: 1.1rem;
  color: #ccc;
  font-weight: 500;
}

/* Review items */
.quiz-review-list {
  display: flex;
  flex-direction: column;
  gap: 0.75rem;
  text-align: left;
}

.quiz-review-item {
  display: flex;
  gap: 1rem;
}
```

```
    align-items: flex-start;
    background: rgba(255,255,255,0.02);
    border: 1px solid rgba(255,255,255,0.06);
    border-radius: 10px;
    padding: 1rem 1.25rem;
}

.quiz-review-item.correct { border-color: rgba(74,222,128,0.2); background:
rgba(74,222,128,0.03); }
.quiz-review-item.wrong { border-color: rgba(248,113,113,0.2); background:
rgba(248,113,113,0.03); }

.quiz-review-img {
    width: 56px;
    height: 56px;
    object-fit: contain;
    border-radius: 8px;
    background: rgba(255,255,255,0.04);
    padding: 6px;
    border: 1px solid rgba(255,255,255,0.07);
    flex-shrink: 0;
}

.quiz-review-right { flex: 1; min-width: 0; }

.quiz-review-q {
    font-size: 0.9rem;
    color: #ddd;
    margin-bottom: 0.3rem;
}

.quiz-review-num {
    font-family: 'Orbitron', monospace;
    font-size: 0.75rem;
    color: var(--accent);
    margin-right: 0.4rem;
}

.quiz-review-ans {
    font-size: 0.9rem;
    color: #aaa;
    margin-bottom: 0.2rem;
}

.quiz-review-reason {
    font-size: 0.82rem;
    color: #666;
    font-style: italic;
```

```

    margin: 0;
}

@media (max-width: 576px) {
  .quiz-options-grid {
    grid-template-columns: 1fr;
  }
  .quiz-card-img {
    width: 70px;
    height: 70px;
  }
}

```

MAIN.JS

```

// main.js - CS2 Knife Wiki
// Minimal JS for UI enhancements

document.addEventListener('DOMContentLoaded', () => {

  // Animate knife cards on scroll
  const cards = document.querySelectorAll('.knife-card, .detail-card, .stat-box');
  if ('IntersectionObserver' in window) {
    const observer = new IntersectionObserver((entries) => {
      entries.forEach((entry, i) => {
        if (entry.isIntersecting) {
          entry.target.style.animationDelay = (i * 0.07) + 's';
          entry.target.style.opacity = '1';
          entry.target.style.transform = 'translateY(0)';
          observer.unobserve(entry.target);
        }
      });
    }, { threshold: 0.1 });

    cards.forEach(card => {
      card.style.opacity = '0';
      card.style.transform = 'translateY(20px)';
      card.style.transition = 'opacity 0.4s ease, transform 0.4s ease';
      observer.observe(card);
    });
  }

  // Highlight active nav link
  const currentPath = window.location.pathname.split('/').pop();
  document.querySelectorAll('.cs2-nav-link').forEach(link => {
    const href = link.getAttribute('href');

```

```
        if (href === currentPath || (currentPath === '' && href ===  
'index.php')) {  
            link.style.color = 'var(--accent, #e4a317)';  
        }  
    });  
});
```