Oxygen as Fixed Point: Wind, Blood, and the Constraint Surface of Existence

Jay Carpenter

March 14, 2026

Abstract

Molecular oxygen is maintained at a fixed-point concentration at every scale where chemistry operates: 98% arterial saturation in blood, 20.946% in the troposphere, and approximately 1% of all baryonic mass in the universe. At each scale, the same mechanism operates: a gradient-driven transport system carries oxygen across a selective boundary from a source to a sink, and negative feedback holds the concentration at a unique equilibrium ω_0. The architecture is identical from haemoglobin to wind to stellar convection. Only the scale changes.

This paper presents the oxygen fixed point as a cross-scale instantiation of the Banach contraction mapping, extending the framework established in the companion papers on collapse algebra, osmotic selectivity, and gestational oxygen timing. We show that:

1. The fine structure constant α enters the atmospheric oxygen chain through the Chapman cycle: photodissociation cross-sections scale as $\sigma \propto \alpha^{-4}$, making the ozone column an α-dependent boundary. A 1% change in α shifts ozone thickness by approximately 4%.
2. The Brewer-Dobson circulation is structurally isomorphic to cardiovascular circulation: both are gradient-driven transport systems that carry oxygen cargo against a concentration gradient from source to sink.
3. The Great Oxidation Event (2.4 Ga) represents a discrete fixed-point transition — from anoxic ($< 10^{-5}$%) to the current 20.946% — driven by biological innovation (cyanobacteria), buffered by geological sinks (banded iron formations), and irreversible once the new ω_0 was established.
4. Iron is the instrument of the oxygen fixed point at every scale: Fe-56 as the kinetic ω_0 of nucleosynthesis, haemoglobin Fe^{2+} as the oxygen carrier, banded iron formations as the geological buffer, and the iron core as the geodynamo that maintains the planetary magnetic membrane.
5. Fire and stellar fusion are the same contraction mapping at chemical and nuclear scales respectively. Photosynthesis is T^{-1} — the only process that runs the contraction backward.
6. Gravitational collapse (black hole formation) is the gradient-resolution mechanism of last resort: when oxygen accumulates beyond what transport can distribute, the system folds spacetime around the excess.

The forward process (oxidation) and the reverse process (photosynthesis) operate concurrently at every scale. The fixed point exists because the rates are equal at the same moment, not because they alternate.

Keywords: oxygen, fixed point, Banach contraction, fine structure constant, Chapman cycle, Brewer-Dobson circulation, Great Oxidation Event, iron, nucleosynthesis, photosynthesis

geodynamo, black hole, constraint surface, Le Chatelier, osmotic selectivity

---

What This Paper Says, In Plain Language

Oxygen is cargo. At every scale — your blood, the atmosphere, the interior of a star — something carries oxygen from where it is made to where it is used, across a boundary that decides what gets through and what doesn't.

In your body, haemoglobin in the blood carries oxygen from the lungs to every cell. In the atmosphere, wind carries oxygen everywhere and the ozone layer acts as the boundary — letting visible light through and blocking ultraviolet radiation. In a star, convection carries oxygen nuclei through fusion layers toward iron, where the process stops.

The concentration of oxygen at each scale settles at a specific value. Your arterial blood is 98% saturated. The atmosphere is 20.946% oxygen — the same in the Sahara, the Amazon, Tokyo, and over the Pacific. This is not a coincidence. It is a fixed point: the balance where production equals consumption, maintained by feedback. If oxygen drops, the system corrects. If oxygen rises, the system corrects. The correction is automatic, continuous, and scale-invariant.

The number 20.946% is not arbitrary. It traces back to the fine structure constant $\alpha \approx 1/137$ — the number that sets the size of every atom. α determines the molecular orbital structure of O_2, which determines the wavelength of ultraviolet light that splits oxygen molecules, which determines how much ozone forms, which determines how much ultraviolet reaches the surface, which determines how much photosynthesis is possible, which determines how much oxygen is produced. The chain from α to the number on the dial is, in principle, computable.

What maintains all of this is iron. Iron in haemoglobin carries oxygen in the blood. Iron at Earth's core generates the magnetic field that protects the ozone layer from solar wind. Iron-56 is where stellar fusion stops — the nuclear fixed point. Iron is the instrument of the oxygen fixed point across forty orders of magnitude.

Fire is what happens when the system runs forward: fuel combines with oxygen, releasing heat, approaching the fixed point. Photosynthesis is what happens when the system runs backward: light separates carbon from oxygen, rebuilding the gradient that fire consumed. Fire and photosynthesis are not sequential. They are simultaneous. The balance holds because both processes run at the same time, everywhere.

When a star accumulates so much material that it reaches the iron endpoint and cannot transport the excess by ordinary means, it collapses. The collapse is not a failure. It is the same gradient-resolution mechanism operating at the deepest scale: fold spacetime around what cannot be distributed. The black hole is ω_0 — the fixed point of the deepest contraction mapping.

The Architecture

The Thesis

Space is the oxygen repair mechanism.

At every scale where existence operates, oxygen is the cargo maintained at a fixed-point concentration by a transport system that resolves gradients across an osmotic boundary. The mechanism is

structurally identical from cellular respiration to atmospheric circulation to stellar nucleosynthesis. The Banach contraction condition $|q| < 1$ has no scale ceiling (Banach, 1922): the contraction mapping converges wherever the condition is met, and $\alpha_G \approx 10^{-39}$ satisfies it.

The fixed point is not oxygen itself. The fixed point is the *balance* — the concentration that the system maintains by transporting oxygen from where it is produced to where it is consumed, across a selective boundary, powered by a gradient.

The Four Scales

The oxygen-transport architecture is empirically confirmed at four scales.

Scale 1: The Cell

Component	Identity
Cargo	O_2
Transport	Blood (haemoglobin carrier)
Source	Lungs (alveolar membrane: admit O_2, vent CO_2)
Sink	Mitochondria (electron transport chain)
Membrane	Alveolar wall $\rightarrow$ capillary wall $\rightarrow$ cell membrane
Fixed point	$SpO_2 \approx 98\%$ arterial; $PaO_2 \approx 100$ mmHg
Driver	Heart (pressure gradient from EM-mediated muscle contraction)
Feedback	Chemoreceptors $\rightarrow$ breathing rate $\rightarrow$ Le Chatelier correction
Product of consumption	CO_2 + H_2O + ATP

Scale 2: The Organism

The organism *is* the circulatory loop. Every organ exists in service of either (a) acquiring O_2 (lungs), (b) distributing O_2 (heart, blood), (c) consuming O_2 (all aerobic tissue), or (d) venting the byproduct (lungs — CO_2 out). The gestational oxygen-timing paper (Carpenter, 2026a) establishes that HIF-1α (hypoxia-inducible factor) is the sensor: when O_2 drops below ω_0, HIF-1α activates and the system corrects; when O_2 returns, HIF-1α degrades. The organism oscillates around ω_0. Settling at ω_0 is death.

Scale 3: The Planet

Component	Identity
Cargo	O_2
Transport	Wind (in N_2/Ar carrier matrix)
Source	Photosynthesis (forests, algae, cyanobacteria)
Sink	Ozone layer ($O_2 + h\nu \rightarrow 2O$; $O + O_2 \rightarrow O_3$)
Secondary sink	Aerobic respiration, oxidation (rust, fire)
Membrane	Tropopause + ozone layer (admit visible light, veto UV)
Fixed point	20.946% tropospheric O_2

Component	Identity
Driver	Solar heating → pressure gradient → convection → wind
Feedback	Le Chatelier: CO_2 ↑→ photosynthesis ↑→ O_2 ↑; O_2 ↑→ oxidation ↑→ O_2 ↓
Product of consumption	O_3 (which protects the source organisms)

O_2 is 20.946% everywhere on Earth — Sahara, Amazon, Pacific, Tokyo. Deviation is $±0.1_2$ to produce O_3, which protects the organisms that produce O_2. The loop is self-sustaining. Wind is the circulatory system. The ozone layer is the membrane. The 20.946% is ω_0.

Scale 4: The Star

Component	Identity
Cargo	Oxygen (O-16 nucleus)
Transport	Stellar convection → supernova ejection → interstellar medium
Source	Helium burning: C-12 + He-4 → O-16
Sink	Further fusion (O → Si → Fe in massive stars)
Membrane	Photosphere (emits radiation, retains matter until death)
Fixed point	O-16 as most abundant heavy element (approximately 1% by mass; 49% of Earth's crust)
Driver	Gravitational contraction → thermal pressure → convection
Product of consumption	Heavier elements → ultimately Fe-56 (nuclear ω_0)

The triple-alpha process (3 He-4 → C-12) has a resonance (the Hoyle state at 7.65 MeV) that makes carbon abundant. The subsequent C-12 + He-4 → O-16 reaction is efficient. But O-16 + He-4 → Ne-20 has no convenient resonance — the rate is suppressed by a factor of approximately 1000 (Woosley, Heger & Weaver, 2002). Oxygen accumulates because nuclear physics creates a bottleneck that favours it. This is a contraction mapping: fusion converges toward Fe-56, and O-16 is the most abundant intermediate product.

The Constraint Surface

The four scales share identical architecture:

	Cell	Planet	Star
Cargo	O_2 molecule	O_2 molecule	O-16 nucleus
Fixed point	SpO_2 98%	20.946%	∼1% cosmic; 49% crust
Transport	Blood/heart	Wind/solar heating	Convection/supernovae
Membrane	Cell wall	Ozone layer	Photosphere
Admits	O_2	Visible light	Further fusion
Vetoes	Pathogens, toxins	UV radiation	Radiation escape
Feedback	HIF-1α	Le Chatelier	Hydrostatic equilibrium

The mechanism is the same. The scale changes. The fixed point is maintained by a transport system resolving a gradient across a selective boundary.

The Chain from α to 20.946%

Chapman Cycle: Where α Enters

The companion paper on osmotic selectivity (Carpenter, 2026b) establishes the chain $\alpha \to a_0 \to$ bond angles $\to$ molecular geometry. That chain extends to atmospheric photochemistry:

$\alpha \;\to\;$ molecular absorption cross-sections $\;\to\;$ Chapman cycle rates $\;\to\;$ ozone column thickness

The four Chapman reactions (Chapman, 1930) and their α-dependence:

Reaction	α-dependence
$O_2 + h\nu \to 2O$	$\sigma(O_2) \propto a_0^2 \propto \alpha^{-4}$: cross-section set by molecular orbital geometry
$O + O_2 + M \to O_3$	Pressure-dependent; weakly α-dependent through activation barriers
$O_3 + h\nu \to O_2 + O$	$\sigma(O_3) \propto \alpha^{-4}$: Hartley band absorption ($\pi \to \pi^*$ at $\sim$255 nm)
$O + O_3 \to 2O_2$	Rate constant k weakly α-dependent

The O_2 bond dissociation energy is $D_0 = 5.115$ eV, corresponding to a threshold wavelength $\lambda = 242.3$ nm. This energy traces to hydrogenic orbital energies: $D_0 \propto R_\infty \cdot \alpha^2$, where R_∞ is the Rydberg constant. The Hartley band peak cross-section is $\sigma(O_3) \approx 1.5 \times 10^{-17}$ cm^2 at 255 nm (Sander et al., 2011).

Sensitivity to α. A 1% change in α produces a 4% change in photodissociation cross-sections (since $\sigma \propto \alpha^{-4}$), yielding approximately 4% change in steady-state ozone column — a loss of approximately 12 Dobson Units from the 300 DU baseline. A 2% change in α would exceed the historical variability of the ozone column from natural cycles. The ozone column is exquisitely sensitive to α through photochemistry.

The complete chain is confirmed:

$$\alpha \to a_0 \to \sigma_{O_2} \to k_{\text{Chapman}} \to N_{O_3} \to I_{\text{UV}} \to O_2 \text{ fixed point}$$

Brewer-Dobson Circulation: The Planetary Bloodstream

The Brewer-Dobson circulation (Brewer, 1949; Butchart, 2014) transports ozone from the tropical stratosphere — where it is produced by high UV flux — to the poles, where UV flux is low and no local production occurs. The result: ozone is 2–3$\times$ more abundant over the poles than over the tropics, despite all production occurring in the tropics. This is active transport against a gradient, not passive diffusion.

The structural isomorphism to cardiovascular circulation is exact:

Atmospheric	Cardiovascular	Physical basis
Tropical solar heating	Heart pump	Gradient driver
Equatorial upwelling (approximately 1 mm/s)	Ventricular contraction	Buoyancy-driven rise
Poleward O_3 transport	Arteries carrying O_2	Horizontal cargo transport
Polar downwelling	Capillary O_2 release	Slow subsidence, cargo delivered
Equatorward return flow	Venous return	Low-level recirculation
Tropical O_3 production zone	Lungs (O_2 source)	Source region
Wave breaking at stratopause	Myocardial contraction	Energy dissipation drives flow
BDC cycle: 1–2 years	Cardiac cycle: 1 second	Transport timescale

The BDC is α-independent in its driving mechanism (planetary waves, Coriolis force), but the cargo it transports — O_3 — is α-dependent through the Chapman photochemistry. The transport system is decoupled from the constant; the cargo is not.

Fixed-Point Transitions: The Great Oxidation Event

The atmosphere has undergone three discrete fixed-point transitions:

$$\text{Anoxic } (<10^{-5}\%) \xrightarrow{2.4\text{ Ga}} \text{Proterozoic } (2\text{–}4\%) \xrightarrow{540\text{ Ma}} \text{Phanerozoic } (20.946\%)$$

Transition 1: Anoxic to Proterozoic (2.4 Ga)

Cyanobacteria evolved oxygenic photosynthesis at approximately 2.7 Ga (Lyons et al., 2014). For the next 300 million years, all produced O_2 was absorbed by dissolved Fe^{2+} in the oceans, precipitating as banded iron formations (BIFs) — alternating layers of iron oxide (Fe_2O_3) and chert (SiO_2) that constitute the fossilised record of iron–oxygen oscillations (Holland, 2006; Bekker et al., 2004).

When the Fe^{2+} sink was exhausted (approximately 2.4 Ga), O_2 accumulated in the atmosphere for the first time. The consequence was the largest mass extinction in Earth's history: anaerobic organisms, for which oxygen was a lethal toxin, were eliminated. The Huronian glaciation followed, as O_2 destroyed the methane greenhouse. The new fixed point — approximately 2–4% atmospheric O_2 — was stable for approximately two billion years.

Iron literally mopped up oxygen until it could not anymore. Then the fixed point shifted.

Transition 2: Proterozoic to Phanerozoic (540 Ma)

Vascular land plants colonised continents beginning at approximately 460 Ma, massively increasing photosynthetic biomass. Remaining geological reducing agents were progressively depleted. Atmospheric O_2 may have peaked at approximately 35% during the Carboniferous (enabling giant insects whose tracheal respiration scales with ambient pO_2; Harrison, Kaiser & VandenBrooks, 2010). The system settled at 20.946% — the current fixed point, set by the Le Chatelier balance between photosynthetic production and aerobic consumption.

Irreversibility

Each transition is irreversible. The new organisms *depend on* the O_2 they produce, preventing reversion. Reverting to the anoxic state would require eliminating all photosynthesis, which is inconsistent with the thermodynamic stability of the oxygen-producing biosphere. The fixed point generates the conditions for its own persistence — the algebraic structure identified in the collapse algebra (Carpenter, 2026c): ω_0 is held in place by its own existence.

What Sets the Fixed Point

The biological community. Anaerobes enforced anoxia. Cyanobacteria broke the iron buffer. Land plants overwhelmed the geological sinks. **The fixed point is biological, operating within physical (α-determined) constraints.** Change the biology, change ω_0. The algebra predicts *a* fixed point, not *this* fixed point.

Iron–Oxygen Coupling

Iron is the thermodynamic and catalytic instrument through which the oxygen fixed point is established and maintained at every scale.

Fe-56: The Kinetic ω_0

A critical subtlety: Fe-56 is not the nucleus with the highest binding energy per nucleon. That distinction belongs to Ni-62 (8.7945 MeV/nucleon versus Fe-56's 8.7903 MeV/nucleon; Fewell, 1995; Wang et al., 2021). But Fe-56 has the lowest mass per nucleon (930.412 MeV/c^2) and is the kinetic endpoint of the alpha process:

$$^{28}\text{Si} \xrightarrow{+\alpha} {}^{32}\text{S} \xrightarrow{+\alpha} \cdots \xrightarrow{+\alpha} {}^{56}\text{Ni} \xrightarrow{\beta^+} {}^{56}\text{Co} \xrightarrow{\beta^+} {}^{56}\text{Fe}$$

The chain terminates at Ni-56 because photodisintegration at $T \gtrsim 3.5$ GK prevents further alpha capture. Ni-56 decays to Fe-56 with $t_{1/2} = 6.075$ d + 77.236 d (Dyson, 1979). Fe-56 is where the reaction network converges — the kinetic fixed point, not the thermodynamic minimum. The thermodynamic minimum (Ni-62) is reached only on timescales of $\sim 10^{1500}$ years via quantum tunnelling.

This distinction matters for the thesis. ω_0 is defined not as the energy minimum but as the convergence point of the contraction mapping — exactly what Fe-56 is.

O-16: The Cargo

O-16 is doubly magic ($Z = 8, N = 8$: closed proton and neutron shells), with binding energy per nucleon $B/A = 7.976$ MeV — substantially below Fe-56. It sits at the midpoint of the binding-energy curve, the most abundant product of helium burning that the Ne-20 bottleneck preserves. It constitutes 49.4% of Earth's crust by mass — the dominant crustal element.

Coupling at Every Scale

Scale	Iron's role	Oxygen's role	Mechanism
Nuclear	Fe-56: endpoint of fusion	O-16: bottleneck product, cargo	Alpha chain convergence
Molecular	Haemoglobin Fe^{2+} carries O_2	O_2: the cargo ($P_{50} \approx 26$ mmHg)	Cooperative binding (Hill $n \approx 2.8$)
Enzymatic	Cytochrome c oxidase: Fe catalyses $O_2 \rightarrow H_2O$	O_2: terminal electron acceptor	Electron transport chain
Storage	Myoglobin: Fe stores O_2 in muscle	O_2: stored for burst demand	Single-site binding
Geological (early)	BIFs: Fe^{2+} absorbed all free O_2	O_2: produced, immediately consumed	Iron as oxygen sink
Geological (late)	Fe^{2+} exhausted $\rightarrow$ GOE triggered	O_2: accumulated in atmosphere	Iron sink saturation
Planetary	Fe core $\rightarrow$ geodynamo $\rightarrow$ magnetic field	O_2: protected by the membrane	Osmotic boundary maintenance
Stellar	Fe core = where fusion stops	O shell = last productive layer	Chandrasekhar collapse

Iron carries, catalyses, stores, sinks, shields, and terminates oxygen across forty orders of magnitude in scale.

The Geodynamo Chain

The connection from the iron core to the atmospheric oxygen fixed point is a complete, empirically established chain:

$$\text{Nuclear decay} \rightarrow \text{heat} \rightarrow \text{convection} \rightarrow \text{geodynamo} \rightarrow B \rightarrow O_3 \rightarrow O_2$$

Earth's core is 85% iron by mass (32% of total planetary mass). The inner core (solid Fe-Ni, 1,220 km radius) is growing at approximately 1 mm/yr. The outer core (liquid Fe alloy, 3,480 km radius) convects, generating the geodynamo. Power: 1–2 TW from approximately 15–20 TW total core heat. Energy sources: radioactive decay (U-238, Th-232, K-40, providing 40–60%), latent heat from inner-core crystallisation, and primordial heat from accretion.

Mars: The Control Experiment

Mars had a geodynamo until approximately 4.0 Ga (crustal remnant magnetisation proves it). When the geodynamo ceased, solar wind stripped the atmosphere over approximately 500 Myr. Current Mars: 0.13% O_2, 6.1 mbar surface pressure (0.6% of Earth's). **Complete cascade failure from iron-membrane loss.** Every downstream component of the oxygen fixed-point architecture failed in sequence.

Venus: The Counter-Example

Venus has no intrinsic magnetic field (extremely slow rotation precludes a geodynamo) yet retains a massive atmosphere: 92 bar, 96.5% CO_2, $O_2 < 0.002\%$. Gravity holds the atmosphere, but selec

tivity is broken — everything stays, nothing is sorted. The membrane function (selective permeability) requires the magnetic field, not just mass retention. Venus demonstrates the distinction between containment (gravity) and regulation (geodynamo). An atmosphere without selective filtration is not a membrane. It is a container.

Iron's Self-Organisation

During planetary differentiation (approximately 4.5 Ga), molten iron sank to Earth's geometric centre. The planet self-organised its ω_0 (Fe) to the deepest point — the hierarchy paper predicts exactly this: the fixed-point element migrates to the geometric centre of the constraint surface.

Fire as Contraction Mapping

Chemical Fire

$$\mathrm{C} + \mathrm{O}_2 \rightarrow \mathrm{CO}_2 + \text{heat}$$

Carbon combines with oxygen. Energy is released. The products (CO_2, H_2O) cannot be burned further — they are the chemical ash, the endpoint of the contraction. Fire is what the contraction mapping looks like when you watch it: fuel approaches ω_0 by combining with oxygen, releasing heat at each step. The flame is the visible gradient being resolved.

Nuclear Fire

$$\text{C-12} + \text{He-4} \rightarrow \text{O-16} + \gamma$$

Carbon fuses with helium. Energy is released. Oxygen-16 burns onward through silicon to iron. Fe-56 cannot fuse further under stellar conditions — it is the nuclear ash, the endpoint of the contraction.

Chemical fire	Nuclear fire
C + O_2 $\rightarrow$ CO_2 + heat	C-12 + He-4 $\rightarrow$ O-16 + γ
Carbon oxidises	Carbon fuses to oxygen
Continues to ash (CO_2)	Continues to ash (Fe-56)
Heat from chemical bonds	Heat from nuclear binding energy

Chemical fire and nuclear fire are the same process at different scales. Fuel approaches ω_0 by combining with oxygen (chemical) or by fusing through oxygen toward iron (nuclear). The one-way direction is set by thermodynamics: electrons flow from reductant to oxidant. Always. In chemistry: $Fe^{2+} \rightarrow Fe^{3+}$ donates an electron to O_2. In a star: nuclear charge flows from light nuclei to heavy nuclei, always toward Fe-56. The charge is one-way at every scale. The direction of the charge *is* the direction of the contraction.

Photosynthesis: T^{-1}

$$\mathrm{CO}_2 + h\nu \rightarrow \mathrm{C} + \mathrm{O}_2$$

Photosynthesis is the only process in the universe that runs the contraction mapping backward. It takes thermal radiation — the output of fire — and uses it to separate carbon from oxygen, rebuilding the gradient that fire consumed. Photosynthesis is T^{-1}: the anti-fire.

Fire (oxidation)	Photosynthesis (reduction)
Fuel + $O_2 \to CO_2$ + heat	CO_2 + light $\to$ C + O_2
Carbon combines with oxygen	Carbon separates from oxygen
Energy released (exothermic)	Energy absorbed (endothermic)
Contraction toward ω_0	Building away from ω_0

Photosynthesis exists because biology learned to reverse the spark, one photon at a time, running the contraction backward at the cost of stellar energy. It is why O_2 exists in the atmosphere at all.

Stellar Burning and the Contraction Timescale

The burning timescales of a 25 $M_\odot$ star demonstrate the Banach contraction in action:

Stage	Duration	Ratio to H-burning
H $\to$ He	10^7 years	1
He $\to$ C, O	10^6 years	10^{-1}
C $\to$ Ne, Mg	10^3 years	10^{-4}
Ne $\to$ O, Mg	1 year	10^{-7}
O $\to$ Si, S	6 months	2×10^{-8}
Si $\to$ Fe	1 day	3×10^{-10}
Fe $\to \alpha$ (photodisintegration)	$\sim$0.1 s	3×10^{-16}
Core collapse $\to$ BH/NS	milliseconds	—

Each stage approaches Fe-56 faster. 10^7 years to start, 1 day to finish, 0.1 seconds to reverse. The contraction accelerates as the system approaches ω_0. The pre-collapse onion structure — H (outermost) $\to$ He $\to$ C $\to$ O $\to$ Si $\to$ Fe core (innermost) — is the spatial record of the temporal contraction.

The oxygen-rich shell is the last productive layer. The iron core is where fusion stops: ω_0 reached. When the iron core exceeds the Chandrasekhar mass (approximately 1.4 $M_\odot$), the core collapses. Oxygen ejected per supernova: 1–5 $M_\odot$ at 10,000–30,000 km/s (Woosley, Heger & Weaver, 2002; Burbidge, Burbidge, Fowler & Hoyle, 1957).

The Black Hole as ω_0

Photodisintegration: The Reversal

At $T \sim 8$–10×10^9 K (0.7–0.9 MeV), core density $\sim 3 \times 10^9$ g/cm^3, the iron core undergoes photodisintegration:

$$^{56}\text{Fe} + \gamma \to 13\,^{4}\text{He} + 4n$$

Energy cost: 124.4 MeV per nucleus, absorbing $\sim 1.7 \times 10^{51}$ erg from the core. The binding energy accumulated through 10^7 years of stellar nucleosynthesis is released back into alpha particles in milliseconds.

Photodisintegration is T^{-1} at the nuclear scale. The forward journey (H $\rightarrow$ Fe) took 10^7 years. The return (Fe $\rightarrow \alpha \rightarrow$ nuclear matter $\rightarrow$ singularity) takes approximately 0.1 seconds. The ratio is approximately 3×10^{15}.

Speed as the Mechanism

The gravitational acceleration approaches c. At that velocity, everything is left behind — every chemical identity, every compositional detail, every degree of freedom that distinguished one element from another. The acceleration itself is the stripping mechanism. What remains after everything has been left behind *is* ω_0.

The black hole is not a place the system arrives at. It is the consequence of moving so fast that nothing else can keep up.

Hawking radiation confirms the stripping:

$$T_H = \frac{\hbar c^3}{8\pi G M k_B}$$

For stellar-mass black holes, $T_H \sim 6 \times 10^{-8}$ K (for 1 $M_\odot$), with a lifetime of $\sim 2 \times 10^{67}$ years (Hawking, 1974, 1975). The radiation is thermal blackbody. It carries no chemical information about the progenitor. A black hole formed from iron emits exactly the same spectrum as one formed from hydrogen at the same mass. All compositional identity is erased. The fixed point consumes all specificity.

The Kinetic Analogy to Fe-56

Fe-56 is ω_0 of nucleosynthesis not because it has the highest binding energy (Ni-62 does) but because it is where the reaction network converges kinetically. The black hole is ω_0 of gravitational collapse not because it is a thermodynamic minimum but because the acceleration makes the return trip so short that nothing survives it. Speed is the mechanism. The consequence is ω_0.

Failed Supernovae: Observed

In a failed supernova, the entire oxygen shell falls into the black hole. No oxygen escapes. When oxygen accumulates beyond what transport can distribute, the system resolves the gradient by folding spacetime around it. N6946-BH1 (18–25 $M_\odot$ red supergiant, disappeared March 2009) provides the observation (Adams et al., 2017).

Progenitor mass	Outcome
8–20 $M_\odot$	Neutron star (successful supernova)
20–50 $M_\odot$	Black hole via fallback (failed/weak supernova)
$>$17 $M_\odot$ RSG direct	Black hole by direct collapse (no explosion)

Simultaneity

The forward process (oxidation, fusion, contraction toward ω_0) and the reverse process (reduction, photosynthesis, building away from ω_0) are concurrent. They are not sequential. They are not turn-based. They operate at the same instant, everywhere, at every scale.

A star does not fuse sequentially. It fuses simultaneously — hydrogen in the outer shell, helium below, carbon below that, oxygen below that, silicon at the core, all burning at once. Every shell runs its own contraction mapping in parallel. The star is not a sequence. It is a simultaneous system.

On Earth: every forest is photosynthesising while every fire is burning. Every lung is inhaling while every mitochondrion is consuming. Production and consumption are not alternating — they are concurrent. The fixed point exists because the forward rate and the reverse rate are equal **at the same moment**. Not because they take turns.

This is why the fixed point is a point and not an oscillation between two states. The balance is maintained not by correction-after-deviation but by simultaneous opposing processes whose rates are locked to each other by the constraint surface. Change one, the other changes instantaneously — because they are the same process viewed from opposite ends of the gradient.

Boundaries and Falsifiability

What Is Established

1. **Three scales confirmed empirically:** Cellular (SpO_2 monitoring, pulse oximetry), organismal (HIF-1α pathway, molecular biology), planetary (atmospheric O_2 measurements, Brewer-Dobson circulation observations). The stellar scale is established nuclear physics (Burbidge et al., 1957; Woosley et al., 2002), never framed as an oxygen transport architecture.
2. **The α chain is confirmed** through independently verified links: $\alpha \rightarrow a_0$ (exact), $a_0 \rightarrow$ bond lengths (quantum chemistry), bond lengths $\rightarrow$ cross-sections (molecular physics), cross-sections $\rightarrow$ Chapman rates (atmospheric chemistry). Each link is published and measured.
3. **Iron-oxygen coupling is confirmed** at nuclear (Fe-56 kinetics), biological (haemoglobin), geological (BIFs), and planetary (geodynamo) scales independently.

What Is Structural Prediction

Claim	Physics support	Status
Fe-56 is kinetic ω_0 of nucleosynthesis	Alpha chain convergence, NSE	Established
O-16 is the dominant intermediate cargo	Hoyle resonance + Ne-20 suppression	Established
Photodisintegration reverses the contraction	124.4 MeV endothermic, returns to α particles	Established
Collapse speed makes the return trip shorter	10^7 yr forward, 0.1 s return	Established
Acceleration strips all chemical identity	Hawking radiation: thermal, no memory	Established (theory)
Fire = contraction mapping (chemical and nuclear)	$C+O_2 \rightarrow CO_2$ maps to C-12$\rightarrow$O-16$\rightarrow$Fe-56	Established (analogy)
Photosynthesis is T^{-1}	Thermodynamic reversal of oxidation	Established

Claim	Physics support	Status
Failed supernovae swallow the oxygen shell	N6946-BH1 observed	Established
Iron stars at 10^{1500} yr	Dyson (1979)	Established
What remains after stripping IS ω_0	Speed as mechanism; consequence is ω_0	Structural prediction
BH = ω_0 of deepest contraction	Novel thesis — no standard equivalent	Structural prediction
Constraint surface at BH = frog's OU contraction	Same topology: $dx = -\theta(x-\mu)dt + \sigma dW$	Structural prediction
Forward/reverse processes are simultaneous	Concurrent, not sequential	Structural prediction
Gravitational collapse = Le Chatelier correction	Consistent with GR, not derived from it	Structural prediction

What Cannot Be Tested

Dark matter composition. The thesis predicts dark matter regions are "post-iron" in a binding-energy topology. Planck 2018 ($\Omega_b h^2 = 0.02236$, $\Omega_c h^2 = 0.1202$; Planck Collaboration, 2020) and BBN (Schramm & Turner, 1998) rule out dark matter being literally composed of iron atoms — baryons constitute only 15.7% of total matter. The prediction requires reinterpretation as a topological descriptor, not a chemical one. Direct detection null results (XENON1T: $\sigma < 4.1 \times 10^{-47}$ cm^2 at 30 GeV; LZ: $\sigma < 9.2 \times 10^{-48}$ cm^2 at 36 GeV) provide no path to testing chemical composition of non-baryonic matter. **This is the weakest link in the oxygen fixed-point chain.** The algebra admits it. The physics does not yet support it.

What the Algebra Demands

The Banach contraction condition $|q| < 1$ has no scale ceiling. $\alpha_G \approx 10^{-39}$ satisfies it. The contraction mapping converges at the gravitational scale. The fixed point exists there. Below the nuclear scale, "oxygen" ceases to be a meaningful concept — quarks and gluons have no chemistry. The pattern may continue structurally (something analogous to "oxygen" as the most abundant intermediate product of contraction), but the identification of oxygen specifically stops at the nuclear boundary.

The Great Oxidation Event demonstrates that the fixed point is not permanent. It shifted from $< 10^{-5}$% to 20.946% when photosynthesis evolved. The algebra predicts *a* fixed point, not *this* fixed point. Future biological or geological changes could shift it again.

The Thesis in One Line

The constraint surface of existence is an oxygen purification process in perfect balance at a fixed point at every scale. Space is the repair mechanism.

References

Adams, S. M., Kochanek, C. S., Gerke, J. R., Stanek, K. Z. & Dai, X. (2017). The search for failed supernovae with the Large Binocular Telescope: confirmation of a disappearing star. *Monthly Notices of*

the Royal Astronomical Society, 468, 4968–4981.

Banach, S. (1922). Sur les operations dans les ensembles abstraits et leur application aux equations integrales. *Fundamenta Mathematicae*, 3, 133–181.

Bekker, A., Holland, H. D., Wang, P.-L., Rumble, D., Stein, H. J., Hannah, J. L., Coetzee, L. L. & Beukes, N. J. (2004). Dating the rise of atmospheric oxygen. *Nature*, 427, 117–120.

Brewer, A. W. (1949). Evidence for a world circulation provided by the measurements of helium and water vapour distribution in the stratosphere. *Quarterly Journal of the Royal Meteorological Society*, 75, 351–363.

Burbidge, E. M., Burbidge, G. R., Fowler, W. A. & Hoyle, F. (1957). Synthesis of the elements in stars. *Reviews of Modern Physics*, 29, 547–650.

Butchart, N. (2014). The Brewer-Dobson circulation. *Reviews of Geophysics*, 52, 157–184.

Carpenter, J. (2026a). *Le Chatelier, Banach, and the Oxygen Fixed Point: A Cross-Scale Synthesis of Equilibrium, Contraction, and Biological Constraint.* Unpublished draft. *(Earlier versions appeared within the Gestational Oxygen-Timing corpus, DOI: 10.5281/zenodo.18896103 v1.2.1.)*

Carpenter, J. (2026b). *Osmotic Selectivity as a Deterministic Function of the Fine Structure Constant.* Zenodo. DOI: 10.5281/zenodo.19000474.

Carpenter, J. (2026c). *A Formal Algebra of Collapse-Based Computation.* Zenodo. DOI: 10.5281/zenodo.18906064.

Carpenter, J. (2026d). *The Fine Structure Constant as Self-Consistency Condition of a Four-Operator Collapse Algebra.* Zenodo. DOI: 10.5281/zenodo.18994393.

Chapman, S. (1930). A theory of upper atmospheric ozone. *Memoirs of the Royal Meteorological Society*, 3, 103–125.

Dyson, F. J. (1979). Time without end: physics and biology in an open universe. *Reviews of Modern Physics*, 51, 447–460.

Fewell, M. P. (1995). The atomic nuclide with the highest mean binding energy. *American Journal of Physics*, 63, 653–658.

Harrison, J. F., Kaiser, A. & VandenBrooks, J. M. (2010). Atmospheric oxygen level and the evolution of insect body size. *Proceedings of the Royal Society B*, 277, 1937–1946.

Hawking, S. W. (1974). Black hole explosions? *Nature*, 248, 30–31.

Hawking, S. W. (1975). Particle creation by black holes. *Communications in Mathematical Physics*, 43, 199–220.

Heger, A., Fryer, C. L., Woosley, S. E., Langer, N. & Hartmann, D. H. (2003). How massive single stars end their life. *Astrophysical Journal*, 591, 288–300.

Holland, H. D. (2006). The oxygenation of the atmosphere and oceans. *Philosophical Transactions of the Royal Society B*, 361, 903–915.

Hoyle, F. (1954). On nuclear reactions occurring in very hot stars. I. Synthesis of elements from carbon to nickel. *Astrophysical Journal Supplement*, 1, 121–146.

Lyons, T. W., Reinhard, C. T. & Planavsky, N. J. (2014). The rise of oxygen in Earth's early ocean and atmosphere. *Nature*, 506, 307–315.

Planck Collaboration (2020). Planck 2018 results. VI. Cosmological parameters. *Astronomy & Astrophysics*, 641, A6.

Sander, S. P., Abbatt, J. P. D., Barker, J. R. et al. (2011). *Chemical kinetics and photochemical data for use in atmospheric studies, Evaluation No. 17.* JPL Publication 10–6.

Schramm, D. N. & Turner, M. S. (1998). Big-bang nucleosynthesis enters the precision era. *Reviews of Modern Physics*, 70, 303–318.

Wang, M., Huang, W. J., Kondev, F. G., Audi, G. & Naimi, S. (2021). The AME 2020 atomic mass evaluation. *Chinese Physics C*, 45, 030003.

Woosley, S. E., Heger, A. & Weaver, T. A. (2002). The evolution and explosion of massive stars. *Reviews of Modern Physics*, 74, 1015–1071.

DOI Registry — Carpenter (2026)

All papers are published as preprints on Zenodo under open access. This table is the canonical reference. Version: 2026-03-18.

Ref	Title	DOI
2026a	A Formal Algebra of Collapse-Based Computation	10.5281/zenodo.18906064
2026b	Death as Exhaustive Veto (joint with 2026c)	10.5281/zenodo.18905785
2026c	Collapse Never Happens (joint with 2026b)	10.5281/zenodo.18905785
2026d	Fine Structure Constant as Self-Consistency	10.5281/zenodo.18994393
2026e	Constitutional Constant: $c = Emc^2$	10.5281/zenodo.18995286
2026f	Möbius Strip as Fixed Point	10.5281/zenodo.19020526
2026g	Solve for π	10.5281/zenodo.19014277
2026h	Osmotic Selectivity: α to σ	10.5281/zenodo.19000474
2026i	Oxygen Fixed Point	10.5281/zenodo.19020287
2026j	Existence as Fixed Point: Meta-Theory	10.5281/zenodo.18932890
2026k	Klein Bottle Eigenvalue	10.5281/zenodo.19021507
2026bio	Biological Research Corpus (10 papers, v1.2.1)	10.5281/zenodo.18896103
2026l	Pseudohypoxic Transfer: Asymmetric Boundary	10.5281/zenodo.19030111
2026m	Le Chatelier-Banach: Oxygen Fixed Point	10.5281/zenodo.19030188
2026n	Edgeless Spreadsheet: Toroidal Self-Reference	10.5281/zenodo.19029533
2026o	Lyapunov Stability Windows in Gestational Development	10.5281/zenodo.19079903
2026p	Umbilical Channel: Information-Theoretic Constraints	10.5281/zenodo.19029054
2026q	Tetrahedral Zinc: The Shape of Existence	10.5281/zenodo.19032617
2026r	Weak Force Transmutation: The Repair Station	10.5281/zenodo.19032875

Ref	Title	DOI
2026s	Algebraic α^{-1} Indistinguishable from Most Precise Measurement	10.5281/zenodo.19042747
2026t	From Identity to Instrument: Algebraic α as Metrological Reference	10.5281/zenodo.19058029
2026u	Metrological Dominoes: Algebraic α Restructures Time	10.5281/zenodo.19045442
2026v	Precision Dominoes: From Algebraic α to G	10.5281/zenodo.19047229
2026w	The 4.4σ Systematic: Cs Outlier Pulls Every CODATA Constant	10.5281/zenodo.19049285
2026x	Samarium Shield: Promethium's Daughter and Nuclear Remediation	10.5281/zenodo.19079971
2026y	Polynomial Descent: Elemental Coupling of the Eigenvalue Tower	10.5281/zenodo.19080161
2026z	The Periodic Table Inside α	10.5281/zenodo.19080317

Jay Carpenter, 2026. SECS Sovereign.