Nama : Ahmad Franklyn Bima Aquilla

Kelas : SIB 3F – 02 NIM : 2341760027

Matkul : Pemrograman Mobile

Dosen : Ade Ismail, S.Kom., M.TI.

GitHub : https://github.com/JustQuill25/flutter plugin pubdev

MANAJEMEN PLUGIN

1. Buat Projek Baru

```
PS D:\Pemrograman Mobile\Jobsheet 6> flutter create flutter_plugin_pubdev
 Creating project flutter_plugin_pubdev...
 Resolving dependencies in `flutter_plugin_pubdev`... (1.1s)
 Downloading packages...
 Got dependencies in `flutter_plugin_pubdev`.
 Wrote 130 files.
 All done!
 You can find general documentation for Flutter at: https://docs.flutter.dev/
 Detailed API documentation is available at: https://api.flutter.dev/
 If you prefer video documentation, consider: https://www.youtube.com/c/flutterdev
 In order to run your application, type:
        $ cd flutter_plugin_pubdev
        $ flutter run
 Your application code is in flutter_plugin_pubdev\lib\main.dart.
 PS D:\Pemrograman Mobile\Jobsheet 6> [
PS D:\Pemrograman Mobile\Jobsheet 6> cd flutter_plugin_pubdev
PS D:\Pemrograman Mobile\Jobsheet 6\flutter_plugin_pubdev git init
Initialized empty 6it repository in D:\Pemrograman Mobile\Jobsheet 6\flutter_plugin_pubdev> git add .

Initialized empty 6it repository in D:\Pemrograman Mobile\Jobsheet 6\flutter_plugin_pubdev> git add .

Warning: in the working copy of '.metadata', LF will be replaced by CRLF the next time 6it touches it warning: in the working copy of 'linux\flutter/generated_plugin_registrant.cc', LF will be replaced by CRLF the next time 6it touches it warning: in the working copy of 'linux\flutter/generated_plugin_registrant.h', LF will be replaced by CRLF the next time 6it touches it warning: in the working copy of 'linux\flutter/generated_plugin_registrant.swift', LF will be replaced by CRLF the next time 6it touches it warning: in the working copy of 'macos/Flutter/generated_plugin_registrant.swift', LF will be replaced by CRLF the next time 6it touches it warning: in the working copy of 'windows/flutter/generated_plugin_registrant.cc', LF will be replaced by CRLF the next time 6it touches it warning: in the working copy of 'windows/flutter/generated_plugin_registrant.cc', LF will be replaced by CRLF the next time 6it touches it warning: in the working copy of 'windows/flutter/generated_plugin_registrant.cc', LF will be replaced by CRLF the next time 6it touches it warning: in the working copy of 'windows/flutter/generated_plugin_registrant.h', LF will be replaced by CRLF the next time 6it touches it warning: in the working copy of 'windows/flutter/generated_plugins.cmake', LF will be replaced by CRLF the next time 6it touches it be constant to the working copy of 'windows/flutter/generated_plugins.cmake', LF will be replaced by CRLF the next time 6it touches it be constant to the working copy of 'windows/flutter/generated_plugins.cmake', LF will be replaced by CRLF the next time 6it touches it be constant to the working copy of 'windows/flutter/generated_plugins.cmake', LF will be replaced b
    D:\Pemrograman Mobile\Jobsheet 6\flutter_plugin_pubdev> git remote set-url origin https://github.com/justquill25/flutter_plugin_
D:\Pemrograman Mobile\Jobsheet 6\flutter_plugin_pubdev> git branch -M main
D:\Pemrograman Mobile\Jobsheet 6\flutter_plugin_pubdev> git push -u origin main
umerating objects: 179, done.
umrting objects: 180% (179/179), done.
lta compression using up to 8 threads
mpressing objects: 180% (148/148) done.
iting objects: 180% (148/148) done.
iting objects: 180% (179/179), 267.52 KiB | 3.11 MiB/s, done.
tal 179 (delta 20), reused 0 (delta 0), pack-reused 0 (from 0)
    ☐ JustQuill25 / flutter_plugin_pubdev
   😩 flutter_plugin_pubdev (Public)
```

t Add file → Code ▼

P main ▼ P 1 Branch 🛇 0 Tags

JustQuill25 chore: bootstrap Flutter project flutter_plugin_pubdev

2. Menambahkah Plugin

3. Buat file red text widget.dart

4. Tambah Widget AutoSizeText

➤ Plugin belum diimpor ke file: Kelas AutoSizeText berasal dari package auto_size_text, sedangkan di file red_text_widget.dart belum menulis baris importnya. Jadi, Flutter tidak tahu dari mana kelas tersebut berasal.

- ➤ Variabel text belum dideklarasikan : Di dalam widget, langsung menuliskan text, tetapi variabel itu belum dibuat atau didefinisikan di kelas RedTextWidget. Flutter tidak tahu apa isi text itu.
- 5. Buat Variable Text dan Parameter di Contructor

```
class RedTextWidget extends StatelessWidget {
 // 🗹 1. deklarasi variabel
 final String text;
 // 🔽 2. tambahkan parameter di constructor
 const RedTextWidget({Key? key, required this.text}) : super(key: key);
```

6. Tambahkan Widget di main.dart

```
Container(
                     color: Colors.yellowAccent,
                     width: 50,
                     margin: const EdgeInsets.only(bottom: 16),
                     child: const RedTextWidget(
                       text: 'You have pushed the button this many times:',
                     ), // RedTextWidget
                   Container (
                     color: ■Colors.greenAccent,
                     width: 100,
                     margin: const EdgeInsets.only(bottom: 16),
                     child: const Text(
                        'You have pushed the button this many times:',
                       style: TextStyle(color: Colors.black, fontSize: 14),
                       maxLines: 2,
                       overflow: TextOverflow.ellipsis,

    Flutter Plugin Pub.dev

Plugin auto_size_text Example
```