

There were issues affecting this run of Lighthouse:

- There may be stored data affecting loading performance in this location: IndexedDB. Audit this page in an incognito window to prevent those resources from affecting your scores.




Performance

Values are estimated and may vary. The [performance score is calculated](#) directly from these metrics. [See calculator.](#)



METRICS

Expand view




Show audits relevant to: [All](#) [FCP](#) [LCP](#) [TBT](#) [CLS](#)

INSIGHTS




Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](#) can move these network requests out of the critical path. [FCP](#) [LCP](#) [Unscored](#)

URL	Transfer Size	Duration
localhost 1st Party	19.5 KiB	90 ms
...chunks/%5Broot-of...%5D_a43cf486_.css (localhost)	19.5 KiB	90 ms



Layout shifts occur when elements move absent any user interaction. [Investigate the causes of layout shifts](#), such as elements being added, removed, or their fonts changing as the page loads. [CLS](#) [Unscored](#)

Element	Layout shift score
Total	0.220
 main.flex-1.min-w-0.h-full.overflow-hidden	0.174
 main.flex-1.min-w-0.h-full.overflow-hidden	0.031
 aside.flex.flex-col.gap-4.h-screen.bg-base-100.border-base-200.overflow-hi...	0.010

Element	Layout shift score
design-sync Projects Test Project	0.003
	0.002
aside.flex.flex-col.gap-4.h-screen.bg-base-100.border-base-200.overflow-hi...	

▲

Forced reflow

^

A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows](#) and possible mitigations. Unscored

Top function call	Total reflow time
31f38_next_dist_comp...649c2702._js:10243	16 ms

Source	Total reflow time
installHook.js:1	23 ms
35311_motion-dom_dis..._8e0dfbb8._js:7744	0 ms
35311_motion-dom_dis..._8e0dfbb8._js:7691	1 ms
:3001/_next/static/c..._e57f5710._js:9822	8 ms
[unattributed]	0 ms


▲

Network dependency tree

^

[Avoid chaining critical requests](#) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load. LCP Unscored

Maximum critical path latency: **509 ms**



Preconnected origins

[preconnect](#) hints help the browser establish a connection earlier in the page load, saving time when the first request for that origin is made. The following are the origins that the page preconnected to.

no origins were preconnected

Preconnect candidates

Add [preconnect](#) hints to your most important origins, but try to use no more than 4.

No additional origins are good candidates for preconnecting

■

Use efficient cache lifetimes — Est savings of 994 KiB

^

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching.](#) FCP LCP Unscored

Request	Cache TTL	Transfer Size
localhost 1st Party		994 KiB
...avatars/faf17409-...jpg?X-Amz-Algorithm=... (localhost)	None	994 KiB


■

Improve image delivery — Est savings of 993 KiB

^

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](#) FCP LCP Unscored

URL	Resource Size	Est Savings
localhost 1st Party	993.6 KiB	993.3 KiB

URL	Resource Size	Est Savings
...avatars/faf17409-....jpg?X-Amz-Algorithm=... (localhost)	993.6 KiB	993.3 KiB
img.rounded-full.object-cover.size-full		
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.	700.5 KiB
	This image file is larger than it needs to be (1342x1342) for its displayed dimensions (42x42). Use responsive images to reduce the image download size.	992.6 KiB

Legacy JavaScript

Est savings of 8 KiB

Polyfills and transforms enable older browsers to use new JavaScript features. However, many aren't necessary for modern browsers. Consider modifying your JavaScript build process to not transpile [Baseline](#) features, unless you know you must support older browsers. [Learn why most sites can deploy ES6+ code without transpiling](#). (FCP) (LCP) (Unscored)

URL	Wasted bytes
localhost 1st Party	8.0 KiB
...chunks/31f38_next_dist_5e39f1b9._.js (localhost)	8.0 KiB
31f38_next_dist_5e39f1b9._.js:36	Array.prototype.at
31f38_next_dist_5e39f1b9._.js:16	Array.prototype.flat
31f38_next_dist_5e39f1b9._.js:18	Array.prototype.flatMap
31f38_next_dist_5e39f1b9._.js:32	Object.fromEntries
31f38_next_dist_5e39f1b9._.js:39	Object.hasOwn
31f38_next_dist_5e39f1b9._.js:10	String.prototype.trimEnd
31f38_next_dist_5e39f1b9._.js:10	String.prototype.trimStart

LCP breakdown

Each [subpart has specific improvement strategies](#). Ideally, most of the LCP time should be spent on loading the resources, not within delays. (LCP) (Unscored)

Subpart	Duration
Time to first byte	80 ms
Element render delay	650 ms
This board doesn't exist or you don't have access. <p class="text-muted-foreground">	

3rd parties

3rd party code can significantly impact load performance. [Reduce and defer loading of 3rd party code](#) to prioritize your page's content. (Unscored)

3rd party	Transfer size	Main thread time
fmkadmapgofadopljbjfkapdkoienihi	0 KiB	42 ms
chrome-extension://fmkadmapgofadopljbjfkapdkoienihi/build/backendManager.js	0 KiB	12 ms
chrome-extension://fmkadmapgofadopljbjfkapdkoienihi/build/installHook.js	0 KiB	10 ms
chrome-extension://fmkadmapgofadopljbjfkapdkoienihi/build/react_devtools_backend_compact.js	0 KiB	8 ms
chrome-extension://fmkadmapgofadopljbjfkapdkoienihi/build/proxy.js	0 KiB	7 ms
chrome-extension://fmkadmapgofadopljbjfkapdkoienihi/build/prepareInjection.js	0 KiB	3 ms
chrome-extension://fmkadmapgofadopljbjfkapdkoienihi/build/fileFetcher.js	0 KiB	0 ms
chrome-extension://fmkadmapgofadopljbjfkapdkoienihi/build/hookSettingsInjector.js	0 KiB	0 ms
cfhdojbkjhnklbpkdaibdccddilifddb	0 KiB	36 ms
chrome-extension://cfhdojbkjhnklbpkdaibdccddilifddb/vendor/@eyeo/webext-ad-filtering-solution/content.js	0 KiB	14 ms
chrome-extension://cfhdojbkjhnklbpkdaibdccddilifddb/onpage-dialog-ui.preload.js	0 KiB	7 ms
chrome-extension://cfhdojbkjhnklbpkdaibdccddilifddb/vendor/@eyeo/webext-ad-filtering-solution/content-main.js	0 KiB	6 ms
chrome-extension://cfhdojbkjhnklbpkdaibdccddilifddb/bypass.preload.js	0 KiB	3 ms
chrome-extension://cfhdojbkjhnklbpkdaibdccddilifddb/composer.preload.js	0 KiB	2 ms
chrome-extension://cfhdojbkjhnklbpkdaibdccddilifddb/cookie-banner-detection.preload.js	0 KiB	2 ms

3rd party	Transfer size	Main thread time
chrome-extension://cfhdojbkjhnklbpkdaibdccddilifddb/onpage-dialog.preload.js	0 KiB	2 ms
chrome-extension://cfhdojbkjhnklbpkdaibdccddilifddb/polyfill.js	0 KiB	1 ms
fcoeoabgfenejglbffdggkbbkcdhcgfn	0 KiB	12 ms
chrome-extension://fcoeoabgfenejglbffdggkbbkcdhcgfn/assets/agent-visual-indicator.js-Cwioqi0d.js	0 KiB	8 ms
chrome-extension://fcoeoabgfenejglbffdggkbbkcdhcgfn/assets/accessibility-tree.js-B-oUarrX.js	0 KiB	4 ms
lpgajkhkagnpdjklmpgjeplmgffnhhj	0 KiB	12 ms
chrome-extension://lpgajkhkagnpdjklmpgjeplmgffnhhj/default/content.js	0 KiB	7 ms
chrome-extension://lpgajkhkagnpdjklmpgjeplmgffnhhj/lib/content.js	0 KiB	5 ms
bhlhnicpbhignbdhedgjhgdocnmhomnp	0 KiB	1 ms
chrome-extension://bhlhnicpbhignbdhedgjhgdocnmhomnp/js/global-shortcut.js	0 KiB	1 ms

These insights are also available in the Chrome DevTools Performance Panel - [record a trace](#) to view more detailed information.

DIAGNOSTICS

 Reduce JavaScript execution time — 4.4 s 

Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to reduce Javascript execution time.](#) TBT Unscored

URL	Total CPU Time	Script Evaluation	Script Parse
localhost 1st Party	4,575 ms	4,190 ms	252 ms
...board/2ce03fed-4175-43f0-a53d-1ec1325b5857 (localhost)	3,943 ms	3,605 ms	250 ms
...chunks/31f38_next_dist_compiled_fa44b1be_.js (localhost)	632 ms	585 ms	2 ms
Unattributable	202 ms	4 ms	0 ms
Unattributable	202 ms	4 ms	0 ms

 Minimize main-thread work — 5.2 s 

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](#) TBT Unscored

Category	Time Spent
Script Evaluation	4,349 ms
Script Parsing & Compilation	435 ms
Other	276 ms
Style & Layout	57 ms
Garbage Collection	26 ms
Rendering	18 ms
Parse HTML & CSS	8 ms

 Minify JavaScript — Est savings of 410 KiB 

Minifying JavaScript files can reduce payload sizes and script parse time. [Learn how to minify JavaScript.](#) FCP LCP Unscored

URL	Transfer Size	Est Savings
localhost 1st Party	1,346.0 KiB	394.3 KiB
...chunks/node_modules_pnpm_0bc2b855_.js (localhost)	163.6 KiB	53.9 KiB
...chunks/31f38_next_dist_client_1c755a0f_.js (localhost)	122.5 KiB	49.6 KiB
...chunks/31f38_next_dist_compiled_react-dom_649c2702_.js (localhost)	177.7 KiB	48.0 KiB
...chunks/node_modules_pnpm_62f03eca_.js (localhost)	130.8 KiB	37.6 KiB

URL	Transfer Size	Est Savings
...chunks/node_modules_pnpm_3d098bad._js (localhost)	116.4 KiB	23.5 KiB
...chunks/8223e_prosemirror-view_dist_index_abe5f487.js (localhost)	58.2 KiB	21.7 KiB
...chunks/edd17_%40tanstack_query-devtools_build_e57f5710._js (localhost)	98.5 KiB	20.8 KiB
...chunks/88c8c_%40tiptap_core_dist_367cc2a9._js (localhost)	50.0 KiB	18.2 KiB
...chunks/35311_motion-dom_dist_es_8e0dfbb8._js (localhost)	69.9 KiB	14.0 KiB
...chunks/apps_frontend_dash_492594d6._js (localhost)	64.7 KiB	13.6 KiB
...chunks/35b79_tailwind-merge_dist_bundle-mjs_mjs_8fe727c0._js (localhost)	18.4 KiB	12.6 KiB
...chunks/31f38_next_dist_5e39f1b9._js (localhost)	39.9 KiB	12.4 KiB
...chunks/31f38_next_dist_compiled_fa44b1be._js (localhost)	27.9 KiB	11.7 KiB
...chunks/apps_frontend_dash_86be4e3f._js (localhost)	41.5 KiB	10.9 KiB
...chunks/31f38_next_dist_compiled_react-server-dom-turbopack_....js (localhost)	30.1 KiB	10.2 KiB
...chunks/turbopack-apps_frontend_dash_3cdeaa5a._js (localhost)	17.8 KiB	8.8 KiB
...chunks/31f38_next_dist_6ed5011f._js (localhost)	20.6 KiB	7.7 KiB
...chunks/1e34c_%40dnd-kit_core_dist_core_esm_7a930885.js (localhost)	25.8 KiB	6.8 KiB
...chunks/429d3_react-day-picker_dist_esm_d4936bb8._js (localhost)	32.7 KiB	5.3 KiB
...chunks/8be8e_framer-motion_dist_es_c12d7e76._js (localhost)	23.0 KiB	3.9 KiB
...chunks/50d1e_date-fns_c27cdfed._js (localhost)	15.9 KiB	3.2 KiB
Unattributable	70.7 KiB	15.5 KiB
chrome-extension://cfhdojbkjhnlbpkdaibdccddilifddb/vendor/@eyeo/webext-ad-filtering-solution/content-main.js	40.5 KiB	5.9 KiB
chrome-extension://cfhdojbkjhnlbpkdaibdccddilifddb/bypass.preload.js	8.2 KiB	2.7 KiB
chrome-extension://cfhdojbkjhnlbpkdaibdccddilifddb/polyfill.js	7.5 KiB	2.5 KiB
chrome-extension://cfhdojbkjhnlbpkdaibdccddilifddb/composer.preload.js	7.6 KiB	2.3 KiB
chrome-extension://cfhdojbkjhnlbpkdaibdccddilifddb/cookie-banner-detection.preload.js	6.9 KiB	2.2 KiB

▲ Reduce unused JavaScript — Est savings of 794 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity.
[Learn how to reduce unused JavaScript](#), FCP LCP Unscored

URL	Transfer Size	Est Savings
localhost 1st Party	1,279.9 KiB	725.2 KiB
...chunks/31f38_next_dist_compiled_next-devtools_index_840fccde.js (localhost)	216.4 KiB	139.8 KiB
...chunks/node_modules_pnpm_0bc2b855._js (localhost)	163.4 KiB	107.2 KiB
...chunks/edd17_%40tanstack_query-devtools_build_e57f5710._js (localhost)	98.4 KiB	76.0 KiB
...chunks/node_modules_pnpm_3d098bad._js (localhost)	116.4 KiB	67.3 KiB
...chunks/31f38_next_dist_client_1c755a0f._js (localhost)	122.5 KiB	64.7 KiB
...chunks/31f38_next_dist_compiled_react-dom_649c2702._js (localhost)	177.7 KiB	56.3 KiB
...chunks/8223e_prosemirror-view_dist_index_abe5f487.js (localhost)	58.2 KiB	51.7 KiB
...chunks/node_modules_pnpm_62f03eca._js (localhost)	130.8 KiB	47.3 KiB
...chunks/88c8c_%40tiptap_core_dist_367cc2a9._js (localhost)	50.0 KiB	44.2 KiB
...chunks/apps_frontend_dash_86be4e3f._js (localhost)	41.5 KiB	26.2 KiB
...chunks/apps_frontend_dash_492594d6._js (localhost)	64.6 KiB	24.1 KiB

URL	Transfer Size	Est Savings
...chunks/31f38_next_dist_5e39f1b9._js (localhost)	39.9 KiB	20.3 KiB
Unattributable	98.1 KiB	69.3 KiB
chrome-extension://fmkadmapgofadopljbjfkapdkoienihi/build/installHook.js	57.6 KiB	36.3 KiB
chrome-extension://cfhdojbkjhnlbpkdaibdccddilifddb/vendor/@eyeo/webext-ad-filtering-solution/content-main.js	40.5 KiB	33.0 KiB

Page prevented back/forward cache restoration — 3 failure reasons

Many navigations are performed by going back to a previous page, or forwards again. The back/forward cache (bfcache) can speed up these return navigations. [Learn more about the bfcache](#) (Unscored)

Failure reason	Failure type
Pages whose main resource has cache-control:no-store cannot enter back/forward cache. ...board/2ce03fed-4175-43f0-a53d-1ec1325b5857 (localhost)	Not actionable
Back/forward cache is disabled because some JavaScript network request received resource with `Cache-Control: no-store` header. ...board/2ce03fed-4175-43f0-a53d-1ec1325b5857 (localhost)	Not actionable
Back/forward cache is disabled because WebSocket has been used. ...board/2ce03fed-4175-43f0-a53d-1ec1325b5857 (localhost)	Not actionable

Avoid long main-thread tasks — 6 long tasks found

Lists the longest tasks on the main thread, useful for identifying worst contributors to input delay. [Learn how to avoid long main-thread tasks](#) (TBT) (Unscored)

URL	Start Time	Duration
localhost 1st Party		3,790 ms
...chunks/31f38_next_dist_compiled_react-dom_649c2702._js (localhost)	1,248 ms	3,307 ms
...board/2ce03fed-4175-43f0-a53d-1ec1325b5857 (localhost)	525 ms	306 ms
...chunks/31f38_next_dist_compiled_fa44b1be._js (localhost)	4,720 ms	63 ms
...board/2ce03fed-4175-43f0-a53d-1ec1325b5857 (localhost)	306 ms	60 ms
...chunks/31f38_next_dist_compiled_fa44b1be._js (localhost)	4,890 ms	54 ms
Unattributable		86 ms
Unattributable	191 ms	86 ms

User Timing marks and measures — 528 user timings

Consider instrumenting your app with the User Timing API to measure your app's real-world performance during key user experiences. [Learn more about User Timing marks](#) (Unscored)

Name	Type	Start Time	Duration
Preloads	Measure	37.88 ms	0.06 ms
RootLayout	Measure	38.65 ms	9.44 ms
WorkspaceLayout	Measure	39.69 ms	0.15 ms
Next.MetadataOutlet	Measure	40.82 ms	1.82 ms
NonIndex	Measure	43.18 ms	0.02 ms
Next.Viewport	Measure	43.31 ms	0.19 ms
Next.Metadata	Measure	45.34 ms	0.21 ms
Providers	Measure	46.32 ms	1.76 ms
NotFound	Measure	47.80 ms	0.28 ms

	Name	Type	Start Time	Duration
	HTTPAccessErrorFallback	Measure	47.96 ms	0.13 ms
	Cascading Update	Measure	4,390.40 ms	0.90 ms
	Mount	Measure	4,392.40 ms	0.20 ms
	Cascading Update	Measure	4,517.10 ms	44.00 ms
	ForwardRef(motion.aside)	Measure	4,570.20 ms	19.70 ms
	ForwardRef(motion.div)	Measure	4,571.00 ms	2.50 ms
	Input	Measure	4,571.30 ms	2.20 ms
	Shortcut	Measure	4,572.40 ms	1.10 ms
	SidebarGlobalModule	Measure	4,573.50 ms	3.70 ms
	LinkComponent	Measure	4,574.00 ms	3.20 ms
	AnimatePresence	Measure	4,574.60 ms	0.80 ms
	PresenceChild	Measure	4,574.80 ms	0.60 ms
	PopChild	Measure	4,575.00 ms	0.40 ms
	ForwardRef(motion.p)	Measure	4,575.10 ms	0.30 ms
	PopChildMeasure	Measure	4,575.10 ms	0.30 ms
	Shortcut	Measure	4,575.40 ms	1.60 ms
	SidebarGlobalModule	Measure	4,577.20 ms	4.00 ms
	LinkComponent	Measure	4,578.00 ms	3.20 ms
	AnimatePresence	Measure	4,579.00 ms	1.00 ms
	PresenceChild	Measure	4,579.20 ms	0.80 ms
	PopChild	Measure	4,579.40 ms	0.60 ms
	ForwardRef(motion.p)	Measure	4,579.50 ms	0.50 ms
	PopChildMeasure	Measure	4,579.50 ms	0.50 ms
	Shortcut	Measure	4,580.00 ms	0.90 ms
	DndContext	Measure	4,581.20 ms	5.20 ms
	SectionHeader	Measure	4,582.20 ms	1.60 ms
	LazyMotion	Measure	4,582.70 ms	1.10 ms
	AnimatePresence	Measure	4,582.80 ms	1.00 ms
	PresenceChild	Measure	4,583.00 ms	0.80 ms
	PopChild	Measure	4,583.10 ms	0.70 ms
	ForwardRef(motion.div)	Measure	4,583.20 ms	0.60 ms
	PopChildMeasure	Measure	4,583.20 ms	0.60 ms
	HugeiconsIcon	Measure	4,583.50 ms	0.30 ms
	SidebarDraggable	Measure	4,583.80 ms	0.80 ms
	SortableContext	Measure	4,583.90 ms	0.70 ms
	ForwardRef(motion.div)	Measure	4,584.10 ms	0.50 ms
	ForwardRef(motion.p)	Measure	4,584.40 ms	0.20 ms
	SectionHeader	Measure	4,584.60 ms	1.30 ms
	LazyMotion	Measure	4,584.90 ms	1.00 ms
	AnimatePresence	Measure	4,585.00 ms	0.90 ms
	PresenceChild	Measure	4,585.20 ms	0.70 ms

	Name	Type	Start Time	Duration
	PopChild	Measure	4,585.30 ms	0.60 ms
	ForwardRef(motion.div)	Measure	4,585.40 ms	0.50 ms
	PopChildMeasure	Measure	4,585.40 ms	0.50 ms
	HugeiconsIcon	Measure	4,585.60 ms	0.30 ms
	NullifiedContextProvider	Measure	4,586.10 ms	0.30 ms
	SidebarProfile	Measure	4,586.40 ms	3.50 ms
	LazyMotion	Measure	4,587.80 ms	1.40 ms
	AnimatePresence	Measure	4,587.90 ms	1.30 ms
	PresenceChild	Measure	4,588.20 ms	1.00 ms
	PopChild	Measure	4,588.30 ms	0.90 ms
	PopChildMeasure	Measure	4,588.40 ms	0.80 ms
	ForwardRef(motion.div)	Measure	4,588.90 ms	0.30 ms
	ForwardRef(motion.div)	Measure	4,588.90 ms	0.30 ms
	LazyMotion	Measure	4,589.70 ms	0.20 ms
	LazyMotion	Measure	4,589.70 ms	2.00 ms
	ForwardRef(motion.div)	Measure	4,589.90 ms	0.60 ms
	Dialog	Measure	4,590.60 ms	1.10 ms
	Dialog	Measure	4,590.60 ms	1.10 ms
	DialogProvider	Measure	4,590.80 ms	0.90 ms
	DialogContent	Measure	4,590.90 ms	0.80 ms
	DialogPortal	Measure	4,591.10 ms	0.60 ms
	DialogPortal	Measure	4,591.10 ms	0.60 ms
	DialogPortalProvider	Measure	4,591.50 ms	0.20 ms
	Presence	Measure	4,591.60 ms	0.10 ms
	LazyMotion	Measure	4,592.60 ms	2.30 ms
	ForwardRef(motion.div)	Measure	4,592.70 ms	1.00 ms
	NotificationBellButton	Measure	4,592.90 ms	0.50 ms
	HugeiconsIcon	Measure	4,593.40 ms	0.30 ms
	ForwardRef(motion.aside)	Measure	4,593.70 ms	1.20 ms
	Update	Measure	4,630.80 ms	0.60 ms
	ForwardRef(motion.aside)	Measure	4,662.70 ms	10.30 ms
	ForwardRef(motion.div)	Measure	4,663.00 ms	1.20 ms
	Input	Measure	4,663.30 ms	0.90 ms
	Shortcut	Measure	4,663.90 ms	0.30 ms
	SidebarGlobalModule	Measure	4,664.20 ms	1.80 ms
	LinkComponent	Measure	4,664.50 ms	1.50 ms
	AnimatePresence	Measure	4,664.90 ms	0.50 ms
	PresenceChild	Measure	4,665.00 ms	0.40 ms
	PopChild	Measure	4,665.10 ms	0.30 ms
	ForwardRef(motion.p)	Measure	4,665.20 ms	0.20 ms
	PopChildMeasure	Measure	4,665.20 ms	0.20 ms

	Name	Type	Start Time	Duration
	Shortcut	Measure	4,665.40 ms	0.40 ms
	SidebarGlobalModule	Measure	4,666.00 ms	1.50 ms
	LinkComponent	Measure	4,666.20 ms	1.30 ms
	AnimatePresence	Measure	4,666.60 ms	0.40 ms
	PresenceChild	Measure	4,666.70 ms	0.30 ms
	ForwardRef(motion.p)	Measure	4,666.80 ms	0.20 ms
	PopChildMeasure	Measure	4,666.80 ms	0.20 ms
	PopChild	Measure	4,666.80 ms	0.20 ms
	Shortcut	Measure	4,667.00 ms	0.50 ms
	DndContext	Measure	4,667.50 ms	3.40 ms
	SectionHeader	Measure	4,668.10 ms	1.00 ms
	LazyMotion	Measure	4,668.40 ms	0.70 ms
	PresenceChild	Measure	4,668.50 ms	0.60 ms
	AnimatePresence	Measure	4,668.50 ms	0.60 ms
	PopChild	Measure	4,668.60 ms	0.50 ms
	ForwardRef(motion.div)	Measure	4,668.70 ms	0.40 ms
	PopChildMeasure	Measure	4,668.70 ms	0.40 ms
	HugeiconsIcon	Measure	4,668.90 ms	0.20 ms
	SortableContext	Measure	4,669.10 ms	0.50 ms
	SidebarDraggable	Measure	4,669.10 ms	0.50 ms
	ForwardRef(motion.div)	Measure	4,669.30 ms	0.30 ms
	ForwardRef(motion.p)	Measure	4,669.40 ms	0.20 ms
	SectionHeader	Measure	4,669.60 ms	0.90 ms
	AnimatePresence	Measure	4,669.90 ms	0.60 ms
	LazyMotion	Measure	4,669.90 ms	0.60 ms
	PresenceChild	Measure	4,670.00 ms	0.50 ms
	ForwardRef(motion.div)	Measure	4,670.10 ms	0.40 ms
	PopChildMeasure	Measure	4,670.10 ms	0.40 ms
	PopChild	Measure	4,670.10 ms	0.40 ms
	HugeiconsIcon	Measure	4,670.30 ms	0.20 ms
	NullifiedContextProvider	Measure	4,670.70 ms	0.10 ms
	SidebarProfile	Measure	4,670.90 ms	2.10 ms
	AnimatePresence	Measure	4,671.70 ms	0.90 ms
	LazyMotion	Measure	4,671.70 ms	0.90 ms
	PresenceChild	Measure	4,672.00 ms	0.60 ms
	PopChild	Measure	4,672.10 ms	0.50 ms
	PopChildMeasure	Measure	4,672.20 ms	0.40 ms
	ForwardRef(motion.div)	Measure	4,672.50 ms	0.10 ms
	ForwardRef(motion.div)	Measure	4,672.50 ms	0.10 ms
	LazyMotion	Measure	4,672.90 ms	0.10 ms
	LazyMotion	Measure	4,672.90 ms	1.40 ms

	Name	Type	Start Time	Duration
	ForwardRef(motion.div)	Measure	4,673.00 ms	0.60 ms
	DialogContent	Measure	4,673.70 ms	0.60 ms
	DialogProvider	Measure	4,673.70 ms	0.60 ms
	Dialog	Measure	4,673.70 ms	0.60 ms
	Dialog	Measure	4,673.70 ms	0.60 ms
	DialogPortal	Measure	4,674.00 ms	0.30 ms
	DialogPortal	Measure	4,674.00 ms	0.30 ms
	DialogPortalProvider	Measure	4,674.20 ms	0.10 ms
	LazyMotion	Measure	4,675.30 ms	1.80 ms
	ForwardRef(motion.div)	Measure	4,675.40 ms	0.90 ms
	ForwardRef(motion.aside)	Measure	4,676.30 ms	0.80 ms
	Update	Measure	4,707.90 ms	0.30 ms
	ForwardRef(motion.aside)	Measure	4,713.30 ms	21.30 ms
	ForwardRef(motion.div)	Measure	4,714.10 ms	2.20 ms
	Input	Measure	4,714.50 ms	1.80 ms
	Shortcut	Measure	4,715.40 ms	0.90 ms
	SidebarGlobalModule	Measure	4,716.40 ms	2.90 ms
	LinkComponent	Measure	4,716.80 ms	2.50 ms
	AnimatePresence	Measure	4,717.60 ms	0.90 ms
	PresenceChild	Measure	4,717.90 ms	0.60 ms
	PopChild	Measure	4,718.10 ms	0.40 ms
	PopChildMeasure	Measure	4,718.20 ms	0.30 ms
	ForwardRef(motion.p)	Measure	4,718.30 ms	0.20 ms
	Shortcut	Measure	4,718.50 ms	0.70 ms
	SidebarGlobalModule	Measure	4,719.30 ms	2.60 ms
	LinkComponent	Measure	4,719.70 ms	2.20 ms
	AnimatePresence	Measure	4,720.50 ms	0.60 ms
	PresenceChild	Measure	4,720.70 ms	0.40 ms
	ForwardRef(motion.p)	Measure	4,720.90 ms	0.20 ms
	PopChildMeasure	Measure	4,720.90 ms	0.20 ms
	PopChild	Measure	4,720.90 ms	0.20 ms
	Shortcut	Measure	4,721.10 ms	0.60 ms
	DndContext	Measure	4,721.90 ms	5.60 ms
	SectionHeader	Measure	4,723.00 ms	1.30 ms
	LazyMotion	Measure	4,723.40 ms	0.90 ms
	AnimatePresence	Measure	4,723.50 ms	0.80 ms
	PopChild	Measure	4,723.60 ms	0.70 ms
	PresenceChild	Measure	4,723.60 ms	0.70 ms
	ForwardRef(motion.div)	Measure	4,723.70 ms	0.60 ms
	PopChildMeasure	Measure	4,723.70 ms	0.60 ms
	HugeiconsIcon	Measure	4,724.00 ms	0.30 ms

	Name	Type	Start Time	Duration
	SidebarDroppable	Measure	4,724.30 ms	0.80 ms
	SortableContext	Measure	4,724.40 ms	0.70 ms
	ForwardRef(motion.div)	Measure	4,724.70 ms	0.40 ms
	ForwardRef(motion.p)	Measure	4,724.90 ms	0.20 ms
	SectionHeader	Measure	4,725.10 ms	1.30 ms
	LazyMotion	Measure	4,725.40 ms	1.00 ms
	AnimatePresence	Measure	4,725.50 ms	0.90 ms
	PresenceChild	Measure	4,725.70 ms	0.70 ms
	ForwardRef(motion.div)	Measure	4,725.80 ms	0.60 ms
	PopChildMeasure	Measure	4,725.80 ms	0.60 ms
	PopChild	Measure	4,725.80 ms	0.60 ms
	HugeiconsIcon	Measure	4,726.10 ms	0.30 ms
	NullifiedContextProvider	Measure	4,726.70 ms	0.50 ms
	AddModuleModal	Measure	4,727.50 ms	0.30 ms
	SidebarProfile	Measure	4,727.80 ms	6.80 ms
	UserAvatar	Measure	4,729.90 ms	1.70 ms
	Mount	Measure	4,730.80 ms	0.70 ms
	LazyMotion	Measure	4,731.60 ms	2.40 ms
	AnimatePresence	Measure	4,732.20 ms	1.80 ms
	PresenceChild	Measure	4,732.50 ms	1.50 ms
	PopChild	Measure	4,732.80 ms	1.20 ms
	PopChildMeasure	Measure	4,732.90 ms	1.10 ms
	Mount	Measure	4,733.50 ms	0.10 ms
	Mount	Measure	4,733.60 ms	0.10 ms
	ForwardRef(motion.div)	Measure	4,733.70 ms	0.30 ms
	ForwardRef(motion.div)	Measure	4,733.70 ms	0.30 ms
	LazyMotion	Measure	4,734.40 ms	0.20 ms
	LazyMotion	Measure	4,734.40 ms	3.60 ms
	ForwardRef(motion.div)	Measure	4,734.60 ms	0.30 ms
	Dialog	Measure	4,735.00 ms	3.00 ms
	Dialog	Measure	4,735.00 ms	3.00 ms
	DialogProvider	Measure	4,735.10 ms	2.90 ms
	DialogContent	Measure	4,735.20 ms	2.80 ms
	DialogPortal	Measure	4,735.40 ms	2.60 ms
	DialogPortal	Measure	4,735.40 ms	2.60 ms
	DialogPortalProvider	Measure	4,737.90 ms	0.10 ms
	NullifiedContextProvider	Measure	4,815.10 ms	0.20 ms
	Mount	Measure	4,815.70 ms	16.00 ms
	Mount	Measure	4,831.70 ms	0.60 ms
	Update	Measure	4,835.40 ms	1.50 ms
	ForwardRef(motion.aside)	Measure	4,843.20 ms	20.90 ms

	Name	Type	Start Time	Duration
	ForwardRef(motion.div)	Measure	4,843.60 ms	1.30 ms
	Input	Measure	4,843.80 ms	1.10 ms
	Shortcut	Measure	4,844.30 ms	0.60 ms
	SidebarGlobalModule	Measure	4,844.90 ms	2.20 ms
	LinkComponent	Measure	4,845.20 ms	1.90 ms
	AnimatePresence	Measure	4,845.70 ms	0.50 ms
	PresenceChild	Measure	4,845.80 ms	0.40 ms
	PopChild	Measure	4,845.90 ms	0.30 ms
	ForwardRef(motion.p)	Measure	4,846.00 ms	0.20 ms
	PopChildMeasure	Measure	4,846.00 ms	0.20 ms
	Shortcut	Measure	4,846.20 ms	0.60 ms
	SidebarGlobalModule	Measure	4,847.10 ms	2.90 ms
	LinkComponent	Measure	4,847.60 ms	2.40 ms
	AnimatePresence	Measure	4,848.50 ms	0.90 ms
	PresenceChild	Measure	4,848.70 ms	0.70 ms
	PopChild	Measure	4,848.90 ms	0.50 ms
	ForwardRef(motion.p)	Measure	4,849.00 ms	0.40 ms
	PopChildMeasure	Measure	4,849.00 ms	0.40 ms
	Shortcut	Measure	4,849.40 ms	0.50 ms
	DndContext	Measure	4,850.00 ms	11.60 ms
	SectionHeader	Measure	4,851.30 ms	1.20 ms
	LazyMotion	Measure	4,851.60 ms	0.90 ms
	AnimatePresence	Measure	4,851.70 ms	0.80 ms
	PresenceChild	Measure	4,851.90 ms	0.60 ms
	ForwardRef(motion.div)	Measure	4,852.00 ms	0.50 ms
	PopChildMeasure	Measure	4,852.00 ms	0.50 ms
	PopChild	Measure	4,852.00 ms	0.50 ms
	HugeiconsIcon	Measure	4,852.30 ms	0.20 ms
	SidebarDraggable	Measure	4,852.50 ms	6.50 ms
	SortableContext	Measure	4,852.70 ms	6.30 ms
	Mount	Measure	4,853.00 ms	4.50 ms
	Mount	Measure	4,857.50 ms	1.50 ms
	SectionHeader	Measure	4,859.00 ms	0.80 ms
	AnimatePresence	Measure	4,859.30 ms	0.50 ms
	LazyMotion	Measure	4,859.30 ms	0.50 ms
	PresenceChild	Measure	4,859.40 ms	0.40 ms
	ForwardRef(motion.div)	Measure	4,859.50 ms	0.30 ms
	PopChildMeasure	Measure	4,859.50 ms	0.30 ms
	PopChild	Measure	4,859.50 ms	0.30 ms
	HugeiconsIcon	Measure	4,859.70 ms	0.10 ms
	Mount	Measure	4,859.80 ms	1.30 ms

	Name	Type	Start Time	Duration
	NullifiedContextProvider	Measure	4,861.20 ms	0.20 ms
	SidebarProfile	Measure	4,861.60 ms	2.50 ms
	AnimatePresence	Measure	4,862.70 ms	0.90 ms
	LazyMotion	Measure	4,862.70 ms	0.90 ms
	PresenceChild	Measure	4,863.00 ms	0.60 ms
	PopChildMeasure	Measure	4,863.10 ms	0.50 ms
	PopChild	Measure	4,863.10 ms	0.50 ms
	ForwardRef(motion.div)	Measure	4,863.40 ms	0.20 ms
	ForwardRef(motion.div)	Measure	4,863.40 ms	0.20 ms
	LazyMotion	Measure	4,864.00 ms	0.10 ms
	LazyMotion	Measure	4,864.00 ms	1.30 ms
	ForwardRef(motion.div)	Measure	4,864.10 ms	0.30 ms
	Dialog	Measure	4,864.50 ms	0.80 ms
	Dialog	Measure	4,864.50 ms	0.80 ms
	DialogContent	Measure	4,864.60 ms	0.70 ms
	DialogProvider	Measure	4,864.60 ms	0.70 ms
	DialogPortal	Measure	4,864.80 ms	0.50 ms
	DialogPortal	Measure	4,864.80 ms	0.50 ms
	DialogPortalProvider	Measure	4,865.20 ms	0.10 ms
	Unmount	Measure	4,866.00 ms	1.20 ms
	Mount	Measure	4,868.60 ms	0.10 ms
	Mount	Measure	4,869.50 ms	0.70 ms
	Mount	Measure	4,870.40 ms	0.20 ms
	Unmount	Measure	4,874.00 ms	0.10 ms
	Mount	Measure	4,875.90 ms	2.00 ms
	Mount	Measure	4,878.50 ms	0.90 ms
	Cascading Update	Measure	4,882.60 ms	2.90 ms
	ForwardRef(motion.aside)	Measure	4,889.80 ms	16.20 ms
	Mount	Measure	4,890.70 ms	0.70 ms
	Mount	Measure	4,891.40 ms	0.10 ms
	ForwardRef(motion.div)	Measure	4,891.50 ms	1.00 ms
	Input	Measure	4,891.70 ms	0.80 ms
	Shortcut	Measure	4,892.00 ms	0.50 ms
	SidebarGlobalModule	Measure	4,892.50 ms	1.50 ms
	LinkComponent	Measure	4,892.80 ms	1.20 ms
	AnimatePresence	Measure	4,893.10 ms	0.40 ms
	PresenceChild	Measure	4,893.20 ms	0.30 ms
	PopChild	Measure	4,893.30 ms	0.20 ms
	ForwardRef(motion.p)	Measure	4,893.40 ms	0.10 ms
	PopChildMeasure	Measure	4,893.40 ms	0.10 ms
	Shortcut	Measure	4,893.50 ms	0.40 ms

	Name	Type	Start Time	Duration
	SidebarGlobalModule	Measure	4,894.00 ms	1.50 ms
	LinkComponent	Measure	4,894.20 ms	1.30 ms
	AnimatePresence	Measure	4,894.60 ms	0.50 ms
	PopChild	Measure	4,894.80 ms	0.30 ms
	PresenceChild	Measure	4,894.80 ms	0.30 ms
	ForwardRef(motion.p)	Measure	4,894.90 ms	0.20 ms
	PopChildMeasure	Measure	4,894.90 ms	0.20 ms
	Shortcut	Measure	4,895.10 ms	0.40 ms
	DndContext	Measure	4,895.60 ms	8.30 ms
	SectionHeader	Measure	4,896.20 ms	0.80 ms
	LazyMotion	Measure	4,896.40 ms	0.60 ms
	AnimatePresence	Measure	4,896.50 ms	0.50 ms
	PopChild	Measure	4,896.60 ms	0.40 ms
	PresenceChild	Measure	4,896.60 ms	0.40 ms
	ForwardRef(motion.div)	Measure	4,896.70 ms	0.30 ms
	PopChildMeasure	Measure	4,896.70 ms	0.30 ms
	HugeiconsIcon	Measure	4,896.80 ms	0.20 ms
	SidebarDraggable	Measure	4,897.00 ms	3.50 ms
	SortableContext	Measure	4,897.10 ms	3.40 ms
	LinkComponent	Measure	4,897.80 ms	1.20 ms
	LazyMotion	Measure	4,898.10 ms	0.50 ms
	AnimatePresence	Measure	4,898.20 ms	0.40 ms
	PresenceChild	Measure	4,898.30 ms	0.30 ms
	PopChild	Measure	4,898.40 ms	0.20 ms
	ForwardRef(motion.p)	Measure	4,898.50 ms	0.10 ms
	PopChildMeasure	Measure	4,898.50 ms	0.10 ms
	AnimatePresence	Measure	4,898.60 ms	0.40 ms
	LazyMotion	Measure	4,898.60 ms	0.40 ms
	PopChild	Measure	4,898.80 ms	0.20 ms
	PresenceChild	Measure	4,898.80 ms	0.20 ms
	ForwardRef(motion.div)	Measure	4,898.90 ms	0.10 ms
	PopChildMeasure	Measure	4,898.90 ms	0.10 ms
	LinkComponent	Measure	4,899.50 ms	1.00 ms
	LazyMotion	Measure	4,899.80 ms	0.50 ms
	AnimatePresence	Measure	4,899.90 ms	0.40 ms
	PresenceChild	Measure	4,900.00 ms	0.30 ms
	PopChild	Measure	4,900.10 ms	0.20 ms
	ForwardRef(motion.p)	Measure	4,900.20 ms	0.10 ms
	PopChildMeasure	Measure	4,900.20 ms	0.10 ms
	LazyMotion	Measure	4,900.30 ms	0.20 ms
	SectionHeader	Measure	4,900.60 ms	1.40 ms

	Name	Type	Start Time	Duration
	LazyMotion	Measure	4,900.80 ms	1.20 ms
	AnimatePresence	Measure	4,901.00 ms	1.00 ms
	PresenceChild	Measure	4,901.20 ms	0.80 ms
	ForwardRef(motion.div)	Measure	4,901.40 ms	0.60 ms
	PopChildMeasure	Measure	4,901.40 ms	0.60 ms
	PopChild	Measure	4,901.40 ms	0.60 ms
	HugeiconsIcon	Measure	4,901.70 ms	0.30 ms
	SidebarProject	Measure	4,902.00 ms	1.20 ms
	NullifiedContextProvider	Measure	4,903.30 ms	0.30 ms
	AddModuleModal	Measure	4,903.90 ms	0.10 ms
	SidebarProfile	Measure	4,904.00 ms	2.00 ms
	LazyMotion	Measure	4,904.90 ms	0.70 ms
	AnimatePresence	Measure	4,905.00 ms	0.60 ms
	PresenceChild	Measure	4,905.10 ms	0.50 ms
	PopChild	Measure	4,905.20 ms	0.40 ms
	PopChildMeasure	Measure	4,905.30 ms	0.30 ms
	ForwardRef(motion.div)	Measure	4,905.50 ms	0.10 ms
	ForwardRef(motion.div)	Measure	4,905.50 ms	0.10 ms
	LazyMotion	Measure	4,905.90 ms	0.10 ms
	LazyMotion	Measure	4,905.90 ms	1.00 ms
	ForwardRef(motion.div)	Measure	4,906.00 ms	0.30 ms
	DialogContent	Measure	4,906.40 ms	0.50 ms
	DialogProvider	Measure	4,906.40 ms	0.50 ms
	Dialog	Measure	4,906.40 ms	0.50 ms
	Dialog	Measure	4,906.40 ms	0.50 ms
	DialogPortal	Measure	4,906.70 ms	0.20 ms
	DialogPortal	Measure	4,906.70 ms	0.20 ms
	DialogPortalProvider	Measure	4,906.80 ms	0.10 ms
	Mount	Measure	4,908.30 ms	0.10 ms
	Mount	Measure	4,908.40 ms	1.80 ms
	Mount	Measure	4,910.20 ms	36.00 ms
	LazyMotion	Measure	4,946.90 ms	1.20 ms
	ForwardRef(motion.div)	Measure	4,947.00 ms	0.70 ms
	ForwardRef(motion.aside)	Measure	4,947.70 ms	0.40 ms
	SidebarMembers	Measure	4,947.90 ms	0.20 ms
	Mount	Measure	4,948.00 ms	0.10 ms
	Mount	Measure	4,951.30 ms	0.50 ms
	Mount	Measure	4,969.10 ms	9.80 ms
	Cascading Update	Measure	4,990.10 ms	24.60 ms
	NullifiedContextProvider	Measure	5,017.70 ms	0.20 ms
	Mount	Measure	5,018.00 ms	0.20 ms

	Name	Type	Start Time	Duration
	Mount	Measure	5,018.20 ms	0.20 ms
	Update	Measure	5,033.70 ms	0.30 ms
	LazyMotion	Measure	5,035.40 ms	0.10 ms
	Mount	Measure	5,037.30 ms	0.70 ms
	Mount	Measure	5,040.10 ms	0.40 ms
	Mount	Measure	5,042.30 ms	0.10 ms
	Mount	Measure	5,043.50 ms	0.20 ms
	Mount	Measure	5,044.80 ms	0.20 ms
	Mount	Measure	5,046.00 ms	0.30 ms
	Mount	Measure	5,047.20 ms	0.10 ms
	Mount	Measure	5,048.10 ms	0.20 ms
	Mount	Measure	5,048.90 ms	0.20 ms
	Mount	Measure	5,049.90 ms	0.20 ms
	Mount	Measure	5,050.90 ms	0.30 ms
	Mount	Measure	5,051.80 ms	0.10 ms
	Mount	Measure	5,052.50 ms	0.10 ms
	Mount	Measure	5,053.40 ms	0.20 ms
	Mount	Measure	5,054.40 ms	0.10 ms
	Mount	Measure	5,055.40 ms	0.20 ms
	Update	Measure	5,064.40 ms	0.40 ms
	LazyMotion	Measure	5,065.90 ms	7.60 ms
	ForwardRef(motion.div)	Measure	5,066.00 ms	0.70 ms
	ForwardRef(motion.aside)	Measure	5,066.70 ms	6.80 ms
	SidebarMembers	Measure	5,066.90 ms	6.60 ms
	Mount	Measure	5,067.60 ms	3.00 ms
	Mount	Measure	5,070.60 ms	2.90 ms
	Update	Measure	5,079.20 ms	1.00 ms
	ForwardRef(motion.aside)	Measure	5,088.10 ms	12.90 ms
	LazyMotion	Measure	5,089.00 ms	0.20 ms
	ForwardRef(motion.div)	Measure	5,089.20 ms	0.70 ms
	Input	Measure	5,089.30 ms	0.60 ms
	Shortcut	Measure	5,089.60 ms	0.30 ms
	SidebarGlobalModule	Measure	5,090.00 ms	1.20 ms
	LinkComponent	Measure	5,090.30 ms	0.90 ms
	AnimatePresence	Measure	5,090.50 ms	0.30 ms
	PopChild	Measure	5,090.60 ms	0.20 ms
	PresenceChild	Measure	5,090.60 ms	0.20 ms
	ForwardRef(motion.p)	Measure	5,090.70 ms	0.10 ms
	PopChildMeasure	Measure	5,090.70 ms	0.10 ms
	Shortcut	Measure	5,090.80 ms	0.30 ms
	SidebarGlobalModule	Measure	5,091.20 ms	1.30 ms

	Name	Type	Start Time	Duration
	LinkComponent	Measure	5,091.40 ms	1.10 ms
	AnimatePresence	Measure	5,091.70 ms	0.30 ms
	PresenceChild	Measure	5,091.80 ms	0.20 ms
	ForwardRef(motion.p)	Measure	5,091.90 ms	0.10 ms
	PopChildMeasure	Measure	5,091.90 ms	0.10 ms
	PopChild	Measure	5,091.90 ms	0.10 ms
	Shortcut	Measure	5,092.00 ms	0.50 ms
	DndContext	Measure	5,092.50 ms	6.80 ms
	SectionHeader	Measure	5,092.90 ms	1.00 ms
	AnimatePresence	Measure	5,093.20 ms	0.70 ms
	LazyMotion	Measure	5,093.20 ms	0.70 ms
	PresenceChild	Measure	5,093.40 ms	0.50 ms
	ForwardRef(motion.div)	Measure	5,093.50 ms	0.40 ms
	PopChildMeasure	Measure	5,093.50 ms	0.40 ms
	PopChild	Measure	5,093.50 ms	0.40 ms
	HugeiconsIcon	Measure	5,093.70 ms	0.20 ms
	SidebarDraggable	Measure	5,093.90 ms	3.40 ms
	SortableContext	Measure	5,094.10 ms	3.20 ms
	LinkComponent	Measure	5,095.10 ms	1.10 ms
	AnimatePresence	Measure	5,095.50 ms	0.30 ms
	LazyMotion	Measure	5,095.50 ms	0.30 ms
	PresenceChild	Measure	5,095.60 ms	0.20 ms
	ForwardRef(motion.p)	Measure	5,095.70 ms	0.10 ms
	PopChildMeasure	Measure	5,095.70 ms	0.10 ms
	PopChild	Measure	5,095.70 ms	0.10 ms
	AnimatePresence	Measure	5,095.80 ms	0.40 ms
	LazyMotion	Measure	5,095.80 ms	0.40 ms
	PresenceChild	Measure	5,095.90 ms	0.30 ms
	PopChild	Measure	5,096.00 ms	0.20 ms
	ForwardRef(motion.div)	Measure	5,096.10 ms	0.10 ms
	PopChildMeasure	Measure	5,096.10 ms	0.10 ms
	LinkComponent	Measure	5,096.60 ms	0.70 ms
	AnimatePresence	Measure	5,096.90 ms	0.40 ms
	LazyMotion	Measure	5,096.90 ms	0.40 ms
	PresenceChild	Measure	5,097.00 ms	0.30 ms
	ForwardRef(motion.p)	Measure	5,097.10 ms	0.20 ms
	PopChildMeasure	Measure	5,097.10 ms	0.20 ms
	PopChild	Measure	5,097.10 ms	0.20 ms
	SectionHeader	Measure	5,097.30 ms	0.90 ms
	AnimatePresence	Measure	5,097.70 ms	0.50 ms
	LazyMotion	Measure	5,097.70 ms	0.50 ms


	Name	Type	Start Time	Duration
	ForwardRef(motion.div)	Measure	5,097.90 ms	0.30 ms
	PopChildMeasure	Measure	5,097.90 ms	0.30 ms
	PopChild	Measure	5,097.90 ms	0.30 ms
	PresenceChild	Measure	5,097.90 ms	0.30 ms
	HugeiconsIcon	Measure	5,098.00 ms	0.20 ms
	SidebarProject	Measure	5,098.20 ms	0.50 ms
	NullifiedContextProvider	Measure	5,098.90 ms	0.10 ms
	SidebarProfile	Measure	5,099.30 ms	1.70 ms
	LazyMotion	Measure	5,100.10 ms	0.60 ms
	AnimatePresence	Measure	5,100.20 ms	0.50 ms
	PresenceChild	Measure	5,100.30 ms	0.40 ms
	PopChild	Measure	5,100.40 ms	0.30 ms
	PopChildMeasure	Measure	5,100.50 ms	0.20 ms
	ForwardRef(motion.div)	Measure	5,100.60 ms	0.10 ms
	ForwardRef(motion.div)	Measure	5,100.60 ms	0.10 ms
	LazyMotion	Measure	5,100.90 ms	0.10 ms
	LazyMotion	Measure	5,100.90 ms	0.90 ms
	ForwardRef(motion.div)	Measure	5,101.00 ms	0.30 ms
	DialogProvider	Measure	5,101.30 ms	0.50 ms
	Dialog	Measure	5,101.30 ms	0.50 ms
	Dialog	Measure	5,101.30 ms	0.50 ms
	DialogContent	Measure	5,101.40 ms	0.40 ms
	DialogPortal	Measure	5,101.50 ms	0.30 ms
	DialogPortal	Measure	5,101.50 ms	0.30 ms
	Presence	Measure	5,101.70 ms	0.10 ms
	DialogPortalProvider	Measure	5,101.70 ms	0.10 ms
	DndContext	Measure	5,102.80 ms	31.70 ms
	KanbanCol	Measure	5,103.30 ms	4.50 ms
	SortableContext	Measure	5,104.50 ms	3.30 ms
	KanbanTask	Measure	5,104.60 ms	0.50 ms
	KanbanTask	Measure	5,105.10 ms	0.70 ms
	KanbanTask	Measure	5,105.80 ms	0.60 ms
	KanbanTask	Measure	5,106.40 ms	0.60 ms
	KanbanTask	Measure	5,107.00 ms	0.50 ms
	KanbanTask	Measure	5,107.50 ms	0.30 ms
	KanbanCol	Measure	5,107.80 ms	6.30 ms
	SortableContext	Measure	5,108.90 ms	5.20 ms
	KanbanTask	Measure	5,109.00 ms	0.90 ms
	KanbanTask	Measure	5,109.90 ms	1.10 ms
	KanbanTask	Measure	5,111.00 ms	1.00 ms
	KanbanTask	Measure	5,112.00 ms	1.10 ms

Name	Type	Start Time	Duration
KanbanTask	Measure	5,113.10 ms	1.00 ms
KanbanCol	Measure	5,114.10 ms	4.10 ms
SortableContext	Measure	5,115.60 ms	2.60 ms
KanbanTask	Measure	5,115.80 ms	0.70 ms
KanbanTask	Measure	5,116.50 ms	0.70 ms
KanbanTask	Measure	5,117.20 ms	1.00 ms
KanbanCol	Measure	5,118.20 ms	15.90 ms
SortableContext	Measure	5,122.90 ms	11.20 ms
SortableContext	Measure	5,122.90 ms	11.20 ms
KanbanTask	Measure	5,123.00 ms	0.80 ms
KanbanTask	Measure	5,123.80 ms	0.80 ms
KanbanTask	Measure	5,124.60 ms	0.70 ms
KanbanTask	Measure	5,125.30 ms	7.50 ms
KanbanTask	Measure	5,132.80 ms	0.60 ms
KanbanTask	Measure	5,133.40 ms	0.70 ms
NullifiedContextProvider	Measure	5,134.20 ms	0.10 ms
ForwardRef(motion.div)	Measure	5,135.10 ms	0.60 ms
LazyMotion	Measure	5,135.10 ms	2.40 ms
ForwardRef(motion.aside)	Measure	5,135.70 ms	1.80 ms
Update	Measure	5,169.70 ms	0.50 ms
LazyMotion	Measure	5,171.20 ms	2.70 ms
ForwardRef(motion.div)	Measure	5,171.30 ms	0.60 ms
ForwardRef(motion.aside)	Measure	5,171.90 ms	2.00 ms
SidebarMembers	Measure	5,172.00 ms	1.90 ms
SidebarProfile	Measure	5,172.60 ms	0.60 ms
UserAvatar	Measure	5,173.00 ms	0.20 ms
__v3	Mark	0.00 ms	

Avoid non-composited animations — 1 animated element found

Animations which are not composited can be janky and increase CLS. [Learn how to avoid non-composited animations](#) CLS
Unscored

Element



div.w-full.flex.border-[1.5px].shadow-lg/5.rounded-lg.transition-all.focus-within:ring-3.focus-within:rin...

Unsupported CSS Property: scrollbar-color

More information about the performance of your application. These numbers don't [directly affect](#) the Performance score.

PASSED AUDITS (12)

Hide

Document request latency

Your first network request is the most important. [Reduce its latency](#) by avoiding redirects, ensuring a fast server response, and enabling text compression. FCP LCP Unscored

- Avoids redirects
- Server responds quickly (observed 78 ms)


●

Optimize DOM size

^

A large DOM can increase the duration of style calculations and layout reflows, impacting page responsiveness. A large DOM will also increase memory usage. [Learn how to avoid an excessive DOM size.](#)

Unscored

Statistic	Element	Value
Total elements		893
DOM depth	path	14
Most children	 svg	32

●

Duplicated JavaScript

^

Remove large, [duplicate JavaScript modules](#) from bundles to reduce unnecessary bytes consumed by network activity.

FCP

LCP

Unscored

●

Font display

^

Consider setting [font-display](#) to swap or optional to ensure text is consistently visible. swap can be further optimized to mitigate layout shifts with [font metric overrides.](#)

Unscored

○

INP breakdown

^

Start investigating [how to improve INP](#) by looking at the longest subpart.

Unscored

○

LCP request discovery

^

[Optimize LCP](#) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading

Unscored

●

Modern HTTP

^

HTTP/2 and HTTP/3 offer many benefits over HTTP/1.1, such as multiplexing. [Learn more about using modern HTTP.](#)

FCP

LCP

Unscored

●

Optimize viewport for mobile

^

Tap interactions may be [delayed by up to 300 ms](#) if the viewport is not optimized for mobile.

Unscored

●

Minify CSS

^

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS.](#)

FCP

LCP

Unscored

●

Reduce unused CSS

^

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS.](#)

FCP

LCP

Unscored

●

Avoids enormous network payloads

— Total size was 2,657 KiB

^

URL	Transfer Size
localhost 1st Party	2,157.8 KiB
...avatars/faf17409-....jpg?X-Amz-Algorithm=... (localhost)	994.2 KiB
...chunks/31f38_next_dist_compiled_next-devtools_index_840fccde.js (localhost)	216.7 KiB
...chunks/31f38_next_dist_compiled_react-dom_649c2702_._js (localhost)	178.1 KiB
...chunks/node_modules__pnpm_0bc2b855_._js (localhost)	163.9 KiB
...chunks/node_modules__pnpm_62f03eca_._js (localhost)	131.2 KiB
...chunks/31f38_next_dist_client_1c755a0f_._js (localhost)	122.9 KiB
...chunks/node_modules__pnpm_3d098bad_._js (localhost)	116.7 KiB
...chunks/edd17_%40tanstack_query-devtools_build_e57f5710_._js (localhost)	98.8 KiB

URL	Transfer Size
...chunks/35311_motion-dom_dist_es_8e0dfbb8_.js (localhost)	70.2 KiB
...chunks/apps_frontend_dash_492594d6_.js (localhost)	65.1 KiB

● Image elements have explicit `width` and `height`

Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](#) (CLS) (Unscored)



Accessibility


These checks highlight opportunities to [improve the accessibility of your web app](#). Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so [manual testing](#) is also encouraged.

ARIA


▲ `button`, `link`, and `menuitem` elements do not have accessible names.

When an element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to make command elements more accessible](#).

Failing Elements



div.relative.flex.items-center.justify-center.size-8.rounded-full.hover:bg-base-300/75.transition-colors.c...



div.flex.items-center.justify-center.size-8.rounded-full.hover:bg-base-300/75.transition-colors.cursor-p...


These are opportunities to improve the usage of ARIA in your application which may enhance the experience for users of assistive technology, like a screen reader.

CONTRAST


▲ Background and foreground colors do not have a sufficient contrast ratio.

Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast](#).


Failing Elements




span.text-primary-foreground.font-semibold




div.flex.items-center.justify-center.size-6.rounded-sm.bg-primary.text-xs




span.flex.items-center.gap-0.5.text-xs.font-medium.capitalize.border-[1.25px].px-1.5.py-0.5.rounded-fu...




div.bg-background.dark:bg-base-200.rounded-lg.p-3.border-[1.5px].border-base-200.dark:border-bas...



span.text-primary-foreground.font-semibold




div.relative.flex.items-center.justify-center.bg-primary.rounded-full.ring-offset-2.ring-offset-base-200.s...




span.flex.items-center.gap-0.5.text-xs.font-medium.capitalize.border-[1.25px].px-1.5.py-0.5.rounded-fu...




div.bg-background.dark:bg-base-200.rounded-lg.p-3.border-[1.5px].border-base-200.dark:border-bas...




span.flex.items-center.gap-0.5.text-xs.font-medium.capitalize.border-[1.25px].px-1.5.py-0.5.rounded-fu...




div.bg-background.dark:bg-base-200.rounded-lg.p-3.border-[1.5px].border-base-200.dark:border-bas...




span.text-primary-foreground.font-semibold




div.relative.flex.items-center.justify-center.bg-primary.rounded-full.ring-offset-2.ring-offset-base-200.s...




span.flex.items-center.gap-0.5.text-xs.font-medium.capitalize.border-[1.25px].px-1.5.py-0.5.rounded-fu...




div.bg-background.dark:bg-base-200.rounded-lg.p-3.border-[1.5px].border-base-200.dark:border-bas...




span.flex.items-center.gap-0.5.text-xs.font-medium.capitalize.border-[1.25px].px-1.5.py-0.5.rounded-fu...




div.bg-background.dark:bg-base-200.rounded-lg.p-3.border-[1.5px].border-base-200.dark:border-bas...




span.flex.items-center.gap-0.5.text-xs.font-medium.capitalize.border-[1.25px].px-1.5.py-0.5.rounded-fu...




div.bg-background.dark:bg-base-200.rounded-lg.p-3.border-[1.5px].border-base-200.dark:border-bas...




span.flex.items-center.gap-0.5.text-xs.font-medium.capitalize.border-[1.25px].px-1.5.py-0.5.rounded-fu...




div.bg-background.dark:bg-base-200.rounded-lg.p-3.border-[1.5px].border-base-200.dark:border-bas...




span.flex.items-center.gap-0.5.text-xs.font-medium.capitalize.border-[1.25px].px-1.5.py-0.5.rounded-fu...



div.bg-background.dark:bg-base-200.rounded-lg.p-3.border-[1.5px].border-base-200.dark:border-bas...



span.flex.items-center.gap-0.5.text-xs.font-medium.capitalize.border-[1.25px].px-1.5.py-0.5.rounded-fu...



div.bg-background.dark:bg-base-200.rounded-lg.p-3.border-[1.5px].border-base-200.dark:border-bas...

Lists do not contain only elements and script supporting elements (<script> and <template>).

Screen readers have a specific way of announcing lists. Ensuring proper list structure aids screen reader output. [Learn more about proper list structure.](#)

Failing Elements

ul

div.relative.flex.flex-col.items-center.py-1.5.rounded-lg.hover:bg-base-300/75.transition-colors.cursor-...

ul

div.relative.flex.flex-col.items-center.py-1.5.rounded-lg.hover:bg-base-300/75.transition-colors.cursor-...


These are opportunities to improve the experience of reading tabular or list data using assistive technology, like a screen reader.


BEST PRACTICES


Touch targets do not have sufficient size or spacing.


Touch targets with sufficient size and spacing help users who may have difficulty targeting small controls to activate the targets. [Learn more about touch targets.](#)

Failing Elements

button

button

button

button


These items highlight common accessibility best practices.

NAVIGATION

Heading elements are not in a sequentially-descending order

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more about heading order.](#)

Failing Elements

h3.text-sm.font-medium.truncate.cursor-pointer

These are opportunities to improve keyboard navigation in your application.

ADDITIONAL ITEMS TO MANUALLY CHECK (10)

Hide

Interactive controls are keyboard focusable

Custom interactive controls are keyboard focusable and display a focus indicator. [Learn how to make custom controls focusable.](#) (Unscored)

Interactive elements indicate their purpose and state

Interactive elements, such as links and buttons, should indicate their state and be distinguishable from non-interactive elements. [Learn how to decorate interactive elements with affordance hints.](#) (Unscored)

The page has a logical tab order

Tabbing through the page follows the visual layout. Users cannot focus elements that are offscreen. [Learn more about logical tab ordering.](#) (Unscored)

Visual order on the page follows DOM order	^
DOM order matches the visual order, improving navigation for assistive technology. Learn more about DOM and visual ordering. Unscored	
User focus is not accidentally trapped in a region	^
A user can tab into and out of any control or region without accidentally trapping their focus. Learn how to avoid focus traps. Unscored	
The user's focus is directed to new content added to the page	^
If new content, such as a dialog, is added to the page, the user's focus is directed to it. Learn how to direct focus to new content. Unscored	
HTML5 landmark elements are used to improve navigation	^
Landmark elements (<main>, <nav>, etc.) are used to improve the keyboard navigation of the page for assistive technology. Learn more about landmark elements. Unscored	
Offscreen content is hidden from assistive technology	^
Offscreen content is hidden with display: none or aria-hidden=true. Learn how to properly hide offscreen content. Unscored	
Custom controls have associated labels	^
Custom interactive controls have associated labels, provided by aria-label or aria-labelledby. Learn more about custom controls and labels. Unscored	
Custom controls have ARIA roles	^
Custom interactive controls have appropriate ARIA roles. Learn how to add roles to custom controls. Unscored	

These items address areas which an automated testing tool cannot cover. Learn more in our guide on [conducting an accessibility review](#).

PASSED AUDITS (20)

Hide

[aria-*] attributes match their roles	^
Each ARIA role supports a specific subset of aria-* attributes. Mismatching these invalidates the aria-* attributes. Learn how to match ARIA attributes to their roles.	
[aria-hidden="true"] is not present on the document <body>	^
Assistive technologies, like screen readers, work inconsistently when aria-hidden="true" is set on the document <body>. Learn how aria-hidden affects the document body.	
[role]s have all required [aria-*] attributes	^
Some ARIA roles have required attributes that describe the state of the element to screen readers. Learn more about roles and required attributes.	
[role] values are valid	^
ARIA roles must have valid values in order to perform their intended accessibility functions. Learn more about valid ARIA roles.	
[aria-*] attributes have valid values	^
Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid values. Learn more about valid values for ARIA attributes.	
[aria-*] attributes are valid and not misspelled	^
Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid names. Learn more about valid ARIA attributes.	
Buttons have an accessible name	^
When a button doesn't have an accessible name, screen readers announce it as "button", making it unusable for users who rely on screen readers. Learn how to make buttons more accessible.	
Image elements have [alt] attributes	^
Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. Learn more about the alt attribute.	
Form elements have associated labels	^

Labels ensure that form controls are announced properly by assistive technologies, like screen readers. Learn more about form element labels.	
[user-scalable="no"] is not used in the <meta name="viewport"> element and the [maximum-scale] attribute is not less than 5.	
Disabling zooming is problematic for users with low vision who rely on screen magnification to properly see the contents of a web page. Learn more about the viewport meta tag.	
ARIA attributes are used as specified for the element's role	
Some ARIA attributes are only allowed on an element under certain conditions. Learn more about conditional ARIA attributes.	
[aria-hidden="true"] elements do not contain focusable descendents	
Focusable descendents within an [aria-hidden="true"] element prevent those interactive elements from being available to users of assistive technologies like screen readers. Learn how aria-hidden affects focusable elements.	
Elements use only permitted ARIA attributes	
Using ARIA attributes in roles where they are prohibited can mean that important information is not communicated to users of assistive technologies. Learn more about prohibited ARIA roles.	
Document has a <title> element	
The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. Learn more about document titles.	
<html> element has a [lang] attribute	
If a page doesn't specify a lang attribute, a screen reader assumes that the page is in the default language that the user chose when setting up the screen reader. If the page isn't actually in the default language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute.	
<html> element has a valid value for its [lang] attribute	
Specifying a valid BCP 47 language helps screen readers announce text properly. Learn how to use the lang attribute.	
Links have a discernible name	
Link text (and alternate text for images, when used as links) that is discernible, unique, and focusable improves the navigation experience for screen reader users. Learn how to make links accessible.	
No element has a [tabindex] value greater than 0	
A value greater than 0 implies an explicit navigation ordering. Although technically valid, this often creates frustrating experiences for users who rely on assistive technologies. Learn more about the tabindex attribute.	
Document has a main landmark.	
One main landmark helps screen reader users navigate a web page. Learn more about landmarks.	
Deprecated ARIA roles were not used	
Deprecated ARIA roles may not be processed correctly by assistive technology. Learn more about deprecated ARIA roles.	
NOT APPLICABLE (38)	Hide
[accesskey] values are unique	
Access keys let users quickly focus a part of the page. For proper navigation, each access key must be unique. Learn more about access keys. (Unscored)	
Elements with role="dialog" or role="alertdialog" have accessible names.	
ARIA dialog elements without accessible names may prevent screen readers users from discerning the purpose of these elements. Learn how to make ARIA dialog elements more accessible. (Unscored)	
ARIA input fields have accessible names	
When an input field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn more about input field labels. (Unscored)	
ARIA <i>meter</i> elements have accessible names	
When a meter element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn how to name meter elements. (Unscored)	

| | |
 | |
 | |
 | | | | | |
 | | | |
 | | | |
 | | | | | |
 | | | | | | | |
---	--
---	--
---	--
--	--
---	--
---	--
---	--
--	--
---	--
ARIA <code>progressbar</code> elements have accessible names ^ <tr><td> When a progressbar element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn how to label progressbar elements. (Unscored) </td></tr> <tr><td> Elements with an ARIA <code>[role]</code> that require children to contain a specific <code>[role]</code> have all required children. ^ <tr><td> Some ARIA parent roles must contain specific child roles to perform their intended accessibility functions. Learn more about roles and required children elements. (Unscored) </td></tr><tr><td> <code>[role]</code>s are contained by their required parent element ^ <tr><td> Some ARIA child roles must be contained by specific parent roles to properly perform their intended accessibility functions. Learn more about ARIA roles and required parent element. (Unscored) </td></tr><tr><td> Elements with the <code>role=text</code> attribute do not have focusable descendants. ^ <tr><td> Adding <code>role=text</code> around a text node split by markup enables VoiceOver to treat it as one phrase, but the element's focusable descendants will not be announced. Learn more about the role=text attribute. (Unscored) </td></tr><tr><td> ARIA toggle fields have accessible names ^ <tr><td> When a toggle field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn more about toggle fields. (Unscored) </td></tr><tr><td> ARIA <code>tooltip</code> elements have accessible names ^ <tr><td> When a tooltip element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn how to name tooltip elements. (Unscored) </td></tr><tr><td> ARIA <code>treeitem</code> elements have accessible names ^ <tr><td> When a <code>treeitem</code> element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn more about labeling treeitem elements. (Unscored) </td></tr><tr><td> The page contains a heading, skip link, or landmark region ^ <tr><td> Adding ways to bypass repetitive content lets keyboard users navigate the page more efficiently. Learn more about bypass blocks. (Unscored) </td></tr><tr><td> <code><dl></code>'s contain only properly-ordered <code><dt></code> and <code><dd></code> groups, <code><script></code>, <code><template></code> or <code><div></code> elements. ^ <tr><td> When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. Learn how to structure definition lists correctly. (Unscored) </td></tr><tr><td> Definition list items are wrapped in <code><dl></code> elements ^ <tr><td> Definition list items (<code><dt></code> and <code><dd></code>) must be wrapped in a parent <code><dl></code> element to ensure that screen readers can properly announce them. Learn how to structure definition lists correctly. (Unscored) </td></tr><tr><td> ARIA IDs are unique ^ <tr><td> The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. Learn how to fix duplicate ARIA IDs. (Unscored) </td></tr><tr><td> No form fields have multiple labels ^ <tr><td> Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. Learn how to use form labels. (Unscored) </td></tr><tr><td> <code><frame></code> or <code><iframe></code> elements have a title ^ <tr><td> Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles. (Unscored) </td></tr><tr><td> <code><html></code> element has an <code>[xml:lang]</code> attribute with the same base language as the <code>[lang]</code> attribute. ^ <tr><td> If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored) </td></tr><tr><td> Input buttons have discernible text. ^ <tr><td> Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored) </td></tr><tr><td> <code><input type="image"></code> elements have <code>[alt]</code> text ^ <tr><td> When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored) </td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr>	When a progressbar element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn how to label progressbar elements. (Unscored)
around a text node split by markup enables VoiceOver to treat it as one phrase, but the element's focusable descendants will not be announced. Learn more about the role=text attribute. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>ARIA toggle fields have accessible names</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When a toggle field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn more about toggle fields. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>ARIA <code>tooltip</code> elements have accessible names</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When a tooltip element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn how to name tooltip elements. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>ARIA <code>treeitem</code> elements have accessible names</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When a <code>treeitem</code> element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn more about labeling treeitem elements. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>The page contains a heading, skip link, or landmark region</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding ways to bypass repetitive content lets keyboard users navigate the page more efficiently. Learn more about bypass blocks. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><dl></code>'s contain only properly-ordered <code><dt></code> and <code><dd></code> groups, <code><script></code>, <code><template></code> or <code><div></code> elements.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Definition list items are wrapped in <code><dl></code> elements</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Definition list items (<code><dt></code> and <code><dd></code>) must be wrapped in a parent <code><dl></code> element to ensure that screen readers can properly announce them. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>ARIA IDs are unique</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. Learn how to fix duplicate ARIA IDs. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>No form fields have multiple labels</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. Learn how to use form labels. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><frame></code> or <code><iframe></code> elements have a title</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><html></code> element has an <code>[xml:lang]</code> attribute with the same base language as the <code>[lang]</code> attribute.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr>	Some ARIA parent roles must contain specific child roles to perform their intended accessibility functions. Learn more about roles and required children elements. (Unscored)
groups, <code><script></code>, <code><template></code> or <code><div></code> elements.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Definition list items are wrapped in <code><dl></code> elements</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Definition list items (<code><dt></code> and <code><dd></code>) must be wrapped in a parent <code><dl></code> element to ensure that screen readers can properly announce them. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>ARIA IDs are unique</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. Learn how to fix duplicate ARIA IDs. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>No form fields have multiple labels</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. Learn how to use form labels. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><frame></code> or <code><iframe></code> elements have a title</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><html></code> element has an <code>[xml:lang]</code> attribute with the same base language as the <code>[lang]</code> attribute.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr>	Some ARIA child roles must be contained by specific parent roles to properly perform their intended accessibility functions. Learn more about ARIA roles and required parent element. (Unscored)
(Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr>	Adding <code>role=text</code> around a text node split by markup enables VoiceOver to treat it as one phrase, but the element's focusable descendants will not be announced. Learn more about the role=text attribute. (Unscored)
inaccurate output. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Definition list items are wrapped in <code><dl></code> elements</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Definition list items (<code><dt></code> and <code><dd></code>) must be wrapped in a parent <code><dl></code> element to ensure that screen readers can properly announce them. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>ARIA IDs are unique</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. Learn how to fix duplicate ARIA IDs. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>No form fields have multiple labels</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. Learn how to use form labels. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><frame></code> or <code><iframe></code> elements have a title</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><html></code> element has an <code>[xml:lang]</code> attribute with the same base language as the <code>[lang]</code> attribute.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr>	When a tooltip element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn how to name tooltip elements. (Unscored)
(Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div><code><dl></code>'s contain only properly-ordered <code><dt></code> and <code><dd></code> groups, <code><script></code>, <code><template></code> or <code><div></code> elements.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Definition list items are wrapped in <code><dl></code> elements</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Definition list items (<code><dt></code> and <code><dd></code>) must be wrapped in a parent <code><dl></code> element to ensure that screen readers can properly announce them. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>ARIA IDs are unique</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. Learn how to fix duplicate ARIA IDs. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>No form fields have multiple labels</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. Learn how to use form labels. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><frame></code> or <code><iframe></code> elements have a title</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><html></code> element has an <code>[xml:lang]</code> attribute with the same base language as the <code>[lang]</code> attribute.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr>	Adding ways to bypass repetitive content lets keyboard users navigate the page more efficiently. Learn more about bypass blocks. (Unscored)
how to fix duplicate ARIA IDs. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>No form fields have multiple labels</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. Learn how to use form labels. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><frame></code> or <code><iframe></code> elements have a title</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><html></code> element has an <code>[xml:lang]</code> attribute with the same base language as the <code>[lang]</code> attribute.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr>	Definition list items (<code><dt></code> and <code><dd></code>) must be wrapped in a parent <code><dl></code> element to ensure that screen readers can properly announce them. Learn how to structure definition lists correctly. (Unscored)
(Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr></td></tr></td></tr>	Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles. (Unscored)
When a progressbar element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn how to label progressbar elements. (Unscored)	
 | |
 | |
 | | | | | | | |
 | | | |
 | | | |
 | | | | | |
 | | | | | | | |
| <div><div><div><div><div><div></div><div>Elements with an ARIA <code>[role]</code> that require children to contain a specific <code>[role]</code> have all required children.</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>Some ARIA parent roles must contain specific child roles to perform their intended accessibility functions. Learn more about roles and required children elements. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div><code>[role]</code>s are contained by their required parent element</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Some ARIA child roles must be contained by specific parent roles to properly perform their intended accessibility functions. Learn more about ARIA roles and required parent element. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Elements with the <code>role=text</code> attribute do not have focusable descendants.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding <code>role=text</code> around a text node split by markup enables VoiceOver to treat it as one phrase, but the element's focusable descendants will not be announced. Learn more about the role=text attribute. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>ARIA toggle fields have accessible names</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When a toggle field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn more about toggle fields. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>ARIA <code>tooltip</code> elements have accessible names</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When a tooltip element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn how to name tooltip elements. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>ARIA <code>treeitem</code> elements have accessible names</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When a <code>treeitem</code> element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn more about labeling treeitem elements. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>The page contains a heading, skip link, or landmark region</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding ways to bypass repetitive content lets keyboard users navigate the page more efficiently. Learn more about bypass blocks. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><dl></code>'s contain only properly-ordered <code><dt></code> and <code><dd></code> groups, <code><script></code>, <code><template></code> or <code><div></code> elements.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Definition list items are wrapped in <code><dl></code> elements</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Definition list items (<code><dt></code> and <code><dd></code>) must be wrapped in a parent <code><dl></code> element to ensure that screen readers can properly announce them. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>ARIA IDs are unique</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. Learn how to fix duplicate ARIA IDs. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>No form fields have multiple labels</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. Learn how to use form labels. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><frame></code> or <code><iframe></code> elements have a title</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><html></code> element has an <code>[xml:lang]</code> attribute with the same base language as the <code>[lang]</code> attribute.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr> | <div><div><div><div><div><div></div><div>Some ARIA parent roles must contain specific child roles to perform their intended accessibility functions. Learn more about roles and required children elements. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div><code>[role]</code>s are contained by their required parent element</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>Some ARIA child roles must be contained by specific parent roles to properly perform their intended accessibility functions. Learn more about ARIA roles and required parent element. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div>Elements with the <code>role=text</code> attribute do not have focusable descendants.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding <code>role=text</code> around a text node split by markup enables VoiceOver to treat it as one phrase, but the element's focusable descendants will not be announced. Learn more about the role=text attribute. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>ARIA toggle fields have accessible names</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When a toggle field doesn't have an accessible name, screen readers
announce it with a generic name, making it unusable for users who rely on screen readers. Learn more about toggle fields. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>ARIA <code>tooltip</code> elements have accessible names</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When a tooltip element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn how to name tooltip elements. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>ARIA <code>treeitem</code> elements have accessible names</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When a <code>treeitem</code> element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn more about labeling treeitem elements. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>The page contains a heading, skip link, or landmark region</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding ways to bypass repetitive content lets keyboard users navigate the page more efficiently. Learn more about bypass blocks. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><dl></code>'s contain only properly-ordered <code><dt></code> and <code><dd></code> groups, <code><script></code>, <code><template></code> or <code><div></code> elements.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Definition list items are wrapped in <code><dl></code> elements</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Definition list items (<code><dt></code> and <code><dd></code>) must be wrapped in a parent <code><dl></code> element to ensure that screen readers can properly announce them. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>ARIA IDs are unique</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. Learn how to fix duplicate ARIA IDs. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>No form fields have multiple labels</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. Learn how to use form labels. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><frame></code> or <code><iframe></code> elements have a title</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><html></code> element has an <code>[xml:lang]</code> attribute with the same base language as the <code>[lang]</code> attribute.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr> | <div><div><div><div><div><div></div><div>Some ARIA child roles must be contained by specific parent roles to properly perform their intended accessibility functions. Learn more about ARIA roles and required parent element. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div>Elements with the <code>role=text</code> attribute do not have focusable descendants.</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>Adding <code>role=text</code> around a text node split by markup enables VoiceOver to treat it as one phrase, but the element's focusable descendants will not be announced. Learn more about the role=text attribute. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div>ARIA toggle fields have accessible names</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When a toggle field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn more about toggle fields. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>ARIA <code>tooltip</code> elements have accessible names</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When a tooltip element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn how to name tooltip elements. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>ARIA <code>treeitem</code> elements have accessible names</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When a <code>treeitem</code> element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn more about labeling treeitem elements. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>The page contains a heading, skip link, or landmark region</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding ways to bypass repetitive content lets keyboard users navigate the page more efficiently. Learn more about bypass blocks. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><dl></code>'s contain only properly-ordered <code><dt></code> and <code><dd></code> groups, <code><script></code>, <code><template></code> or <code><div></code> elements.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. Learn how to structure definition lists correctly.
(Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Definition list items are wrapped in <code><dl></code> elements</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Definition list items (<code><dt></code> and <code><dd></code>) must be wrapped in a parent <code><dl></code> element to ensure that screen readers can properly announce them. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>ARIA IDs are unique</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. Learn how to fix duplicate ARIA IDs. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>No form fields have multiple labels</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. Learn how to use form labels. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><frame></code> or <code><iframe></code> elements have a title</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><html></code> element has an <code>[xml:lang]</code> attribute with the same base language as the <code>[lang]</code> attribute.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr> | <div><div><div><div><div><div></div><div>Adding <code>role=text</code> around a text node split by markup enables VoiceOver to treat it as one phrase, but the element's focusable descendants will not be announced. Learn more about the role=text attribute. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div>ARIA toggle fields have accessible names</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>When a toggle field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn more about toggle fields. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div>ARIA <code>tooltip</code> elements have accessible names</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When a tooltip element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn how to name tooltip elements. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>ARIA <code>treeitem</code> elements have accessible names</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When a <code>treeitem</code> element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn more about labeling treeitem elements. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>The page contains a heading, skip link, or landmark region</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding ways to bypass repetitive content lets keyboard users navigate the page more efficiently. Learn more about bypass blocks. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><dl></code>'s contain only properly-ordered <code><dt></code> and <code><dd></code> groups, <code><script></code>, <code><template></code> or <code><div></code> elements.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Definition list items are wrapped in <code><dl></code> elements</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Definition list items (<code><dt></code> and <code><dd></code>) must be wrapped in a parent <code><dl></code> element to ensure that screen readers can properly announce them. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>ARIA IDs are unique</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. Learn how to fix duplicate ARIA IDs. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>No form fields have multiple labels</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. Learn how to use form labels. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><frame></code> or <code><iframe></code> elements have a title</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><html></code> element has an <code>[xml:lang]</code> attribute with the same base language as the <code>[lang]</code> attribute.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons.
(Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr> | <div><div><div><div><div><div></div><div>When a toggle field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn more about toggle fields. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div>ARIA <code>tooltip</code> elements have accessible names</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>When a tooltip element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn how to name tooltip elements. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div>ARIA <code>treeitem</code> elements have accessible names</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When a <code>treeitem</code> element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn more about labeling treeitem elements. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>The page contains a heading, skip link, or landmark region</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding ways to bypass repetitive content lets keyboard users navigate the page more efficiently. Learn more about bypass blocks. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><dl></code>'s contain only properly-ordered <code><dt></code> and <code><dd></code> groups, <code><script></code>, <code><template></code> or <code><div></code> elements.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Definition list items are wrapped in <code><dl></code> elements</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Definition list items (<code><dt></code> and <code><dd></code>) must be wrapped in a parent <code><dl></code> element to ensure that screen readers can properly announce them. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>ARIA IDs are unique</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. Learn how to fix duplicate ARIA IDs. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>No form fields have multiple labels</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. Learn how to use form labels. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><frame></code> or <code><iframe></code> elements have a title</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><html></code> element has an <code>[xml:lang]</code> attribute with the same base language as the <code>[lang]</code> attribute.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr> | <div><div><div><div><div><div></div><div>When a tooltip element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn how to name tooltip elements. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div>ARIA <code>treeitem</code> elements have accessible names</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>When a <code>treeitem</code> element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn more about labeling treeitem elements. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div>The page contains a heading, skip link, or landmark region</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding ways to bypass repetitive content lets keyboard users navigate the page more efficiently. Learn more about bypass blocks. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><dl></code>'s contain only properly-ordered <code><dt></code> and <code><dd></code> groups, <code><script></code>, <code><template></code> or <code><div></code> elements.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Definition list items are wrapped in <code><dl></code> elements</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Definition
list items (<code><dt></code> and <code><dd></code>) must be wrapped in a parent <code><dl></code> element to ensure that screen readers can properly announce them. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>ARIA IDs are unique</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. Learn how to fix duplicate ARIA IDs. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>No form fields have multiple labels</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. Learn how to use form labels. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><frame></code> or <code><iframe></code> elements have a title</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><html></code> element has an <code>[xml:lang]</code> attribute with the same base language as the <code>[lang]</code> attribute.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr> | <div><div><div><div><div><div></div><div>When a <code>treeitem</code> element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn more about labeling treeitem elements. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div>The page contains a heading, skip link, or landmark region</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>Adding ways to bypass repetitive content lets keyboard users navigate the page more efficiently. Learn more about bypass blocks. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div><code><dl></code>'s contain only properly-ordered <code><dt></code> and <code><dd></code> groups, <code><script></code>, <code><template></code> or <code><div></code> elements.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Definition list items are wrapped in <code><dl></code> elements</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Definition list items (<code><dt></code> and <code><dd></code>) must be wrapped in a parent <code><dl></code> element to ensure that screen readers can properly announce them. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>ARIA IDs are unique</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. Learn how to fix duplicate ARIA IDs. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>No form fields have multiple labels</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. Learn how to use form labels. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><frame></code> or <code><iframe></code> elements have a title</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><html></code> element has an <code>[xml:lang]</code> attribute with the same base language as the <code>[lang]</code> attribute.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr> | <div><div><div><div><div><div></div><div>Adding ways to bypass repetitive content lets keyboard users navigate the page more efficiently. Learn more about bypass blocks. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div><code><dl></code>'s contain only properly-ordered <code><dt></code> and <code><dd></code> groups, <code><script></code>, <code><template></code> or <code><div></code>
elements.</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div>Definition list items are wrapped in <code><dl></code> elements</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Definition list items (<code><dt></code> and <code><dd></code>) must be wrapped in a parent <code><dl></code> element to ensure that screen readers can properly announce them. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>ARIA IDs are unique</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. Learn how to fix duplicate ARIA IDs. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>No form fields have multiple labels</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. Learn how to use form labels. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><frame></code> or <code><iframe></code> elements have a title</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><html></code> element has an <code>[xml:lang]</code> attribute with the same base language as the <code>[lang]</code> attribute.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr> | <div><div><div><div><div><div></div><div>When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div>Definition list items are wrapped in <code><dl></code> elements</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>Definition list items (<code><dt></code> and <code><dd></code>) must be wrapped in a parent <code><dl></code> element to ensure that screen readers can properly announce them. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div>ARIA IDs are unique</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. Learn how to fix duplicate ARIA IDs. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>No form fields have multiple labels</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. Learn how to use form labels. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><frame></code> or <code><iframe></code> elements have a title</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><html></code> element has an <code>[xml:lang]</code> attribute with the same base language as the <code>[lang]</code> attribute.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr> | <div><div><div><div><div><div></div><div>Definition list items (<code><dt></code> and <code><dd></code>) must be wrapped in a parent <code><dl></code> element to ensure that screen readers can properly announce them. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div>ARIA IDs are unique</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. Learn how to fix duplicate ARIA IDs. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div>No form fields have multiple labels</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all
of the labels. Learn how to use form labels. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><frame></code> or <code><iframe></code> elements have a title</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><html></code> element has an <code>[xml:lang]</code> attribute with the same base language as the <code>[lang]</code> attribute.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr> | <div><div><div><div><div><div></div><div>The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. Learn how to fix duplicate ARIA IDs. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div>No form fields have multiple labels</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. Learn how to use form labels. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div><code><frame></code> or <code><iframe></code> elements have a title</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><html></code> element has an <code>[xml:lang]</code> attribute with the same base language as the <code>[lang]</code> attribute.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr></td></tr></td></tr></td></tr> | <div><div><div><div><div><div></div><div>Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. Learn how to use form labels. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div><code><frame></code> or <code><iframe></code> elements have a title</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div><code><html></code> element has an <code>[xml:lang]</code> attribute with the same base language as the <code>[lang]</code> attribute.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr></td></tr></td></tr> | <div><div><div><div><div><div></div><div>Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div><code><html></code> element has an <code>[xml:lang]</code> attribute with the same base language as the <code>[lang]</code> attribute.</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may
help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr></td></tr> | <div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr> | <div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr> | <div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div> | | |
| <div><div><div><div><div><div></div><div>Some ARIA parent roles must contain specific child roles to perform their intended accessibility functions. Learn more about roles and required children elements. (Unscored)</div></div></div><div></div></div></div></div> | |
 | |
 | |
 | | | | | | | |
 | | | |
 | | | |
 | | | | | |
 | | | | | | | |
| <div><div><div><div><div><div></div><div><code>[role]</code>s are contained by their required parent element</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>Some ARIA child roles must be contained by specific parent roles to properly perform their intended accessibility functions. Learn more about ARIA roles and required parent element. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div>Elements with the <code>role=text</code> attribute do not have focusable descendants.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding <code>role=text</code> around a text node split by markup enables VoiceOver to treat it as one phrase, but the element's focusable descendants will not be announced. Learn more about the role=text attribute. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>ARIA toggle fields have accessible names</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When a toggle field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn more about toggle fields. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>ARIA <code>tooltip</code> elements have accessible names</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When a tooltip element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn how to name tooltip elements. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>ARIA <code>treeitem</code> elements have accessible names</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When a <code>treeitem</code> element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn more about labeling treeitem elements. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>The page contains a heading, skip link, or landmark region</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding ways to bypass repetitive content lets keyboard users navigate the page more efficiently. Learn more about bypass blocks. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><dl></code>'s contain only properly-ordered <code><dt></code> and <code><dd></code> groups, <code><script></code>, <code><template></code> or <code><div></code> elements.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Definition list items are wrapped in <code><dl></code> elements</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Definition list items (<code><dt></code> and <code><dd></code>) must be wrapped in a parent <code><dl></code> element to ensure that screen readers can properly announce them. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>ARIA IDs are unique</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. Learn how to fix duplicate ARIA IDs. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>No form fields have multiple labels</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. Learn how to use form labels. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><frame></code> or <code><iframe></code> elements have a title</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><html></code> element has an <code>[xml:lang]</code> attribute with the same base language as the <code>[lang]</code> attribute.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr> | <div><div><div><div><div><div></div><div>Some ARIA child roles must be contained by specific parent roles to properly perform their intended accessibility functions. Learn more about ARIA roles and required parent element. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div>Elements with the <code>role=text</code> attribute do not have focusable descendants.</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>Adding <code>role=text</code> around a text node split by markup enables VoiceOver to treat it as one phrase, but the element's focusable descendants will not be announced. Learn more about the role=text attribute. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div>ARIA toggle fields have accessible names</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When a toggle field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn more about toggle fields. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>ARIA <code>tooltip</code> elements have accessible names</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When a tooltip element doesn't have an accessible name, screen readers
announce it with a generic name, making it unusable for users who rely on screen readers. Learn how to name tooltip elements. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>ARIA <code>treeitem</code> elements have accessible names</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When a <code>treeitem</code> element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn more about labeling treeitem elements. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>The page contains a heading, skip link, or landmark region</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding ways to bypass repetitive content lets keyboard users navigate the page more efficiently. Learn more about bypass blocks. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><dl></code>'s contain only properly-ordered <code><dt></code> and <code><dd></code> groups, <code><script></code>, <code><template></code> or <code><div></code> elements.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Definition list items are wrapped in <code><dl></code> elements</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Definition list items (<code><dt></code> and <code><dd></code>) must be wrapped in a parent <code><dl></code> element to ensure that screen readers can properly announce them. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>ARIA IDs are unique</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. Learn how to fix duplicate ARIA IDs. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>No form fields have multiple labels</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. Learn how to use form labels. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><frame></code> or <code><iframe></code> elements have a title</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><html></code> element has an <code>[xml:lang]</code> attribute with the same base language as the <code>[lang]</code> attribute.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr> | <div><div><div><div><div><div></div><div>Adding <code>role=text</code> around a text node split by markup enables VoiceOver to treat it as one phrase, but the element's focusable descendants will not be announced. Learn more about the role=text attribute. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div>ARIA toggle fields have accessible names</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>When a toggle field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn more about toggle fields. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div>ARIA <code>tooltip</code> elements have accessible names</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When a tooltip element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn how to name tooltip elements. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>ARIA <code>treeitem</code> elements have accessible names</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When a <code>treeitem</code> element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn more about labeling treeitem elements. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>The page contains a heading, skip link, or landmark region</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding ways to bypass repetitive content lets keyboard users navigate the page more efficiently. Learn more about bypass blocks. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><dl></code>'s contain only properly-ordered <code><dt></code> and <code><dd></code> groups, <code><script></code>, <code><template></code> or <code><div></code> elements.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Definition list items are wrapped in <code><dl></code> elements</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Definition list items (<code><dt></code> and <code><dd></code>) must be wrapped in a parent <code><dl></code> element to ensure that screen readers can properly announce them. Learn how to structure definition lists correctly.
(Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>ARIA IDs are unique</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. Learn how to fix duplicate ARIA IDs. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>No form fields have multiple labels</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. Learn how to use form labels. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><frame></code> or <code><iframe></code> elements have a title</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><html></code> element has an <code>[xml:lang]</code> attribute with the same base language as the <code>[lang]</code> attribute.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr> | <div><div><div><div><div><div></div><div>When a toggle field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn more about toggle fields. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div>ARIA <code>tooltip</code> elements have accessible names</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>When a tooltip element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn how to name tooltip elements. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div>ARIA <code>treeitem</code> elements have accessible names</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When a <code>treeitem</code> element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn more about labeling treeitem elements. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>The page contains a heading, skip link, or landmark region</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding ways to bypass repetitive content lets keyboard users navigate the page more efficiently. Learn more about bypass blocks. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><dl></code>'s contain only properly-ordered <code><dt></code> and <code><dd></code> groups, <code><script></code>, <code><template></code> or <code><div></code> elements.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Definition list items are wrapped in <code><dl></code> elements</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Definition list items (<code><dt></code> and <code><dd></code>) must be wrapped in a parent <code><dl></code> element to ensure that screen readers can properly announce them. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>ARIA IDs are unique</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. Learn how to fix duplicate ARIA IDs. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>No form fields have multiple labels</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. Learn how to use form labels. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><frame></code> or <code><iframe></code> elements have a title</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><html></code> element has an <code>[xml:lang]</code> attribute with the same base language as the <code>[lang]</code> attribute.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text.
(Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr> | <div><div><div><div><div><div></div><div>When a tooltip element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn how to name tooltip elements. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div>ARIA <code>treeitem</code> elements have accessible names</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>When a <code>treeitem</code> element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn more about labeling treeitem elements. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div>The page contains a heading, skip link, or landmark region</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding ways to bypass repetitive content lets keyboard users navigate the page more efficiently. Learn more about bypass blocks. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><dl></code>'s contain only properly-ordered <code><dt></code> and <code><dd></code> groups, <code><script></code>, <code><template></code> or <code><div></code> elements.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Definition list items are wrapped in <code><dl></code> elements</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Definition list items (<code><dt></code> and <code><dd></code>) must be wrapped in a parent <code><dl></code> element to ensure that screen readers can properly announce them. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>ARIA IDs are unique</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. Learn how to fix duplicate ARIA IDs. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>No form fields have multiple labels</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. Learn how to use form labels. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><frame></code> or <code><iframe></code> elements have a title</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><html></code> element has an <code>[xml:lang]</code> attribute with the same base language as the <code>[lang]</code> attribute.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr> | <div><div><div><div><div><div></div><div>When a <code>treeitem</code> element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn more about labeling treeitem elements. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div>The page contains a heading, skip link, or landmark region</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>Adding ways to bypass repetitive content lets keyboard users navigate the page more efficiently. Learn more about bypass blocks. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div><code><dl></code>'s contain only properly-ordered <code><dt></code> and <code><dd></code> groups, <code><script></code>, <code><template></code> or <code><div></code> elements.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Definition list items are wrapped in <code><dl></code> elements</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Definition list items (<code><dt></code> and <code><dd></code>) must be wrapped in a parent <code><dl></code> element to ensure that screen readers can properly announce them. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>ARIA IDs are unique</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>The value of an ARIA ID must be unique to prevent other instances
from being overlooked by assistive technologies. Learn how to fix duplicate ARIA IDs. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>No form fields have multiple labels</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. Learn how to use form labels. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><frame></code> or <code><iframe></code> elements have a title</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><html></code> element has an <code>[xml:lang]</code> attribute with the same base language as the <code>[lang]</code> attribute.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr> | <div><div><div><div><div><div></div><div>Adding ways to bypass repetitive content lets keyboard users navigate the page more efficiently. Learn more about bypass blocks. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div><code><dl></code>'s contain only properly-ordered <code><dt></code> and <code><dd></code> groups, <code><script></code>, <code><template></code> or <code><div></code> elements.</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div>Definition list items are wrapped in <code><dl></code> elements</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Definition list items (<code><dt></code> and <code><dd></code>) must be wrapped in a parent <code><dl></code> element to ensure that screen readers can properly announce them. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>ARIA IDs are unique</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. Learn how to fix duplicate ARIA IDs. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>No form fields have multiple labels</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. Learn how to use form labels. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><frame></code> or <code><iframe></code> elements have a title</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><html></code> element has an <code>[xml:lang]</code> attribute with the same base language as the <code>[lang]</code> attribute.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr> | <div><div><div><div><div><div></div><div>When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div>Definition list items are wrapped in <code><dl></code> elements</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>Definition list items (<code><dt></code> and <code><dd></code>) must be wrapped in a parent
<code><dl></code> element to ensure that screen readers can properly announce them. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div>ARIA IDs are unique</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. Learn how to fix duplicate ARIA IDs. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>No form fields have multiple labels</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. Learn how to use form labels. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><frame></code> or <code><iframe></code> elements have a title</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><html></code> element has an <code>[xml:lang]</code> attribute with the same base language as the <code>[lang]</code> attribute.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr> | <div><div><div><div><div><div></div><div>Definition list items (<code><dt></code> and <code><dd></code>) must be wrapped in a parent <code><dl></code> element to ensure that screen readers can properly announce them. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div>ARIA IDs are unique</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. Learn how to fix duplicate ARIA IDs. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div>No form fields have multiple labels</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. Learn how to use form labels. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><frame></code> or <code><iframe></code> elements have a title</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><html></code> element has an <code>[xml:lang]</code> attribute with the same base language as the <code>[lang]</code> attribute.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr> | <div><div><div><div><div><div></div><div>The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. Learn how to fix duplicate ARIA IDs. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div>No form fields have multiple labels</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. Learn how to use form labels. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div><code><frame></code> or <code><iframe></code> elements have a title</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles.
(Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><html></code> element has an <code>[xml:lang]</code> attribute with the same base language as the <code>[lang]</code> attribute.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr></td></tr></td></tr></td></tr> | <div><div><div><div><div><div></div><div>Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. Learn how to use form labels. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div><code><frame></code> or <code><iframe></code> elements have a title</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div><code><html></code> element has an <code>[xml:lang]</code> attribute with the same base language as the <code>[lang]</code> attribute.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr></td></tr></td></tr> | <div><div><div><div><div><div></div><div>Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div><code><html></code> element has an <code>[xml:lang]</code> attribute with the same base language as the <code>[lang]</code> attribute.</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr></td></tr> | <div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt
text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr> | <div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr> | <div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div> | | | | |
| <div><div><div><div><div><div></div><div>Some ARIA child roles must be contained by specific parent roles to properly perform their intended accessibility functions. Learn more about ARIA roles and required parent element. (Unscored)</div></div></div><div></div></div></div></div> | |
 | |
 | |
 | | | | | | | |
 | | | |
 | | | |
 | | | | | |
 | | | | | | | |
| <div><div><div><div><div><div></div><div>Elements with the <code>role=text</code> attribute do not have focusable descendants.</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>Adding <code>role=text</code> around a text node split by markup enables VoiceOver to treat it as one phrase, but the element's focusable descendants will not be announced. Learn more about the role=text attribute. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div>ARIA toggle fields have accessible names</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When a toggle field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn more about toggle fields. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>ARIA <code>tooltip</code> elements have accessible names</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When a tooltip element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn how to name tooltip elements. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>ARIA <code>treeitem</code> elements have accessible names</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When a <code>treeitem</code> element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn more about labeling treeitem elements. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>The page contains a heading, skip link, or landmark region</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding ways to bypass repetitive content lets keyboard users navigate the page more efficiently. Learn more about bypass blocks. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><dl></code>'s contain only properly-ordered <code><dt></code> and <code><dd></code> groups, <code><script></code>, <code><template></code> or <code><div></code> elements.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Definition list items are wrapped in <code><dl></code> elements</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Definition list items (<code><dt></code> and <code><dd></code>) must be wrapped in a parent <code><dl></code> element to ensure that screen readers can properly announce them. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>ARIA IDs are unique</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. Learn how to fix duplicate ARIA IDs. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>No form fields have multiple labels</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. Learn how to use form labels. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><frame></code> or <code><iframe></code> elements have a title</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><html></code> element has an <code>[xml:lang]</code> attribute with the same base language as the <code>[lang]</code> attribute.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr> | <div><div><div><div><div><div></div><div>Adding <code>role=text</code> around a text node split by markup enables VoiceOver to treat it as one phrase, but the element's focusable descendants will not be announced. Learn more about the role=text attribute. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div>ARIA toggle fields have accessible names</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>When a toggle field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn more about toggle fields. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div>ARIA <code>tooltip</code> elements have accessible names</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When a tooltip element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn how to name tooltip elements. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>ARIA <code>treeitem</code> elements have accessible names</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When a <code>treeitem</code> element doesn't have an accessible name, screen readers announce it with a generic name,
making it unusable for users who rely on screen readers. Learn more about labeling treeitem elements. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>The page contains a heading, skip link, or landmark region</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding ways to bypass repetitive content lets keyboard users navigate the page more efficiently. Learn more about bypass blocks. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><dl></code>'s contain only properly-ordered <code><dt></code> and <code><dd></code> groups, <code><script></code>, <code><template></code> or <code><div></code> elements.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Definition list items are wrapped in <code><dl></code> elements</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Definition list items (<code><dt></code> and <code><dd></code>) must be wrapped in a parent <code><dl></code> element to ensure that screen readers can properly announce them. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>ARIA IDs are unique</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. Learn how to fix duplicate ARIA IDs. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>No form fields have multiple labels</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. Learn how to use form labels. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><frame></code> or <code><iframe></code> elements have a title</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><html></code> element has an <code>[xml:lang]</code> attribute with the same base language as the <code>[lang]</code> attribute.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr> | <div><div><div><div><div><div></div><div>When a toggle field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn more about toggle fields. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div>ARIA <code>tooltip</code> elements have accessible names</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>When a tooltip element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn how to name tooltip elements. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div>ARIA <code>treeitem</code> elements have accessible names</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When a <code>treeitem</code> element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn more about labeling treeitem elements. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>The page contains a heading, skip link, or landmark region</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding ways to bypass repetitive content lets keyboard users navigate the page more efficiently. Learn more about bypass blocks. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><dl></code>'s contain only properly-ordered <code><dt></code> and <code><dd></code> groups, <code><script></code>, <code><template></code> or <code><div></code> elements.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Definition list items are wrapped in <code><dl></code> elements</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Definition list items (<code><dt></code> and <code><dd></code>) must be wrapped in a parent <code><dl></code> element to ensure that screen readers can properly announce them. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>ARIA IDs are unique</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. Learn how to fix duplicate ARIA IDs. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>No form fields have multiple
labels</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. Learn how to use form labels. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><frame></code> or <code><iframe></code> elements have a title</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><html></code> element has an <code>[xml:lang]</code> attribute with the same base language as the <code>[lang]</code> attribute.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr> | <div><div><div><div><div><div></div><div>When a tooltip element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn how to name tooltip elements. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div>ARIA <code>treeitem</code> elements have accessible names</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>When a <code>treeitem</code> element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn more about labeling treeitem elements. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div>The page contains a heading, skip link, or landmark region</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding ways to bypass repetitive content lets keyboard users navigate the page more efficiently. Learn more about bypass blocks. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><dl></code>'s contain only properly-ordered <code><dt></code> and <code><dd></code> groups, <code><script></code>, <code><template></code> or <code><div></code> elements.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Definition list items are wrapped in <code><dl></code> elements</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Definition list items (<code><dt></code> and <code><dd></code>) must be wrapped in a parent <code><dl></code> element to ensure that screen readers can properly announce them. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>ARIA IDs are unique</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. Learn how to fix duplicate ARIA IDs. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>No form fields have multiple labels</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. Learn how to use form labels. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><frame></code> or <code><iframe></code> elements have a title</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><html></code> element has an <code>[xml:lang]</code> attribute with the same base language as the <code>[lang]</code> attribute.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr>
 | <div><div><div><div><div><div></div><div>When a <code>treeitem</code> element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn more about labeling treeitem elements. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div>The page contains a heading, skip link, or landmark region</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>Adding ways to bypass repetitive content lets keyboard users navigate the page more efficiently. Learn more about bypass blocks. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div><code><dl></code>'s contain only properly-ordered <code><dt></code> and <code><dd></code> groups, <code><script></code>, <code><template></code> or <code><div></code> elements.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Definition list items are wrapped in <code><dl></code> elements</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Definition list items (<code><dt></code> and <code><dd></code>) must be wrapped in a parent <code><dl></code> element to ensure that screen readers can properly announce them. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>ARIA IDs are unique</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. Learn how to fix duplicate ARIA IDs. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>No form fields have multiple labels</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. Learn how to use form labels. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><frame></code> or <code><iframe></code> elements have a title</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><html></code> element has an <code>[xml:lang]</code> attribute with the same base language as the <code>[lang]</code> attribute.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr> | <div><div><div><div><div><div></div><div>Adding ways to bypass repetitive content lets keyboard users navigate the page more efficiently. Learn more about bypass blocks. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div><code><dl></code>'s contain only properly-ordered <code><dt></code> and <code><dd></code> groups, <code><script></code>, <code><template></code> or <code><div></code> elements.</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div>Definition list items are wrapped in <code><dl></code> elements</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Definition list items (<code><dt></code> and <code><dd></code>) must be wrapped in a parent <code><dl></code> element to ensure that screen readers can properly announce them. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>ARIA IDs are unique</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. Learn how to fix duplicate ARIA IDs. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>No form fields have multiple labels</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. Learn how to use form labels. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><frame></code> or <code><iframe></code> elements have a title</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><html></code> element has an <code>[xml:lang]</code> attribute with the same base language as the <code>[lang]</code> attribute.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr> | <div><div><div><div><div><div></div><div>When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div>Definition list items are wrapped in <code><dl></code> elements</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>Definition list items (<code><dt></code> and <code><dd></code>) must be wrapped in a parent <code><dl></code> element to ensure that screen readers can properly announce them. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div>ARIA IDs are unique</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. Learn how to fix duplicate ARIA IDs. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>No form fields have multiple labels</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. Learn how to use form labels. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><frame></code> or <code><iframe></code> elements have a title</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><html></code> element has an <code>[xml:lang]</code> attribute with the same base language as the <code>[lang]</code> attribute.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr> | <div><div><div><div><div><div></div><div>Definition list items (<code><dt></code> and <code><dd></code>) must be wrapped in a parent <code><dl></code> element to ensure that screen readers can properly announce them. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div>ARIA IDs are unique</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. Learn how to fix duplicate ARIA IDs. (Unscored)</div></div></div><div></div></div></div></div></td></tr>
<tr><td><div><div><div><div><div><div></div><div>No form fields have multiple labels</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. Learn how to use form labels. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><frame></code> or <code><iframe></code> elements have a title</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><html></code> element has an <code>[xml:lang]</code> attribute with the same base language as the <code>[lang]</code> attribute.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr> | <div><div><div><div><div><div></div><div>The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. Learn how to fix duplicate ARIA IDs. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div>No form fields have multiple labels</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. Learn how to use form labels. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div><code><frame></code> or <code><iframe></code> elements have a title</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><html></code> element has an <code>[xml:lang]</code> attribute with the same base language as the <code>[lang]</code> attribute.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr></td></tr></td></tr></td></tr> | <div><div><div><div><div><div></div><div>Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. Learn how to use form labels. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div><code><frame></code> or <code><iframe></code> elements have a title</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div><code><html></code> element has an <code>[xml:lang]</code> attribute with the same base language as the <code>[lang]</code> attribute.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute.
(Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr></td></tr></td></tr> | <div><div><div><div><div><div></div><div>Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div><code><html></code> element has an <code>[xml:lang]</code> attribute with the same base language as the <code>[lang]</code> attribute.</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr></td></tr> | <div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr> | <div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr>
 | <div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div> | | | | | | |
| <div><div><div><div><div><div></div><div>Adding <code>role=text</code> around a text node split by markup enables VoiceOver to treat it as one phrase, but the element's focusable descendants will not be announced. Learn more about the role=text attribute. (Unscored)</div></div></div><div></div></div></div></div> | |
 | |
 | |
 | | | | | | | |
 | | | |
 | | | |
 | | | | | |
 | | | | | | | |
| <div><div><div><div><div><div></div><div>ARIA toggle fields have accessible names</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>When a toggle field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn more about toggle fields. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div>ARIA <code>tooltip</code> elements have accessible names</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When a tooltip element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn how to name tooltip elements. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>ARIA <code>treeitem</code> elements have accessible names</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When a <code>treeitem</code> element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn more about labeling treeitem elements. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>The page contains a heading, skip link, or landmark region</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding ways to bypass repetitive content lets keyboard users navigate the page more efficiently. Learn more about bypass blocks. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><dl></code>'s contain only properly-ordered <code><dt></code> and <code><dd></code> groups, <code><script></code>, <code><template></code> or <code><div></code> elements.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Definition list items are wrapped in <code><dl></code> elements</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Definition list items (<code><dt></code> and <code><dd></code>) must be wrapped in a parent <code><dl></code> element to ensure that screen readers can properly announce them. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>ARIA IDs are unique</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. Learn how to fix duplicate ARIA IDs. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>No form fields have multiple labels</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. Learn how to use form labels. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><frame></code> or <code><iframe></code> elements have a title</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><html></code> element has an <code>[xml:lang]</code> attribute with the same base language as the <code>[lang]</code> attribute.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr> | <div><div><div><div><div><div></div><div>When a toggle field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn more about toggle fields. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div>ARIA <code>tooltip</code> elements have accessible names</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>When a tooltip element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn how to name tooltip elements. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div>ARIA <code>treeitem</code> elements have accessible names</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When a <code>treeitem</code> element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn more about labeling treeitem elements. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>The page contains a heading, skip link, or landmark region</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding ways to bypass repetitive content lets keyboard users navigate the
page more efficiently. Learn more about bypass blocks. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><dl></code>'s contain only properly-ordered <code><dt></code> and <code><dd></code> groups, <code><script></code>, <code><template></code> or <code><div></code> elements.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Definition list items are wrapped in <code><dl></code> elements</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Definition list items (<code><dt></code> and <code><dd></code>) must be wrapped in a parent <code><dl></code> element to ensure that screen readers can properly announce them. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>ARIA IDs are unique</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. Learn how to fix duplicate ARIA IDs. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>No form fields have multiple labels</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. Learn how to use form labels. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><frame></code> or <code><iframe></code> elements have a title</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><html></code> element has an <code>[xml:lang]</code> attribute with the same base language as the <code>[lang]</code> attribute.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr> | <div><div><div><div><div><div></div><div>When a tooltip element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn how to name tooltip elements. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div>ARIA <code>treeitem</code> elements have accessible names</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>When a <code>treeitem</code> element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn more about labeling treeitem elements. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div>The page contains a heading, skip link, or landmark region</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding ways to bypass repetitive content lets keyboard users navigate the page more efficiently. Learn more about bypass blocks. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><dl></code>'s contain only properly-ordered <code><dt></code> and <code><dd></code> groups, <code><script></code>, <code><template></code> or <code><div></code> elements.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Definition list items are wrapped in <code><dl></code> elements</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Definition list items (<code><dt></code> and <code><dd></code>) must be wrapped in a parent <code><dl></code> element to ensure that screen readers can properly announce them. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>ARIA IDs are unique</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. Learn how to fix duplicate ARIA IDs. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>No form fields have multiple labels</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. Learn how to use form labels. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><frame></code> or
<code><iframe></code> elements have a title</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><html></code> element has an <code>[xml:lang]</code> attribute with the same base language as the <code>[lang]</code> attribute.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr> | <div><div><div><div><div><div></div><div>When a <code>treeitem</code> element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn more about labeling treeitem elements. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div>The page contains a heading, skip link, or landmark region</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>Adding ways to bypass repetitive content lets keyboard users navigate the page more efficiently. Learn more about bypass blocks. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div><code><dl></code>'s contain only properly-ordered <code><dt></code> and <code><dd></code> groups, <code><script></code>, <code><template></code> or <code><div></code> elements.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Definition list items are wrapped in <code><dl></code> elements</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Definition list items (<code><dt></code> and <code><dd></code>) must be wrapped in a parent <code><dl></code> element to ensure that screen readers can properly announce them. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>ARIA IDs are unique</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. Learn how to fix duplicate ARIA IDs. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>No form fields have multiple labels</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. Learn how to use form labels. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><frame></code> or <code><iframe></code> elements have a title</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><html></code> element has an <code>[xml:lang]</code> attribute with the same base language as the <code>[lang]</code> attribute.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr>
 | <div><div><div><div><div><div></div><div>Adding ways to bypass repetitive content lets keyboard users navigate the page more efficiently. Learn more about bypass blocks. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div><code><dl></code>'s contain only properly-ordered <code><dt></code> and <code><dd></code> groups, <code><script></code>, <code><template></code> or <code><div></code> elements.</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div>Definition list items are wrapped in <code><dl></code> elements</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Definition list items (<code><dt></code> and <code><dd></code>) must be wrapped in a parent <code><dl></code> element to ensure that screen readers can properly announce them. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>ARIA IDs are unique</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. Learn how to fix duplicate ARIA IDs. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>No form fields have multiple labels</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. Learn how to use form labels. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><frame></code> or <code><iframe></code> elements have a title</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><html></code> element has an <code>[xml:lang]</code> attribute with the same base language as the <code>[lang]</code> attribute.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr> | <div><div><div><div><div><div></div><div>When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div>Definition list items are wrapped in <code><dl></code> elements</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>Definition list items (<code><dt></code> and <code><dd></code>) must be wrapped in a parent <code><dl></code> element to ensure that screen readers can properly announce them. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div>ARIA IDs are unique</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. Learn how to fix duplicate ARIA IDs. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>No form fields have multiple labels</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. Learn how to use form labels. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><frame></code> or <code><iframe></code> elements have a title</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles.
(Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><html></code> element has an <code>[xml:lang]</code> attribute with the same base language as the <code>[lang]</code> attribute.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr> | <div><div><div><div><div><div></div><div>Definition list items (<code><dt></code> and <code><dd></code>) must be wrapped in a parent <code><dl></code> element to ensure that screen readers can properly announce them. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div>ARIA IDs are unique</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. Learn how to fix duplicate ARIA IDs. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div>No form fields have multiple labels</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. Learn how to use form labels. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><frame></code> or <code><iframe></code> elements have a title</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><html></code> element has an <code>[xml:lang]</code> attribute with the same base language as the <code>[lang]</code> attribute.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr> | <div><div><div><div><div><div></div><div>The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. Learn how to fix duplicate ARIA IDs. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div>No form fields have multiple labels</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use
either the first, the last, or all of the labels. Learn how to use form labels. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div><code><frame></code> or <code><iframe></code> elements have a title</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><html></code> element has an <code>[xml:lang]</code> attribute with the same base language as the <code>[lang]</code> attribute.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr></td></tr></td></tr></td></tr> | <div><div><div><div><div><div></div><div>Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. Learn how to use form labels. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div><code><frame></code> or <code><iframe></code> elements have a title</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div><code><html></code> element has an <code>[xml:lang]</code> attribute with the same base language as the <code>[lang]</code> attribute.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr></td></tr></td></tr> | <div><div><div><div><div><div></div><div>Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div><code><html></code> element has an <code>[xml:lang]</code> attribute with the same base language as the <code>[lang]</code> attribute.</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader
users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr></td></tr> | <div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr> | <div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr> | <div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div> |
 | | | | | | | |
| <div><div><div><div><div><div></div><div>When a toggle field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn more about toggle fields. (Unscored)</div></div></div><div></div></div></div></div> | |
 | |
 | |
 | | | | | | | |
 | | | |
 | | | |
 | | | | | |
 | | | | | | | |
| <div><div><div><div><div><div></div><div>ARIA <code>tooltip</code> elements have accessible names</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>When a tooltip element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn how to name tooltip elements. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div>ARIA <code>treeitem</code> elements have accessible names</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When a <code>treeitem</code> element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn more about labeling treeitem elements. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>The page contains a heading, skip link, or landmark region</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding ways to bypass repetitive content lets keyboard users navigate the page more efficiently. Learn more about bypass blocks. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><dl></code>'s contain only properly-ordered <code><dt></code> and <code><dd></code> groups, <code><script></code>, <code><template></code> or <code><div></code> elements.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Definition list items are wrapped in <code><dl></code> elements</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Definition list items (<code><dt></code> and <code><dd></code>) must be wrapped in a parent <code><dl></code> element to ensure that screen readers can properly announce them. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>ARIA IDs are unique</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. Learn how to fix duplicate ARIA IDs. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>No form fields have multiple labels</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. Learn how to use form labels. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><frame></code> or <code><iframe></code> elements have a title</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><html></code> element has an <code>[xml:lang]</code> attribute with the same base language as the <code>[lang]</code> attribute.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr> | <div><div><div><div><div><div></div><div>When a tooltip element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn how to name tooltip elements. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div>ARIA <code>treeitem</code> elements have accessible names</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>When a <code>treeitem</code> element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn more about labeling treeitem elements. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div>The page contains a heading, skip link, or landmark region</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding ways to bypass repetitive content lets keyboard users navigate the page more efficiently. Learn more about bypass blocks. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><dl></code>'s contain only properly-ordered <code><dt></code> and <code><dd></code> groups, <code><script></code>, <code><template></code> or <code><div></code>
elements.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Definition list items are wrapped in <code><dl></code> elements</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Definition list items (<code><dt></code> and <code><dd></code>) must be wrapped in a parent <code><dl></code> element to ensure that screen readers can properly announce them. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>ARIA IDs are unique</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. Learn how to fix duplicate ARIA IDs. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>No form fields have multiple labels</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. Learn how to use form labels. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><frame></code> or <code><iframe></code> elements have a title</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><html></code> element has an <code>[xml:lang]</code> attribute with the same base language as the <code>[lang]</code> attribute.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr> | <div><div><div><div><div><div></div><div>When a <code>treeitem</code> element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn more about labeling treeitem elements. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div>The page contains a heading, skip link, or landmark region</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>Adding ways to bypass repetitive content lets keyboard users navigate the page more efficiently. Learn more about bypass blocks. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div><code><dl></code>'s contain only properly-ordered <code><dt></code> and <code><dd></code> groups, <code><script></code>, <code><template></code> or <code><div></code> elements.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Definition list items are wrapped in <code><dl></code> elements</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Definition list items (<code><dt></code> and <code><dd></code>) must be wrapped in a parent <code><dl></code> element to ensure that screen readers can properly announce them. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>ARIA IDs are unique</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. Learn how to fix duplicate ARIA IDs. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>No form fields have multiple labels</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. Learn how to use form labels. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><frame></code> or <code><iframe></code> elements have a title</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><html></code> element has an
<code>[xml:lang]</code> attribute with the same base language as the <code>[lang]</code> attribute.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr> | <div><div><div><div><div><div></div><div>Adding ways to bypass repetitive content lets keyboard users navigate the page more efficiently. Learn more about bypass blocks. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div><code><dl></code>'s contain only properly-ordered <code><dt></code> and <code><dd></code> groups, <code><script></code>, <code><template></code> or <code><div></code> elements.</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div>Definition list items are wrapped in <code><dl></code> elements</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Definition list items (<code><dt></code> and <code><dd></code>) must be wrapped in a parent <code><dl></code> element to ensure that screen readers can properly announce them. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>ARIA IDs are unique</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. Learn how to fix duplicate ARIA IDs. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>No form fields have multiple labels</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. Learn how to use form labels. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><frame></code> or <code><iframe></code> elements have a title</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><html></code> element has an <code>[xml:lang]</code> attribute with the same base language as the <code>[lang]</code> attribute.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr>
 | <div><div><div><div><div><div></div><div>When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div>Definition list items are wrapped in <code><dl></code> elements</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>Definition list items (<code><dt></code> and <code><dd></code>) must be wrapped in a parent <code><dl></code> element to ensure that screen readers can properly announce them. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div>ARIA IDs are unique</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. Learn how to fix duplicate ARIA IDs. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>No form fields have multiple labels</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. Learn how to use form labels. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><frame></code> or <code><iframe></code> elements have a title</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><html></code> element has an <code>[xml:lang]</code> attribute with the same base language as the <code>[lang]</code> attribute.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr> | <div><div><div><div><div><div></div><div>Definition list items (<code><dt></code> and <code><dd></code>) must be wrapped in a parent <code><dl></code> element to ensure that screen readers can properly announce them. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div>ARIA IDs are unique</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. Learn how to fix duplicate ARIA IDs. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div>No form fields have multiple labels</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. Learn how to use form labels. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><frame></code> or <code><iframe></code> elements have a title</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><html></code> element has an <code>[xml:lang]</code> attribute with the same base language as the <code>[lang]</code> attribute.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute.
(Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr> | <div><div><div><div><div><div></div><div>The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. Learn how to fix duplicate ARIA IDs. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div>No form fields have multiple labels</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. Learn how to use form labels. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div><code><frame></code> or <code><iframe></code> elements have a title</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><html></code> element has an <code>[xml:lang]</code> attribute with the same base language as the <code>[lang]</code> attribute.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr></td></tr></td></tr></td></tr> | <div><div><div><div><div><div></div><div>Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. Learn how to use form labels. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div><code><frame></code> or <code><iframe></code> elements have a title</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>Screen reader users rely on frame titles to describe the
contents of frames. Learn more about frame titles. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div><code><html></code> element has an <code>[xml:lang]</code> attribute with the same base language as the <code>[lang]</code> attribute.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr></td></tr></td></tr> | <div><div><div><div><div><div></div><div>Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div><code><html></code> element has an <code>[xml:lang]</code> attribute with the same base language as the <code>[lang]</code> attribute.</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr></td></tr> | <div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users
understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr> | <div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr> | <div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div> | | |
 | | | | | | | |
| <div><div><div><div><div><div></div><div>When a tooltip element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn how to name tooltip elements. (Unscored)</div></div></div><div></div></div></div></div> | |
 | |
 | |
 | | | | | | | |
 | | | |
 | | | |
 | | | | | |
 | | | | | | | |
| <div><div><div><div><div><div></div><div>ARIA <code>treeitem</code> elements have accessible names</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>When a <code>treeitem</code> element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn more about labeling treeitem elements. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div>The page contains a heading, skip link, or landmark region</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding ways to bypass repetitive content lets keyboard users navigate the page more efficiently. Learn more about bypass blocks. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><dl></code>'s contain only properly-ordered <code><dt></code> and <code><dd></code> groups, <code><script></code>, <code><template></code> or <code><div></code> elements.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Definition list items are wrapped in <code><dl></code> elements</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Definition list items (<code><dt></code> and <code><dd></code>) must be wrapped in a parent <code><dl></code> element to ensure that screen readers can properly announce them. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>ARIA IDs are unique</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. Learn how to fix duplicate ARIA IDs. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>No form fields have multiple labels</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. Learn how to use form labels. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><frame></code> or <code><iframe></code> elements have a title</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><html></code> element has an <code>[xml:lang]</code> attribute with the same base language as the <code>[lang]</code> attribute.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr> | <div><div><div><div><div><div></div><div>When a <code>treeitem</code> element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn more about labeling treeitem elements. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div>The page contains a heading, skip link, or landmark region</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>Adding ways to bypass repetitive content lets keyboard users navigate the page more efficiently. Learn more about bypass blocks. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div><code><dl></code>'s contain only properly-ordered <code><dt></code> and <code><dd></code> groups, <code><script></code>, <code><template></code> or <code><div></code> elements.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Definition list items are wrapped in <code><dl></code> elements</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Definition list items
(<code><dt></code> and <code><dd></code>) must be wrapped in a parent <code><dl></code> element to ensure that screen readers can properly announce them. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>ARIA IDs are unique</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. Learn how to fix duplicate ARIA IDs. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>No form fields have multiple labels</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. Learn how to use form labels. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><frame></code> or <code><iframe></code> elements have a title</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><html></code> element has an <code>[xml:lang]</code> attribute with the same base language as the <code>[lang]</code> attribute.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr> | <div><div><div><div><div><div></div><div>Adding ways to bypass repetitive content lets keyboard users navigate the page more efficiently. Learn more about bypass blocks. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div><code><dl></code>'s contain only properly-ordered <code><dt></code> and <code><dd></code> groups, <code><script></code>, <code><template></code> or <code><div></code> elements.</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div>Definition list items are wrapped in <code><dl></code> elements</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Definition list items (<code><dt></code> and <code><dd></code>) must be wrapped in a parent <code><dl></code> element to ensure that screen readers can properly announce them. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>ARIA IDs are unique</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. Learn how to fix duplicate ARIA IDs. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>No form fields have multiple labels</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. Learn how to use form labels. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><frame></code> or <code><iframe></code> elements have a title</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><html></code> element has an <code>[xml:lang]</code> attribute with the same base language as the <code>[lang]</code> attribute.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Input buttons have
discernible text.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr> | <div><div><div><div><div><div></div><div>When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div>Definition list items are wrapped in <code><dl></code> elements</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>Definition list items (<code><dt></code> and <code><dd></code>) must be wrapped in a parent <code><dl></code> element to ensure that screen readers can properly announce them. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div>ARIA IDs are unique</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. Learn how to fix duplicate ARIA IDs. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>No form fields have multiple labels</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. Learn how to use form labels. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><frame></code> or <code><iframe></code> elements have a title</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><html></code> element has an <code>[xml:lang]</code> attribute with the same base language as the <code>[lang]</code> attribute.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr>
 | <div><div><div><div><div><div></div><div>Definition list items (<code><dt></code> and <code><dd></code>) must be wrapped in a parent <code><dl></code> element to ensure that screen readers can properly announce them. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div>ARIA IDs are unique</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. Learn how to fix duplicate ARIA IDs. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div>No form fields have multiple labels</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. Learn how to use form labels. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><frame></code> or <code><iframe></code> elements have a title</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><html></code> element has an <code>[xml:lang]</code> attribute with the same base language as the <code>[lang]</code> attribute.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr> | <div><div><div><div><div><div></div><div>The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. Learn how to fix duplicate ARIA IDs. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div>No form fields have multiple labels</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. Learn how to use form labels. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div><code><frame></code> or <code><iframe></code> elements have a title</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><html></code> element has an <code>[xml:lang]</code> attribute with the same base language as the <code>[lang]</code> attribute.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons.
(Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr></td></tr></td></tr></td></tr> | <div><div><div><div><div><div></div><div>Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. Learn how to use form labels. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div><code><frame></code> or <code><iframe></code> elements have a title</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div><code><html></code> element has an <code>[xml:lang]</code> attribute with the same base language as the <code>[lang]</code> attribute.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr></td></tr></td></tr> | <div><div><div><div><div><div></div><div>Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div><code><html></code> element has an <code>[xml:lang]</code> attribute with the same base language as the <code>[lang]</code> attribute.</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>If the webpage does not
specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr></td></tr> | <div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr> | <div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr>
 | <div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div> | | | | | | |
 | | | | | | | |
| <div><div><div><div><div><div></div><div>When a <code>treeitem</code> element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn more about labeling treeitem elements. (Unscored)</div></div></div><div></div></div></div></div> | |
 | |
 | |
 | | | | | | | |
 | | | |
 | | | |
 | | | | | |
 | | | | | | | |
| <div><div><div><div><div><div></div><div>The page contains a heading, skip link, or landmark region</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>Adding ways to bypass repetitive content lets keyboard users navigate the page more efficiently. Learn more about bypass blocks. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div><code><dl></code>'s contain only properly-ordered <code><dt></code> and <code><dd></code> groups, <code><script></code>, <code><template></code> or <code><div></code> elements.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Definition list items are wrapped in <code><dl></code> elements</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Definition list items (<code><dt></code> and <code><dd></code>) must be wrapped in a parent <code><dl></code> element to ensure that screen readers can properly announce them. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>ARIA IDs are unique</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. Learn how to fix duplicate ARIA IDs. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>No form fields have multiple labels</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. Learn how to use form labels. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><frame></code> or <code><iframe></code> elements have a title</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><html></code> element has an <code>[xml:lang]</code> attribute with the same base language as the <code>[lang]</code> attribute.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr> | <div><div><div><div><div><div></div><div>Adding ways to bypass repetitive content lets keyboard users navigate the page more efficiently. Learn more about bypass blocks. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div><code><dl></code>'s contain only properly-ordered <code><dt></code> and <code><dd></code> groups, <code><script></code>, <code><template></code> or <code><div></code> elements.</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div>Definition list items are wrapped in <code><dl></code> elements</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Definition list items (<code><dt></code> and <code><dd></code>) must be wrapped in a parent <code><dl></code> element to ensure that screen readers can properly announce them. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>ARIA IDs are
unique</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. Learn how to fix duplicate ARIA IDs. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>No form fields have multiple labels</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. Learn how to use form labels. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><frame></code> or <code><iframe></code> elements have a title</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><html></code> element has an <code>[xml:lang]</code> attribute with the same base language as the <code>[lang]</code> attribute.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr> | <div><div><div><div><div><div></div><div>When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div>Definition list items are wrapped in <code><dl></code> elements</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>Definition list items (<code><dt></code> and <code><dd></code>) must be wrapped in a parent <code><dl></code> element to ensure that screen readers can properly announce them. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div>ARIA IDs are unique</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. Learn how to fix duplicate ARIA IDs. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>No form fields have multiple labels</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. Learn how to use form labels. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><frame></code> or <code><iframe></code> elements have a title</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><html></code> element has an <code>[xml:lang]</code> attribute with the same base language as the <code>[lang]</code> attribute.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code>
text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr> | <div><div><div><div><div><div></div><div>Definition list items (<code><dt></code> and <code><dd></code>) must be wrapped in a parent <code><dl></code> element to ensure that screen readers can properly announce them. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div>ARIA IDs are unique</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. Learn how to fix duplicate ARIA IDs. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div>No form fields have multiple labels</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. Learn how to use form labels. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><frame></code> or <code><iframe></code> elements have a title</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><html></code> element has an <code>[xml:lang]</code> attribute with the same base language as the <code>[lang]</code> attribute.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr>
 | <div><div><div><div><div><div></div><div>The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. Learn how to fix duplicate ARIA IDs. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div>No form fields have multiple labels</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. Learn how to use form labels. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div><code><frame></code> or <code><iframe></code> elements have a title</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><html></code> element has an <code>[xml:lang]</code> attribute with the same base language as the <code>[lang]</code> attribute.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr></td></tr></td></tr></td></tr> | <div><div><div><div><div><div></div><div>Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. Learn how to use form labels. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div><code><frame></code> or <code><iframe></code> elements have a title</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div><code><html></code> element has an <code>[xml:lang]</code> attribute with the same base language as the <code>[lang]</code> attribute.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn
about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr></td></tr></td></tr> | <div><div><div><div><div><div></div><div>Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div><code><html></code> element has an <code>[xml:lang]</code> attribute with the same base language as the <code>[lang]</code> attribute.</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr></td></tr> | <div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr> | <div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr> | <div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div> |
 | | | | | | | |
 | | | | | | | |
| <div><div><div><div><div><div></div><div>Adding ways to bypass repetitive content lets keyboard users navigate the page more efficiently. Learn more about bypass blocks. (Unscored)</div></div></div><div></div></div></div></div> | |
 | |
 | |
 | | | | | | | |
 | | | |
 | | | |
 | | | | | |
 | | | | | | | |
| <div><div><div><div><div><div></div><div><code><dl></code>'s contain only properly-ordered <code><dt></code> and <code><dd></code> groups, <code><script></code>, <code><template></code> or <code><div></code> elements.</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div>Definition list items are wrapped in <code><dl></code> elements</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Definition list items (<code><dt></code> and <code><dd></code>) must be wrapped in a parent <code><dl></code> element to ensure that screen readers can properly announce them. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>ARIA IDs are unique</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. Learn how to fix duplicate ARIA IDs. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>No form fields have multiple labels</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. Learn how to use form labels. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><frame></code> or <code><iframe></code> elements have a title</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><html></code> element has an <code>[xml:lang]</code> attribute with the same base language as the <code>[lang]</code> attribute.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr> | <div><div><div><div><div><div></div><div>When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div>Definition list items are wrapped in <code><dl></code> elements</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>Definition list items (<code><dt></code> and <code><dd></code>) must be wrapped in a parent <code><dl></code> element to ensure that screen readers can properly announce them. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div>ARIA IDs are unique</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. Learn how to fix duplicate ARIA IDs. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>No form fields have multiple labels</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the
last, or all of the labels. Learn how to use form labels. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><frame></code> or <code><iframe></code> elements have a title</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><html></code> element has an <code>[xml:lang]</code> attribute with the same base language as the <code>[lang]</code> attribute.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr> | <div><div><div><div><div><div></div><div>Definition list items (<code><dt></code> and <code><dd></code>) must be wrapped in a parent <code><dl></code> element to ensure that screen readers can properly announce them. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div>ARIA IDs are unique</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. Learn how to fix duplicate ARIA IDs. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div>No form fields have multiple labels</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. Learn how to use form labels. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><frame></code> or <code><iframe></code> elements have a title</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><html></code> element has an <code>[xml:lang]</code> attribute with the same base language as the <code>[lang]</code> attribute.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr>
 | <div><div><div><div><div><div></div><div>The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. Learn how to fix duplicate ARIA IDs. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div>No form fields have multiple labels</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. Learn how to use form labels. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div><code><frame></code> or <code><iframe></code> elements have a title</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><html></code> element has an <code>[xml:lang]</code> attribute with the same base language as the <code>[lang]</code> attribute.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr></td></tr></td></tr></td></tr>
 | <div><div><div><div><div><div></div><div>Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. Learn how to use form labels. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div><code><frame></code> or <code><iframe></code> elements have a title</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div><code><html></code> element has an <code>[xml:lang]</code> attribute with the same base language as the <code>[lang]</code> attribute.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr></td></tr></td></tr> | <div><div><div><div><div><div></div><div>Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div><code><html></code> element has an <code>[xml:lang]</code> attribute with the same base language as the <code>[lang]</code> attribute.</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr></td></tr>
 | <div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr> | <div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text.
(Unscored)</div></div></div><div></div></div></div></div></td></tr> | <div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div> | | |
 | | | | | | | |
 | | | | | | | |
| <div><div><div><div><div><div></div><div>When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div> | |
 | |
 | |
 | | | | | | | |
 | | | |
 | | | |
 | | | | | |
 | | | | | | | |
| <div><div><div><div><div><div></div><div>Definition list items are wrapped in <code><dl></code> elements</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>Definition list items (<code><dt></code> and <code><dd></code>) must be wrapped in a parent <code><dl></code> element to ensure that screen readers can properly announce them. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div>ARIA IDs are unique</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. Learn how to fix duplicate ARIA IDs. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>No form fields have multiple labels</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. Learn how to use form labels. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><frame></code> or <code><iframe></code> elements have a title</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><html></code> element has an <code>[xml:lang]</code> attribute with the same base language as the <code>[lang]</code> attribute.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr> | <div><div><div><div><div><div></div><div>Definition list items (<code><dt></code> and <code><dd></code>) must be wrapped in a parent <code><dl></code> element to ensure that screen readers can properly announce them. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div>ARIA IDs are unique</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. Learn how to fix duplicate ARIA IDs. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div>No form fields have multiple labels</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. Learn how to use form labels. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><frame></code> or <code><iframe></code> elements have a title</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles.
(Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><html></code> element has an <code>[xml:lang]</code> attribute with the same base language as the <code>[lang]</code> attribute.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr> | <div><div><div><div><div><div></div><div>The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. Learn how to fix duplicate ARIA IDs. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div>No form fields have multiple labels</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. Learn how to use form labels. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div><code><frame></code> or <code><iframe></code> elements have a title</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><html></code> element has an <code>[xml:lang]</code> attribute with the same base language as the <code>[lang]</code> attribute.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr></td></tr></td></tr></td></tr>
 | <div><div><div><div><div><div></div><div>Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. Learn how to use form labels. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div><code><frame></code> or <code><iframe></code> elements have a title</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div><code><html></code> element has an <code>[xml:lang]</code> attribute with the same base language as the <code>[lang]</code> attribute.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr></td></tr></td></tr>
 | <div><div><div><div><div><div></div><div>Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div><code><html></code> element has an <code>[xml:lang]</code> attribute with the same base language as the <code>[lang]</code> attribute.</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr></td></tr> | <div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr>
 | <div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr> | <div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div> | | | | |
 | | | |
 | | | | | |
 | | | | | | | |
| <div><div><div><div><div><div></div><div>Definition list items (<code><dt></code> and <code><dd></code>) must be wrapped in a parent <code><dl></code> element to ensure that screen readers can properly announce them. Learn how to structure definition lists correctly. (Unscored)</div></div></div><div></div></div></div></div> | |
 | |
 | |
 | | | | | | | |
 | | | |
 | | | |
 | | | | | |
 | | | | | | | |
| <div><div><div><div><div><div></div><div>ARIA IDs are unique</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. Learn how to fix duplicate ARIA IDs. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div>No form fields have multiple labels</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. Learn how to use form labels. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><frame></code> or <code><iframe></code> elements have a title</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><html></code> element has an <code>[xml:lang]</code> attribute with the same base language as the <code>[lang]</code> attribute.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr></td></tr></td></tr></td></tr></td></tr> | <div><div><div><div><div><div></div><div>The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. Learn how to fix duplicate ARIA IDs. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div>No form fields have multiple labels</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. Learn how to use form labels. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div><code><frame></code> or <code><iframe></code> elements have a title</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><html></code> element has an <code>[xml:lang]</code> attribute with the same base language as the <code>[lang]</code> attribute.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the
page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr></td></tr></td></tr></td></tr> | <div><div><div><div><div><div></div><div>Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. Learn how to use form labels. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div><code><frame></code> or <code><iframe></code> elements have a title</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div><code><html></code> element has an <code>[xml:lang]</code> attribute with the same base language as the <code>[lang]</code> attribute.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr></td></tr></td></tr>
 | <div><div><div><div><div><div></div><div>Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div><code><html></code> element has an <code>[xml:lang]</code> attribute with the same base language as the <code>[lang]</code> attribute.</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr></td></tr>
 | <div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr> | <div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr>
 | <div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div> | | | | | | |
 | | | |
 | | | | | |
 | | | | | | | |
| <div><div><div><div><div><div></div><div>The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. Learn how to fix duplicate ARIA IDs. (Unscored)</div></div></div><div></div></div></div></div> | |
 | |
 | |
 | | | | | | | |
 | | | |
 | | | |
 | | | | | |
 | | | | | | | |
| <div><div><div><div><div><div></div><div>No form fields have multiple labels</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. Learn how to use form labels. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div><code><frame></code> or <code><iframe></code> elements have a title</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><html></code> element has an <code>[xml:lang]</code> attribute with the same base language as the <code>[lang]</code> attribute.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr></td></tr></td></tr></td></tr> | <div><div><div><div><div><div></div><div>Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. Learn how to use form labels. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div><code><frame></code> or <code><iframe></code> elements have a title</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div><code><html></code> element has an <code>[xml:lang]</code> attribute with the same base language as the <code>[lang]</code> attribute.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr></td></tr></td></tr> | <div><div><div><div><div><div></div><div>Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div><code><html></code> element has an <code>[xml:lang]</code> attribute with the same base language as the <code>[lang]</code> attribute.</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr></td></tr>
 | <div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr>
 | <div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr> | <div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div> | | | | |
 | | | |
 | | | |
 | | | | | |
 | | | | | | | |
| <div><div><div><div><div><div></div><div>Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. Learn how to use form labels. (Unscored)</div></div></div><div></div></div></div></div> | |
 | |
 | |
 | | | | | | | |
 | | | |
 | | | |
 | | | | | |
 | | | | | | | |
| <div><div><div><div><div><div></div><div><code><frame></code> or <code><iframe></code> elements have a title</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div><code><html></code> element has an <code>[xml:lang]</code> attribute with the same base language as the <code>[lang]</code> attribute.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr></td></tr></td></tr> | <div><div><div><div><div><div></div><div>Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div><code><html></code> element has an <code>[xml:lang]</code> attribute with the same base language as the <code>[lang]</code> attribute.</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing
alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr></td></tr> | <div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr>
 | <div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr>
 | <div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div> | | | | | | |
 | | | |
 | | | |
 | | | | | |
 | | | | | | | |
| <div><div><div><div><div><div></div><div>Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles. (Unscored)</div></div></div><div></div></div></div></div> | |
 | |
 | |
 | | | | | | | |
 | | | |
 | | | |
 | | | | | |
 | | | | | | | |
| <div><div><div><div><div><div></div><div><code><html></code> element has an <code>[xml:lang]</code> attribute with the same base language as the <code>[lang]</code> attribute.</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr><tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr></td></tr> | <div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr>
 | <div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr>
 | <div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div> |
 | | | | | | | |
 | | | |
 | | | |
 | | | | | |
 | | | | | | | |
| <div><div><div><div><div><div></div><div>If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. (Unscored)</div></div></div><div></div></div></div></div> | |
 | |
 | |
 | | | | | | | |
 | | | |
 | | | |
 | | | | | |
 | | | | | | | |
| <div><div><div><div><div><div></div><div>Input buttons have discernible text.</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div></td></tr> <tr><td><div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div><tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr></td></tr> | <div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div> | <div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr>
 | <div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div> |
 | |
 | | | | | | | |
 | | | |
 | | | |
 | | | | | |
 | | | | | | | |
| <div><div><div><div><div><div></div><div>Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. (Unscored)</div></div></div><div></div></div></div></div> | |
 | |
 | |
 | | | | | | | |
 | | | |
 | | | |
 | | | | | |
 | | | | | | | |
| <div><div><div><div><div><div></div><div><code><input type="image"></code> elements have <code>[alt]</code> text</div><div>^</div></div></div><div></div></div></div></div> <tr><td><div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div></td></tr> | <div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div> |
 | |
 | |
 | | | | | | | |
 | | | |
 | | | |
 | | | | | |
 | | | | | | | |
| <div><div><div><div><div><div></div><div>When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text. (Unscored)</div></div></div><div></div></div></div></div> | |
 | |
 | |
 | | | | | | | |
 | | | |
 | | | |
 | | | | | |
 | | | | | | | |

Links are distinguishable without relying on color.	
Low-contrast text is difficult or impossible for many users to read. Link text that is discernible improves the experience for users with low vision. Learn how to make links distinguishable. Unscored	
List items (<code></code>) are contained within <code></code>, <code></code> or <code><menu></code> parent elements	
Screen readers require list items (<code></code>) to be contained within a parent <code></code>, <code></code> or <code><menu></code> to be announced properly. Learn more about proper list structure. Unscored	
The document does not use <code><meta http-equiv="refresh"></code>	
Users do not expect a page to refresh automatically, and doing so will move focus back to the top of the page. This may create a frustrating or confusing experience. Learn more about the refresh meta tag. Unscored	
<code><object></code> elements have alternate text	
Screen readers cannot translate non-text content. Adding alternate text to <code><object></code> elements helps screen readers convey meaning to users. Learn more about alt text for object elements. Unscored	
Select elements have associated label elements.	
Form elements without effective labels can create frustrating experiences for screen reader users. Learn more about the select element. Unscored	
Skip links are focusable.	
Including a skip link can help users skip to the main content to save time. Learn more about skip links. Unscored	
Cells in a <code><table></code> element that use the <code>[headers]</code> attribute refer to table cells within the same table.	
Screen readers have features to make navigating tables easier. Ensuring <code><td></code> cells using the <code>[headers]</code> attribute only refer to other cells in the same table may improve the experience for screen reader users. Learn more about the headers attribute. Unscored	
<code><th></code> elements and elements with <code>[role="columnheader"/"rowheader"]</code> have data cells they describe.	
Screen readers have features to make navigating tables easier. Ensuring table headers always refer to some set of cells may improve the experience for screen reader users. Learn more about table headers. Unscored	
<code>[lang]</code> attributes have a valid value	
Specifying a valid BCP 47 language on elements helps ensure that text is pronounced correctly by a screen reader. Learn how to use the lang attribute. Unscored	
<code><video></code> elements contain a <code><track></code> element with <code>[kind="captions"]</code>	
When a video provides a caption it is easier for deaf and hearing impaired users to access its information. Learn more about video captions. Unscored	
<code>autocomplete</code> attributes are used correctly	
The <code>autocomplete</code> attribute values must be valid and correctly applied for screen readers to function correctly. Learn more about valid autocomplete values. Unscored	
Elements with <code>role="none"</code> or <code>role="presentation"</code> do not have conflicts	
There are certain cases where the semantic role of an element with <code>role="none"</code> or <code>role="presentation"</code> does not resolve to none or presentation. To ensure the element remains removed from the accessibility tree, you should not add any global ARIA attributes to the element or make it focusable. Learn more about presentation role conflict. Unscored	
SVG elements with an <code>img</code> role have an accessible text alternative	
Ensures SVG elements with an <code>img</code>, <code>graphics-document</code> or <code>graphics-symbol</code> role have an accessible text alternative. Learn more about SVG alt text. Unscored	
Tables have different content in the summary attribute and <code><caption></code>.	
The summary attribute should describe the table structure, while <code><caption></code> should have the onscreen title. Accurate table mark-up helps users of screen readers. Learn more about summary and caption. Unscored	
All heading elements contain content.	
A heading with no content or inaccessible text prevent screen reader users from accessing information on the page's structure. Learn more about headings. Unscored	
Uses ARIA roles only on compatible elements	
Many HTML elements can only be assigned certain ARIA roles. Using ARIA roles where they are not allowed can interfere with the accessibility of the web page. Learn more about ARIA roles. Unscored	

- Image elements do not have `[alt]` attributes that are redundant text.

^

Informative elements should aim for short, descriptive alternative text. Alternative text that is exactly the same as the text adjacent to the link or image is potentially confusing for screen reader users, because the text will be read twice. [Learn more about the alt attribute.](#) Unscored

Identical links have the same purpose.

^

Links with the same destination should have the same description, to help users understand the link's purpose and decide whether to follow it. [Learn more about identical links.](#) Unscored
- A green circular progress indicator showing a score of 100.
- ## Best Practices
- ### TRUST AND SAFETY
- Ensure CSP is effective against XSS attacks

^

A strong Content Security Policy (CSP) significantly reduces the risk of cross-site scripting (XSS) attacks. [Learn how to use a CSP to prevent XSS](#) Unscored

Description	Directive	Severity
No CSP found in enforcement mode		High

Use a strong HSTS policy

^

Deployment of the HSTS header significantly reduces the risk of downgrading HTTP connections and eavesdropping attacks. A rollout in stages, starting with a low max-age is recommended. [Learn more about using a strong HSTS policy.](#) Unscored

Description	Directive	Severity
No HSTS header found		High

Ensure proper origin isolation with COOP

^

The Cross-Origin-Opener-Policy (COOP) can be used to isolate the top-level window from other documents such as pop-ups. [Learn more about deploying the COOP header.](#) Unscored

Description	Directive	Severity
No COOP header found		High

Mitigate clickjacking with XFO or CSP

^

The X-Frame-Options (XFO) header or the `frame-ancestors` directive in the Content-Security-Policy (CSP) header control where a page can be embedded. These can mitigate clickjacking attacks by blocking some or all sites from embedding the page. [Learn more about mitigating clickjacking.](#) Unscored

Description	Severity
No frame control policy found	High

Mitigate DOM-based XSS with Trusted Types

^

The `require-trusted-types-for` directive in the Content-Security-Policy (CSP) header instructs user agents to control the data passed to DOM XSS sink functions. [Learn more about mitigating DOM-based XSS with Trusted Types.](#) Unscored

Description	Severity
No <code>Content-Security-Policy</code> header with Trusted Types directive found	High
- ### BROWSER COMPATIBILITY
- Baseline Features

^

Lists web features used on the page and their Baseline status as of 2026-07-15. [Learn more about Baseline.](#) Unscored

Web-features	Baseline Status	Source
localhost 1st Party		
page-visibility-state	⚠️ Limited Availability	2ce03fed-4175-43f0-a53d-1ec1325b5857:2
long-animation-frames	⚠️ Limited Availability	2ce03fed-4175-43f0-a53d-1ec1325b5857:2
layout-instability	⚠️ Limited Availability	2ce03fed-4175-43f0-a53d-1ec1325b5857:2
beforeunload	⚠️ Limited Availability	31f38_next_dist_5e39f1b9_._js:2904
ua-client-hints	⚠️ Limited Availability	31f38_next_dist_comp...ex_840fccde.js:1642
referencetarget	⚠️ Limited Availability	31f38_next_dist_comp...ex_840fccde.js:1653
background-clip-text	⚠️ Limited Availability	31f38_next_dist_comp...ex_840fccde.js:1642
manifest	⚠️ Limited Availability	2ce03fed-4175-43f0-a53d-1ec1325b5857:-1
requestidlecallback	⚠️ Limited Availability	2ce03fed-4175-43f0-a53d-1ec1325b5857:2
field-sizing	✅ Newly Available (2026-06-16)	:3001/_next/static/c..._e57f5710_._js:1089
scrollbar-color	✅ Newly Available (2025-12-12)	2ce03fed-4175-43f0-a53d-1ec1325b5857:-1
scrollend	✅ Newly Available (2025-12-12)	31f38_next_dist_comp...ex_840fccde.js:1642
scrollbar-width	✅ Newly Available (2024-12-11)	2ce03fed-4175-43f0-a53d-1ec1325b5857:-1
fetch-priority	✅ Newly Available (2024-10-29)	2ce03fed-4175-43f0-a53d-1ec1325b5857:-1
text-wrap	✅ Newly Available (2024-10-17)	2ce03fed-4175-43f0-a53d-1ec1325b5857:-1
relative-color	✅ Newly Available (2024-09-16)	2ce03fed-4175-43f0-a53d-1ec1325b5857:-1
backdrop-filter	✅ Newly Available (2024-09-16)	31f38_next_dist_comp...ex_840fccde.js:1642
registered-custom-properties	✅ Newly Available (2024-07-09)	2ce03fed-4175-43f0-a53d-1ec1325b5857:-1
gradient-interpolation	✅ Newly Available (2024-06-11)	2ce03fed-4175-43f0-a53d-1ec1325b5857:-1
has	✅ Widely Available (2023-12-19)	2ce03fed-4175-43f0-a53d-1ec1325b5857:-1
nesting	✅ Widely Available (2023-12-11)	31f38_next_dist_comp...ex_840fccde.js:1642
url-canparse	✅ Widely Available (2023-12-07)	31f38_next_dist_clie...1c755a0f_._js:10038
masks	✅ Widely Available (2023-12-07)	31f38_next_dist_comp...ex_840fccde.js:1642
aria-attribute-reflection	✅ Widely Available (2023-10-24)	31f38_next_dist_clie..._1c755a0f_._js:8482
contain-intrinsic-size	✅ Widely Available (2023-09-18)	2ce03fed-4175-43f0-a53d-1ec1325b5857:-1
lab	✅ Widely Available (2023-05-09)	2ce03fed-4175-43f0-a53d-1ec1325b5857:-1
color-mix	✅ Widely Available (2023-05-09)	2ce03fed-4175-43f0-a53d-1ec1325b5857:-1
outline	✅ Widely Available (2023-03-27)	31f38_next_dist_comp...ex_840fccde.js:1642

Web-features	Baseline Status		Source
container-queries	✔	Widely Available (2023-02-14)	2ce03fed-4175-43f0-a53d-1ec1325b5857:-1
forced-colors	✔	Widely Available (2022-09-12)	2ce03fed-4175-43f0-a53d-1ec1325b5857:-1
individual-transforms	✔	Widely Available (2022-08-05)	31f38_next_dist_comp...ex_840fccde.js:1642
cascade-layers	✔	Widely Available (2022-03-14)	2ce03fed-4175-43f0-a53d-1ec1325b5857:-1
focus-visible	✔	Widely Available (2022-03-14)	2ce03fed-4175-43f0-a53d-1ec1325b5857:-1
appearance	✔	Widely Available (2022-03-14)	31f38_next_dist_comp...ex_840fccde.js:1642
color-scheme	✔	Widely Available (2022-02-03)	2ce03fed-4175-43f0-a53d-1ec1325b5857:15
logical-properties	✔	Widely Available (2021-09-20)	2ce03fed-4175-43f0-a53d-1ec1325b5857:-1
aspect-ratio	✔	Widely Available (2021-09-20)	2ce03fed-4175-43f0-a53d-1ec1325b5857:-1
file-selector-button	✔	Widely Available (2021-04-26)	2ce03fed-4175-43f0-a53d-1ec1325b5857:-1
weak-references	✔	Widely Available (2021-04-26)	31f38_next_dist_comp..._475ea5bd._.js:2660
where	✔	Widely Available (2021-01-21)	2ce03fed-4175-43f0-a53d-1ec1325b5857:-1
is	✔	Widely Available (2021-01-21)	2ce03fed-4175-43f0-a53d-1ec1325b5857:-1
not	✔	Widely Available (2021-01-21)	2ce03fed-4175-43f0-a53d-1ec1325b5857:-1
clip-path	✔	Widely Available (2021-01-21)	31f38_next_dist_comp..._649c2702._.js:1993
text-underline-offset	✔	Widely Available (2020-11-19)	2ce03fed-4175-43f0-a53d-1ec1325b5857:-1
nullish-coalescing	✔	Widely Available (2020-09-16)	2ce03fed-4175-43f0-a53d-1ec1325b5857:1
logical-assignments	✔	Widely Available (2020-09-16)	2ce03fed-4175-43f0-a53d-1ec1325b5857:25
web-animations	✔	Widely Available (2020-09-16)	35311_motion-dom_dis..._8e0dfbb8._.js:2153
scroll-snap	✔	Widely Available (2020-01-15)	31f38_next_dist_comp...ex_840fccde.js:1642
will-change	✔	Widely Available (2020-01-15)	31f38_next_dist_comp...ex_840fccde.js:1642
aborting	✔	Widely Available (2019-03-25)	2ce03fed-4175-43f0-a53d-1ec1325b5857:2
intersection-observer	✔	Widely Available (2019-03-25)	31f38_next_dist_clie..._1c755a0f._.js:5765
template	✔	Widely Available (2015-11-12)	2ce03fed-4175-43f0-a53d-1ec1325b5857:-1
flexbox	✔	Widely Available (2015-09-30)	2ce03fed-4175-43f0-a53d-1ec1325b5857:-1
request-animation-frame	✔	Widely Available (2015-07-29)	2ce03fed-4175-43f0-a53d-1ec1325b5857:1
text-indent	✔	Widely Available (2015-07-29)	2ce03fed-4175-43f0-a53d-1ec1325b5857:-1
Unattributable			

Web-features	Baseline Status	Source
oklab	✔️ Widely Available (2023-05-09)	<code>installHook.js:1</code>

GENERAL

▲ Missing source maps for large first-party JavaScript

Source maps translate minified code to the original source code. This helps developers debug in production. In addition, Lighthouse is able to provide further insights. Consider deploying source maps to take advantage of these benefits. [Learn more about source maps](#). Unscored

URL	Map URL
localhost 1st Party	
...chunks/node_modules__pnpm_62f03eca._.js (localhost)	... chunks/node_modules__pnpm_62f03eca._.js.map (localhost)
Large JavaScript file is missing a source map Error: Map has no `mappings` field	
...chunks/node_modules__pnpm_3d098bad._.js (localhost)	... chunks/node_modules__pnpm_3d098bad._.js.map (localhost)
Large JavaScript file is missing a source map Error: Map has no `mappings` field	
...chunks/node_modules__pnpm_0bc2b855._.js (localhost)	... chunks/node_modules__pnpm_0bc2b855._.js.map (localhost)
Large JavaScript file is missing a source map Error: Map has no `mappings` field	
...chunks/edd17_%40tanstack_query-devtools_build_e57f5710._.js (localhost)	...chunks/edd17_%40tanstack_query-devtools_build_e57f5710._.js.map (localhost)
Large JavaScript file is missing a source map Error: Map has no `mappings` field	
...chunks/apps_frontend_dash_492594d6._.js (localhost)	... chunks/apps_frontend_dash_492594d6._.js.map (localhost)
Large JavaScript file is missing a source map Error: Map has no `mappings` field	
...chunks/35311_motion-dom_dist_es_8e0dfbb8._.js (localhost)	...chunks/35311_motion-dom_dist_es_8e0dfbb8._.js.map (localhost)
Large JavaScript file is missing a source map Error: Map has no `mappings` field	
...chunks/31f38_next_dist_compiled_react-dom_649c2702._.js (localhost)	...chunks/31f38_next_dist_compiled_react-dom_649c2702._.js.map (localhost)
Large JavaScript file is missing a source map Error: Map has no `mappings` field	
...chunks/31f38_next_dist_compiled_next-devtools_index_840fccde.js (localhost)	...chunks/31f38_next_dist_compiled_next-devtools_index_840fcc....map (localhost)
Large JavaScript file is missing a source map Error: Map has no `mappings` field	
...chunks/31f38_next_dist_client_1c755a0f._.js (localhost)	... chunks/31f38_next_dist_client_1c755a0f._.js.map (localhost)
Large JavaScript file is missing a source map Error: Map has no `mappings` field	
...chunks/turbopack-apps_frontend_dash_3cdeaa5a._.js (localhost)	... chunks/apps_frontend_dash_3cdeaa5a._.js.map (localhost)
Error: Map has no `mappings` field	
...chunks/apps_frontend_dash_86be4e3f._.js (localhost)	... chunks/apps_frontend_dash_86be4e3f._.js.map (localhost)
Error: Map has no `mappings` field	

URL	Map URL
...chunks/8be8e_framer-motion_dist_es_c12d7e76_.js (localhost) Error: Map has no `mappings` field	...chunks/8be8e_framer-motion_dist_es_c12d7e76_.js.map (localhost)
...chunks/88c8c_%40tiptap_core_dist_367cc2a9_.js (localhost) Error: Map has no `mappings` field	...chunks/88c8c_%40tiptap_core_dist_367cc2a9_.js.map (localhost)
...chunks/8223e_prosemirror-view_dist_index_abe5f487.js (localhost) Error: Map has no `mappings` field	...chunks/8223e_prosemirror-view_dist_index_abe5f487.js.map (localhost)
...chunks/69652_%40swc_helpers_cjs_679851cc_.js (localhost) Error: Map has no `mappings` field	...chunks/69652_%40swc_helpers_cjs_679851cc_.js.map (localhost)
...chunks/50d1e_date-fns_c27cdfed_.js (localhost) Error: Map has no `mappings` field	...chunks/50d1e_date-fns_c27cdfed_.js.map (localhost)
...chunks/429d3_react-day-picker_dist_esm_d4936bb8_.js (localhost) Error: Map has no `mappings` field	...chunks/429d3_react-day-picker_dist_esm_d4936bb8_.js.map (localhost)
...chunks/35b79_tailwind-merge_dist_bundle-mjs_mjs_8fe727c0_.js (localhost) Error: Map has no `mappings` field	...chunks/35b79_tailwind-merge_dist_bundle-mjs_mjs_8fe727c0_....map (localhost)
...chunks/31f38_next_dist_compiled_react-server-dom-turbopack_....js (localhost) Error: Map has no `mappings` field	...chunks/31f38_next_dist_compiled_react-server-dom-turbopack_....map (localhost)
...chunks/31f38_next_dist_compiled_fa44b1be_.js (localhost) Error: Map has no `mappings` field	...chunks/31f38_next_dist_compiled_fa44b1be_.js.map (localhost)
...chunks/31f38_next_dist_6ed5011f_.js (localhost) Error: Map has no `mappings` field	...chunks/31f38_next_dist_6ed5011f_.js.map (localhost)
...chunks/31f38_next_dist_5e39f1b9_.js (localhost) Error: Map has no `mappings` field	...chunks/31f38_next_dist_5e39f1b9_.js.map (localhost)
...chunks/1e34c_%40dnd-kit_core_dist_core_esm_7a930885.js (localhost) Error: Map has no `mappings` field	...chunks/1e34c_%40dnd-kit_core_dist_core_esm_7a930885.js.map (localhost)
...chunks/%5Bturbopack%5D_browser_dev_hmr-client_hmr-client_ts_...js (localhost) Error: Map has no `mappings` field	...chunks/%5Bturbopack%5D_browser_dev_hmr-client_hmr-client_t_....map (localhost)
...chunks/_e38f5f47_.js (localhost) Error: Map has no `mappings` field	...chunks/_e38f5f47_.js.map (localhost)
Unattributable	
chrome-extension://fmkadmavgofadopljbjfkapdkoienihi/build/react_devtools_backend_compact.js Error: Failed fetching source map (null)	chrome-extension://fmkadmavgofadopljbjfkapdkoienihi/build/react_devtools_backend_compact.js.map
chrome-extension://fmkadmavgofadopljbjfkapdkoienihi/build/installHook.js Error: Failed fetching source map (null)	chrome-extension://fmkadmavgofadopljbjfkapdkoienihi/build/installHook.js.map
chrome-extension://cfhdojbkjhnlbpkdaibdccdilifddb/polyfills Error: Failed fetching source map (null)	chrome-extension://cfhdojbkjhnlbpkdaibdccdilifddb/polyfills.js.map
chrome-extension://cfhdojbkjhnlbpkdaibdccdilifddb/onpage-dialog.preload.js Error: Failed fetching source map (null)	chrome-extension://cfhdojbkjhnlbpkdaibdccdilifddb/onpage-dialog.preload.js.map
chrome-extension://cfhdojbkjhnlbpkdaibdccdilifddb/onpage-	chrome-extension://cfhdojbkjhnlbpkdaibdccdilifddb/onpage-

URL	Map URL
dialog-ui.preload.js Error: Failed fetching source map (null) chrome-extension://cfhdojbkjhnklbpkdaibdccddilifddb/cookie-banner-detection.preload.js Error: Failed fetching source map (null) chrome-extension://cfhdojbkjhnklbpkdaibdccddilifddb/composer.preload.js Error: Failed fetching source map (null) chrome-extension://cfhdojbkjhnklbpkdaibdccddilifddb/bypass.preload.js Error: Failed fetching source map (null)	dialog-ui.preload.js.map chrome-extension://cfhdojbkjhnklbpkdaibdccddilifddb/cookie-banner-detection.preload.js.map chrome-extension://cfhdojbkjhnklbpkdaibdccddilifddb/composer.preload.js.map chrome-extension://cfhdojbkjhnklbpkdaibdccddilifddb/bypass.preload.js.map

PASSED AUDITS (12)

Hide

- Uses HTTPS

All sites should be protected with HTTPS, even ones that don't handle sensitive data. This includes avoiding [mixed content](#), where some resources are loaded over HTTP despite the initial request being served over HTTPS. HTTPS prevents intruders from tampering with or passively listening in on the communications between your app and your users, and is a prerequisite for HTTP/2 and many new web platform APIs. [Learn more about HTTPS](#).
- Avoids deprecated APIs

Deprecated APIs will eventually be removed from the browser. [Learn more about deprecated APIs](#).
- Avoids third-party cookies

Third-party cookies may be blocked in some contexts. [Learn more about preparing for third-party cookie restrictions](#).
- Allows users to paste into input fields

Preventing input pasting is a bad practice for the UX, and weakens security by blocking password managers. [Learn more about user-friendly input fields](#).
- Avoids requesting the geolocation permission on page load

Users are mistrustful of or confused by sites that request their location without context. Consider tying the request to a user action instead. [Learn more about the geolocation permission](#). Also consider using the `<geolocation>` element.
- Avoids requesting the notification permission on page load

Users are mistrustful of or confused by sites that request to send notifications without context. Consider tying the request to user gestures instead. [Learn more about responsibly getting permission for notifications](#).
- Displays images with correct aspect ratio

Image display dimensions should match natural aspect ratio. [Learn more about image aspect ratio](#).
- Serves images with appropriate resolution

Image natural dimensions should be proportional to the display size and the pixel ratio to maximize image clarity. [Learn how to provide responsive images](#).
- Page has the HTML doctype

Specifying a doctype prevents the browser from switching to quirks-mode. [Learn more about the doctype declaration](#).
- Properly defines charset

A character encoding declaration is required. It can be done with a `<meta>` tag in the first 1024 bytes of the HTML or in the Content-Type HTTP response header. [Learn more about declaring the character encoding](#).
- No browser errors logged to the console

Errors logged to the console indicate unresolved problems. They can come from network request failures and other browser concerns. [Learn more about this errors in console diagnostic audit](#)
- No issues in the Issues panel in Chrome Devtools

Issues logged to the Issues panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

- Redirects HTTP traffic to HTTPS

Make sure that you redirect all HTTP traffic to HTTPS in order to enable secure web features for all your users. [Learn more.](#)

Unscored
- Detected JavaScript libraries

All front-end JavaScript libraries detected on the page. [Learn more about this JavaScript library detection diagnostic audit.](#)

Unscored



SEO

These checks ensure that your page is following basic search engine optimization advice. There are many additional factors Lighthouse does not score here that may affect your search ranking, including performance on [Core Web Vitals](#). [Learn more about Google Search Essentials](#).

CRAWLING AND INDEXING

▲ robots.txt is not valid

— 26 errors found

^

If your robots.txt file is malformed, crawlers may not be able to understand how you want your website to be crawled or indexed. [Learn more about robots.txt](#).

Line #	Content	Error
1	<!DOCTYPE html><html lang="en"><head><meta charset="utf-8"/><meta name="viewport" content="width=device-width, initial-scale=1"/><link rel="stylesheet" href="/_next/static/chunks/%5Broot-of-the-server%5D__a43cf486._.css" data-precendence="next_static/chunks/[root-of-the-server]__a43cf486._.css"/><link rel="preload" as="script" fetchPriority="low" href="/_next/static/chunks/%5Bturbopack%5D_browser_dev_hmr-client_hmr-client_ts_c2d5f781._.js"/><script src="/_next/static/chunks/31f38_next_dist_compiled_react-dom_649c2702._.js" async=""></script><script src="/_next/static/chunks/31f38_next_dist_compiled_react-server-dom-turbopack_475ea5bd._.js" async=""></script><script src="/_next/static/chunks/31f38_next_dist_compiled_next-devtools_index_840fccde.js" async=""></script><script src="/_next/static/chunks/31f38_next_dist_compiled_fa44b1be._.js" async=""></script><script src="/_next/static/chunks/31f38_next_dist_client_1c755a0f._.js" async=""></script><script src="/_next/static/chunks/31f38_next_dist_5e39f1b9._.js" async=""></script><script src="/_next/static/chunks/69652_%40swc_helpers_cjs_679851cc._.js" async=""></script><script src="/_next/static/chunks/apps_frontend_dash_a0ff3932._.js" async=""></script><script src="/_next/static/chunks/turbopack-apps_frontend_dash_3cdeaa5a._.js" async=""></script><script src="/_next/static/chunks/31f38_next_dist_6ed5011f._.js" async=""></script><script src="/_next/static/chunks/apps_frontend_dash_app_favicon_ico_mjs_d7336f43._.js" async=""></script><script src="/_next/static/chunks/edd17_%40tanstack_query-devtools_build_6d352abf._.js" async=""></script><script src="/_next/static/chunks/node_modules__pnpn_62f03eca._.js" async=""></script><script src="/_next/static/chunks/_e38f5f47._.js" async=""></script><script src="/_next/static/chunks/apps_frontend_dash_app_layout_tsx_5cc47b34._.js" async=""></script><script src="/_next/static/chunks/apps_frontend_dash_492594d6._.js" async=""></script><script src="/_next/static/chunks/8be8e_framer-motion_dist_es_c12d7e76._.js" async=""></script><script src="/_next/static/chunks/35311_motion-dom_dist_es_8e0dfbb8._.js" async=""></script><script src="/_next/static/chunks/1e34c_%40dnd-kit_core_dist_core_esm_7a930885.js" async=""></script><script src="/_next/static/chunks/35b79_tailwind-merge_dist_bundle-mjs_mjs_8fe727c0._.js" async=""></script><script src="/_next/static/chunks/node_modules__pnpn_3d098bad._.js" async=""></script><script src="/_next/static/chunks/apps_frontend_dash_app_%5Bslug%5D_layout_tsx_88d29b6e._.js" async=""></script><script src="/_next/static/chunks/31f38_next_dist_client_components_builtin_global-error_5cc47b34.js" async=""></script><script src="/_next/static/chunks/node_modules__pnpn_75c453e3._.js" async=""></script><script src="/_next/static/chunks/apps_frontend_dash_7cef5f8c._.js" async=""></script><script src="/_next/static/chunks/apps_frontend_dash_app_%5Bslug%5D_page_tsx_ad041aec._.js" async=""></script><script src="/_next/static/chunks/31f38_next_dist_build_polyfills_polyfill-nomodule.js" noModule=""></script></head><body class="figtree_a42b2446-module_z9UCvq_variable font-figtree antialiased"><div hidden=""><!--\$?--><template id="B:0"></template><!--/\$--></div><!--\$?--><template id="B:1"></template><div></div><!--/\$--><script>requestAnimationFrame(function(){{\$RT=performance.now()});</script><script	Unknown directive

Line #	Content	Error
	<pre>id="_R_">self.__next_r="mE64XxyhluSqBD0Pdgl6"</script><script src="/_next/static/chunks/%5Bturbopack%5D_browser_dev_hmr-client_hmr- client_ts_c2d5f781._.js" async=""></script><div hidden id="S:1"><script>((e, i, s, u, m, a, l, h)=>{</pre>	
2	<pre>let d = document.documentElement, w = [</pre>	Syntax not understood
3	<pre>"light",</pre>	Syntax not understood
4	<pre>"dark"</pre>	Syntax not understood
5	<pre>];</pre>	Syntax not understood
6	<pre>function p(n) {</pre>	Syntax not understood
7	<pre>(Array.isArray(e) ? e : [</pre>	Unknown directive
8	<pre>e</pre>	Syntax not understood
9	<pre>]).forEach((y)=>{</pre>	Syntax not understood
10	<pre>let k = y === "class", S = k && a ? m.map((f)=>a[f] f) : m;</pre>	Unknown directive
11	<pre>k ? (d.classList.remove(...S), d.classList.add(a && a[n] ? a[n] : n)) : d.setAttribute(y, n);</pre>	Unknown directive
12	<pre>}), R(n);</pre>	Syntax not understood
13	<pre>}</pre>	Syntax not understood
14	<pre>function R(n) {</pre>	Syntax not understood
15	<pre>h && w.includes(n) && (d.style.colorScheme = n);</pre>	Syntax not understood
16	<pre>}</pre>	Syntax not understood
17	<pre>function c() {</pre>	Syntax not understood
18	<pre>return window.matchMedia("(prefers-color-scheme: dark)").matches ? "dark" : "light";</pre>	Unknown directive
19	<pre>}</pre>	Syntax not understood
20	<pre>if (u) p(u);</pre>	Syntax not understood
21	<pre>else try {</pre>	Syntax not understood
22	<pre>let n = localStorage.getItem(i) s, y = l && n === "system" ? c() : n;</pre>	Unknown directive
23	<pre>p(y);</pre>	Syntax not understood
24	<pre>} catch (n) {}</pre>	Syntax not understood
25	<pre>})("class","theme","system",null,["light","dark"],null,true,true)</script><div class="relative flex h-screen w-full overflow-hidden"><aside class="flex flex- col gap-4 h-screen p-4 bg-base-100 border-r border-base-200 z-100 sticky top-0"> <div class="flex items-center"><div class="h-10 w-full bg-base-200 rounded-lg animate-pulse"></div></div><div class="w-full" style="opacity:0;transform:translateX(-10px)"><div class="w-full flex border- [1.5px] shadow-lg/5 rounded-lg transition-all focus-within:ring-3 focus- within:ring-primary/25 focus-within:border-primary border-foreground/20 bg-base- 200"><div class="h-9 flex justify-center items-center pl-2"><svg xmlns="http://www.w3.org/2000/svg" width="24" height="24" viewBox="0 0 24 24" fill="none" color="currentColor" class="size-4 text-placeholder" stroke- width="1.75" stroke="currentColor"><path d="M17 17L21 21" stroke="currentColor"</pre>	Unknown directive

Line #	Content	Error
	<pre>stroke-linecap="round" stroke-linejoin="round" stroke-width="1.75"></path><path d="M19 11C19 6.58172 15.4183 3 11 3C6.58172 3 3 6.58172 3 11C3 15.4183 6.58172 19 11 19C15.4183 19 19 15.4183 19 11Z" stroke="currentColor" stroke- linecap="round" stroke-linejoin="round" stroke-width="1.75"></path></div> <input data-slot="input" class="flex h-9 w-full px-3 text-xs sm:text-sm rounded- md placeholder:text-placeholder selection:bg-primary/25 outline-none disabled:pointer-events-none disabled:cursor-not-allowed disabled:opacity-50 file:text-foreground file:inline-flex file:h-7 file:border-0 file:bg-transparent file:text-sm file:font-medium aria-invalid:ring-destructive/20 aria- invalid:border-destructive pr-2 pl-2" placeholder="Search..." value=""></div class="h-9 flex justify-center items-center"></div><div class="h-9 flex justify- center items-center pr-2"><div class="inline-flex items-center justify-center gap-0.5 min-w-8 px-1 border-[1.5px] border-base-300 text-xs text-muted- foreground font-medium rounded"><svg xmlns="http://www.w3.org/2000/svg" width="24" height="24" viewBox="0 0 24 24" fill="none" color="currentColor" class="z-10 size-3" stroke-width="2" stroke="currentColor"><path d="M15 9V15H9V9H15Z" stroke="currentColor" stroke-linejoin="round" stroke-width="2"> </path><path d="M15 15H18C19.6569 15 21 16.3431 21 18C21 19.6569 19.6569 21 18 21C16.3431 21 15 19.6569 15 18V15Z" stroke="currentColor" stroke- linejoin="round" stroke-width="2"></path><path d="M9 15.002H6C4.34315 15.002 3 16.3451 3 18.002C3 19.6588 4.34315 21.002 6 21.002C7.65685 21.002 9 19.6588 9 18.002V15.002Z" stroke="currentColor" stroke-linejoin="round" stroke-width="2"> </path><path d="M15 9L15 6C15 4.34315 16.3431 3 18 3C19.6569 3 21 4.34315 21 6C21 7.65685 19.6569 9 18 9H15Z" stroke="currentColor" stroke-linejoin="round" stroke-width="2"></path><path d="M9 9V6C9 4.34315 7.65685 3 6 3C4.34315 3 3 4.34315 3 6C3 7.65685 4.34315 9 6 9H9Z" stroke="currentColor" stroke- linejoin="round" stroke-width="2"></path></svg>K</div> </div></div></div><div class="flex flex-col"><div class="flex flex-row items-center gap-2 w-full"><svg xmlns="http://www.w3.org/2000/svg" width="24" height="24" viewBox="0 0 24 24" fill="none" color="currentColor" class="size-4.5 z-10" stroke-width="1.75" stroke="currentColor"><path d="M3 11.9896V14.5C3 17.7998 3 19.4497 4.02513 20.4749C5.05025 21.5 6.70017 21.5 10 21.5H14C17.2998 21.5 18.9497 21.5 19.9749 20.4749C21 19.4497 21 17.7998 21 14.5V11.9896C21 10.3083 21 9.46773 20.6441 8.74005C20.2882 8.01237 19.6247 7.49628 18.2976 6.46411L16.2976 4.90855C14.2331 3.30285 13.2009 2.5 12 2.5C10.7991 2.5 9.76689 3.30285 7.70242 4.90855L5.70241 6.46411C4.37533 7.49628 3.71179 8.01237 3.3559 8.74005C3 9.46773 3 10.3083 3 11.9896Z" stroke="currentColor" stroke-linecap="round" stroke-linejoin="round" stroke-width="1.75"></path><path d="M15 21.5V16.5C15 15.0858 15 14.3787 14.5607 13.9393C14.1213 13.5 13.4142 13.5 12 13.5C10.5858 13.5 9.87868 13.5 9.43934 13.9393C9 14.3787 9 15.0858 9 16.5V21.5" stroke="currentColor" stroke- linecap="round" stroke-linejoin="round" stroke-width="1.75"></path></svg><p class="text-foreground text-xs font-medium truncate z-10" style="opacity:0;width:0px">Home</p></div><div class="inline-flex items-center justify-center gap-0.5 min-w-8 px-1 border-[1.5px] border-base-300 text-xs text- muted-foreground font-medium rounded"><svg xmlns="http://www.w3.org/2000/svg" width="24" height="24" viewBox="0 0 24 24" fill="none" color="currentColor" class="z-10 size-3" stroke-width="2" stroke="currentColor"><path d="M15 9V15H9V9H15Z" stroke="currentColor" stroke-linejoin="round" stroke-width="2"> </path><path d="M15 15H18C19.6569 15 21 16.3431 21 18C21 19.6569 19.6569 21 18 21C16.3431 21 15 19.6569 15 18V15Z" stroke="currentColor" stroke- linejoin="round" stroke-width="2"></path><path d="M9 15.002H6C4.34315 15.002 3 16.3451 3 18.002C3 19.6588 4.34315 21.002 6 21.002C7.65685 21.002 9 19.6588 9 18.002V15.002Z" stroke="currentColor" stroke-linejoin="round" stroke-width="2"> </path><path d="M15 9L15 6C15 4.34315 16.3431 3 18 3C19.6569 3 21 4.34315 21 6C21 7.65685 19.6569 9 18 9H15Z" stroke="currentColor" stroke-linejoin="round" stroke-width="2"></path><path d="M9 9V6C9 4.34315 7.65685 3 6 3C4.34315 3 3 4.34315 3 6C3 7.65685 4.34315 9 6 9H9Z" stroke="currentColor" stroke- linejoin="round" stroke-width="2"></path></svg>1</div> <div class="absolute inset-0 rounded-lg bg-linear-240 from-primary/80 dark:from- primary/40 via-base-200 to-base-200 bg-size-[200%_100%]" style="background- position:0% 75%"></div><div class="flex flex-row items-center gap-2 w-full"><svg xmlns="http://www.w3.org/2000/svg" width="24" height="24" viewBox="0 0 24 24" fill="none" color="currentColor" class="size-4.5 z-10" stroke-width="1.75" stroke="currentColor"><path d="M7 17L7 13" stroke="currentColor" stroke- linecap="round" stroke-width="1.75"></path><path d="M12 17L12 7" stroke="currentColor" stroke-linecap="round" stroke-width="1.75"></path><path d="M17 17L17 11" stroke="currentColor" stroke-linecap="round" stroke- width="1.75"></path><path d="M2.5 12C2.5 7.52166 2.5 5.28249 3.89124 3.89124C5.28249 2.5 7.52166 2.5 12 2.5C16.4783 2.5 18.7175 2.5 20.1088 3.89124C21.5 5.28249 21.5 7.52166 21.5 12C21.5 16.4783 21.5 18.7175 20.1088 20.1088C18.7175 21.5 16.4783 21.5 12 21.5C7.52166 21.5 5.28249 21.5 3.89124 20.1088C2.5 18.7175 2.5 16.4783 2.5 12Z" stroke="currentColor" stroke- linejoin="round" stroke-width="1.75"></path></svg><p class="text-foreground text-xs font-medium truncate z-10" style="opacity:0;width:0px">Statistics</p> </div><div class="inline-flex items-center justify-center gap-0.5 min-w-8 px-1 border-[1.5px] border-base-300 text-xs text-muted-foreground font-medium rounded"><svg xmlns="http://www.w3.org/2000/svg" width="24" height="24" viewBox="0 0 24 24" fill="none" color="currentColor" class="z-10 size-3" stroke- width="2" stroke="currentColor"><path d="M15 9V15H9V9H15Z" stroke="currentColor" stroke-linejoin="round" stroke-width="2"></path><path d="M15 15H18C19.6569 15 21 16.3431 21 18C21 19.6569 19.6569 21 18 21C16.3431 21 15 19.6569 15 18V15Z" stroke="currentColor" stroke-linejoin="round" stroke-width="2"></path><path d="M9 15.002H6C4.34315 15.002 3 16.3451 3 18.002C3 19.6588 4.34315 21.002 6</pre>	

Line #	Content	Error
	<pre>21.002C7.65685 21.002 9 19.6588 9 18.002V15.0022" stroke="currentColor" stroke- linejoin="round" stroke-width="2"></path><path d="M15 9L15 6C15 4.34315 16.3431 3 18 3C19.6569 3 21 4.34315 21 6C21 7.65685 19.6569 9 18 9H15Z" stroke="currentColor" stroke-linejoin="round" stroke-width="2"></path><path d="M9 9V6C9 4.34315 7.65685 3 6 3C4.34315 3 3 4.34315 3 6C3 7.65685 4.34315 9 6 9H9Z" stroke="currentColor" stroke-linejoin="round" stroke-width="2"></path> </svg>2</div></div><div class="h-px w-full bg- base-200 rounded-full"></div><div class="flex flex-col flex-1 overflow-y-auto overflow-x-hidden min-h-0"><div class="flex flex-col shrink-0"><div class="flex items-center justify-between overflow-hidden px-2" style="opacity:0;height:0px;margin-bottom:0px"><p class="text-xs text-muted- foreground">Shared</p><svg xmlns="http://www.w3.org/2000/svg" width="24" height="24" viewBox="0 0 24 24" fill="none" color="currentColor" class="size-4 text-muted-foreground hover:text-foreground cursor-pointer"><path d="M12.001 5.00003V19.002" stroke="currentColor" stroke-linecap="round" stroke-linejoin="round" stroke- width="1.5"></path><path d="M19.002 12.002L4.99998 12.002" stroke="currentColor" stroke-linecap="round" stroke-linejoin="round" stroke-width="1.5"></path></svg> </div><div class="flex flex-col min-h-[10px]" data-testid="sidebar- droppable-shared"><div class="flex items-center justify-center rounded-full border-[1.5px] border-dashed border-base-300 mx-auto overflow-hidden"><p class="text-muted-foreground text-xs italic text-center whitespace-nowrap" style="opacity:0">No modules yet.</p></div></div><div class="h-px w-full bg-base-200 rounded-full my-4 shrink-0"></div><div class="flex flex-col pb-4"> <div class="flex items-center justify-between overflow-hidden px-2" style="opacity:0;height:0px;margin-bottom:0px"><p class="text-xs text-muted- foreground">Projects</p><svg xmlns="http://www.w3.org/2000/svg" width="24" height="24" viewBox="0 0 24 24" fill="none" color="currentColor" class="size-4 text-muted-foreground hover:text-foreground cursor-pointer"><path d="M12.001 5.00003V19.002" stroke="currentColor" stroke-linecap="round" stroke-linejoin="round" stroke- width="1.5"></path><path d="M19.002 12.002L4.99998 12.002" stroke="currentColor" stroke-linecap="round" stroke-linejoin="round" stroke-width="1.5"></path></svg> </div></div></div><div data-testid="sidebar-profile" role="button" tabindex="0" class="mt-auto cursor-pointer flex flex-col items-center relative p-2 rounded-lg bg-base-200 shadow-md hover:bg-base-300/75 transition-colors"> <div class="px-2 flex-nowrap flex flex-row items-center gap-3 w-full"><div class="ring-1 ring-success relative flex items-center justify-center bg-primary rounded-full ring-offset-2 ring-offset-base-200 shrink-0" style="width:28px;height:28px"><div class="absolute bottom-px right-px size-2 rounded-full outline-2 outline-base- 200 bg-success"></div></div><div class="flex flex-col" style="opacity:0;width:0px"><p class="text-foreground text-sm leading-tight whitespace-nowrap"> </p><div class="relative h-4 w-full overflow-hidden"><div class="flex flex-col" style="transform:none"><p class="text-muted-foreground text-xs leading-0 whitespace-nowrap h-4 flex items-center truncate"></p><p class="text-muted-foreground text-xs leading-0 whitespace-nowrap h-4 flex items- center truncate"></p></div></div></div><div class="ml-auto flex flex-col -space- y-1"><svg xmlns="http://www.w3.org/2000/svg" width="24" height="24" viewBox="0 0 24 24" fill="none" color="currentColor" class="size-3.5" stroke-width="2" stroke="currentColor"><path d="M17.9998 15C17.9998 15 13.5809 9.00001 11.9998 9C10.4187 8.99999 5.99985 15 5.99985 15" stroke="currentColor" stroke- linecap="round" stroke-linejoin="round" stroke-width="2"></path></svg><svg xmlns="http://www.w3.org/2000/svg" width="24" height="24" viewBox="0 0 24 24" fill="none" color="currentColor" class="size-3.5" stroke-width="2" stroke="currentColor"><path d="M18 9.00005C18 9.00005 13.5811 15 12 15C10.4188 15 6 9 6 9" stroke="currentColor" stroke-linecap="round" stroke-linejoin="round" stroke-width="2"></path></svg></div></div></div></aside><div class="fixed top-4 flex items-center justify-center size-8 rounded-full hover:bg-base-300/75 transition-colors cursor-pointer z-50" style="left:296px;opacity:1;pointer- events:auto;transform:none"><svg xmlns="http://www.w3.org/2000/svg" width="24" height="24" viewBox="0 0 24 24" fill="none" color="currentColor" class="size-5" stroke-width="2" stroke="currentColor"><path d="M4 5L14 5" stroke="currentColor" stroke-linecap="round" stroke-linejoin="round" stroke-width="2"></path><path d="M4 12L20 12" stroke="currentColor" stroke-linecap="round" stroke- linejoin="round" stroke-width="2"></path><path d="M4 19L20 19" stroke="currentColor" stroke-linecap="round" stroke-linejoin="round" stroke- width="2"></path></svg></div><main class="flex-1 min-w-0 h-full overflow- hidden"><!--\$?--><template id="B:2"></template><div class="p-6 text-sm text- muted-foreground animate-pulse">Loading dashboard...</div><!--/\$?--><!--\$?--> <template id="B:3"></template><!--/\$?--></main><div class="top-4 flex flex-row gap-2 z-50 absolute" style="right:256px;opacity:1;pointer- events:auto;transform:none"><div data-testid="rsidebar-notifications-toggle" role="button" tabindex="0" class="relative flex items-center justify-center size-8 rounded-full hover:bg-base-300/75 transition-colors cursor-pointer"><svg xmlns="http://www.w3.org/2000/svg" width="24" height="24" viewBox="0 0 24 24" fill="none" color="currentColor" class="size-5 text-foreground" stroke-width="2" stroke="currentColor"><path d="M15.5 18C15.5 19.933 13.933 21.5 12 21.5C10.067 21.5 8.5 19.933 8.5 18" stroke="currentColor" stroke-linecap="round" stroke- linejoin="round" stroke-width="2"></path><path d="M19.2311 18H4.76887C3.79195 18 3 17.208 3 16.2311C3 15.762 3.18636 15.3121 3.51809 14.9803L4.12132 14.3771C4.68393 13.8145 5 13.0514 5 12.2558V9.5C5 5.63401 8.13401 2.5 12 2.5C15.866 2.5 19 5.634 19 9.5V12.2558C19 13.0514 19.3161 13.8145 19.8787 14.3771L20.4819 14.9803C20.8136 15.3121 21 15.762 21 16.2311C21 17.208 20.208 18 19.2311 18Z" stroke="currentColor" stroke-linecap="round" stroke- linejoin="round" stroke-width="2"></path></svg></div><div data-testid="rsidebar- members-toggle" role="button" tabindex="0" class="flex items-center justify- center size-8 rounded-full hover:bg-base-300/75 transition-colors cursor- pointer"><svg xmlns="http://www.w3.org/2000/svg" width="24" height="24" viewBox="0 0 24 24" fill="currentColor" color="currentColor" class="size-5 text-</pre>	

Line #	Content	Error
	<pre>foreground" stroke-width="2" stroke="currentColor"><path d="M13 7C13 9.20914 11.2091 11 9 11C6.79086 11 5 9.20914 5 7C5 4.79086 6.79086 3 9 3C11.2091 3 13 4.79086 13 7Z" stroke="currentColor" stroke-width="2"></path><path d="M15 11C17.2091 11 19 9.20914 19 7C19 4.79086 17.2091 3 15 3" stroke="currentColor" stroke-linecap="round" stroke-linejoin="round" stroke-width="2"></path><path d="M11 14H7C4.23858 14 2 16.2386 2 19C2 20.1046 2.89543 21 4 21H14C15.1046 21 16 20.1046 16 19C16 16.2386 13.7614 14 11 14Z" stroke="currentColor" stroke- linejoin="round" stroke-width="2"></path><path d="M17 14C19.7614 14 22 16.2386 22 19C22 20.1046 21.1046 21 20 21H18.5" stroke="currentColor" stroke- linecap="round" stroke-linejoin="round" stroke-width="2"></path></svg></div> </div><aside class="flex flex-col gap-4 h-screen bg-base-100 border-base-200 overflow-hidden border-l-1"><div class="flex-1 overflow-y-auto p-4"><div class="flex flex-col h-full"><button data-testid="invite-members" class="flex flex-row items-center gap-2 justify-center p-2 mt-auto bg-base-200 rounded-lg hover:bg-base-300/75 transition-colors cursor-pointer"><svg xmlns="http://www.w3.org/2000/svg" width="24" height="24" viewBox="0 0 24 24" fill="none" color="currentColor" class="size-5 text-foreground"><path d="M12 7.5C12 9.433 10.433 11 8.5 11C6.567 11 5 9.433 5 7.5C5 5.567 6.567 4 8.5 4C10.433 4 12 5.567 12 7.5Z" stroke="currentColor" stroke-width="1.5"></path> <path d="M13.5 11C15.433 11 17 9.433 17 7.5C17 5.567 15.433 4 13.5 4" stroke="currentColor" stroke-linecap="round" stroke-width="1.5"></path><path d="M13.1429 20H3.85714C2.83147 20 2 19.2325 2 18.2857C2 15.9188 4.07868 14 6.64286 14H10.3571C11.4023 14 12.3669 14.3188 13.1429 14.8568" stroke="currentColor" stroke-linecap="round" stroke-linejoin="round" stroke- width="1.5"></path><path d="M19 14V20M22 17L16 17" stroke="currentColor" stroke- linecap="round" stroke-width="1.5"></path></svg>Invite Members</button></div></div></aside></div> <div dir="ltr" class="tsqd-parent-container"></div></div><script>\$RB= [];\$RV=function(a){\$RT=performance.now();for(var b=0;b<a.length;b+=2){var c=a[b],e=a[b+1];null!==e.parentNode&&e.parentNode.removeChild(e);var f=c.parentNode;if(f){var g=c.previousSibling,h=0;do{if(c&&&===c.nodeType){var d=c.data;if("/"===d "/&"===d)if(0===h)break;else h- -;else"\$"!==d&&"\$?"!==d&&"\$~"!==d&&"\$!"!==d&&"&"!==d h++}d=c.nextSibling;f.remov eChild(c);c=d}while(c);for(;e.firstChild;){f.insertBefore(e.firstChild,c);g.data ="\$";g._reactRetry&&requestAnimationFrame(g._reactRetry)}}a.length=0};</pre>	
26	<pre>\$RC=function(a,b){if(b=document.getElementById(b)) (a=document.getElementById(a))? (a.previousSibling.data="\$~",\$RB.push(a,b),2=== \$RB.length&&("number"!==typeof \$RT?requestAnimationFrame(\$RV.bind(null,\$RB)): (a=performance.now(),setTimeout(\$RV.bind(null,\$RB),2300>a&&2E3<a?2300-a:\$RT+300- a)))):b.parentNode.removeChild(b);\$RC("B:1","S:1")</script><div hidden id="S:2"><div class="flex flex-col h-full"><header class="flex items-center justify-between h-16 pl-16 pr-24 border-b border-base-200 shrink-0"><div><h1 class="text-lg font-semibold text-foreground">Home</h1><p class="text-sm text- muted-foreground leading-4 font-mono">Workspace overview</p></div></header><div class="flex-1 overflow-y-auto p-6 space-y-12" style="opacity:0"><section class="flex flex-col justify-center items-center gap-0.5 w-full" style="opacity:0;filter:blur(4px);transform:translateY(15px)"><h1 class="text- 3xl text-center text-balance font-semibold text-foreground">Good morning<!-- -- >, </h1><p class="text-lg text-muted-foreground font-mono tracking-tighter"> Today is <!-- -->Friday, September 11</p></section><section class="flex flex-col gap-2" style="opacity:0;filter:blur(4px);transform:translateY(15px)"><div class="flex items-center gap-1"><h2 class="text-sm font-medium text-muted-foreground">Quick Stats</h2><div title="Statistics are calculated based on the last 2 weeks of activity."><svg xmlns="http://www.w3.org/2000/svg" width="24" height="24" viewBox="0 0 24 24" fill="none" color="currentColor" class="size-3.5 text-muted- foreground cursor-help" stroke-width="2.5" stroke="currentColor"><circle cx="12" cy="12" r="10" stroke="currentColor" stroke-linecap="round" stroke- linejoin="round" stroke-width="2.5"></circle><path d="M9.5 9.5C9.5 8.11929 10.6193 7 12 7C13.3807 7 14.5 8.11929 14.5 9.5C14.5 10.3569 14.0689 11.1131 13.4117 11.5636C12.7283 12.0319 12 12.6716 12 13.5" stroke="currentColor" stroke-linecap="round" stroke-linejoin="round" stroke-width="2.5"></path><path d="M12.0001 17H12.009" stroke="currentColor" stroke-linecap="round" stroke- linejoin="round" stroke-width="2.5"></path></svg></div></div><div class="flex gap-2"><div class="flex-col justify-center items-center w-xs sm:w-lg mx-auto p-6 bg-linear-to-br from-foreground/10 via-foreground/6 to-foreground/5 border- [1.5px] border-foreground/10 backdrop-blur-md backdrop-saturate-100 shadow-xl/5 rounded-2xl flex flex-1 gap-2 py-2 px-4 w-full!"><h1 data-testid="quickstat- total" class="text-sm font-medium text-muted-foreground">Total Tasks</h1><div class="flex items-baseline gap-1.5"><p class="text-3xl font-semibold tabular- nums tracking-tight text-card-foreground">0</p>tasks</div></div><div class="flex-col justify-center items- center w-xs sm:w-lg mx-auto p-6 bg-linear-to-br from-foreground/10 via- foreground/6 to-foreground/5 border-[1.5px] border-foreground/10 backdrop-blur- md backdrop-saturate-100 shadow-xl/5 rounded-2xl flex flex-1 gap-2 py-2 px-4 w- full!"><h1 data-testid="quickstat-completed" class="text-sm font-medium text- muted-foreground">Completed</h1><div class="flex items-baseline gap-1.5"><p class="text-3xl font-semibold tabular-nums tracking-tight text-card- foreground">0</p>tasks</div> </div><div class="flex-col justify-center items-center w-xs sm:w-lg mx-auto p-6 bg-linear-to-br from-foreground/10 via-foreground/6 to-foreground/5 border- [1.5px] border-foreground/10 backdrop-blur-md backdrop-saturate-100 shadow-xl/5 rounded-2xl flex flex-1 gap-2 py-2 px-4 w-full!"><h1 data-testid="quickstat-in- progress" class="text-sm font-medium text-muted-foreground">In Progress</h1><div class="flex items-baseline gap-1.5"><p class="text-3xl font-semibold tabular- nums tracking-tight text-card-foreground">0</p>tasks</div></div></div></section><section class="flex flex- col gap-4" style="opacity:0;filter:blur(4px);transform:translateY(15px)"><div class="flex items-center gap-1"><h2 class="text-sm font-medium text-muted-</pre>	Unknown directive

Line #	Content	Error
	<pre>foreground">Pinned Modules</h2></div><div class="flex items-center justify-center p-8 border border-dashed border-base-200 rounded-xl bg-base-100/50"><p class="text-sm text-muted-foreground">No pinned modules yet. Pin a module from the sidebar to see it here.</p></div></section></div></div></div> <script>\$RC("B:2","S:2")</script><title>Home crwsync</title><meta name="description" content="Your workspace dashboard – personal metrics, shared modules, and boards at a glance."/><link rel="manifest" href="/manifest.json"/> <meta name="mobile-web-app-capable" content="yes"/><meta name="apple-mobile-web-app-title" content="crwsync"/><meta name="apple-mobile-web-app-status-bar-style" content="default"/><link rel="icon" href="/favicon.ico?favicon.12f450b1.ico" sizes="48x48" type="image/x-icon"/><link rel="icon" href="/icon0.svg?icon0.c7e17fee.svg" sizes="any" type="image/svg+xml"/><link rel="icon" href="/icon1.png?icon1.304cb086.png" sizes="96x96" type="image/png"/><link rel="apple-touch-icon" href="/apple-icon.png?apple-icon.9d464bcc.png" sizes="180x180" type="image/png"/><script >document.querySelectorAll('body link[rel="icon"]', body link[rel="apple-touch-icon"]').forEach(el => document.head.appendChild(el))</script><div hidden id="S:0"></div> <script>\$RC("B:0","S:0")</script><div hidden id="S:3"></div> <script>\$RC("B:3","S:3")</script><script>(self.__next_f=self.__next_f []).push([0])</script><script>self.__next_f.push([1,"6:I["[project]/node_modules/.pnpm/next@16.0.8_@babel+core@7.2_8df9f18a32ef20578c8e87a620f34678/node_modules/next/dist/next-devtools/userspace/app/segment-explorer-node.js [app-client] (ecmascript)\",["/_next/static/chunks/31f38_next_dist_6ed5011f._.js\\",\"/_next/static/chunks/a_pps_frontend_dash_app_favicon_ico_mjs_d7336f43._.js\\"],\"SegmentViewNode\\")\n8:\n"\$Sreact.fragment\\\"\n2d:I[\"[project]/apps/frontend/dash/components/1-sidebar.tsx [app-client] (ecmascript)\",["/_next/static/chunks/edd17_%40tanstack_query-devtools_build_6d352abf._.js\\",\"/_next/static/chunks/node_modules__pnpm_62f03eca._.js\\",\"/_next/static/chunks/_e38f5f47._.js\\",\"/_next/static/chunks/apps_frontend_dash_app_layout_tsx_5cc47b34._.js\\",\"/_next/static/chunks/apps_frontend_dash_492594d6._.js\\",\"/_next/static/chunks/8be8e_framer-motion_dist_es_c12d7e76._.js\\",\"/_next/static/chunks/35311_motion-dom_dist_es_8e0dfbb8._.js\\",\"/_next/static/chunks/1e34c_%40dnd-kit_core_dist_core_esm_7a930885.js\\",\"/_next/static/chunks/35b79_tailwind-merge_dist_bundle-mjs_mjs_8fe727c0._.js\\",\"/_next/static/chunks/node_modules__pnpm_3d098bad._.js\\",\"/_next/static/chunks/apps_frontend_dash_app_%5Bslug%5D_layout_tsx_88d29b6e._.js\\"],\"LSidebar\\")\n30:I[\"[project]/node_modules/.pnpm/next@16.0.8_@babel+core@7.2_8df9f18a32ef20578c8e87a620f34678/node_modules/next/dist/client/components/layout-router.js [app-client] (ecmascript)\",["/_next/static/chunks/31f38_next_dist_6ed5011f._.js\\",\"/_next/static/chunks/a_pps_frontend_dash_app_favicon_ico_mjs_d7336f43._.js\\"],\"default\\")\n32:I[\"[project]/node_modules/.pnpm/next@16.0.8_@babel+core@7.2_8df9f18a32ef20578c8e87a620f34678/node_modules/next/dist/client/components/render-from-template-context.js [app-client] (ecmascript)\",["/_next/static/chunks/31f38_next_dist_6ed5011f._.js\\",\"/_next/static/chunks/a_pps_frontend_dash_app_favicon_ico_mjs_d7336f43._.js\\"],\"default\\")\n34:I[\"[project]/apps/frontend/dash/components/r-sidebar.tsx [app-client] (ecmascript)\",[\"/_next/static/chunks/edd17_%40tanstack_query-devtools_build_6d352abf._.js\\",\"/_next/static/chunks/node_modules__pnpm_62f03eca._.js\\",\"/_next/static/chunks/_e38f5f47._.js\\",\"/_next/static/chunks/apps_frontend_dash_app_layout_tsx_5cc47b34._.js\\",\"/_next/static/chunks/apps_frontend_dash_492594d6._.js\\",\"/_next/static/chunks/8be8e_framer-motion_dist_es_c12d7e76._.js\\",\"/_next/static/chunks/35311_motion-dom_dist_es_8e0dfbb8._.js\\",\"/_next/static/chunks/1e34c_%40dnd-kit_core_dist_core_esm_7a930885.js\\",\"/_next/static/chunks/35b79_tailwind-merge_dist_bundle-mjs_mjs_8fe727c0._.js\\",\"/_next/static/chunks/node_modules__pnpm_3d098bad._.js\\",\"/_next/static/chunks/apps_frontend_dash_app_%5Bslug%5D_layout_tsx_88d29b6e._.js\\"],\"RSidebar\\")\n41:I[\"[project]/node_modules/.pnpm/next@16.0.8_@babel+core@7.2_8df9f18a32ef20578c8e87a620f34678/node_modules/next/dist/lib/framework/boundary-components.js [app-client] (ecmascript)\",["/_next/static/chunks/31f38_next_dist_6ed5011f._.js\\",\"/_next/static/chunks/a_pps_frontend_dash_app_favicon_ico_mjs_d7336f43._.js\\"],\"OutletBoundary\\")\n43:\n"\$Sreact.suspense\\\"\n4c:I[\"[project]/node_modules/.pnpm/next@16.0.8_@babel+core@7.2_8df9f18a32ef20578c8e87a620f34678/node_modules/next/dist/lib/framework/boundary-components.js [app-client] (ecmascript)\",["/_next/static/chunks/31f38_next_dist_6ed5011f._.js\\",\"/_next/static/chunks/a_pps_frontend_dash_app_favicon_ico_mjs_d7336f43._.js\\"],\"MetadataBoundary\\")\n56:I[\"[project]/node_modules/.pnpm/next@16.0.8_@babel+core@7.2_8df9f18a32ef20578c8e87a620f34678/node_modules/next/dist/client/components/builtin/global-error.js [app-client] (ecmascript)\",["/_next/static/chunks/31f38_next_dist_client_components_builtin_global-error_5cc47b34.js\\"],\"default\\")\n5f:I[\"[project]/node_modules/.pnpm/next-themes@0.4.6_react-dom_240c807d63df3e5f63e6bf0e23d1485e/node_modules/next-themes/dist/ind\"]</script><script>self.__next_f.push([1,\"ex.mjs [app-client] (ecmascript)\",[\"/_next/static/chunks/edd17_%40tanstack_query-devtools_build_6d352abf._.js\\",\"/_next/static/chunks/node_modules__pnpm_62f03eca._.js\\",\"/_next/static/chunks/_e38f5f47._.js\\",\"/_next/static/chunks/apps_frontend_dash_app_layout_tsx_5cc47b34._.js\\"],\"ThemeProvider\\")\n61:I[\"</pre>	

Line #	Content	Error
	<pre>[project]/apps/frontend/dash/providers/query.provider.tsx [app-client] (ecmascript)\",[\"/_next/static/chunks/edd17_%40tanstack_query- devtools_build_6d352abf._.js\\\", \"/_next/static/chunks/node_modules__pnpm_62f03ec a._.js\\\", \"/_next/static/chunks/_e38f5f47._.js\\\", \"/_next/static/chunks/apps_fro ntend_dash_app_layout_tsx_5cc47b34._.js\\\"], \"QueryProvider\\\"]\n63:I[\" [project]/apps/frontend/dash/providers/user.provider.tsx [app-client] (ecmascript)\",[\"/_next/static/chunks/edd17_%40tanstack_query- devtools_build_6d352abf._.js\\\", \"/_next/static/chunks/node_modules__pnpm_62f03ec a._.js\\\", \"/_next/static/chunks/_e38f5f47._.js\\\", \"/_next/static/chunks/apps_fro ntend_dash_app_layout_tsx_5cc47b34._.js\\\"], \"UserProvider\\\"]\n65:I[\" [project]/apps/frontend/dash/providers/socket.provider.tsx [app-client] (ecmascript)\",[\"/_next/static/chunks/edd17_%40tanstack_query- devtools_build_6d352abf._.js\\\", \"/_next/static/chunks/node_modules__pnpm_62f03ec a._.js\\\", \"/_next/static/chunks/_e38f5f47._.js\\\", \"/_next/static/chunks/apps_fro ntend_dash_app_layout_tsx_5cc47b34._.js\\\"], \"SocketProvider\\\"]\n67:I[\" [project]/apps/frontend/dash/providers/workspace.provider.tsx [app-client] (ecmascript)\",[\"/_next/static/chunks/edd17_%40tanstack_query- devtools_build_6d352abf._.js\\\", \"/_next/static/chunks/node_modules__pnpm_62f03ec a._.js\\\", \"/_next/static/chunks/_e38f5f47._.js\\\", \"/_next/static/chunks/apps_fro ntend_dash_app_layout_tsx_5cc47b34._.js\\\"], \"WorkspaceProvider\\\"]\n7a:I[\" [project]/apps/frontend/dash/app/[slug]/home-dashboard.tsx [app-client] (ecmascript)\",[\"/_next/static/chunks/edd17_%40tanstack_query- devtools_build_6d352abf._.js\\\", \"/_next/static/chunks/node_modules__pnpm_62f03ec a._.js\\\", \"/_next/static/chunks/_e38f5f47._.js\\\", \"/_next/static/chunks/apps_fro ntend_dash_app_layout_tsx_5cc47b34._.js\\\", \"/_next/static/chunks/apps_frontend_d ash_492594d6._.js\\\", \"/_next/static/chunks/8be8e_framer- motion_dist_es_c12d7e76._.js\\\", \"/_next/static/chunks/35311_motion- dom_dist_es_8e0dfbb8._.js\\\", \"/_next/static/chunks/1e34c_%40dnd- kit_core_dist_core_esm_7a930885.js\\\", \"/_next/static/chunks/35b79_tailwind- merge_dist_bundle- mjs_mjs_8fe727c0._.js\\\", \"/_next/static/chunks/node_modules__pnpm_3d098bad._.js\\ \", \"/_next/static/chunks/apps_frontend_dash_app_%5Bslug%5D_layout_tsx_88d29b6e._ .js\\\", \"/_next/static/chunks/node_modules__pnpm_75c453e3._.js\\\", \"/_next/static/ chunks/apps_frontend_dash_7cef5f8c._.js\\\", \"/_next/static/chunks/apps_frontend_d ash_app_%5Bslug%5D_page_tsx_ad041aec._.js\\\"], \"HomeDashboard\\\"]\n88:I[\" [project]/node_modules/.pnpm/next@16.0.8_@babel+core@7.2_8df9f18a32ef20578c8e87a 620f34678/node_modules/next/dist/lib/metadata/generate/icon-mark.js [app-client] (ecmascript)\", [\"/_next/static/chunks/31f38_next_dist_6ed5011f._.js\\\", \"/_next/static/chunks/a pps_frontend_dash_app_favicon_ico_mjs_d7336f43._.js\\\", \"IconMark\\\"]\n:HL[\"/_ne xt/static/chunks/%5Broot-of-the- server%5D__a43cf486._.css\\\", \\\"style\\\"]\n:HL[\"/_next/static/media/f7aa21714c1c53 f8.p.e3544bb0.woff2\", \\\"font\\\", {\\\"crossOrigin\\\":\\\"\\\", \\\"type\\\":\\\"font/woff2\\\"}]\n:N1789077476401.7354\n3:\\\"\$EObj ect.defineProperty(\\\"=\\u003e[ctx.componentMod.preloadStyle(fullHref, ctx.renderOp ts.crossOrigin, ctx.nonce)), \\\"\\\"name\\\"\\\", {value:\\\"\\\"\\\"\\\"})\\\"\\n4:\\\"\$EObject.defineProperty(\\\"=\\u003e[ctx.componentMod.preL oadFont(href, type, ctx.renderOpts.crossOrigin, ctx.nonce)), \\\"\\\"name\\\"\\\", {value:\\\"\\\"\\\"\\\"})\\\"\\n2: {\\\"name\\\":\\\"Preloads\\\", \\\"key\\\":null, \\\"env\\\":\\\"Server\\\", \\\"stack\\\":[], \\\"props\\\": {\\\"preloadCallbacks\\\":[\\\"\$3\\\", \\\"\$4\\\"]}}]\n5:[]\n7:[]\n9: [[\\\"Array.map\\\", \\\"\\\", 0, 0, 0, false]]\na:[[\\\"Array.map\\\", \\\"\\\", 0, 0, 0, 0, false]]\nb: [[\\\"Array.map\\\", \\\"\\\", 0, 0, 0, 0, false]]\nc:[[\\\"Array.map\\\", \\\"\\\", 0, 0, 0, 0, false]]\nd: [[\\\"Array.map\\\", \\\"\\\", 0, 0, 0, 0, false]]\n10:I[\" [project]/node_modules/.pnpm/next@16.0.8_@babel+core@7.2_8df9f18a32ef20578c8e87a 620f34678/node_modules/next/dist/client/components/layout-router.js [app-client] (ecmascript)\", [\"/_next/static/chunks/31f38_next_dist_6ed5011f._.js\\\", \"/_next/static/chunks/a pps_frontend_dash_app_favicon_ico_mj\"]</script> <script>self.__next_f.push([1,\"s_d7336f43._.js\\\", \\\"default\\\"])\n13:I[\" [project]/node_modules/.pnpm/next@16.0.8_@babel+core@7.2_8df9f18a32ef20578c8e87a 620f34678/node_modules/next/dist/client/components/render-from-template- context.js [app-client] (ecmascript)\", [\"/_next/static/chunks/31f38_next_dist_6ed5011f._.js\\\", \"/_next/static/chunks/a pps_frontend_dash_app_favicon_ico_mjs_d7336f43._.js\\\", \\\"default\\\"])\n14:{ }\n15: [[\\\"Promise.all\\\", \\\"\\\", 0, 0, 0, 0, true]]\n12:{\\\"children\\\": [\\\"\$\\\", \\\"\$L13\\\", null, \\\"\$14\\\", null, \\\"\$15\\\", 1]]}\n16: [[\\\"Promise.all\\\", \\\"\\\", 0, 0, 0, 0, true]]\n11: {\\\"parallelRouterKey\\\":\\\"children\\\", \\\"error\\\":\\\"\$undefined\\\", \\\"errorStyles\\\":\\\"\$ undefined\\\", \\\"errorScripts\\\":\\\"\$undefined\\\", \\\"template\\\": [\\\"\$\\\", \\\"\$8\\\", null, \\\"\$12\\\", null, \\\"\$16\\\", 0], \\\"templateStyles\\\":\\\"\$undefined\\\", \\\"t emplateScripts\\\":\\\"\$undefined\\\", \\\"notFound\\\":\\\"\$Y\\\", \\\"forbidden\\\":\\\"\$undefined\\\", \\\"unauthorized\\\":\\\"\$undefined\\\", \\\"segmentViewBoundaries\\\":\\\"\$Y\\\"]\n17: [[\\\"Promise.all\\\", \\\"\\\", 0, 0, 0, 0, true]]\nf: {\\\"name\\\":\\\"RootLayout\\\", \\\"key\\\":null, \\\"env\\\":\\\"Server\\\", \\\"stack\\\":[], \\\"props\\\": {\\\"children\\\": [\\\"\$\\\", \\\"\$L10\\\", null, \\\"\$11\\\", null, \\\"\$17\\\", 1], \\\"params\\\":\\\"\$Y\\\"]}\n18: [[\\\"Promise.all\\\", \\\"\\\", 0, 0, 0, 0, true]]\n19: [[\\\"Promise.all\\\", \\\"\\\", 0, 0, 0, 0, true]]\n1a:[[\\\"Array.map\\\", \\\"\\\", 0, 0, 0, 0, false], [\\\"Array.map\\\", \\\"\\\", 0, 0, 0, 0, false]]\n1b:[[\\\"Array.map\\\", \\\"\\\", 0, 0, 0, 0, false], [\\\"Array.map\\\", \\\"\\\", 0, 0, 0, 0, false]]\n1c:[[\\\"Array.map\\\", \\\"\\\", 0, 0, 0, 0, false], [\\\"Array.map\\\", \\\"\\\", 0, 0, 0, 0, false]]\n1d:[[\\\"Array.map\\\", \\\"\\\", 0, 0, 0, 0, false], [\\\"Array.map\\\", \\\"\\\", 0, 0, 0, 0, false]]\n1e:[[\\\"Array.map\\\", \\\"\\\", 0, 0, 0, 0, false], [\\\"Array.map\\\", \\\"\\\", 0, 0, 0, 0, false]]\n1f:[[\\\"Array.map\\\", \\\"\\\", 0, 0, 0, 0, false], [\\\"Array.map\\\", \\\"\\\", 0, 0, 0, 0, false]]\n20:[[\\\"Array.map\\\", \\\"\\\", 0, 0, 0, 0, false], [\\\"Array.map\\\", \\\"\\\", 0, 0, 0, 0, false]]\n23:I[\" [project]/node_modules/.pnpm/next@16.0.8_@babel+core@7.2_8df9f18a32ef20578c8e87a 620f34678/node_modules/next/dist/client/components/layout-router.js [app-client] (ecmascript)\", [\"/_next/static/chunks/31f38_next_dist_6ed5011f._.js\\\", \"/_next/static/chunks/a pps_frontend_dash_app_favicon_ico_mjs_d7336f43._.js\\\", \\\"default\\\"])\n26:I[\"</pre>	

Line #	Content	Error
	<pre>[project]/node_modules/.pnpm/next@16.0.8_@babel+core@7.2.8df9f18a32ef20578c8e87a620f34678/node_modules/next/dist/client/components/render-from-template-context.js [app-client] (ecmascript)\",\n[\"/_next/static/chunks/6ed5011f._.js\\\",\\\"/_next/static/chunks/apps_frontend_dash_app_favicon_ico_mjs_d7336f43._.js\\\",\\\"default\\\"]\n27: {\n28: [[\"Promise.all\\\", \\\"\\\", 0, 0, 0, true], [\"Promise.all\\\", \\\"\\\", 0, 0, 0, true]]\n29: { \"children\\\": [\"\$\\\", \"\$L26\\\", null, \"\$27\\\", null, \"\$28\\\", 1] }\n30: [[\"Promise.all\\\", \\\"\\\", 0, 0, 0, true], [\"Promise.all\\\", \\\"\\\", 0, 0, 0, true]]\n31: { \"parallelRouterKey\\\": \"children\\\", \"error\\\": \"\$undefined\\\", \"errorStyles\\\": \"\$undefined\\\", \"errorScripts\\\": \"\$undefined\\\", \"template\\\": [\"\$\\\", \"\$8\\\", null, \"\$25\\\", null, \"\$29\\\", 0], \"templateStyles\\\": \"\$undefined\\\", \"templateScripts\\\": \"\$undefined\\\", \"notFound\\\": \"\$undefined\\\", \"forbidden\\\": \"\$undefined\\\", \"unauthorized\\\": \"\$undefined\\\", \"segmentViewBoundaries\\\": \"\$Y\\\" }\n32: [[\"Promise.all\\\", \\\"\\\", 0, 0, 0, true], [\"Promise.all\\\", \\\"\\\", 0, 0, 0, true]]\n33: { \"name\\\": \"WorkspaceLayout\\\", \"key\\\": null, \"env\\\": \"Server\\\", \"stack\\\": [[\"Promise.all\\\", \\\"\\\", 0, 0, 0, true], [\"props\\\": { \"children\\\": [\"\$\\\", \"\$L23\\\", null, \"\$24\\\", null, \"\$2a\\\", 1], \"params\\\": \"\$Y\\\" }\n34: [[\"WorkspaceLayout\\\", \"C: \\\"\\\"\\\"crwsync\\\"\\\"\\\"apps\\\"\\\"\\\"frontend\\\"\\\"\\\"dash\\\"\\\"\\\".next\\\"\\\"\\\"dev\\\"\\\"\\\"server\\\"\\\"\\\"chunks\\\"\\\"\\\"ssr\\\"\\\"\\\"apps_frontend_dash_b172ac26._.js\\\", 118, 374, 117, 1, false]]\n35: [[\"WorkspaceLayout\\\", \"C: \\\"\\\"\\\"crwsync\\\"\\\"\\\"apps\\\"\\\"\\\"frontend\\\"\\\"\\\"dash\\\"\\\"\\\".next\\\"\\\"\\\"dev\\\"\\\"\\\"server\\\"\\\"\\\"chunks\\\"\\\"\\\"ssr\\\"\\\"\\\"apps_frontend_dash_b172ac26._.js\\\", 121, 375, 117, 1, false]]\n36: [[\"WorkspaceLayout\\\", \"C: \\\"\\\"\\\"crwsync\\\"\\\"\\\"apps\\\"\\\"\\\"frontend\\\"\\\"\\\"dash\\\"\\\"\\\".next\\\"\\\"\\\"dev\\\"\\\"\\\"server\\\"\\\"\\\"chunks\\\"\\\"\\\"ssr\\\"\\\"\\\"apps_frontend_dash_b172ac26._.js\\\", 126, 375, 117, 1, false]]\n37: [[\"Promise.all\\\", \\\"\\\", 0, 0, 0, true], [\"Promise.all\\\", \\\"\\\", 0, 0, 0, true]]\n38: [[\"Promise.all\\\", \\\"\\\", 0, 0, 0, true]]\n39: [[\"Promise.all\\\", \\\"\\\", 0, 0, 0, true]]\n40: [[\"WorkspaceLayout\\\", \"C: \\\"\\\"\\\"crwsync\\\"\\\"\\\"apps\\\"\\\"\\\"frontend\\\"\\\"\\\"dash\\\"\\\"\\\".next\\\"\\\"\\\"dev\\\"\\\"\\\"server\\\"\\\"\\\"chunks\\\"\\\"\\\"ssr\\\"\\\"\\\"apps_frontend_dash_b172ac26._.js\\\", 134, 375, 117, 1, false]]\n41: [[\"Promise.all\\\", \\\"\\\", 0, 0, 0, true], [\"Promise.all\\\", \\\"\\\", 0, 0, 0, true]]\n42: [[\"Promise.all\\\", \\\"\\\", 0, 0, 0, true]]\n43: { \"name\\\": \"HomePage\\\", \"key\\\": null, \"env\\\": \"Server\\\", \"stack\\\": [[\"Promise.all\\\", \\\"\\\", 0, 0, 0, true], [\"props\\\": { \"params\\\": \"\$@39\\\", \"searchParams\\\": \"\$@3a\\\" }\n44: [[\"Array.map\\\", \\\"\\\", 0, 0, 0, false], [\"Array.map\\\", \\\"\\\", 0, 0, 0, false], [\"Promise.all\\\", \\\"\\\", 0, 0, 0, true]]\n45: [[\"Array.map\\\", \\\"\\\", 0, 0, 0, false], [\"Promise.all\\\", \\\"\\\", 0, 0, 0, true]]\n46: [[\"Array.map\\\", \\\"\\\", 0, 0, 0, false], [\"Array.map\\\", \\\"\\\", 0, 0, 0, false], [\"Promise.all\\\", \\\"\\\", 0, 0, 0, true]]\n47: { \"name\\\": \"Next.MetadataOutlet\\\", \"key\\\": null, \"env\\\": \"Server\\\", \"stack\\\": [[\"Promise.all\\\", \\\"\\\", 0, 0, 0, true], [\"Promise.all\\\", \\\"\\\", 0, 0, 0, true]]\n48: { \"props\\\": { }\n49: []\n50: []\n51: []\n52: []\n53: []\n54: []\n55: []\n56: []\n57: []\n58: []\n59: []\n60: []\n61: []\n62: []\n63: []\n64: []\n65: []\n66: []\n67: []\n68: []\n69: []\n70: []\n71: []\n72: []\n73: []\n74: []\n75: []\n76: []\n77: []\n78: []\n79: []\n80: []\n81: []\n82: []\n83: []\n84: []\n85: []\n86: []\n87: []\n88: []\n89: []\n90: []\n91: []\n92: []\n93: []\n94: []\n95: []\n96: []\n97: []\n98: []\n99: []\n100: []\n101: []\n102: []\n103: []\n104: []\n105: []\n106: []\n107: []\n108: []\n109: []\n110: []\n111: []\n112: []\n113: []\n114: []\n115: []\n116: []\n117: []\n118: []\n119: []\n120: []\n121: []\n122: []\n123: []\n124: []\n125: []\n126: []\n127: []\n128: []\n129: []\n130: []\n131: []\n132: []\n133: []\n134: []\n135: []\n136: []\n137: []\n138: []\n139: []\n140: []\n141: []\n142: []\n143: []\n144: []\n145: []\n146: []\n147: []\n148: []\n149: []\n150: []\n151: []\n152: []\n153: []\n154: []\n155: []\n156: []\n157: []\n158: []\n159: []\n160: []\n161: []\n162: []\n163: []\n164: []\n165: []\n166: []\n167: []\n168: []\n169: []\n170: []\n171: []\n172: []\n173: []\n174: []\n175: []\n176: []\n177: []\n178: []\n179: []\n180: []\n181: []\n182: []\n183: []\n184: []\n185: []\n186: []\n187: []\n188: []\n189: []\n190: []\n191: []\n192: []\n193: []\n194: []\n195: []\n196: []\n197: []\n198: []\n199: []\n200: []\n201: []\n202: []\n203: []\n204: []\n205: []\n206: []\n207: []\n208: []\n209: []\n210: []\n211: []\n212: []\n213: []\n214: []\n215: []\n216: []\n217: []\n218: []\n219: []\n220: []\n221: []\n222: []\n223: []\n224: []\n225: []\n226: []\n227: []\n228: []\n229: []\n230: []\n231: []\n232: []\n233: []\n234: []\n235: []\n236: []\n237: []\n238: []\n239: []\n240: []\n241: []\n242: []\n243: []\n244: []\n245: []\n246: []\n247: []\n248: []\n249: []\n250: []\n251: []\n252: []\n253: []\n254: []\n255: []\n256: []\n257: []\n258: []\n259: []\n260: []\n261: []\n262: []\n263: []\n264: []\n265: []\n266: []\n267: []\n268: []\n269: []\n270: []\n271: []\n272: []\n273: []\n274: []\n275: []\n276: []\n277: []\n278: []\n279: []\n280: []\n281: []\n282: []\n283: []\n284: []\n285: []\n286: []\n287: []\n288: []\n289: []\n290: []\n291: []\n292: []\n293: []\n294: []\n295: []\n296: []\n297: []\n298: []\n299: []\n300: []\n301: []\n302: []\n303: []\n304: []\n305: []\n306: []\n307: []\n308: []\n309: []\n310: []\n311: []\n312: []\n313: []\n314: []\n315: []\n316: []\n317: []\n318: []\n319: []\n320: []\n321: []\n322: []\n323: []\n324: []\n325: []\n326: []\n327: []\n328: []\n329: []\n330: []\n331: []\n332: []\n333: []\n334: []\n335: []\n336: []\n337: []\n338: []\n339: []\n340: []\n341: []\n342: []\n343: []\n344: []\n345: []\n346: []\n347: []\n348: []\n349: []\n350: []\n351: []\n352: []\n353: []\n354: []\n355: []\n356: []\n357: []\n358: []\n359: []\n360: []\n361: []\n362: []\n363: []\n364: []\n365: []\n366: []\n367: []\n368: []\n369: []\n370: []\n371: []\n372: []\n373: []\n374: []\n375: []\n376: []\n377: []\n378: []\n379: []\n380: []\n381: []\n382: []\n383: []\n384: []\n385: []\n386: []\n387: []\n388: []\n389: []\n390: []\n391: []\n392: []\n393: []\n394: []\n395: []\n396: []\n397: []\n398: []\n399: []\n400: []\n401: []\n402: []\n403: []\n404: []\n405: []\n406: []\n407: []\n408: []\n409: []\n410: []\n411: []\n412: []\n413: []\n414: []\n415: []\n416: []\n417: []\n418: []\n419: []\n420: []\n421: []\n422: []\n423: []\n424: []\n425: []\n426: []\n427: []\n428: []\n429: []\n430: []\n431: []\n432: []\n433: []\n434: []\n435: []\n436: []\n437: []\n438: []\n439: []\n440: []\n441: []\n442: []\n443: []\n444: []\n445: []\n446: []\n447: []\n448: []\n449: []\n450: []\n451: []\n452: []\n453: []\n454: []\n455: []\n456: []\n457: []\n458: []\n459: []\n460: []\n461: []\n462: []\n463: []\n464: []\n465: []\n466: []\n467: []\n468: []\n469: []\n470: []\n471: []\n472: []\n473: []\n474: []\n475: []\n476: []\n477: []\n478: []\n479: []\n480: []\n481: []\n482: []\n483: []\n484: []\n485: []\n486: []\n487: []\n488: []\n489: []\n490: []\n491: []\n492: []\n493: []\n494: []\n495: []\n496: []\n497: []\n498: []\n499: []\n500: []\n501: []\n502: []\n503: []\n504: []\n505: []\n506: []\n507: []\n508: []\n509: []\n510: []\n511: []\n512: []\n513: []\n514: []\n515: []\n516: []\n517: []\n518: []\n519: []\n520: []\n521: []\n522: []\n523: []\n524: []\n525: []\n526: []\n527: []\n528: []\n529: []\n530: []\n531: []\n532: []\n533: []\n534: []\n535: []\n536: []\n537: []\n538: []\n539: []\n540: []\n541: []\n542: []\n543: []\n544: []\n545: []\n546: []\n547: []\n548: []\n549: []\n550: []\n551: []\n552: []\n553: []\n554: []\n555: []\n556: []\n557: []\n558: []\n559: []\n560: []\n561: []\n562: []\n563: []\n564: []\n565: []\n566: []\n567: []\n568: []\n569: []\n570: []\n571: []\n572: []\n573: []\n574: []\n575: []\n576: []\n577: []\n578: []\n579: []\n580: []\n581: []\n582: []\n583: []\n584: []\n585: []\n586: []\n587: []\n588: []\n589: []\n590: []\n591: []\n592: []\n593: []\n594: []\n595: []\n596: []\n597: []\n598: []\n599: []\n600: []\n601: []\n602: []\n603: []\n604: []\n605: []\n606: []\n607: []\n608: []\n609: []\n610: []\n611: []\n612: []\n613: []\n614: []\n615: []\n616: []\n617: []\n618: []\n619: []\n620: []\n621: []\n622: []\n623: []\n624: []\n625: []\n626: []\n627: []\n628: []\n629: []\n630: []\n631: []\n632: []\n633: []\n634: []\n635: []\n636: []\n637: []\n638: []\n639: []\n640: []\n641: []\n642: []\n643: []\n644: []\n645: []\n646: []\n647: []\n648: []\n649: []\n650: []\n651: []\n652: []\n653: []\n654: []\n655: []\n656: []\n657: []\n658: []\n659: []\n660: []\n661: []\n662: []\n663: []\n664: []\n665: []\n666: []\n667: []\n668: []\n669: []\n670: []\n671: []\n672: []\n673: []\n674: []\n675: []\n676: []\n677: []\n678: []\n679: []\n680: []\n681: []\n682: []\n683: []\n684: []\n685: []\n686: []\n687: []\n688: []\n689: []\n690: []\n691: []\n692: []\n693: []\n694: []\n695: []\n696: []\n697: []\n698: []\n699: []\n700: []\n701: []\n702: []\n703: []\n704: []\n705: []\n706: []\n707: []\n708: []\n709: []\n710: []\n711: []\n712: []\n713: []\n714: []\n715: []\n716: []\n717: []\n718: []\n719: []\n720: []\n721: []\n722: []\n723: []\n724: []\n725: []\n726: []\n727: []\n728: []\n729: []\n730: []\n731: []\n732: []\n733: []\n734: []\n735: []\n736: []\n737: []\n738: []\n739: []\n740: []\n741: []\n742: []\n743: []\n744: []\n745: []\n746: []\n747: []\n748: []\n749: []\n750: []\n751: []\n752: []\n753: []\n754: []\n755: []\n756: []\n757: []\n758: []\n759: []\n760: []\n761: []\n762: []\n763: []\n764: []\n765: []\n766: []\n767: []\n768: []\n769: []\n770: []\n771: []\n772: []\n773: []\n774: []\n775: []\n776: []\n777: []\n778: []\n779: []\n780: []\n781: []\n782: []\n783: []\n784: []\n785: []\n786: []\n787: []\n788: []\n789: []\n790: []\n791: []\n792: []\n793: []\n794: []\n795: []\n796: []\n797: []\n798: []\n799: []\n800: []\n801: []\n802: []\n803: []\n804: []\n805: []\n806: []\n807: []\n808: []\n809: []\n810: []\n811: []\n812: []\n813: []\n814: []\n815: []\n816: []\n817: []\n818: []\n819: []\n820: []\n821: []\n822: []\n823: []\n824: []\n825: []\n826: []\n827: []\n828: []\n829: []\n830: []\n831: []\n832: []\n833: []\n834: []\n835: []\n836: []\n837: []\n838: []\n839: []\n840: []\n841: []\n842: []\n843: []\n844: []\n845: []\n846: []\n847: []\n848: []\n849: []\n850: []\n851: []\n852: []\n853: []\n854: []\n855: []\n856: []\n857: []\n858: []\n859: []\n860: []\n861: []\n862: []\n863: []\n864: []\n865: []\n866: []\n867: []\n868: []\n869: []\n870: []\n871: []\n872: []\n873: []\n874: []\n875: []\n876: []\n877: []\n878: []\n879: []\n880: []\n881: []\n882: []\n883: []\n884: []\n885: []\n886: []\n887: []\n888: []\n889: []\n890: []\n891: []\n892: []\n893: []\n894: []\n895: []\n896: []\n897: []\n898: []\n899: []\n900: []\n901: []\n902: []\n903: []\n904: []\n905: []\n906: []\n907: []\n908: []\n909: []\n910: []\n911: []\n912: []\n913: []\n914: []\n915: []\n916: []\n917: []\n918: []\n919: []\n920: []\n921: []\n922: []\n923: []\n924: []\n925: []\n926: []\n927: []\n928: []\n929: []\n930: []\n931: []\n932: []\n933: []\n934: []\n935: []\n936: []\n937: []\n938: []\n939: []\n940: []\n941: []\n942: []\n943: []\n944: []\n945: []\n946: []\n947: []\n948: []\n949: []\n950: []\n951: []\n952: []\n953: []\n954: []\n955: []\n956: []\n957: []\n958: []\n959: []\n960: []\n961: []\n962: []\n963: []\n964: []\n965: []\n966: []\n967: []\n968: []\n969: []\n970: []\n971: []\n972: []\n973: []\n974: []\n975: []\n976: []\n977: []\n978: []\n979: []\n980: []\n981: []\n982: []\n983: []\n984: []\n985: []\n986: []\n987: []\n988: []\n989: []\n990: []\n991: []\n992: []\n993: []\n994: []\n995: []\n996: []\n997: []\n998: []\n999: []\n1000: []\n1001: []\n1002: []\n1003: []\n1004: []\n1005: []\n1006: []\n1007: []\n1008: []\n1009: []\n1010: []\n1011: []\n1012: []\n1013: []\n1014: []\n1015: []\n1016: []\n1017: []\n1018: []\n1019: []\n1020: []\n1021: []\n1022: []\n1023: []\n1024: []\n1025: []\n1026: []\n1027: []\n1028: []\n1029: []\n1030: []\n1031: []\n1032: []\n1033: []\n1034: []\n1035: []\n1036: []\n1037: []\n1038: []\n1039: []\n1040: []\n1041: []\n1042: []\n1043: []\n1044: []\n1045: []\n1046: []\n1047: []\n1048: []\n1049: []\n1050: []\n1051: []\n1052: []\n1053: []\n1054: []\n1055: []\n1056: []\n1057: []\n1058: []\n1059: []\n1060: []\n1061: []\n1062: []\n1063: []\n1064: []\n1065: []\n1066: []\n1067: []\n1068: []\n1069: []\n1070: []\n1071: []\n1072: []\n1073: []\n1074: []\n1075: []\n1076: []\n1077: []\n1078: []\n1079: []\n1080: []\n1081: []\n1082: []\n1083: []\n1084: []\n1085: []\n1086: []\n1087: []\n1088: []\n1089: []\n1090: []\n1091: []\n1092: []\n1093: []\n1094: []\n1095: []\n1096: []\n1097: []\n1098: []\n1099: []\n1100: []\n1101: []\n1102: []\n1103: []\n1104: []\n1105: []\n1106: []\n1107: []\n1108: []\n1109: []\n1110: []\n1111: []\n1112: []\n1113: []\n1114: []\n1115: []\n1116: []\n1117: []\n1118: []\n1119: []\n1120: []\n1121: []\n1122: []\n1123: []\n1124: []\n1125: []\n1126: []\n1127: []\n1128: []\n1129: []\n1130: []\n1131: []\n1132: []\n1133: []\n1134: []\n1135: []\n1136: []\n1137: []\n1138: []\n1139: []\n1140: []\n1141: []\n1142: []\n1143: []\n1144: []\n1145: []\n1146: []\n1147: []\n1148: []\n1149: []\n1150: []\n1151: []\n1152: []\n1153: []\n1154: []\n1155: []\n1156: []\n1157: []\n1158: []\n1159: []\n1160: []\n1161: []\n1162: []\n1163: []\n1164: []\n1165: []\n1166: []\n1167: []\n1168: []\n1169: []\n1170: []\n1171: []\n1172: []\n1173: []\n1174: []\n1175: []\n1176: []\n1177: []\n1178: []\n1179: []\n1180: []\n1181: []\n1182: []\n1183: []\n1184: []\n1185: []\n1186: []\n1187: []\n1188: []\n1189: []\n1190: []\n1191: []\n1192: []\n1193: []\n1194: []\n1195: []\n1196: []\n1197: []\n1198: []\n1199: []\n1200: []\n1201: []\n1202: []\n1203: []\n1204: []\n1205: []\n1206: []\n1207: []\n1208: []\n1209: []\n1210: []\n1211: []\n1212: []\n1213: []\n1214: []\n1215: []\n1216: []\n1217: []\n1218: []\n1219: []\n1220: []\n1221: []\n1222: []\n1223: []\n1224: []\n1225: []\n1226: []\n1227: []\n1228: []\n1229: []\n1230: []\n1231: []\n1232: []\n1233: []\n1234: []\n1235: []\n1236: []\n1237: []\n1238: []\n1239: []\n1240: []\n1241: []\n1242: []\n1243: []\n1244: []\n1245: []\n1246: []\n1247: []\n1248: []\n1249: []\n1250: []\n1251: []\n1252: []\n1253: []\n1254: []\n1255: []\n1256: []\n1257: []\n1258: []\n1259: []\n1260: []\n1261: []\n1262: []\n1263: []\n1264: []\n1265: []\n1266: []\n1267: []\n1268: []\n1269: []\n1270: []\n1271: []\n1272: []\n1273: []\n1274: []\n1275: []\n1276: []\n1277: []\n1278: []\n1279: []\n1280: []\n1281: []\n1282: []\n1283: []\n1284: []\n1285: []\n1286: []\n1287: []\n1288: []\n1289: []\n1290: []\n1291: []\n1292: []\n1293: []\n1294: []\n1295: []\n1296: []\n1297: []\n1298: []\n1299: []\n1300: []\n1301: []\n1302: []\n1303: []\n1304: []\n1305: []\n1306: []\n1307: []\n1308: []\n1309: []\n1310: []\n1311: []\n1312: []\n1313: []\n1314: []\n1315: []\n1316: []\n1317: []\n1318: []\n1319: []\n1320: []\n1321: []\n1322: []\n1323: []\n1324: []\n1325: []\n1326: []\n1327: []\n1328: []\n1329: []\n1330: []\n1331: []\n1332: []\n1333: []\n1334: []\n1335: []\n1336: []\n1337: []\n1338: []\n1339: []\n1340: []\n1341: []\n1342: []\n1343: []\n1344: []\n1345: []\n1346: []\n1347: []\n1348: []\n1349: []\n1350: []\n1351: []\n1352: []\n1353: []\n1354: []\n1355: []\n1356: []\n1357: [</pre>	

Line #	Content	Error
	<pre>[[{"RootLayout\","C::\\\\crwsync\\\\apps\\\\frontend\\\\dash\\\\\\.next\\\\dev\\\\server\\\\chunks\\\\ssr\\\\[root-of-the-server]__88b06f60._.js\","303,374,302,1,false]"]\n59: [[{"RootLayout\","C::\\\\crwsync\\\\apps\\\\frontend\\\\dash\\\\\\.next\\\\dev\\\\server\\\\chunks\\\\ssr\\\\[root-of-the-server]__88b06f60._.js\","306,381,302,1,false]"]\n5a: [[{"RootLayout\","C::\\\\crwsync\\\\apps\\\\frontend\\\\dash\\\\\\.next\\\\dev\\\\server\\\\chunks\\\\ssr\\\\[root-of-the-server]__88b06f60._.js\","309,385,302,1,false]"]\n5b: [[{"RootLayout\","C::\\\\crwsync\\\\apps\\\\frontend\\\\dash\\\\\\.next\\\\dev\\\\server\\\\chunks\\\\ssr\\\\[root-of-the-server]__88b06f60._.js\","310,389,302,1,false]"]\n5d: {"name":\\"Providers\\","key\\":null,"env\\":\\"Server\\","owner\\":\\"\$f\\","stack\\": [[{"RootLayout\","C::\\\\crwsync\\\\apps\\\\frontend\\\\dash\\\\\\.next\\\\dev\\\\server\\\\chunks\\\\ssr\\\\[root-of-the-server]__88b06f60._.js\","315,389,302,1,false]"],"props\\": {"children\\":\\"\$f:props:children\\"}}]\n5e: [[{"Providers\\","C::\\\\crwsync\\\\apps\\\\frontend\\\\dash\\\\\\.next\\\\dev\\\\server\\\\chunks\\\\ssr\\\\[root-of-the-server]__88b06f60._.js\","266,374,265,1,false]"]\n60: [[{"Providers\\","C::\\\\crwsync\\\\apps\\\\frontend\\\\dash\\\\\\.next\\\\dev\\\\server\\\\chunks\\\\ssr\\\\[root-of-the-server]__88b06f60._.js\","271,381,265,1,false]"]\n62: [[{"Providers\\","C::\\\\crwsync\\\\apps\\\\frontend\\\\dash\\\\\\.next\\\\dev\\\\server\\\\chunks\\\\ssr\\\\[root-of-the-server]__88b06f60._.js\","272,385,265,1,false]"]\n64: [[{"Providers\\","C::\\\\crwsync\\\\apps\\\\frontend\\\\dash\\\\\\.next\\\\dev\\\\server\\\\chunks\\\\ssr\\\\[root-of-the-server]__88b06f60._.js\","273,389,265,1,false]"]\n66: [[{"Providers\\","C::\\\\crwsync\\\\apps\\\\frontend\\\\dash\\\\\\.next\\\\dev\\\\server\\\\chunks\\\\ssr\\\\[root-of-the-server]__88b06f60._.js\","274,393,265,1,false]"]\n68: [[{"Promise.all\\","\\","0,0,0,0,true]"]\n69: [[{"Promise.all\\","\\","0,0,0,0,true]"]\n6a:[]\n6c: {"name\\":\\"NotFound\\","key\\":null,"env\\":\\"Server\\","stack\\":[],"props\\":{}}]\n6d: {"name\\":\\"HTTPAccessErrorFallback\\","key\\":null,"env\\":\\"Server\\","owner\\":\\"\$6c\\","stack\\":[],"props\\":{"status\\":404,"message\\":\\"This page could not be found.\\"}}]\n6e:[]\n6f:[]\n70:[]\n71:[]\n72:[]\n73:[]\n74:[]\n75: [[{"Promise.all\\","\\","0,0,0,0,true]"]\n76: [[{"Promise.all\\","\\","0,0,0,0,true]"]\n77: [[{"HomePage\\","C::\\\\crwsync\\\\apps\\\\frontend\\\\dash\\\\\\.next\\\\dev\\\\server\\\\chunks\\\\ssr\\\\[root-of-the-server]__6c31a344._.js\","89,374,87,1,false]"]\n78: [[{"HomePage\\","C::\\\\crwsync\\\\apps\\\\frontend\\\\dash\\\\\\.next\\\\dev\\\\server\\\\chunks\\\\ssr\\\\[root-of-the-server]__6c31a344._.js\","90,381,87,1,false]"]\n79: [[{"HomePage\\","C::\\\\crwsync\\\\apps\\\\frontend\\\\dash\\\\\\.next\\\\dev\\\\server\\\\chunks\\\\ssr\\\\[root-of-the-server]__6c31a344._.js\","98,381,87,1,false]"]\n7b:[]\n7c:[]\n7d:[]\n7e:[]\n7f: []\n80:[]\n81:[]\n82:[]\n83:[{"Array.map\\","\\","0,0,0,0,false]"]\n84: [[{"Array.map\\","\\","0,0,0,0,false]"]\n85: [[{"Array.map\\","\\","0,0,0,0,false]"]\n86: [[{"Array.map\\","\\","0,0,0,0,false]"]\n87: []\n1:D{"time\\":0.31949999975040555}\n1:D{"\$2\\":\n1:D{"time\\":0.3684000000357628}\n1:null\n2:D{"time\\":0.8969999998807907}\n2:D{"\$f\\":\n21:D{"time\\":1.5819000001065433}\n21:D{"\$22\\":\n21:D{"time\\":1.6777999997138977}\n21: ["\$\\","div\\",null,{"className\\":\\"relative flex h-screen w-full overflow-hidden\\","children\\":[[{"\$\\","\$L2d\\",null,{},"\$22\\","\$2c\\",1}, ["\$\\","main\\",null,{"className\\":\\"flex-1 min-w-0 h-full overflow-hidden\\","children\\":[{"\$\\","\$L30\\",null, {"parallelRouterKey\\":\\"children\\","error\\":\\"\$undefined\\","errorStyles\\":\\"\$undefined\\","errorScripts\\":\\"\$undefined\\","template\\":[{"\$\\","\$L32\\",null, {}],null,"\$31\\",1},"templateStyles\\":\\"\$undefined\\","templateScripts\\":\\"\$undefined\\","notFound\\":\\"\$undefined\\","forbidden\\":\\"\$undefined\\","unauthorized\\":\\"\$undefined\\","segmentViewBoundaries\\": ["\$undefined\\","\$undefined\\","\$undefined\\","\$undefined\\"]},null,"\$2f\\",1}}, \\"\$22\\","\$2e\\",1],[{"\$\\","\$L34\\",null, {}},\\"\$22\\","\$33\\",1]]},"\$22\\","\$2b\\",1]\n37:D{"time\\":2.0893999999389052}\n37:D{"\$38\\":\n3e:D{"time\\":2.391700000036508}\n3e:D{"\$3f\\":\n3e:D{"time\\":3.4685999997891486}\n3e:[{"\$\\","\$L41\\",null,{"children\\":[{"\$\\","\$43\\",null, {"name\\":\\"Next.MetadataOutlet\\","children\\":\\"\$@44\\","\$3f\\","\$42\\",1}},\\"\$3f\\","\$40\\",1]\n46:D}]<script><script>self.__next_f.push([1," {"time\\":3.731099999975413}\n46:D{"\$47\\":\n46:D{"time\\":3.7384000001475215}\n46: :null\n49:D{"time\\":3.7828999999910593}\n49:D{"\$4a\\":\n49:D{"time\\":3.863599999807775}\n49:[{"\$\\","\$L4c\\",null, {"children\\":\\"\$@4d\\","\$4a\\","\$4b\\",1]\n4e:D{"time\\":4.0145999998785555}\n4e:D{"\$4f\\":\n4e:D{"time\\":4.112100000027567}\n4e:[{"\$\\","div\\",null, {"hidden\\":true,"children\\":[{"\$\\","\$L52\\",null,{"children\\": ["\$\\","\$43\\",null, {"name\\":\\"Next.Metadata\\","children\\":\\"\$@54\\","\$4f\\","\$53\\",1}},\\"\$4f\\","\$51\\",1}},\\"\$4f\\","\$50\\",1]\n55:[]\n"]]}</script> <script>self.__next_f.push([1,"0:{\\"P\\":\\"\$1\\","b\\":\\"development\\","c\\": [\\"\\","robots.txt\\"],"q\\":\\"\\","i\\":false,"f\\":[[[{"\\",{"children\\": [[{"slug\\","robots.txt\\","d\\"],{"children\\":[{"__PAGE__", {}]]},"\$undefined\\","\$undefined\\",true],[{"\$\\","\$L6\\","layout\\", {"type\\":\\"layout\\",\\"pagePath\\":\\"/apps/frontend/dash/app/layout.tsx\\",\\"children\\":[{"\$\\","\$8\\","c\\",{"children\\":[[[{"\$\\","link\\","0\\", {"rel\\":\\"stylesheet\\","href\\":\\"/_next/static/chunks/%5Broot-of-the-server%5D__a43cf486._.css\\",\\"precedence\\":\\"next_static/chunks/[root-of-the-</pre>	

Line #	Content	Error
	<pre>server]__a43cf486._.css\","crossOrigin":"","\$undefined\","nonce":"","\$undefined\ "},null,"\$9\",0],[{"\$","script","script-0\ ,{\"src\":\"/_next/static/chunks/edd17_%40tanstack_query- devtools_build_6d352abf._.js\","async\":true,\"nonce\":\"\$undefined\"),null,\"\$ a\",0],[{"\$","script","script-1\ ,{\"src\":\"/_next/static/chunks/node_modules__pnpm_62f03eca._.js\","async\":tru e,\"nonce\":\"\$undefined\"),null,\"\$b\",0],[{"\$","script","script-2\ ,{\"src\":\"/_next/static/chunks/_e38f5f47._.js\","async\":true,\"nonce\":\"\$und efined\"),null,\"\$c\",0],[{"\$","script","script-3\ ,{\"src\":\"/_next/static/chunks/apps_frontend_dash_app_layout_tsx_5cc47b34._.js\ ","async\":true,\"nonce\":\"\$undefined\"),null,\"\$d\",0]],{\"\$Le\"}},null,\"\$7\ ,1]],null,\"\$5\",0},{\"children\":[[{"\$","\$L6\","layout\ ,{\"type\":\"layout\","pagePath\":\"/apps/frontend/dash/app/[slug]/layout.tsx\ ,\"children\":[{"\$","\$8\","c\"},{\"children\":[[{"\$","script","script-0\ ,{\"src\":\"/_next/static/chunks/apps_frontend_dash_492594d6._.js\","async\":tru e,\"nonce\":\"\$undefined\"),null,\"\$1a\",0],[{"\$","script","script-1\ ,{\"src\":\"/_next/static/chunks/8be8e_framer- motion_dist_es_c12d7e76._.js\","async\":true,\"nonce\":\"\$undefined\"),null,\"\$ 1b\",0],[{"\$","script","script-2\ ,{\"src\":\"/_next/static/chunks/35311_motion- dom_dist_es_8e0dfbb8._.js\","async\":true,\"nonce\":\"\$undefined\"),null,\"\$1c\ \",0],[{"\$","script","script-3\ ,{\"src\":\"/_next/static/chunks/1e34c_%40dnd- kit_core_dist_core_esm_7a930885.js\","async\":true,\"nonce\":\"\$undefined\"),nu ll,\"\$1d\",0],[{"\$","script","script-4\ ,{\"src\":\"/_next/static/chunks/35b79_tailwind-merge_dist_bundle- mjs_mjs_8fe727c0._.js\","async\":true,\"nonce\":\"\$undefined\"),null,\"\$1e\ \",0],[{"\$","script","script-5\ ,{\"src\":\"/_next/static/chunks/node_modules__pnpm_3d098bad._.js\","async\":tru e,\"nonce\":\"\$undefined\"),null,\"\$1f\",0],[{"\$","script","script-6\ ,{\"src\":\"/_next/static/chunks/apps_frontend_dash_app_%5Bslug%5D_layout_tsx_88d 29b6e._.js\","async\":true,\"nonce\":\"\$undefined\"),null,\"\$20\",0]],{\"\$21\ \"}},null,\"\$19\",1]],null,\"\$18\",0},{\"children\":[[{"\$","\$8\","c\ ,{\"children\":[[{"\$","\$L6\","c-page\ ,{\"type\":\"page\","pagePath\":\"/apps/frontend/dash/app/[slug]/page.tsx\","ch ildren\":\"\$L37\"),null,\"\$36\",1],[[{"\$","script","script-0\ ,{\"src\":\"/_next/static/chunks/node_modules__pnpm_75c453e3._.js\","async\":tru e,\"nonce\":\"\$undefined\"),null,\"\$3b\",0],[{"\$","script","script-1\ ,{\"src\":\"/_next/static/chunks/apps_frontend_dash_7cef5f8c._.js\","async\":tru e,\"nonce\":\"\$undefined\"),null,\"\$3c\",0],[{"\$","script","script-2\ ,{\"src\":\"/_next/static/chunks/apps_frontend_dash_app_%5Bslug%5D_page_tsx_ad041 aec._.js\","async\":true,\"nonce\":\"\$undefined\"),null,\"\$3d\",0]],{\"\$3e\ \"}},null,\"\$35\",0],({,null,false,false]),null,false,false]),null,false,false], [{"\$","\$8\","h\"},{\"children\ :[\"\$46\",\"\$49\",\"\$4e\",null]),null,\"\$45\",0],false]],\"m\":\"\$W55\",\"G\ :[\"\$56\"],[{"\$","\$L6\","ge-svn\"},{\"type\":\"global- error\","pagePath\":\"__next_builtin__global-error.js\","children\ :[]},null,\"\$57\",0]],{\"S\":false}\\n\"}]</script> <script>self.__next_f.push([1,\"e:D{\\time\\":4.5238000000827014}\\n5c:D{\\time\\":4 .640000000130385}\\n5c:D{\\\$d\\\"ne:[\\\$\",\"html\",null, {\\lang\\\":\"en\",\"suppressHydrationWarning\":true,\"children\ :[\"\$\",\"body\",null,{\\className\\\":\"figtree_a42b2446-module__z9UCvq__variable font-figtree_antialiased\",\"suppressHydrationWarning\":true,\"children\ :[\"\$\",\"\$43\",null,{\\fallback\":[\"\$\",\"div\",null, {,\\\$f\\,\"\$5b\ \",0},{\"children\":[\"\$L5c\"),\\\$f\\,\"\$5a\ \",1]],\\\$f\\,\"\$59\ \",1]},\\\$f\\,\"\$58\ \",1]\\n5c:D{\\time\\":5.880599999800324}\\n6b:D{\\time\\":6.130799999 926239}\\n6b:D{\\\$c\\\"n6b:D{\\time\\":6.197699999902397}\\n6b:D{\\\$6d\\\"n6b:D{\\time \\":6.302300000097603}\\n6b:[[\\\$\",\"title\",null,{\"children\":"404: This page could not be found.\\\"},\\\$6d\\,\"\$6e\ \",1],[\"\$\",\"div\",null,{\\style\ :{\\fontFamily\\\":\"system-ui,\\\"\\\"Segoe UI\\\"\\\",Roboto,Helvetica,Arial,sans- serif,\\\"\\\"Apple Color Emoji\\\"\\\",\\\"\\\"Segoe UI Emoji\\\"\\\"},\\\"height\\\":\"100vh\",\\\"textAlign\\\":\"center\",\\\"display\\\":\"flex\",\\ \\flexDirection\\\":\"column\",\\\"alignItems\\\":\"center\",\\\"justifyContent\\\":\"cente r\"},\\\"children\":[\\\$\",\"div\",null,{\"children\":[[\\\$\",\"style\",null, {\\dangerouslySetInnerHTML\ :{__html\\\":\"body{color:#000;background:#fff;margin:0}.next-error-h1{border- right:1px solid rgba(0,0,0,.3)}@media (prefers-color-scheme:dark) {body{color:#fff;background:#000}.next-error-h1{border-right:1px solid rgba(255,255,255,.3)}}}}},\\\$6d\\,\"\$71\ \",1],[\"\$\",\"h1\",null, {\\className\\\":\"next-error-h1\",\\style\\\":{\"display\\\":\"inline- block\",\\margin\\\":\"0 20px 0 0\",\\padding\\\":\"0 23px 0 0\",\\fontSize\\\":24,\\fontWeight\\\":500,\\verticalAlign\\\":\"top\",\\lineHeight\\\": \\49px\"},\\children\\\":404},\\\$6d\\,\"\$72\ \",1],[\"\$\",\"div\",null,{\\style\ :{\\display\\\":\"inline-block\"},\\children\\\":[\\\$\",\"h2\",null,{\\style\ :{\\fontSize\\\":14,\\fontWeight\\\":400,\\lineHeight\\\":\\49px\",\\margin\\\":0},\\chil dren\\\":\"This page could not be found.\\\"},\\\$6d\\,\"\$74\ \",1]],\\\$6d\\,\"\$73\ \",1]],\\\$6d\\,\"\$70\ \",1]],\\\$6d\\,\"\$6f\ \",1]\\n5c:[\\\$\",\"\$L5f\",null, {\\attribute\\\":\"class\",\\defaultTheme\\\":\"system\",\\enableSystem\\\":true,\\dis ableTransitionOnChange\\\":true,\"children\":[\\\$\",\"\$L61\",null,{\"children\ :[\"\$\",\"\$L63\",null,{\"children\":[\\\$\",\"\$L65\",null,{\"children\ :[\"\$\",\"\$L67\",null,{\"children\":[\\\$\",\"\$L30\",null, {\\parallelRouterKey\\\":\"children\",\\error\\\":\"\$undefined\",\\errorStyles\\\":\"\$ undefined\",\\errorScripts\\\":\"\$undefined\",\\template\":[\\\$\",\"\$L32\",null, {,null,\"\$69\ \",1},\\templateStyles\\\":\"\$undefined\",\\templateScripts\\\":\"\$unde fined\",\\notFound\\\":[\\\$\",\"\$L6\",\\c-not-found\",{\\type\\\":\"not- found\",\\pagePath\\\":\"__next_builtin__not-found.js\",\\children\":[\\\$6b\ \",[]]},null,\"\$6a\ \",0],\\forbidden\\\":\"\$undefined\",\\unauthorized\\\":\"\$undefined\ \",\\segmentViewBoundaries\\\":[\\\$\",\"\$L6\",null,{\\type\\\":\"boundary: not- found\",\\pagePath\\\":\"__next_builtin__not- found.js@boundary\"),null,\"\$75\ \",1],\\\$undefined\",\\\$undefined\ ,</pre>	

Line #	Content	Error
	<pre>[\"\$\\\", \"L6\\\", null, {\"type\\\": \"boundary:global- error\\\", \"pagePath\\\": \"__next_builtin__global- error.js\\\"}, null, [\"\$76\\\", 1]], null, [\"\$68\\\", 1]], [\"\$5d\\\", [\"\$66\\\", 1]], [\"\$5d\\\", [\"\$64 \\\", 1]], [\"\$5d\\\", [\"\$62\\\", 1]], [\"\$5d\\\", [\"\$60\\\", 1]], [\"\$5d\\\", [\"\$5e\\\", 1]]\n37:D{\\\"time\\ :6.59100000014901\\\"}\n37:[\"\$\\\", [\"\$43\\\", null, {\"fallback\\\": [\"\$\\\", \"div\\\", null, {\\\"className\\\": \"p-6 text-sm text-muted-foreground animate- pulse\\\", \"children\\\": \"Loading dashboard...\\\"}, [\"\$38\\\", [\"\$78\\\", 0]], \"children\\\": [\"\$\\\", [\"L7a\\\", null, {\\\"slug\\\": \"robots.txt\\\"}, [\"\$38\\\", [\"\$79\\\", 1]], [\"\$38\\\", [\"\$77\\\", 1]]\n44:D{\\\"time\\ :7.830099999904633\\\"}\n44:[[\"\$\\\", [\"meta\\\", [\"0\\\", {\\\"charSet\\\": \"utf- 8\\\"}, [\"\$3f\\\", [\"\$7b\\\", 0]], [\"\$\\\", [\"meta\\\", [\"1\\\", {\\\"name\\\": \"viewport\\\", \"content\\\": \"width=device-width, initial- scale=1\\\"}, [\"\$3f\\\", [\"\$7c\\\", 0]]]\n54:D{\\\"time\\\":11.36089999973774\\\"}\n54: [[[\"\$\\\", [\"title\\\", [\"0\\\", {\\\"children\\\": \"Home crwsync\\\"}, [\"\$3f\\\", [\"\$7d\\\", 0]], [\"\$\\\", [\"meta\\\", [\"1\\\", {\\\"name\\\": \"description\\\", \"content\\\": \"Your workspace dashboard – personal metrics, shared modules, and boards at a glance.\\\"}, [\"\$3f\\\", [\"\$7e\\\", 0]], [\"\$\\\", [\"link\\\", [\"2\\\", {\\\"rel\\\": \"manifest\\\", \"href\\\": \"/manifest.json\\\", \"crossOrigin\\\": \"\$undefined\" }], [\"\$3f\\\", [\"\$7f\\\", 0]], [\"\$\\\", [\"meta\\\", [\"3\\\", {\\\"name\\\": \"mobile-web-app- capable\\\", \"content\\\": \"yes\\\"}, [\"\$3f\\\", [\"\$80\\\", 0]], [\"\$\\\", [\"meta\\\", [\"4\\\", {\\\"name\\\": \"apple-mobile-web-app- title\\\", \"content\\\": \"crwsync\\\"}, [\"\$3f\\\", [\"\$81\\\", 0]], [\"\$\\\", [\"meta\\\", [\"5\\\", {\\\"name\\\": \"apple-mobile-web-app-status-bar- style\\\", \"content\\\": \"default\\\"}, [\"\$3f\\\", [\"\$82\\\", 0]], [\"\$\\\", [\"link\\\", [\"6\\\", {\\\"rel\\\": \"icon\\\", \"href\\\": \"/favicon.ico? favicon.12f450b1.ico\\\", \"sizes\\\": \"48x48\\\", \"type\\\": \"image/x- icon\\\"}, [\"\$3f\\\", [\"\$83\\\", 0]], [\"\$\\\", [\"link\\\", [\"7\\\", {\\\"rel\\\": \"icon\\\", \"href\\\": \"/icon0.svg? icon0.c7e17fee.svg\\\", \"sizes\\\": \"any\\\", \"type\\\": \"image/svg+xml\\\"}, [\"\$3f\\\", [\"\$84 \\\", 0]], [\\\"\\\"]]<script><script>self.__next_f.push([1, \"\$\\\", \"link\\\", \"8\\\", {\\\"rel\\\": \"icon\\\", \"href\\\": \"/icon1.png? icon1.304cb086.png\\\", \"sizes\\\": \"96x96\\\", \"type\\\": \"image/png\\\"}, [\"\$3f\\\", [\"\$85\\ \\\", 0]], [\"\$\\\", [\"link\\\", [\"9\\\", {\\\"rel\\\": \"apple-touch-icon\\\", \"href\\\": \"/apple- icon.png?apple- icon.9d464bcc.png\\\", \"sizes\\\": \"180x180\\\", \"type\\\": \"image/png\\\"}, [\"\$3f\\\", [\"\$86\\ \\\", 0]], [\"\$\\\", [\"L88\\\", [\"10\\\", {\\\", [\"\$3f\\\", [\"\$87\\\", 0]]]\n44:D{\\\"time\\\":12.256599999964237\\\"}\n44:null\n\"]</script> </body></html></pre>	

To appear in search results, crawlers need access to your app.

ADDITIONAL ITEMS TO MANUALLY CHECK (1)	Hide
Structured data is valid	^
Run the Structured Data Testing Tool to validate structured data. Learn more about Structured Data . Unscored	
Run these additional validators on your site to check additional SEO best practices.	
PASSED AUDITS (8)	Hide
Page isn't blocked from indexing	^
Search engines are unable to include your pages in search results if they don't have permission to crawl them. Learn more about crawler directives .	
Document has a <title> element	^
The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. Learn more about document titles .	
Document has a meta description	^
Meta descriptions may be included in search results to concisely summarize page content. Learn more about the meta description .	
Page has successful HTTP status code	^
Pages with unsuccessful HTTP status codes may not be indexed properly. Learn more about HTTP status codes .	
Links have descriptive text	^
Descriptive link text helps search engines understand your content. Learn how to make links more accessible .	
Links are crawlable	^
Search engines may use href attributes on links to crawl websites. Ensure that the href attribute of anchor elements links to an appropriate destination, so more pages of the site can be discovered. Learn how to make links crawlable	
Image elements have [alt] attributes	^
Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt	

attribute. [Learn more about the alt attribute.](#)

Document has a valid hreflang

hreflang links tell search engines what version of a page they should list in search results for a given language or region. [Learn more about hreflang.](#)

NOT APPLICABLE (1)

Hide

Document has a valid rel=canonical

Canonical links suggest which URL to show in search results. [Learn more about canonical links.](#) Unscored

▲ 0/3

Agentic Browsing

These checks ensure high-quality, [browsable websites for AI agents](#) and validate the correctness of WebMCP integrations. This category is still under development and subject to change.

Cumulative Layout Shift — 0.22


Cumulative Layout Shift measures the movement of visible elements within the viewport. [Learn more about the Cumulative Layout Shift metric.](#)

AGENT ACCESSIBILITY

▲ Accessibility tree is not well-formed

A well-formed [accessibility tree](#) helps AI agents to navigate and interact with the page.

Failed Audits

Description	Failing Element
ARIA commands must have an accessible name	div.relative.flex.items-center.justify-center.size-8.rounded-full.hover:bg-base... 

▲ llms.txt does not follow recommendations

If your llms.txt file does not follow recommendations, large language models may not be able to understand how you want your website to be crawled or used for training. The [llms.txt](#) file should be a Markdown file containing at least one H1 header. [Learn more about the llms.txt audit.](#)

Error
File is missing a required H1 header (e.g., "# Title").
File does not appear to contain any links.

These audits highlight best practices for improving the accessibility of the website for AI agents.

NOT APPLICABLE (3)

Hide

WebMCP form coverage

Consider adding [WebMCP](#) annotations to the forms listed below. This helps AI agents identify and interact with these forms more reliably. Unscored

WebMCP tools registered

Lists the [WebMCP tools](#) registered at the time of analysis. Unscored

WebMCP schemas are valid

Valid [WebMCP schemas](#) are required for AI agents to understand and interact with tools correctly. Please fix any errors or warnings reported by the browser. Unscored

 Captured at Sep 11, 2026, 12:57	 Emulated Desktop with Lighthouse 13.4.1	 Single page session
 Initial page load	 Custom throttling	 Using Chromium 152.0.0.0 with devtools