



Dwight Look College of

ENGINEERING
TEXAS A&M UNIVERSITY

Team 0: Growable Space Habitat

Robert Dye

Justin Blankenhorn

Andrew Yang

Adam Pameron

Sponsor: Dr. John Lusher II, Dr. Hope Rising


TA: Rohith Kumar

Project Summary

- Current space operations require constant resupply
 - Costly (\$20,000 per kg)
 - Inefficient and wasteful
- Long term space missions need a sustainable food source
- Project provides electrical infrastructure for a self-sustaining system capable of recycling agricultural products



Project/Subsystem Overview





Major Project Changes Since Last Time

Power Management:

- None

User Interface:

- None

AI/Data Processing:

- Possibility of no spinach data sets

Microcontroller:

- Ordered MCU PCB



Project Timeline

Milestone	Expected Time
Obtain significant data for charging of battery pack	September 9
Order BMS PCB	September 9
Order MCU PCB	September 9
Integrate Raspberry Pi and 5 MCUs	September 17
Integrate all sensors	September 23
Solder all BMS PCB components	October 12
Solder all MCU PCB components	October 14
Finalize and debug all BMS connections	October 23
Integrate Raspberry Pi and Database	October 30
Retrieve Baby Spinach Data from Horticulture Team and create CNN Model	October 30
Finalize and debug all sensors	October 30

AI/Data Processing Subsystem

Adam Pameron

- Create binary classifier using Convolutional Neural Network (CNN) Model
 - Baby Spinach
 - Oyster Mushroom
- Collect sensor data from 5 microcontrollers
- Send sensor data to database

AI/Data Processing Subsystem

Adam Pameron

Accomplishments since last presentation	Ongoing progress/problems and plans until the next presentation
<ul style="list-style-type: none"> • Perform data augmentation with RGB data set <ul style="list-style-type: none"> • Vertical Flip • Gaussian Noise • Blur • Shearing • Send trend data to all sensors in database • Send image to database 	<ul style="list-style-type: none"> • Waiting for Horticulture Team to fully grow Healthy and Nitrogen Deficient Baby Spinach to collect images [est. October] • Interfacing with microcontrollers using serial communication to request data, and validate all sensors data is collected and accurate • Build application code to repeat all routines (classify, request data, send data) at a set time



Dwight Look College of

ENGINEERING
TEXAS A&M UNIVERSITY

AI/Data Processing Subsystem - Parameters

Adam Pameron



Adam Nathaniel Pameron

7:07 PM (3 hours ago)



Hi Jarred, I hope you are well. I wanted to reach out and inquire when the dataset is available in October. I'm going to include it in my senior design presenta



Jarred Lake

to me ▾

10:10 PM (13 minutes ago)



Hey Adam,

I haven't been able to start growing anything yet. The lights still haven't arrived and the company delivering them hasn't responded with information about where they are. If they arrive tomorrow, I can have data by the very end of the month, but at this point I'm stuck.

Thanks,
Jarred Lake

...

AI/Data Processing Subsystem - Augmentation with Roboflow

Adam Pameron

Flip



preprocessed



vertical

Shear



0°, 0°




22°, 22°



22°, -22°



-22°, 22°



-22°, -22°

Noise





0%



10%

AI/Data Processing Subsystem – without Gaussian Noise


Adam Pameron



AI/Data Processing Subsystem – without Gaussian Noise



Adam Pameron

Binary Classifier Confusion Matrix




AI/Data Processing Subsystem – with Gaussian Noise

Adam Pameron



AI/Data Processing Subsystem – with Gaussian Noise

Adam Pameron



Power Management

Robert Dye

- Provide power to PCBs that house the microcontrollers as well as the pi that will be used to control AI subsystem
- BMS monitoring
- Charging



Power Management

Robert Dye

Accomplishments since last presentation	Ongoing progress/problems and plans until the next presentation
<ul style="list-style-type: none">• Received PCB• Ordered BOM for PCB• Designed couple of sensor circuits for MCU PCB• Ran more tests with larger load	<ul style="list-style-type: none">• Solder Components on PCB once they arrives• Help MCU subsystem


Power Management

Previous


Robert Dye

New


Battery Voltage vs Time Charging




Battery Voltage vs Time Charging



Charge Current and Bat Voltage vs Time



Charge Current and Bat Voltage vs Time



Microcontroller

Andrew Yang

- 200 Peripherals modularized between 5 microcontrollers
- 20 Oxygen, 20 CO₂, 20 NO₂, 20 Methane, 20 Ethylene, 20 Carbon monoxide, 12 Temp/Humidity, 4 water level, 4 water flow sensors
- 9 types of sensors using I²C, UART, Analog, or digital communication
- 38 solenoids and 26 fans controlled using GPIO + switching circuit

Microcontroller

Andrew Yang

Accomplishments since last presentation	Ongoing progress/problems and plans until the next presentation
<ul style="list-style-type: none"> • Ordered MCU PCB, comes in this week • Designed 2/3 Analog Sensor amplifier circuits schematics 	<ul style="list-style-type: none"> • Verify Temperature/Humidity I2C sensor operation • Verify UART sensor operation • Implement PWM logic for water flow sensor • Design I2C multiplexer circuit for fan and solenoid switching • Solder MCU board



Microcontroller

Andrew Yang



Design Rule Verification Report

Date: 10/2/2022
Time: 10:57:02 PM
Elapsed Time: 00:00:01
Filename: [H:\OneDrive - Texas A&M University\Capstone\final design\pcb.PcbDoc](#)

Warnings: 0
Rule Violations: 0

Summary


Warnings

Count

Total 0


Microcontroller

Andrew Yang



Microcontroller

Andrew Yang



User Interface

- Display Data from MCU sensors on app
- Visualize sensor values over time
- Display camera pictures on app



User Interface


Justin Blankenhorn

Accomplishments since last presentation	Ongoing progress/problems and plans until the next presentation
<ul style="list-style-type: none">• Finished restructuring database to use firebase• Was able to get pictures from firebase to update• Was able to display sensor data graphs for oxygen sensors	<ul style="list-style-type: none">• Improve formatting on graphs, add to other sensors• Work on getting graph to display over time





User Interface



Justin Blankenhorn







MCU1 Directory



Spinach Images



Sensor Data





Parts Ordering Status

Susbsytem	Item	Quantity	Price
AI/ Data Processing Subsystem	Raspberry Pi 4 8GB Kit	1	\$169.95
	Arducam IMX519 Quad-Camera Kit	1	\$169.99
	Arducam Camera Case and Mini Tripod	4	\$11.99
Power Management Subsystem	100 watt solar panel	2	\$100
	BQ78350DBTR-R1A Fuel Guage	10	\$4.00
	BQ7693000DBT Battery Monitor	10	\$4.00
	14.8V 13Ah Battery Pack	6	\$194.00
	DC Power Supply	1	N/A
	Victron MPPT Controller	1	\$137
	DROK Buck Converter	10	\$14.00
Control Unit Subsystem	PCB	5	\$63.64
	PIC32MZ2025DAK176-V/2J	10	\$19.58
	Gravity: Electrochemical Oxygen Sensor	10	\$43.12
	004-0-0053 CO2 Sensor	8	\$53.36
	110-507 NO2 Sensor	4	\$20.00
	IR33BC Methane Sensor	4	\$262.63
	ME3-C2H4 Ethylene Sensor	8	\$91.95
	SEN0485 Liquid Level Sensor	8	\$9.90
	SEN0227 Temperature/Humidity Sensor	8	\$22.50
	110-102 CO Sensor	8	\$20.00
	PCB	5	\$126.37
	PG164140 Pickit4 Programmer	2	\$65.32
	Mini solenoid	4	\$12.49
	NF-A4x10 5V Fan	8	\$13.95
	Water Flow Sensor	4	\$10.99
	2N7000 N-MOS	2	\$5.50
	BS170 N-MOS	2	\$7.25
User Interface	Android EL 6C Cell Phone	1	\$73.00

Total

\$6,832.78

Execution & Plan

[illegible]



Dwight Look College of

ENGINEERING
TEXAS A&M UNIVERSITY

THANK YOU!