A Theoretical and Quantitative Geography Insight into Interactions between Networks and Territories

J. Raimbault[1,2]

juste.raimbault@polytechnique.edu

[1]UMR CNRS 8504 Géographie-cités
[2]UMR-T IFSTTAR 9403 LVMT

Seminar - 21th December 2016

medium
New pathways for sustainable urban development in China's medium-sized cities

This Project is funded by the European Union

Complex Urban Systems



Source : Wikipedia

Theoretical and Quantitative Geography

An extended framework for TQG [Livet et al., 2010]



To go further : speculative embedding of this scheme into a meta-modeling framework [Raimbault, 2016b]

Complex Urban Systems

Research Context : *Investigate relations between Networks and Territories, in particular through the construction of models of co-evolution between land-use and transportation network, strangely absent in the literature [Raimbault, 2015b].*

$\rightarrow$ Collection of evidences from previous research ; proposition of a geographical theory

$\rightarrow$ Application to Transportation Governance Modeling ; potential insights from application to Pearl River Delta

Non-equilibrium dynamics in Transportation Systems

Investigation of empirical existence of Static User Equilibrium [Raimbault, 2016] : data collection and empirical analysis for Parisian highway system







medium
New pathways for sustainable urban development in China's medium-sized cities

Agent-based Modeling of Transportation Systems

Agent-based model to investigate user-based policies for a bike-sharing transportation system [Raimbault, 2015c] ; hybrid modeling with statistics and discrete-choice models [Raimbault, 2015a]





Robustness of Multi-attribute Evaluations

Data-driven and Model-independant framework to compare robustnesses of multi-attributes evaluations [Raimbault, 2016a]







Meso-scale Coupled Growth

Simple co-evolutionary dynamics produce stylized urban forms at a mesoscopic scale [Raimbault et al., 2014]









Transportation Network Morphogenesis

Transportation network morphogenesis and optimal design using biologically inspired model (slime mold) [Raimbault and Gonzalez, 2015]





Aggregation-diffusion Urban Growth

Evidence of autonomous Morphogenetic processes : morphological calibration of an Aggregation-diffusion growth model










medium
New pathways for sustainable urban development in China's medium-sized cities

Coupled Growth and Correlations

Spatial non-stationarity of correlation matrix between urban morphology and network topology [Raimbault, 2016b] ; coupled growth model yield a large range of potential correlations [Raimbault, 2016c]









Macro-scale Growth and Network Necessity

Macro-scale population growth model reveals physical network effects in French System of Cities [Raimbault, 2016a]







Theory : Pillars

1. *Networked Human Territories* $\rightarrow$ Raffestin approach to territory combined with Dupuy theory of networks.
2. *Evolutive Urban Theory* $\rightarrow$ City Systems as complex Adaptive systems, applied to human settlements in general and thus territorial systems.
3. *Urban Morphogenesis* $\rightarrow$ Morphogenesis as autonomous rules to explain growth of urban form. Used as the provider of modular decompositions.
4. *Boundaries and Co-evolution* $\rightarrow$ Co-evolution as the existence of *niche*, consequence of boundary patterns.

Theory : Specification

Definition : Territorial systems are networked Human Territories. They are multi-level complex adaptive systems following Evolutive Urban Theory.

Hypothesis : The existence of Morphogenetic processes in which networks are essential drivers is equivalent to the existence of co-evolutive niches in territorial systems. We call thus these *Co-evolutive Networked Territorial Systems*.

The LUTECIA Model : Rationale

Mega-city Regions [Hall and Pain, 2006] exhibit new qualitative regimes of urban systems ?

$\rightarrow$ A LUTI + infrastructure provision model (LUTECIA)

$\rightarrow$ Coevolution transport / urbanism (LUTI model with endogeneous transport infrastructure provision)

$\rightarrow$ Game theory framework to predict emergence of centralized decision within a polycentric region

$\rightarrow$ Importance of accessibility at MCR scale

The LUTECIA Model : Structure

LU : Land Use module ; T : Transport module ; EC : Evaluation of Centralized decision module ; I : Infrastructure provision module ; A : Agglomeration economies module



Governance Modeling

Matrix of actors utilities, depending on respective choices

1 | 2	C	A
C	$U_i = \kappa \cdot \Delta X_i(Z_C^*) - I - \frac{\delta I}{2}$	$\begin{cases} U_1 = \kappa \cdot \Delta X_1(Z_1^*) - I \\ U_2 = \kappa \cdot \Delta X_2(Z_2^*) - I - \frac{\delta I}{2} \end{cases}$
A	$\begin{cases} U_1 = \kappa \cdot \Delta X_1(Z_1^*) - I - \frac{\delta I}{2} \\ U_2 = \kappa \cdot \Delta X_2(Z_2^*) - I \end{cases}$	$U_i = \kappa \cdot \Delta X_i(Z_i^*) - I$

Two types of games implemented :

- Mixed Nash equilibrium, where actors compete
- One Rational Discrete Choice equilibrium

Model Output : Examples

Implementation : Netlogo ; particular treatment for dynamical programming computation of network shortest distances. Exploration with High Performance Computing on grid with `OpenMole` [Reuillon et al., 2013]







medium
New pathways for sustainable urban development in China's medium-sized cities

Model Exploration : Examples



Lambda Accessibility



Lambda Accessibility



Lambda Accessibility



Network speed



Network speed

Long Time Limits for Transportation Networks



Application to Pearl River Delta Mega-city Region

Stylized characteristics of Pearl River Delta make a perfect candidate for model application

Source : Guangdong Province Government

Application to Pearl River Delta

Specific characteristics :

- Regional Governance new level of State action ; Mega-city region roughly at regional scale.
- Large development of infrastructures in a relatively short time
- Local and Regional Transportation masterplans at different dates
- Bridges across the delta : expensive infrastructure, require difficult collaboration
- High economic competition between cities ; particular role of Hong-Kong and Macao

Application : Experience plan and Expected Results

Requirements :

- Thematic model adaptation
- Technical model adjustments

Experience plan :

- Conditions for emergence of the functional MCR
- Calibrate model retrospectively : unveil governance processes
- Calibrate model on planned infrastructure : collaboration patterns equivalent to a central planning
- Calibrate model on optimal infrastructure (multi-objectives to be determined) : what are corresponding "optimal" governance structures ?

Conclusion

→ From this particular model and the case study, theory should be confirmed/informed/refined/etc. (ex. : network plays indeed a crucial role in governance bifurcations, territorial systems should include explicit agents, etc.)

→ Knowledge production process is itself a metaphor of studied geographical processes : co-evolutive and complex.

→ Vertical and Horizontal integration : Interdisciplinarity beyond qualitative/quantitative artificial distinctions

- All code and data available at
`https://github.com/JusteRaimbault/CityNetwork/tree/master/Models`

Reserve Slides

Governance Game Specification

Mixed Nash equilibrium probability :

$$p_i = \frac{J}{\Delta X_{\bar{i}} Z_C^\star - \Delta X_{\bar{i}} Z_{\bar{i}}^\star}$$

Discrete Choice model :

$$U_i(C) - U_i(NC) = p_{\bar{i}}(\Delta X_i Z_C^\star - \Delta X_i Z_i^\star) - J$$

then

$$p_i = \frac{1}{1 + \exp\left(-\beta_{DC} \cdot \left(\frac{\Delta X_i Z_C^\star - \Delta X_i Z_i^\star}{1+\exp\left(-\beta_{DC}(p_i \cdot (\Delta X_{\bar{i}} Z_C^\star - \Delta X_{\bar{i}} Z_{\bar{i}}^\star) - J)\right)} - J\right)\right)}$$

Lutetia : default parameter values

$A_{max} = E_{max} = 500; r_A = 1; r_E = 0.8; \gamma_E = 0.9; \gamma_A = 0.65; \beta_l = 1.8; \lambda = 0.005; r_0 = 2$

$N_{expl} = 25; I = 0.001; J = 0.0001; \nu = 5; E_{ext}(t_0) = 3E_{max}; t_f = 4$

Lutetia : Land-use Initialization

Initial distribution of Actives and Employments around governance centers at positions $\vec{x}_i$ by

$$A(\vec{x}) = A_{max} \cdot \exp\left(\frac{\|\vec{x} - \vec{x}_i\|}{r_A}\right); E(\vec{x}) = E_{max} \cdot \exp\left(\frac{\|\vec{x} - \vec{x}_i\|}{r_E}\right)$$

Lutetia : Transportation

Transportation module : computation of flows ϕ_{ij} by solving on p_i, q_j by a fixed point method (Furness algorithm), the system of gravital flows

$$\begin{cases} \phi_{ij} = p_i q_j A_i E_j \exp(-\lambda_{tr} d_{ij}) \\ \sum_k \phi_{kj} = E_j ; \sum_k \phi_{ik} = A_i \\ p_i = \frac{1}{\sum_k q_k E_k \exp(-\lambda_{tr} d_{ik})} ; q_j = \frac{1}{\sum_k p_k A_k \exp(-\lambda_{tr} d_{kj})} \end{cases}$$

Trajectories then attributed by effective shortest path, and corresponding congestion c obtained (no Wardrop equilibrium).
Speed of network given by BPR function $v(c) = v_0 \left(1 - \frac{c}{\kappa}\right)^{\gamma_c}$. Congestion not used in current studies (infinite capacity κ).

Lutetia : Land-use Evolution

Land-Use module : we assume that residential/employments relocations are at equilibrium at the time scale of a tick, that corresponds to transportation infrastructure evolution time scale which is much larger (Bretagnolle, 2009).

We take a Cobb-douglas function for utilities of actives/employments at a given cell

$$U_i(A) = X_i(A)^{\gamma_A} \cdot F_i(A)^{1-\gamma_A}; F_i(A) = \frac{1}{A_i E_i}$$

$$U_j(E) = X_j(E)^{\gamma_E} \cdot F_j(E)^{1-\gamma_E}; F_j(E) = 1$$

where $X_i(A) = A_i \cdot \sum_j E_j \exp(-\lambda \cdot d_{ij})$ and $X_j(E) = E_j \cdot \sum_i A_i \exp(-\lambda \cdot d_{ij})$.

Relocations are then done deterministically following a discrete choice model :

$$A_i(t+1) = \sum_i A_i(t) \cdot \frac{\exp(\beta U_i(A))}{\sum_i \exp(\beta U_i(A))}$$

$$E_j(t+1) = \sum_j E_j(t) \cdot \frac{\exp(\beta U_j(E))}{\sum_j \exp(\beta U_j(E))}$$

Lutetia : Network Distance Computation

Effective distances computation

- Euclidian distance matrix $d(i,j)$ computed analytically
- Network shortest paths between network intersections (rasterized network) updated in a dynamic way (addition of new paths and update/change of old paths if needed when a link is added), correspondance between network patches and closest intersection also updated dynamically ; $O(N_{inters}^3)$
- Weak component clusters and distance between clusters updated ; $O(N_{nw}^2)$
- Network distances between network patches updated, through the heuristic of only minimal connexions between clusters ; $O(N_{nw}^2)$
- Effective distances (taking paces/congestion into account) updated as minimum between euclidian time and $\min_{C,C'} d(i,C) + d_{nw}(p_C(i), p'_C(j)) + d(C',j)$; $O(N_{clusters}^2 \cdot N^2)$ [Approximed with $\min_C$ only in the implementation, consistent within the interaction ranges $\sim$ 5 patches taken in the model].

Lutecia : Exploration















Lutecia : Exploration



Lutecia : Exploration















Lutecia : Exploration















References I


Hall, P. G. and Pain, K. (2006).
The polycentric metropolis: learning from mega-city regions in Europe.
Routledge.


Livet, P., Muller, J.-P., Phan, D., and Sanders, L. (2010).
Ontology, a mediator for agent-based modeling in social science.
Journal of Artificial Societies and Social Simulation, 13(1):3.


Raimbault, J. (2015a).
Hybrid modeling of a bike-sharing transportation system.
In *International Conference on Computational Social Science*.

References II

Raimbault, J. (2015b).
Models coupling urban growth and transportation network growth: An algorithmic systematic review approach.
Plurimondi. An International Forum for Research and Debate on Human Settlements, 7(15).

Raimbault, J. (2015c).
User-based solutions for increasing level of service in bike-sharing transportation systems.
In *Complex Systems Design & Management*, pages 31–44. Springer.

Raimbault, J. (2016a).
A discrepancy-based framework to compare robustness between multi-attribute evaluations.
Forthcoming in Proceedings of CSDM 2016. arXiv preprint arXiv:1608.00840.

References III


Raimbault, J. (2016b).
For a cautious use of big data and computation.
In *RGS*
2016, Session Geocomputation : the next 20 years ; abstract available at
https://github.com/JusteRaimbault/CityNetwork/blob/master/Docs/Cor


Raimbault, J. (2016c).
Generation of correlated synthetic data.
In *Actes des Journees de Rochebrune 2016.*


Raimbault, J. (2016).
Investigating the Empirical Existence of Static User Equilibrium.
Forthcoming in Transportation Research Procedia, EWGT2016. ArXiv e-prints.

References IV

Raimbault, J. (2016a).
Models of growth for system of cities : Back to the simple.
forthcoming presentation at CCS2016, 19-22 September, Amsterdam. Abstract available at https://github.com/JusteRaimbault/CityNetwork/blob/master/Docs/Cor

Raimbault, J. (2016b).
Towards Models Coupling Urban Growth and Transportation Network Growth. First year preliminary memoire. DOI : http://dx.doi.org/10.5281/zenodo.60538.
PhD thesis, Université Paris-Diderot - Paris VII.

References V

Raimbault, J., Banos, A., and Doursat, R. (2014).
A hybrid network/grid model of urban morphogenesis and optimization.
In *Proceedings of the 4th International Conference on Complex Systems and Applications (ICCSA 2014), June 23-26, 2014, Université de Normandie, Le Havre, France; M. A. Aziz-Alaoui, C. Bertelle, X. Z. Liu, D. Olivier, eds.: pp. 51-60.*

Raimbault, J. and Gonzalez, J. (May 2015).
Application de la morphogénèse de réseaux biologiques à la conception optimale d'infrastructures de transport.
In *Rencontres du Labex Dynamites*.

References VI

Reuillon, R., Leclaire, M., and Rey-Coyrehourcq, S. (2013).
Openmole, a workflow engine specifically tailored for the distributed exploration of simulation models.
Future Generation Computer Systems, 29(8):1981–1990.