Modeling Urban Morphogenesis: towards an integration of territories and networks

GoPro 2017 Conference - ENS Lyon 14th December 2017

JUSTE RAIMBAULT^{1,2}

¹ UMR CNRS 8504 Géographie-cités

² UMR-T IFSTTAR 9403 LVMT

Keywords: Morphogenesis; Urban Morphogenesis; Aggregation-diffusion; Co-evolution

This presentation aims at demonstrating the capabilities of parsimonious urban morphogenesis models to capture complex processes in urban systems, and more particularly the co-evolution of territories and transportation network. Therefore, we first present a network morphogenesis model based on biological network self-organisation, which is applied to optimal network design problems.

We study then a stochastic model of urban growth generating spatial distributions of population densities at an intermediate mesoscopic scale. The model is based on the antagonist interplay between the two opposite abstract processes of aggregation (preferential attachment) and diffusion (urban sprawl). Introducing indicators to quantify precisely urban form, the model is first statistically validated and intensively explored to understand its complex behavior across the parameter space. We compute real morphological measures on local areas of size 50km covering all European Union, and show that the model can reproduce most of existing urban morphologies in Europe. It implies that the morphological dimension of urban growth processes at this scale are sufficiently captured by the two abstract processes of aggregation and diffusion.

The last part of the presentation is devoted to an extension of previous models, in order to capture co-evolution processes between a transportation network and the population distribution. After having recalled the structure and results of the basic morphogenesis model studied by (Raimbault, 2014), which serves as a complementary basis to the reaction-diffusion model, we develop the strongly coupled model. A growing road network is added, for which various heuristics are tested in a multi-modeling fashion (random growth, deterministic and random potential breakdown, cost-driven growth, and biological network growth). The network influences back population growth through the influence of network measures and accessibility on the aggregation potential. The extended model is calibrated both on morphological and network indicators, for which real values are computed on the same areas. The different heuristics are all complementary to cover the real topological space, witnessing the manifestation of various processes in different geographical cases. We then investigate the proximity to data at the second order, in the sense of correlation matrices between indicators, for which the distance appears to be low in some cases. We finally study regimes of lagged correlations between local variables, to grasp dynamical relations that we call causality regimes. Their diversity across the parameter space suggest that the model effectively integrates some of the complexity of co-evolution processes between the road network and population distribution.

We conclude by proposing an original definition of Morphogenesis, from an interdisciplinary perspective. We differentiate Morphogenesis from self-organization through the requirement of an emergent architecture that is equivalent to circular causal links between form and function.