Imperial team: https://www.imperial.ac.uk/mrc-global-infectious-disease-analysis/news–wuhan-coronavirus/
Description of the model in SI of [Ferguson et al., 2005] `https://static-content.springer.com/esm/art%3A10.1038%2Fnature04017/MediaObjects/41586_2005_BFnature04017_MOESM1_ESM.pdf`
Governement response: https://www.bsg.ox.ac.uk/research/research-projects/oxford-covid-19-government-response-tracker
Montpelier http://alizon.ouvaton.org/Rapport3_Modele.html
https://covid-19-risk.github.io/map/model.pdf // https://www.medrxiv.org/content/10.1101/2020.03.21.20040022v1
Review IBM https://www.innovationinfo.org/articles/JBRR-102.pdf
Coupling reaction-diffusion and metapopulation models https://www.nature.com/articles/nphys560
Global forecasts https://epiforecasts.io/covid/posts/global/
Ifisc mobile phone https://analytics.ifisc.uib-csic.es/es/respuesta-covid-19/
Gleam model http://www.gleamviz.org/model/
Multivac https://covid19.multivacplatform.org/
[Adam, 2020]
[Squazzoni et al., 2020] JASSS: abm, policy
Imperial model https://github.com/ImperialCollegeLondon/covid19model (refactored in R?)
INSERM https://www.epicx-lab.com/covid-19.html

1 Literature

1.1 General

[Heesterbeek et al., 2015] review

[Klepac et al., 2020] [Gog, 2020] BBC Pandemic project: user-based data of contact patterns; [Kucharski et al., 2020] effect of isolation/contact tracing

[Mossong et al., 2008] empirical estimation of contacts

1.2 Covid

[Rathinakumar and Quaini, 2020] pedestrian dynamics coupled with SI

[Sahasranaman and Jeldtoft Jensen, 2020] toy network model (Erdos-Renyi, random interactions) distinguishing poor/non-poor

[Dowd et al., 2020] role of demographic structure

2 Projects

Ramp https://epcced.github.io/ramp/

Casa kaggle

https://github.com/MeldaS/CASA-COVID

Sarah mapping https://github.com/swise5/KatMapBRC

Covprehension

https://covprehension.org/

https://github.com/covprehension/CoVprehension/blob/master/posts/index.html

Overmortality in France https://mtmx.github.io/blog/deces$_p$andemie/

Imperial model https://github.com/mrc-ide/covid-sim

Leeds questionaire transportation

Comment Ferguson model https://lockdownsceptics.org/code-review-of-fergusons-model/

3 Data

Real-time data

- Worldwide cases [Xu et al., 2020] `https://github.com/beoutbreakprepared/nCoV2019` (missing half of cases, no proper outcome)

- ECDC: European Center for Disease Control, daily data `https://www.ecdc.europa.eu/en/publications-data/download-todays-data-geographic-distribution-covid-19-cases-worldwide` (at the country level)

- For the US: by state, including testing rate: Covid tracking project `https://covidtracking.com/data`

- Italy: province `https://github.com/pcm-dpc/COVID-19/blob/master/dati-province/dpc-covid19-ita-province-2` `csv`

- Worldwide and US `https://github.com/CSSEGISandData/COVID-19/blob/master/csse_covid_19_data/csse_covid_19_time_series/time_series_covid19_deaths_global.csv` ; data of interactive dashboard [Dong et al., 2020]

- European datasets `https://www.europeandataportal.eu/en/covid-19/datasets`

- French data (départements) `https://www.data.gouv.fr/fr/datasets/donnees-hospitalieres-relatives-a-lepidem`

- UK: Local authority mortality data from ONS `https://www.ons.gov.uk/peoplepopulationandcommunity/healthandsocialcare/causesofdeath/datasets/deathregistrationsandoccurrencesbylocalauthorityandhealthbo`

4   Individual-based modeling

4.1   Scales and parameters

[Willem et al., 2017] systematic review IBM

[Kuylen et al., 2017] in the IBM, estimation of R_0 as a function of micro transmission proba.

[Delamater et al., 2019] difficulty to estimate the basic reproduction number; to not be confused with reproduction number (on full population).

[McLure and Glass, 2020] simple formulas for reproduction number in SIS, SIR, with reservoir, demographics, and imported cases.

[Hunter et al., 2018] use R_0, proba of contact estimated by running the model, disease duration, to determine micro transmission proba.

[Willem et al., 2015] large scale optim ABM

[Kisjes et al., 2014] IBM no vaccination

Rq: why focus on R_0 and not statistical distribution (superspreader etc.: what is the shape of the distrib?)

[Chao et al., 2010] linear relation R_0/proba transmission (rescale contact proba matrix between groups)

[Bacaer, 2011] definition de R_0 comme rayon spectral d'un operateur

[Bonté, 2011] couplage modele de controle, de prise de decision, et systeme under controle. triade de Minski: // perspectivism?

5   Transportation modeling

[Mller et al., 2020] using Matsim for a microscopic SIR in Berlin

6   Urban Density

[Heroy, 2020] no effect of city size on growth rates in US

[Angel et al., 2020] effect of population on number of deaths, no significant effect of density

[Tarwater and Martin, 2001] theoretical effect of pop density in a lattice model

[White and Hébert-Dufresne, 2020] effect of population density on doubling times (US States)

[Rader et al., 2020] impact of population density on total impact of the epidemics; model trained on Chinese cities (includes humidity), extrapolateed to 380 global cities (GHSL).

[Mishra and Wargocki, 2020] association between GDP/latitude and cases? doubtful, as no dynamics is furthermore included

[Burghardt and Lerman, 2020] bias when aggregating

7 Mobility network

[Pepe et al., 2020] Indicators: total trips, radius of gyration, degree of user proximity network. Very precise data (up to 10m).

    [Jia et al., 2020] real-time mobile phone data, transmission model
    [Zhang et al., 2020] contact and tracing data
    [Salje et al., 2020] impact of lockdown in France
    Data:

- mobility flow on 8h slice

- unique O/D using from and to of linestrings

8 Scientometrics

[Colavizza et al., 2020] analysis of open corpus: too broad?
    [Khamsi, 2020] AI within full-text

References

[Adam, 2020] Adam, D. (2020). Special report: The simulations driving the worlds response to covid-19. *Nature*, 580:316–318.

[Angel et al., 2020] Angel, S., Blei, A. M., Lamson-Hall, P., and Salazar, M. M. (2020). The coronavirus and the cities: Explaining variations in the onset of infection and in the number of reported cases and deaths in u.s. metropolitan areas as of 27 march 2020. Technical report.

[Bacaer, 2011] Bacaer, N. (2011). *Le paramètre R0 pour la dynamique des populations dans un environnement périodique*. PhD thesis.

[Bonté, 2011] Bonté, B. (2011). *Modélisation et simulation de l'interdépendance entre l'objet, l'observateur et le modèle de l'objet dans la Triade de Minsky. Application à la surveillance épidémiologique en santé animale*. PhD thesis, Université Montpellier 2.

[Burghardt and Lerman, 2020] Burghardt, K. and Lerman, K. (2020). Systematic Biases in Aggregated COVID-19 Growth Rates. *arXiv e-prints*, page arXiv:2004.12994.

[Chao et al., 2010] Chao, D. L., Halloran, M. E., Obenchain, V. J., and Longini Jr, I. M. (2010). Flute, a publicly available stochastic influenza epidemic simulation model. *PLoS computational biology*, 6(1).

[Colavizza et al., 2020] Colavizza, G., Costas, R., Traag, V. A., van Eck, N. J., van Leeuwen, T., and Waltman, L. (2020). A scientometric overview of cord-19. *bioRxiv*.

[Delamater et al., 2019] Delamater, P. L., Street, E. J., Leslie, T. F., Yang, Y. T., and Jacobsen, K. H. (2019). Complexity of the basic reproduction number (r0). *Emerging infectious diseases*, 25(1):1.

[Dong et al., 2020] Dong, E., Du, H., and Gardner, L. (2020). An interactive web-based dashboard to track covid-19 in real time. *The Lancet Infectious Diseases*.

[Dowd et al., 2020] Dowd, J. B., Andriano, L., Brazel, D. M., Rotondi, V., Block, P., Ding, X., Liu, Y., and Mills, M. C. (2020). Demographic science aids in understanding the spread and fatality rates of covid-19. *Proceedings of the National Academy of Sciences*, 117(18):9696–9698.

[Ferguson et al., 2005] Ferguson, N. M., Cummings, D. A., Cauchemez, S., Fraser, C., Riley, S., Meeyai, A., Iamsirithaworn, S., and Burke, D. S. (2005). Strategies for containing an emerging influenza pandemic in southeast asia. *Nature*, 437(7056):209–214.

[Gog, 2020] Gog, J. R. (2020). How you can help with covid-19 modelling. *Nature Reviews Physics*, pages 1–2.

[Heesterbeek et al., 2015] Heesterbeek, H., Anderson, R. M., Andreasen, V., Bansal, S., De Angelis, D., Dye, C., Eames, K. T. D., Edmunds, W. J., Frost, S. D. W., Funk, S., Hollingsworth, T. D., House, T., Isham, V., Klepac, P., Lessler, J., Lloyd-Smith, J. O., Metcalf, C. J. E., Mollison, D., Pellis, L., Pulliam, J. R. C., Roberts, M. G., Viboud, C., and (2015). Modeling infectious disease dynamics in the complex landscape of global health. *Science*, 347(6227).

[Heroy, 2020] Heroy, S. (2020). Metropolitan-scale COVID-19 outbreaks: how similar are they? *arXiv e-prints*, page arXiv:2004.01248.

[Hunter et al., 2018] Hunter, E., Mac Namee, B., and Kelleher, J. (2018). An open-data-driven agent-based model to simulate infectious disease outbreaks. *PloS one*, 13(12).

[Jia et al., 2020] Jia, J. S., Lu, X., Yuan, Y., Xu, G., Jia, J., and Christakis, N. A. (2020). Population flow drives spatio-temporal distribution of covid-19 in china. *Nature*, pages 1–11.

[Khamsi, 2020] Khamsi, R. (2020). Coronavirus in context: Scite.ai tracks positive and negative citations for covid-19 literature. *Nature*.

[Kisjes et al., 2014] Kisjes, K. H., Duintjer Tebbens, R. J., Wallace, G. S., Pallansch, M. A., Cochi, S. L., Wassilak, S. G., and Thompson, K. M. (2014). Individual-based modeling of potential poliovirus transmission in connected religious communities in north america with low uptake of vaccination. *The Journal of infectious diseases*, 210(suppl_1):S424–S433.

[Klepac et al., 2020] Klepac, P., Kucharski, A. J., Conlan, A. J., Kissler, S., Tang, M., Fry, H., and Gog, J. R. (2020). Contacts in context: large-scale setting-specific social mixing matrices from the bbc pandemic project. *medRxiv*.

[Kucharski et al., 2020] Kucharski, A. J., Klepac, P., Conlan, A., Kissler, S. M., Tang, M., Fry, H., Gog, J., Edmunds, J., and (2020). Effectiveness of isolation, testing, contact tracing and physical distancing on reducing transmission of sars-cov-2 in different settings. *medRxiv*.

[Kuylen et al., 2017] Kuylen, E., Stijven, S., Broeckhove, J., and Willem, L. (2017). Social contact patterns in an individual-based simulator for the transmission of infectious diseases (stride). In *ICCS*, pages 2438–2442.

[McLure and Glass, 2020] McLure, A. and Glass, K. (2020). Some simple rules for estimating reproduction numbers in the presence of reservoir exposure or imported cases. *Theoretical Population Biology*.

[Mishra and Wargocki, 2020] Mishra, A. K. and Wargocki, P. (2020). Attempting to understand the spread of SARS-CoV-2: Associations between the number of cases in regions and selected economic and geographic parameters. *arXiv e-prints*, page arXiv:2004.00110.

[Mossong et al., 2008] Mossong, J., Hens, N., Jit, M., Beutels, P., Auranen, K., Mikolajczyk, R., Massari, M., Salmaso, S., Tomba, G. S., Wallinga, J., et al. (2008). Social contacts and mixing patterns relevant to the spread of infectious diseases. *PLoS medicine*, 5(3).

[Mller et al., 2020] Mller, S. A., Balmer, M., Neumann, A., and Nagel, K. (2020). Mobility traces and spreading of covid-19. Technical report, Technische Universitt Berlin.

[Pepe et al., 2020] Pepe, E., Bajardi, P., Gauvin, L., Privitera, F., Lake, B., Cattuto, C., and Tizzoni, M. (2020). Covid-19 outbreak response: a first assessment of mobility changes in italy following national lockdown. *medRxiv*.

[Rader et al., 2020] Rader, B., Scarpino, S., Nande, A., Hill, A., Dalziel, B., Reiner, R., Pigott, D., Gutierrez, B., Shrestha, M., Brownstein, J., Castro, M., Tian, H., Grenfell, B., Pybus, O., Metcalf, J., and Kraemer, M. U. (2020). Crowding and the epidemic intensity of covid-19 transmission. *medRxiv*.

[Rathinakumar and Quaini, 2020] Rathinakumar, K. and Quaini, A. (2020). A microscopic approach to study the onset of a highly infectious disease spreading. *arXiv e-prints*, page arXiv:2004.09554.

[Sahasranaman and Jeldtoft Jensen, 2020] Sahasranaman, A. and Jeldtoft Jensen, H. (2020). Poverty, slums, and epidemics: A modeling perspective. *arXiv e-prints*, page arXiv:2004.08653.

[Salje et al., 2020] Salje, H., Tran Kiem, C., Lefrancq, N., Courtejoie, N., Bosetti, P., Paireau, J., Andronico, A., Hoze, N., Richet, J., Dubost, C.-L., Le Strat, Y., Lessler, J., Bruhl, D. L., Fontanet, A., Opatowski, L., Boëlle, P.-Y., and Cauchemez, S. (2020). Estimating the burden of SARS-CoV-2 in France. working paper or preprint.

[Squazzoni et al., 2020] Squazzoni, F., Polhill, J. G., Edmonds, B., Ahrweiler, P., Antosz, P., Scholz, G., Chappin, E., Borit, M., Verhagen, H., Giardini, F., and Gilbert, N. (2020). Computational models that matter during a global pandemic outbreak: A call to action. *Journal of Artificial Societies and Social Simulation*, 23(2):10.

[Tarwater and Martin, 2001] Tarwater, P. M. and Martin, C. F. (2001). Effects of population density on the spread of disease. *Complexity*, 6(6):29–36.

[White and Hébert-Dufresne, 2020] White, E. R. and Hébert-Dufresne, L. R. (2020). State-level variation of initial covid-19 dynamics in the united states: The role of local government interventions. *medRxiv*.

[Willem et al., 2015] Willem, L., Stijven, S., Tijskens, E., Beutels, P., Hens, N., and Broeckhove, J. (2015). Optimizing agent-based transmission models for infectious diseases. *BMC bioinformatics*, 16(1):183.

[Willem et al., 2017] Willem, L., Verelst, F., Bilcke, J., Hens, N., and Beutels, P. (2017). Lessons from a decade of individual-based models for infectious disease transmission: a systematic review (2006-2015). *BMC infectious diseases*, 17(1):612.

[Xu et al., 2020] Xu, B., Gutierrez, B., Mekaru, S., Sewalk, K., Goodwin, L., Loskill, A., Cohn, E. L., Hswen, Y., Hill, S. C., Cobo, M. M., et al. (2020). Epidemiological data from the covid-19 outbreak, real-time case information. *Scientific data*, 7(1):1–6.

[Zhang et al., 2020] Zhang, J., Litvinova, M., Liang, Y., Wang, Y., Wang, W., Zhao, S., Wu, Q., Merler, S., Viboud, C., Vespignani, A., Ajelli, M., and Yu, H. (2020). Changes in contact patterns shape the dynamics of the covid-19 outbreak in china. *Science*.