

# Integrating and validating urban simulation models

Juste Raimbault

**Abstract** Urban systems are intrinsically complex, involving different dimensions and scales, and consequently various approaches and scientific disciplines. In that context, urban simulation models have been coined as essential for the construction of evidence-based and integrated urban sciences. This review and position paper synthesises previous work focused on coupling and integrating urban models on the one hand, and exploring and validating such simulation models on the other hand. These research directions are complementary basis for a research program towards the development of integrated urban theories, with some application perspectives to sustainable territorial planning.

**Keywords** Urban simulation models · Model coupling · Model validation · Sustainable territorial policies

## 1 Introduction

Cities, and more generally urban and territorial systems, are highly complex to understand, manage and plan. They imply imbricated scales, from the intra-urban microscopic scales with individual agents such as household or companies, through the intermediate mesoscopic scale of the urban area, to the macroscopic scale of systems of cities [1]. Many different dimensions and viewpoints can be considered as an entry into urban issues, and several disciplines relate to emerging urban sciences [2], including urban economics, urban geography, planning and design. Complexity approaches to cities are therefore a relevant interdisciplinary take into urban systems [3].

Furthermore, the question of sustainable cities and territories is crucial in terms of policy application of urban sciences, especially in the current context of global change and pressing need for sustainable transitions. Cities can be in that context as much an issue than a solution, and models with sufficient endogeneity can help to anticipate their dynamics. The integration of environmental dimensions within simulation models for territorial systems is in that context

---

J. Raimbault  
Center for Advanced Spatial Analysis, University College London  
E-mail: j.raimbault@ucl.ac.uk

an important aspect, but the coupling between dimensions remains generally weak or to a certain level of exogeneity. For example, [4] use an urban growth model to evaluate the local impact of climate change, but does not make associated aspects endogenous, such as energy price or the energy efficiency of the urban structure. Negative externalities such as congestion and pollution, directly linked to emissions, have a feedback for example on the location of activities. Similarly, numerous studies in ecology which establish the impact of anthropic habitat disturbances would particularly benefit from a coupling with urban growth models, for example for a better management of the interface between the city and nature within the new urban regimes that are urban mega-regions [5]. At the macroscopic scale, several couplings between models of systems of cities and ecological models or from environmental science can also be considered. For example issues related to the production, storage and distribution of energy are endogenous to territorial systems, and the dynamics of infrastructures and associated entities can be integrated within models for systems of cities [6].

In that context, we propose a research program rooted into complexity science to foster the construction of bridges and interdisciplinary dialogues in urban science, in some sense the construction of integrated urban theories. The concept of integration can be understood through the complex systems roadmap [7]. It combines horizontal integration (fundamental transversal questions at the intersection of different types of complex systems) with vertical integration (multiple levels coupled within multi-scale models). The integration between knowledge domains in the sense of [8], (theoretical, empirical, modeling, data, methods and tools knowledge domains) is also an aspect of the expected integration, especially through the strong link between models, empirical data and methods, with their exploration and validation.

We indeed directly inherit from the evolutionary theory of cities developed by Denise Pumain [9], in particular regarding the role of simulation models and model validation methods - the OpenMOLE platform and associated methods [10] were mainly developed in this frame. We assume thus that the construction of integrated models can not be achieved independently from their systematic exploration and validation. The project is thus built on three complementary axis: (i) the coupling of heterogeneous urban models to integrate dimensions; (ii) the coupling of models at different scales for the vertical integration; and (iii) the development of new spatial simulation model validation methods, simultaneously applied to previous models.

We describe each axis in the rest of this paper, mostly by developing a synthesis of previous research at the basis of this project. We finally discuss how the construction of such integrated models could be applied to the design of sustainable territorial planning policies.

## 2 Horizontal integration: coupling urban models and dimensions

An horizontal integration between complementary dimensions of urban systems can be achieved through the coupling of different urban models, taking into account different dimensions. The example of urban dynamics and environmental issues developed above can be investigated regarding several issues related to climate change, such as flooding [11] or heat waves [12]. The integration of economy and geography is also a question that remains to be mostly explored [13]. More generally, the Sustainable Development Goals are declined into 17 goals and 169 targets which must be tackled in an integrative way [14].

Some previous work, building on the evolutionary theory of cities and at the inception of this project, focuses on the co-evolution of transportation networks and territories. It illustrates how such model coupling can be achieved. [15] couples a reaction-diffusion urban morphogenesis model with a multi-model of transportation network growth to yield a co-evolution model at the mesoscopic scale. At the scale of the system of cities, [16] integrates an abstract urban network evolution model into an urban dynamics model for the population of cities. These models effectively achieve a strong coupling, as they capture circular causality between the transportation network and cities [17]. A refinement of the network growth heuristic for the macro model, described by [18], introduces an intermediate scale of geographical description, and is a first step towards multi-scale models.

Current work recently presented as [19] and based on the methodology of [20] focuses on coupling models to build open transport models from the bottom-up using open source components: the Matsim transport modeling framework [21] is for example integrated with the Quant spatial interaction model [22] and a population microsimulation model [23]. The implementation of model coupling using the OpenMOLE workflow system [24] illustrates the joint development and exploration of models. Expected policy results of this work integrate an additional dimension, through the implementation of density indicators in public transport which can be used as a proxy for potential contamination in the epidemiological context of COVID-19.

Model coupling between disciplines is made simpler when a reflexive positioning is available, for example using scientometrics and literature mapping techniques. Therefore, [25] provides a framework to jointly explore interdisciplinary citation and semantic networks, while [26] develop open tools to explore scientific corpuses. Literature mapping and systematic reviews can also be used to identify and compare existing models with great detail, as for the case of land-use transport interactions: [27] proposes a map of the interactions between disciplines involved in such modeling (from geography to urban economics, planning and physics) while [28] proceeds to a meta-analysis of model characteristics based on their scientific context. Such efforts can also be a basis towards more advanced model benchmarking experiments, as [29] in the case of several urban morphogenesis models in terms of produced urban morphologies; these benchmark being in turn a step towards model integration or multi-modeling approaches.

### 3 Vertical integration: constructing multi-scale models

The construction of multi-scale models is in itself a crucial aspect towards integrated models and theories. Following [30], systems of cities have reached multiple levels of articulation and interdependencies. This implies that their management and planning must necessarily be multi-scalar in order to take into account geographical particularities, while still ensuring a global consistency which is a condition for limited inequalities between territories.

Moreover, considerable methodological work is required to elaborate coupling methods between scales, as for example the hybrid modeling coupling agent-based models with differential equations for an epidemiological model [31]. This allows determining the relevance of levels to be included for tackling a particular problem and avoid so-called ontological dead-ends (i.e. include appropriate levels of representation) [32]. Such methodological investigation are also necessary to understand the nature of retroactions between scales to be included, and when these are necessary or not. A crucial aspect mostly neglected in the literature is to effectively achieve a strong coupling between scales, in the sense of including both upward and downward feedbacks.

Recent work paved the way towards such multi-scale strongly coupled models. [33] couples the urban dynamics model of [34] at the scale of the system of cities with the urban morphogenesis model of [35] at the scale of the urban area. Downward feedback is captured through policy parameters, as local development decisions generally react to the global integration of a given city, while upward feedback is taken into account by combining positive and negative externalities within the urban area to update its global performance and interaction parameters with other cities.

To understand the interplay between urban form at the microscopic scale, transportation network development and developer agents decisions at the mesoscopic scale, [36] proposes a stylised agent-based model achieving a strong coupling between the microscopic and mesoscopic scale.

These efforts remain at the stage of stylised and rather simple model, and the construction of data-driven and validated multi-scale models remains to be explored. Coupling between scales is also a way to couple between different urban dimensions, and both integration are not necessarily independent.

### 4 Model exploration and validation

Working to integrate models and theories necessarily implies a better understanding of the modeling process itself, but also of stylised dynamics produced by simulation models. In the case of geographical models, such a knowledge has for example been developed within the *Geodiversity* European Research Council project lead by Denise Pumain [9], which included to the conception of new model validation methods. These methods were elaborated specifically to tackle thematic geographical questions, but were applied to many contexts thereafter, witnessing a beneficial relationship both from the geography and

computer science viewpoints [37]. More generally in social sciences, modeling and simulation driven by new practices including model coupling, the use of high-performance computing for model exploration, and open science practices, are tightly linked to the production of a new type of integrated knowledge [38]. This is in some sense an aspect of the computational shift in contemporary science coined by [39].

Such model validation methods can be applied for example to assess the necessity and sufficiency of processes in a multi-modeling context, in the case of the Calibration Profile algorithm [40]. Genetic algorithms distributed on a computation grid using OpenMOLE are a highly efficient tool for model calibration [41]. The search for diversity in model outputs, obtained with the Pattern Space Exploration algorithm, can be used to explore the space of feasible configurations a model can produce, and possibly highlight unexpected behavior [42].

Therefore, the development of specific methods and tools to improve the extraction of knowledge from simulation models, and an epistemological investigation on modeling practices, are crucial within this project. Methods for the exploration, sensitivity analysis, and validation, are essential for robust application of models, but also yield a better complementarity with other types of approaches since they can establish when modeling is not relevant anymore.

Recent work has focused on the development of validation methods in the specific case of spatial simulation models. More particularly, a methodology coined as *Spatial Sensitivity Analysis* has been introduced by [43] in order to understand the effect of spatial initial conditions on model outcomes. This provides a generic way to disentangle effects which are intrinsic to model dynamics from contingent effects due to the geography. The generation of synthetic spatial configuration for territorial systems is required, and [44] has investigated the generation of such data while controlling correlation patterns. [45] introduce and compare multiple generators for building configurations at the district scale. These methods are implemented into a single scala library, allowing an easier integration into the OpenMOLE software [46].

## 5 Discussion: towards evidence-based multi-scalar sustainable territorial planning

The strong complementarity of the three axis of the research program, elaborated on previous and current work described above, stems naturally from the unavoidable link between vertical and horizontal integrations, and from the integration of knowledge domains as model validation methods are elaborated jointly as models are constructed and explored. A fully open issue is the transfer of integrated models towards policy applications.

A first research direction lies in the modeling of policy and governance itself. The management of sustainability implies according to [47] new governance structures. Their modeling is still not well integrated within spatially explicit models. [48] has proposed to integrate transportation network gover-

nance into a land-use transport model to yield a co-evolution model. [49] uses game-theory to simulate transportation network investments at the scale of the system of cities.

One other crucial research axis towards the application of integrated models to policies is the construction of harmonised multi-dimensional databases. Such databases must (i) consider consistent geographical entities in time, in the sense of the dynamical ontology proposed by [50]; (ii) integrate multiple dimensions to allow coupling urban dynamics with socio-economic, environmental, sustainability and global change issues; (iii) be open, accessible, documented and reproducible.

Finally, models must be constructed with their application context to ensure their potential applicability. Many different paths can be taken for such a co-construction, such as companion modeling [51] in which local stakeholders participate to the construction and exploration of the model. Issues related to real-time model visualisation are also an important problem to take into account for model applications [52]. Scientific mediation initiatives are an other way to diffuse the results of modeling experiments into policy applications.

## 6 Conclusion

The diversity and complexity of urban systems requires a plurality of viewpoints [53], which call for integration between dimensions and scales. We have synthesised in this paper a current stream of research focusing around three axis, namely (i) horizontal integration through model coupling; (ii) vertical integration through the construction of multi-scale urban models; and (iii) development of model validation and exploration methods. These strongly complementary axis form the basis of a long term research program, with a goal of application to sustainable territorial policies.

## References

1. Denise Pumain. The socio-spatial dynamics of systems of cities and innovation processes: a multi-level model. In *The Dynamics of Complex Urban Systems*, pages 373–389. Springer, 2008.
2. Michael Batty. *The new science of cities*. MIT press, 2013.
3. Michael Batty and Stephen Marshall. The origins of complexity theory in cities and planning. In *Complexity theories of cities have come of age*, pages 21–45. Springer, 2012.
4. Vincent Vigi  , St  phane Hallegatte, and Julie Rozenberg. Downscaling long term socio-economic scenarios at city scale: a case study on paris. *Technological forecasting and social change*, 87:305–324, 2014.
5. Peter Geoffrey Hall and Kathy Pain. *The polycentric metropolis: learning from megacity regions in Europe*. Routledge, 2006.
6. Denise Pumain. An evolutionary theory of urban systems. In *International and transnational perspectives on urban systems*, pages 3–18. Springer, 2018.
7. Paul Bourgu  ne, David Chavalarias, Edith Perrier, Frederic Amblard, Francois Arlabosse, Pierre Auger, Jean-Bernard Baillon, Olivier Barreteau, Pierre Baudot, Elisabeth Bouchaud, et al. French roadmap for complex systems 2008-2009. *arXiv preprint arXiv:0907.2221*, 2009.
8. Juste Raimbault. An applied knowledge framework to study complex systems. In *Complex Systems Design & Management*, pages 31–45, 2017.

9. Denise Pumain and Romain Reuillon. *Urban dynamics and simulation models*. Springer, 2017.
10. Romain Reuillon, Mathieu Leclaire, and Sebastien Rey-Coyrehourcq. Openmole, a workflow engine specifically tailored for the distributed exploration of simulation models. *Future Generation Computer Systems*, 29(8):1981–1990, 2013.
11. Alistair Ford, Stuart Barr, Richard Dawson, James Virgo, Michael Batty, and Jim Hall. A multi-scale urban integrated assessment framework for climate change studies: A flooding application. *Computers, Environment and Urban Systems*, 75:229–243, 2019.
12. Aude Lemonsu, Vincent Viguie, M Daniel, and V Masson. Vulnerability to heat waves: Impact of urban expansion scenarios on urban heat island and heat stress in paris (france). *Urban Climate*, 14:586–605, 2015.
13. Caterina Marchionni. Geographical economics versus economic geography: towards a clarification of the dispute. *Environment and Planning A*, 36(10):1737–1753, 2004.
14. Mark Stafford-Smith, David Griggs, Owen Gaffney, Farooq Ullah, Belinda Reyers, Norichika Kanie, Bjorn Stigson, Paul Shrivastava, Melissa Leach, and Deborah OConnell. Integration: the key to implementing the sustainable development goals. *Sustainability science*, 12(6):911–919, 2017.
15. Juste Raimbault. An urban morphogenesis model capturing interactions between networks and territories. In *The mathematics of urban morphology*, pages 383–409. Springer, 2019.
16. Juste Raimbault. Modeling the co-evolution of cities and networks. In *Handbook of Cities and Networks*, in press. E. Elgar.
17. Juste Raimbault. Unveiling co-evolutionary patterns in systems of cities: a systematic exploration of the simpopnet model. In *Theories and Models of Urbanization*, pages 261–278. Springer, 2020.
18. Juste Raimbault. Hierarchy and co-evolution processes in urban systems. *arXiv preprint arXiv:2001.11989*, 2020.
19. Juste Raimbault and Michael Batty. Estimating public transport congestion in uk urban areas with open transport models. *29th Annual GIS Research UK Conference (GISRUK), Cardiff, Wales, UK (Online), 14-16 April 2021*, Apr 2021.
20. J. Raimbault and M. Batty. Building and validating modular urban transportation models using scientific workflow systems. In *Applied Urban Modeling Global Workshop 2021*. 2021.
21. Andreas Horni, Kai Nagel, and Kay W Axhausen. *The multi-agent transport simulation MATSim*. Ubiquity Press, 2016.
22. Michael Batty and Richard Milton. A new framework for very large-scale urban modelling. *Urban Studies*, page 0042098020982252, 2021.
23. NM Lomax and Andrew P Smith. Microsimulation for demography. *Australian Population Studies*, 1(1):73–85, 2017.
24. Jonathan Passerat-Palmbach, Romain Reuillon, Mathieu Leclaire, Antonios Makropoulos, Emma C Robinson, Sarah Parisot, and Daniel Rueckert. Reproducible large-scale neuroimaging studies with the openmole workflow management system. *Frontiers in neuroinformatics*, 11:21, 2017.
25. Juste Raimbault. Exploration of an interdisciplinary scientific landscape. *Scientometrics*, 119(2):617–641, 2019.
26. Juste Raimbault, Pierre-Olivier Chasset, Clémentine Cottineau, Hadrien Commenges, Denise Pumain, Christine Kosmopoulos, and Arnaud Banos. Empowering open science with reflexive and spatialised indicators. *Environment and Planning B: Urban Analytics and City Science*, 48(2):298–313, 2021.
27. Juste Raimbault. An interdisciplinary bibliometric analysis of models for land-use and transport interactions. *arXiv preprint arXiv:2102.13501*, 2021.
28. Juste Raimbault. A meta-analysis of models for interactions between transportation networks and territories. In *European Colloquium on Theoretical and Quantitative Geography*, 2019.
29. Juste Raimbault. A comparison of simple models for urban morphogenesis. *arXiv preprint arXiv:2008.13277*, 2020.
30. Celine Rozenblat and Denise Pumain. Conclusion: Toward a methodology for multi-scalar urban system policies. *International and Transnational Perspectives on Urban Systems*, page 385, 2018.

31. Arnaud Banos, Nathalie Corson, Benoit Gaudou, Vincent Laperrière, and Sébastien Rey Coyrehourcq. Coupling micro and macro dynamics models on networks: Application to disease spread. In *International Workshop on Multi-Agent Systems and Agent-Based Simulation*, pages 19–33. Springer, 2015.
32. Camille Roth. Reconstruction failures: Questioning level design. In *International Workshop on Epistemological Aspects of Computer Simulation in the Social Sciences*, pages 89–98. Springer, 2006.
33. Juste Raimbault. Strong coupling between scales in a multi-scalar model of urban dynamics. *arXiv preprint arXiv:2101.12725*, 2021.
34. Juste Raimbault. Indirect evidence of network effects in a system of cities. *Environment and Planning B: Urban Analytics and City Science*, 47(1):138–155, 2020.
35. Juste Raimbault. Calibration of a density-based model of urban morphogenesis. *PloS one*, 13(9):e0203516, 2018.
36. Juste Raimbault. A multiscale model of urban morphogenesis. *arXiv preprint arXiv:2103.17241*, 2021.
37. Juste Raimbault and Denise Pumain. Methods for exploring simulation models. *Geographical Modeling: Cities and Territories*, 2:125–150, 2019.
38. Arnaud Banos. *Pour des pratiques de modélisation et de simulation libérées en géographie et SHS*. PhD thesis, Université Paris 1 Panthéon Sorbonne, 2013.
39. W Brian Arthur. *Complexity and the Economy*. Oxford University Press, 2014.
40. Romain Reuillon, Clara Schmitt, Ricardo De Aldama, and Jean-Baptiste Mouret. A new method to evaluate simulation models: the calibration profile (cp) algorithm. *Journal of Artificial Societies and Social Simulation*, 18(1):12, 2015.
41. Clara Schmitt, Sébastien Rey-Coyrehourcq, Romain Reuillon, and Denise Pumain. Half a billion simulations: Evolutionary algorithms and distributed computing for calibrating the simpoplocal geographical model. *Environment and Planning B: Planning and Design*, 42(2):300–315, 2015.
42. Guillaume Chérel, Clémentine Cottineau, and Romain Reuillon. Beyond corroboration: Strengthening model validation by looking for unexpected patterns. *PloS one*, 10(9):e0138212, 2015.
43. Juste Raimbault, Clémentine Cottineau, Marion Le Texier, Florent Le Nechet, and Romain Reuillon. Space matters: Extending sensitivity analysis to initial spatial conditions in geosimulation models. *Journal of Artificial Societies and Social Simulation*, 22(4), 2019.
44. Juste Raimbault. Second-order control of complex systems with correlated synthetic data. *Complex Adaptive Systems Modeling*, 7(1):1–19, 2019.
45. Juste Raimbault and Julien Perret. Generating urban morphologies at large scales. In *Artificial Life Conference Proceedings*, pages 179–186. MIT Press, 2019.
46. J Raimbault, J Perret, and R Reuillon. A scala library for spatial sensitivity analysis. GISRUK, 2020.
47. Dror Etzion. Management for sustainability. *Nature Sustainability*, 1(12):744–749, 2018.
48. Florent Le Néchet and Juste Raimbault. Modeling the emergence of metropolitan transport authority in a polycentric urban region. In *European Colloquium on Theoretical and Quantitative Geography*, 2015.
49. Juste Raimbault. A co-evolution agent-based model for systems of cities and transportation networks integrating top-down governance through game theory. In *Conference on Complex Systems 2020*, 2020.
50. Anne Bretagnolle. *Villes et réseaux de transport: des interactions dans la longue durée (France, Europe, Etats-Unis)*. PhD thesis, 2009.
51. Alexis Drogoul. Agent-based modeling for multidisciplinary and participatory approaches to climate change adaptation planning. In *Proceedings of RFCC-2015 Workshop, AIT*, 2015.
52. Richard Milton and Flora Roumpani. Accelerating urban modelling algorithms with artificial intelligence. In *Proceedings of the 5th International Conference on Geographical Information Systems Theory, Applications and Management*, volume 1, pages 105–116. INSTICC, 2019.
53. Denise Pumain and Juste Raimbault. Conclusion: Perspectives on urban theories. In *Theories and Models of Urbanization*, pages 303–330. Springer, 2020.