
answers: How a prompt becomes an answer


A caller supplies validated chat messages; the answer provider forwards one non-streaming request to the model service, re-checks the reply, and returns answer text with finish reason and usage.



Read from top to bottom. Arrows show the direction of the interaction.

evaluation: How a dataset becomes a scored report


A verified dataset bundle is prepared into its own search index, every test question is searched in four ways, results are scored against human relevance labels, and a repeatable report is written.



Read from top to bottom. Arrows show the direction of the interaction.

foundation: How an uploaded file becomes a stored document


A caller supplies an authorized tenant and collection scope with file bytes. The service fingerprint-checks for duplicates, saves the file, and records its status.



Read from top to bottom. Arrows show the direction of the interaction.

frontend: How a visitor gets the landing page


A visitor opens the site, the page shell supplies styling and page title, and the static landing content appears. Nothing is looked up or saved, and no search runs.



Read from top to bottom. Arrows show the direction of the interaction.

ingestion: How a parsed document becomes searchable pieces


A parsed document is split by heading section, packed into token-budgeted pieces with overlap, enriched with reconstructed headings, and given stable identifiers.



Read from top to bottom. Arrows show the direction of the interaction.

retrieval: How a search becomes matching passages

A search phrase is cleaned, sent out to be turned into numbers, used to find the closest stored passages in the search index, and returned as passages with optional diagnostic detail.



Read from top to bottom. Arrows show the direction of the interaction.