ERROR 404 // PATH_RESOLUTION_FAILED

LOST IN *the void.*

The coordinates you've requested do not exist within this namespace. The system has reached a terminal boundary.

0xCEFA

STEP BACK

JUSTINCLARKE@PORTFOLIO: ~/CONNECT

email linkedin github | Royel Otis - Linger - SiriusXM Session | shipping

~$ connect

justin *clarke.*

data & analytics developer.

└ stack: python sql dbt power-bi

↳ Data to decisions and decisions into products

AVAILABLE | VISA · SPONSORED

SAVE CONTACT | BOOK CALL | QR CODE

⏎ or press C to copy email

// CHANNELS · 05 sorted by: response_time ↓

[01] EMAIL — justinsavioclarke@outlook.com — REPLIES < 24H

[02] LINKEDIN — /in/justinsavioclarke — PROFESSIONAL NETWORK

[03] GITHUB — /justinclarke — 38 PUBLIC REPOS

[04] BOOK — cal.com/justinclarke — THIS WEEK: OPEN

[05] INQUIRIES — let's work together — SECURE FORM

OFF THE *pace.*

Seven bosses. One enforced invariant. Reproducible as a ledger.

PACIFIC · 2021 – 2024 · 7 SEASONS

168 RACES	7 SEASONS	7 BOSSES	4 DATASETS	1 ENFORCED INVARIANT	1 SUMMARY MODELS · 37 TESTS

[REPOSITORY] [DECOMPOSITION] [ANOMALIES]

SYS: PYHOLOM ONLINE
RACES: 168 RACES · 7 SEASONS
INVARIANT: 58 MODELS · 1 ENF TESTS
DATASETS: 4 DATASETS · 37 TESTS
COVERAGE: 10 HZ · 90M+ ROWS/SEASON

WHAT THIS SYSTEM DOES. WHAT IT HARD.

4 headless pipeline primitives producing **0** crypto feature sets free rap libs F1 telemetry. Three causal identification problems each with an analytical engineering solution baked into the codebase.

▲ ENTITY IDENTIFICATION PROBLEM

01 · 2 SEASONS

SIMULTANEOUS CONFOUNDERS

Two cars, one team, one machine. If driver_a_mean_lap_time_s and constructor_mean_lap_time_s both predict finishing position, which one actually matters? Both? Neither? The answer changes everything.

✦ Abstraction

Multicollinearity makes coefficients look wrong even when the model is right. Change one confounder, the other one moves.

02 · 2 SEASONS

DIRTY AIR ENDOGENEITY

Cars behind lose downforce. Their pace degrades. Their lap times get worse. So overtaking looks like it's hurting the overtaker. It's not.

✦ Abstraction

Longer stints → more dirty air → slower laps → more stints. Classic feedback system. Naive regression is backwards.

03 · 2 SEASONS

ADDITIVE INVARIANCE

Two models, identical R², disagreement 3%. Which one is right? Only one of them actually preserves the invariant.

✦ Abstraction

If constructor_mean_lap_time_s + driver_mean_lap_time_s + gap_to_car_ahead_s + dirty_air_flag_s + driver_ewm3_residual_s ≠ lap_time_s, one of them is wrong. Find it.

▲ PATTERN CONSTRUCTION

SHAPEFILE
Track geometry, corner apex, turn order, lap shape.

TELEMETRY
Speed, throttle, brake, gear, lap_time_s.

WEATHER
Track temperature, rainfall, wind_speed_kmh.

RACE CONTROL
Safety car periods, red flags, VSC.

PIT STRATEGY
Stint lengths, tyre_life_laps, and pit_stop_duration_s.

RACE RESULTS
Finishing positions, grid_position, points, status.

DRIVER STANDINGS
Championship points, wins, podiums.

CONSTRUCTOR STANDINGS
Team championship points, wins, podiums.

SEASON CALENDAR
Round number, race_name, circuit_name, date.

DRIVER ROSTER
Driver_id, constructor_id, driver_name, nationality.

CIRCUIT METADATA
Circuit_id, circuit_name, country, location.

QUALIFYING
Grid_position, q1_time_s, q2_time_s, q3_time_s.

LAP TIMES
lap_number, lap_time_s, position.

PIT STOPS
pit_stop_duration_s, pit_lane_time_s.

WEATHER
air_temp_c, track_temp_c, humidity_pct, rainfall.

RACE CONTROL
flag_type, message, lap_number.

DRIVER STANDINGS
points, position, wins.

CONSTRUCTOR STANDINGS
points, position, wins.

SEASON CALENDAR
round, race_name, circuit_name, date.

DRIVER ROSTER
driver_id, constructor_id, driver_name, nationality.

CIRCUIT METADATA
circuit_id, circuit_name, country, location.

QUALIFYING
grid_position, q1_time_s, q2_time_s, q3_time_s.

LAP TIMES
lap_number, lap_time_s, position.

PIT STOPS
pit_stop_duration_s, pit_lane_time_s.

WEATHER
air_temp_c, track_temp_c, humidity_pct, rainfall.

RACE CONTROL
flag_type, message, lap_number.

168 RACES INGESTED. 4 DATASETS PER RACE.

FastF1 + OpenF1 + Nice-partitioned Parquet, organized by season/race_id/dataset. 250k-500ms contracts validated at import. data_quality.py gates reject under-lap counts are telemetry gaps before any transform runs.

168
RACES INGESTED
7 seasons · 2021–2024

147
RACES PROCESSED
87.5% ingestion rate

90M+
TELEMETRY ROWS
10 Hz · 4 channels

10Hz
TELEMETRY RATE
Resampled from 3.7 Hz

58 DBT MODELS. ONE ENFORCED INVARIANT.

Every model, every grain, every window. Every view has a test. The 7-term identity — components sum to within ±0.001s of the actual lap time — is 1 of 37 explicit tests that run in the dataset. If it breaks, the build breaks.

LAYER 1 · 1 MODEL
INGESTION
Reads FastF1 + OpenF1 parquet/duckdb files, applies type casts, deduplicates, and writes a clean, typed, partitioned staging table.

LAYER 2 · 17 MODELS
STAGING + PHYSICS
Lap_number, driver_id, team_id, season, round_number, race_id, circuit_id, driver_abbreviation, driver_full_name, team_name, lap_time_s, sector_1_time_s, sector_2_time_s, sector_3_time_s, is_personal_best, compound, tyre_life_laps, fresh_tyre, stint_number, pit_in_time_s, pit_out_time_s, track_status, is_accurate, air_temp_c, track_temp_c, humidity_pct, rainfall, wind_speed_kmh, wind_direction_deg, pressure_hpa, session_time_s, driver_ahead, gap_to_ahead_s, driver_behind, gap_to_behind_s, position, grid_position, points, status, driver_standings_position_after, constructor_standings_position_after, circuit_name, country, location, circuit_length_km, corner_count, drs_zone_count, race_name, date, total_laps, q1_time_s, q2_time_s, q3_time_s, qualifying_position, driver_mean_lap_time_s, fuel_adjusted_lap_time_s, constructor_mean_lap_time_s, dirty_air_flag_s, gap_to_car_ahead_s, driver_ewm3_residual_s, constructor_ewm3_residual_s, gap_to_leader_s, lap_time_delta_s, is_fastest_lap, is_pit_lap, is_outlier, is_clean_air, is_dirty_air, is_traffic, is_overtaking_lap, is_overtaken_lap, is_position_change, is_net_gain, is_net_loss, is_defending, is_attacking, is_pit_lap_for_driver, is_pit_lap_for_team, is_undercut_candidate, is_overcut_candidate, is_safety_car_lap, is_vsc_lap, is_red_flag_lap, is_wet_lap, is_dry_lap, is_mixed_conditions, is_first_lap, is_last_lap, is_top_10, is_points_finish, is_podium, is_win, is_dnf, is_dns, is_dsq, is_finished, is_classified, is_retired, is_lapped, is_unlapped, is_valid_lap, is_valid_sector_1, is_valid_sector_2, is_valid_sector_3, is_valid_pit_lap, is_valid_pit_in_lap, is_valid_pit_out_lap, is_valid_pit_stop, is_valid_pit_stop_duration, is_valid_pit_lane_time, is_valid_pit_lane_time_s, is_valid_pit_lane_time_s_2, is_valid_pit_lane_time_s_3, is_valid_pit_lane_time_s_4, is_valid_pit_lane_time_s_5, is_valid_pit_lane_time_s_6, is_valid_pit_lane_time_s_7, is_valid_pit_lane_time_s_8, is_valid_pit_lane_time_s_9, is_valid_pit_lane_time_s_10, is_valid_pit_lane_time_s_11, is_valid_pit_lane_time_s_12, is_valid_pit_lane_time_s_13, is_valid_pit_lane_time_s_14, is_valid_pit_lane_time_s_15, is_valid_pit_lane_time_s_16, is_valid_pit_lane_time_s_17, is_valid_pit_lane_time_s_18, is_valid_pit_lane_time_s_19, is_valid_pit_lane_time_s_20, is_valid_pit_lane_time_s_21, is_valid_pit_lane_time_s_22, is_valid_pit_lane_time_s_23, is_valid_pit_lane_time_s_24, is_valid_pit_lane_time_s_25, is_valid_pit_lane_time_s_26, is_valid_pit_lane_time_s_27, is_valid_pit_lane_time_s_28, is_valid_pit_lane_time_s_29, is_valid_pit_lane_time_s_30, is_valid_pit_lane_time_s_31, is_valid_pit_lane_time_s_32, is_valid_pit_lane_time_s_33, is_valid_pit_lane_time_s_34, is_valid_pit_lane_time_s_35, is_valid_pit_lane_time_s_36, is_valid_pit_lane_time_s_37, is_valid_pit_lane_time_s_38, is_valid_pit_lane_time_s_39, is_valid_pit_lane_time_s_40, is_valid_pit_lane_time_s_41,

F1 TELEMETRY // CANVAS: RECONSTRUCTED

OFF THE *pace.*

Lap times lie.

EVERY MILLISECOND CAUSED EXPLAINED. EVERY LAP. EVERY DRIVER. EVERY TYRE.

READ THE BREAKDOWN ↓

ARCHITECTURE ↗

CANVAS RECONSTRUCTED — ABU DHABI · LAP 34 · HAM

RAW TIME	1:31.408
− TYRE DEG	−0.612s
− DIRTY AIR	−0.318s
TOTAL EXPLAINED	−0.930s
PURE PACE	1:29.035

LAP PACE // 7 SECONDS

IN F1, THE STOPWATCH IS THE WORST LIAR IN THE PADDOCK.

Every lap time hides seven physically-grounded causes. This engine separates them causally, additively, and to the millisecond to isolate true performance.

`CAR HANDLING` `FUEL MASS` `TYRE COMPOUND` `RUBBER EVOLUTION` `AIR DENSITY` `DIRTY AIR WAKE` `DRIVER SKILL`

0 RACES ANALYSED

0M+ TELEMETRY ROWS

0 DATA MODELS

0 PASSING TESTS

7 seasons · 24hz telemetry · modular tooltip · zero cloud spend

TECHNOLOGY STACK

Python	ENGINE	FastF1	TELEMETRY	dbt	TRANSFORM
SQL	QUERY	DuckDB	EMBEDDED	XGBoost	ML
DAGS	ORCHESTRATE	React	APP	GitHub Actions	CI

THE DECONSTRUCTION

SAME LAP. SEVEN CAUSES.

2021 Abu Dhabi Grand Prix · Lap 34 · `fct_lap_residuals`

HAM — 88.291s · driver_skill: −0.198s

CAR	FUEL	DIRTY AIR	SKILL

VER — 88.641s · driver_skill: +0.151s

CAR	FUEL	DIRTY AIR	SKILL

The red delta segment is the only part the driver controls. Everything else is physics — and how it's measured. Verstappen's dirty-air tax (**+0.31s** in free-air equivalent pace on this lap. The stopwatch lumped it into his skill.

Car baseline · Fuel weight · Tyre compound · Track evolution · Rubber · Dirty air · Driver residual

PIPELINE_ENGINE

The pipeline compiles into **`fct_lap_residuals`** — a 1-lap-grain partition matrix where each of the 8 additive telemetry residuals is independently verified and CI-guarded.

Experience Consistency · XGBoost Regression, Survival Modelling, Monte Carlo Race Simulator

SCHEMA // MART/FCT_LAP_RESIDUALS.SQL

COLUMN	TYPE
lap_id	VARCHAR (PK)
residual_skill	FLOAT64
residual_dirty_air	FLOAT64
residual_tyre_deg	FLOAT64

PIPELINE

THE DATA PIPELINE.

A modular physics engine transforming raw telemetry into clean, causal features.

FastF1 Telemetry

247 races × 4 datasets — laps, weather, race control, and 24hz car telemetry — extracted locally into Hive-partitioned Parquet.

dbt DAG

50 models in DuckDB applying physics constants to isolate car performance from tyre degradation, traffic, and fuel load.

Causal Predictors

Clean, counterfactual pace metrics ready for XGBoost models and simulation engines.

CONFLICTS

THREE ENGINEERING PROBLEMS

Known failure modes in sports analytics, each with an explicit solution in this codebase.

THE CONFOUNDER ▸ DIRTY_AIR

SIMULTANEOUS CONFOUNDERS

Tyre age, fuel load, and traffic all affect lap time, making simple regression models misleading.

▸ SYSTEM RESOLUTION

Calculated residuals model controls that isolate tyre wear from weight change.

THE CIRCULAR DEPENDENCY ▸ DIRTY_AIR

DIRTY-AIR ENDOGENEITY

Relative pace determines track position, creating circular causality with trailing cars.

▸ SYSTEM RESOLUTION

Lagged instruments isolating wake loss via the Frisch-Waugh-Lovell theorem.

THE FIXED-EFFECT TRAP ▸ DRIVER_SKILL

ADDITIVE INVARIANCE

Model components must sum exactly to the observed lap time without drift.

▸ SYSTEM RESOLUTION

Alchemical Z-Score normalization validating zero-drift constraints per lap cut.

BUSINESS VALUE

WHY IT MATTERS.

Translating raw physics into strategic racing advantage and actionable insights.

Ghost Car : Planned

Calculates lap-time reconciliation micro-sectors from different drivers at identical track conditions — reconciling driver skill residuals with any constructor baseline.

PLANNED · WAIT-IF PACE FALLING FOR ONE CONCLUSIVE WINDOW

Tyre Cliff Prediction

Identifies tyre degradation grip degradation from fuel burn using survival modelling.

PREDICTS CORNERING FAILURE CLIFF BEFORE IT HAPPENS

Pit Strategy Value

Quantifies the exact loss of dirty-air traffic using counterfactual clean-air times.

CALCULATES REPRODUCIBILITY STABILITY IN TRAFFIC

ENGINEERING

RIGOUR BY DESIGN.

The architecture is built around the assumption that someone will try to break it.

Causal identification

Frisch-Waugh-Lovell partialling + lagged instruments for endogenous dirty-air. Each term has a named intervention, not just a statistical fit.

▸ MRC

340 CI invariants

Every model is guarded by a singular SQL assertion. The sensitive-identity test fires if any term drifts by > 0.001s. Build fails before bad data reaches ML.

▸ MRC

Reproducible locally

DuckDB on disk workspace. FastF1 via pip, dbt-core. No cloud account required. The full pipeline runs on a laptop. Zero vendor lock-in.

▸ MRC

Fully documented

Auto-generated reference docs from dbt manifests. Every model, column, and test is described and versioned. Docs can't drift from the code.

READ THE DOCS ↗

▸ MRC

FEATURED ENGINE

THE DATA SPEAKS.

Lap 34, 2021 Abu Dhabi Grand Prix. Hamilton and Verstappen on identical tyres, same fuel load, same weather. The engine disaggregates the 0.255s gap into its causes. Verstappen's raw pace was faster than his lap time showed - the dirty-air tax swallowed **+0.310s** of it.

`lineage_lap34 // season_2021_abudhabi_0`

SOURCE: LINEAGE_LAP34_VIEW

POS	DRIVER	RESID. RESIDUAL	RELATIVE PERFORMANCE	DRIVING MODE
1	HAM	−0.198s		clean air, Mercedes
2	LEC	+0.521s		clean air, Ferrari
3	BOT	+0.189s		clean air, Mercedes
4	PER	+0.075s		in dirty-air penalty
5	VER	+0.041s		−0.310s dirty-air tax

Hamilton's advantage was real. Verstappen's dirty-air disadvantage was real. Without the decomposition, neither is visible in the lineup chart.

SEE FCT_LAP_RESIDUALS →

ENGINEERING BUILD STATUS

This project is built 'layer-by-layer'. Planned items are designed and spaced, not yet stamped.

Ingestion (Bronze)	✓ BUILT	Treasure (50 models, 340 tests)	✓ BUILT
Conftiments - all 6 components fitted	✓ TESTED	ML (5 XGBoost models, 27 tests)	✓ BUILT
Docs & Governance (Documentarm + I CI)	BUILT	First Attributed Finishing	⟳ IN PROGRESS
Frontend (React + DuckDB-Wasm)	○ PLANNED	Streaming	○ PLANNED

NEXT STEPS

SEEN THE PITCH. NOW SEE THE PROOF.

The Architecture view walks through the engineering - the DAG architecture, the CI gates, the science behind the seven-term identity, and the full validation ledger.

REPO · DOCS · VIEW THE ARCHITECTURE

CONTACT

● LIVE

If your data isn't driving decisions, it's just *noise.*

GET IN TOUCH ↗

justinaroclarke@outlook.com

by Justin Clarke

the long version.

What's left when the work is done. A short paper on noticing things, building when bored, and why one obsession leads to another.

§ I — *Origin* — how a playlist became a job title — p. 02

§ II — *Threads* — one thing leads to another — p. 07

§ III — *The Pattern* — ten ways of noticing, written from a café — p. 09

§ IV — *Off the Clock* — what I do the rest of the day — p. 17

§ V — *A Few Things I Had to Learn* — things I picked up slowly, usually the hard way — p. 20

§ VI — *Working Together* — if any of this sounds like a fit, drop me a line — p. 23

§ I

Origin.

how a playlist became a job title

Before I ever touched a dataset, my brother JAVIER and I took apart a song. *The Sound of Silence*, the Central Park recording. Wild listen and strip it down by ear, one layer at a time. First the crowd goes. Then the bass. Then the acoustic guitar, then the harmony, until you're left with a single voice holding the whole structure up on its own. Once you hear music that way, you can't stop. Every song becomes a system of interlocking parts, and you start asking what each one is actually doing there.

That instinct never left. It only changed mediums. It turned a million Spotify playlists into a recommendation engine. It turned a Formula 1 race into a causal model that pulls a single lap apart to ask how much was the driver and how much was the car. It's the same move every time: take the thing apart, work out what each piece contributes, then rebuild the whole picture so someone else can see it too.

So no, I didn't start in data. I started in curiosity, and data is just where it eventually found a job. The degree was Computer Science. The MSc was a Distinction. The MBA is ongoing: weekends and evenings, between projects, between rooms. None of that is why I ended up here. I ended up here because I kept asking why the numbers weren't being used, and what I would take to actually use them. Nobody had a good answer. So I started building one.

I'm based in Dubai now. I build analytics systems on Microsoft Fabric, ship full-stack products, design interfaces, take photographs, and draw things by hand. Those look like separate hobbies. They aren't. They're the same instinct rearranged for different rooms: *find the signal, make it legible, make it feel like it deserves to be seen.*

The London years were where the breadth turned into a habit. Three of them. One at Queen Mary, two more figuring out what to do with what Queen Mary had given me. Somewhere in those three years, work-mode and me-mode stopped being two different people and became one person with two registers. This issue is mostly about the second register, since the first one has its own website.

EDITOR'S NOTE

Justin lives in London and runs Fabric Studio, a small consultancy. He still misses the real Spotify Discover Weekly, the one that actually knew you, and still makes playlists for almost everyone.

§ II

Threads.

one thing leads to another

Most of the work I'm proud of started somewhere else. In a hobby, a question I couldn't drop, a song I kept replaying past the point of reason. The journey repeats often enough that it's worth naming. Here is what led to what.

John Grisham, junior high ⟶ *reading people.*

I read every courtroom thriller I could get my hands on before I was fourteen. Grisham teaches you something he never meant to: he should not explain the ending usually turns up three chapters before you know it matters. I have been reading rooms that way ever since, watching for the small thing the big thing will eventually depend on.

Automobile engineering ⟶ *Off The Pace.*

Long before the dashboards, I wanted to know what made one car quicker than the next. Is it the driver or the car? Is the oldest argument in motorsport and the most contested. Off The Pace is Fabric pipeline that tries to settle it mathematically, by isolating drift from machine. (Spoiler: it's mostly the car. Usually.)

Handyman techno ⟶ *Systems thinking.*

Mixing 120 bpm patterns in real time turns out to be the same instinct as building a data pipeline. Both are about rhythm, same wiring. Both reward the people who find the structure before they hear it.

Hunting Friends ⟶ *Product design.*

Cooking the food, stirring the drinks, getting the music right. It is the same instinct that builds dashboards people actually open. The only question that matters is whether anyone wants to come back. Care about that and the rest is detail.

An inability to ignore detail ⟶ *this page.*

The layering on a heading, the easing on a transition, the exact gap between two cards. I notice all of it, which is occasionally a gift and frequently a tax. This page is set in two typefaces I argued with myself about for longer than I'll admit. I won't pretend that's healthy. I will say it's why the work tends to look the way it does.

§ III

The Pattern.

ON NOTICING — WRITTEN FROM A CAFÉ IN DUBAI

A few people have asked me how I work. The honest answer is that I notice things. Most of them don't matter. Some of them do. This is a recent one I haven't been able to stop thinking about.

FIELD NOTES

Timings affected by: one espresso, one phone stage (C), two conversations that ended mid-sentence, one server trying to wind me up, and the weather.

I was at the café with JEN. He was talking. I was supposed to be listening. Instead I was watching the two strangers at the table behind him.

Both were facing what looked like completely different conversations. One was tense. One was relaxed. But the rhythm underneath them was identical. One person speaking in long uninterrupted bursts while the other touched their glass with their fingertips. Not sips. Touches. Fingertips to the glass, then back down, every time their partner paused for breath.

By the third repetition I realised both listeners were using the glass as a timing mechanism. A turn-taking signal. A way to regulate interruption anxiety without actually interrupting. Two people, two conversations, two completely different reasons for tension. And the same micro-gesture underneath, doing the same psychological work.

JEN hadn't noticed. Nobody at either table had noticed. The conversations themselves were louder than the pattern underneath them, so the pattern stayed invisible. It always does. That's what makes it interesting. And, to be JEN, that's also what makes it a slightly antisocial trait to bring to coffee.

> *"The pattern is rarely where the noise is. This is how I think about data, too."*

Data work, done well, is mostly this. A dashboard tells you the big number went up. The interesting question is which small person, three weeks earlier, made the big number inevitable. Find the person and you can predict the next big number. Miss it and you'll spend your career reporting on weather you can't forecast.

§ IV

Off the Clock.

what I do the rest of the day

Outside the pipeline. Loosely ordered by how much of the week each one eats.

01 — BAKE
Handgrease, bouncy, hypnotic techno.
Used to play monthly. House parties were weekly during the London years, our place, the one gang, then their friends, then their friends' friends. No ID issue. Don't ask, just hand me the decks. Watch what 120 bpm does to a room of strangers.

02 — KITCHEN
Cooking, baking, hosting.
Most days. Italian primarily, but the kitchen is the kitchen. Anything that needs salt, fat, acid, and patience. The smoothies and the cocktails are why people keep coming back, I don't sell anything. I'd rather feed you.

03 — TOOLS
Push, pull, legs, arms. Four days a week.
I started lifting ten year. It's the only routine that's stuck, which, if you know me and my reactions of enthusiasm, is the strongest possible endorsement. Cycling commute, Thursday long ride, Saturday whatever I feel like doing. Rest days are instead of taking it. Rest is also discipline. The two rest days do as much work as the four lifting days. The body is the platform everything else runs on.

04 — CRAFTS
Crescendo, the magazine.
My amazing mum and Uncle Crescendo together. It took half a year before everything finally came together, the way these things always go. 180 pages. GITAM University's official annual. I designed half of it, art-directed the rest, ran the marketing, designed the logo, designed the music club's logo on the side. Printed in Visakhapatnam. Distributed to thousands. Promotion, then Rhea, in the third year of engineering. I had the time because I'd learned, in my 8th grade and they were still teaching it to me in third year.

05 — ATMOSPHERE
Procedurals about people who notice.
Commercial thinks watching procedurals is a waste of time. I think it's research. We have not resolved this. Houses. Suits. The Lincoln Lawyer. The Mentalist. The shows have one protagonist in common, somebody who sees what everyone else missed and then has to defend the seeing in public. Probably not a coincidence. Probably the reason I built Off The Pace, too.

§ V

A few things I had to learn.

things I picked up slowly, usually the hard way

If you came here to evaluate me and you don't read anything else, read these. They aren't clever and they aren't original. They're just the things I actually had to learn, usually slower than I'd like to admit. Maybe one of them saves you the detour.

WORKFORCE RETENTION INTELLIGENCE

ARCHETYPE *system.*

Transforming workforce sentiment into ***retention decisions***. A 13-axis diagnostic classifying employee risk across 8 behavioural archetypes - so HR leads act before attrition becomes visible.

LAUNCH DASHBOARD | TAKE THE DIAGNOSTIC

SYSTEM_MONITORS_LOGS
RETENTION_WINDOW: 90_DAY_PREDICTION

CRASHSCORE_INDEX 7.2
ATTRITION_RISK 14%
DOMINANT_MOTIVATION Intrinsic

— BEHAVIOURAL SCIENCE —

THE TAXONOMY *OF INTENT.*

A 3-axis behavioural model mapping ***Engagement × Retention Risk × Motivation Driver***. 8 archetypes. Each with a distinct trajectory and intervention playbook.

● STABLE ● AT RISK ● DORMANT ● CRITICAL

01 STABLE
HIGH · SAFE · INTRINSIC
PURPOSEFUL DRIVER
The backbone. High performance, zero flight risk, intrinsically powered.

02 STABLE
HIGH · SAFE · EXTRINSIC
COMPETITIVE ANCHOR
Productive, stable output. Reward-dependent retention.

03 AT RISK
HIGH · RISK · INTRINSIC
FRUSTRATED VISIONARY
High value but grinding against friction. Autonomy mismatch.

04 AT RISK
HIGH · RISK · EXTRINSIC
UNDERVALUED ACHIEVER
Output king with a reward gap. Retention window is closing.

05 DORMANT
LOW · SAFE · INTRINSIC
DORMANT POTENTIAL
Stable but underperforming. Environment or role mismatch.

06 DORMANT
LOW · SAFE · EXTRINSIC
QUIET COASTER
Presenteeism risk. Needs environmental or incentive shift.

07 CRITICAL
LOW · RISK · INTRINSIC
BURNING IDEALIST
Burnout trajectory. Meaning remains but energy is eroded.

08 CRITICAL
LOW · RISK · EXTERNED
EXIT RISK
Priority intervention. Immediate inward or structural fix needed.

— METHODOLOGICAL BASIS —

ENGINE *SCORING.*

CRASHSCORE_INDEX 7.2
Real-time psychological attachment

ATTRITION_RISK 14%
Risk probability within 90 days

MOTIVATION_SCORE Intrinsic
Categorical driver: Meaning vs. Reward

CONFIDENCE_SCORE 88%
Capability vs. goal difficulty

OVERLOAD_INDEX 2.4
Work time / output ratio. Burnout proxy

DOMINANT_VIEW Low
Aggregated from 1247+ data points contributed

STABILITY_INDEX Optimal
Manager-employee trust alignment

BEHAVIOURAL RADAR
PURPOSEFUL DRIVER
90 Days — Window
12.4% — Attrition Risk
94.2% — Accuracy

ARCHETYPE DISTRIBUTION
PURPOSEFUL DRIVER 312
COMPETITIVE ANCHOR 247
FRUSTRATED VISIONARY 189
UNDERVALUED ACHIEVER 156
DORMANT POTENTIAL 203
QUIET COASTER 134
BURNING IDEALIST 72
EXIT RISK 41

— RISK INTELLIGENCE —

THE MATRIX.

Every employee falls into one quadrant of the ***Engagement × Risk*** matrix. The dashboard surfaces the quadrant in real time - with a prescribed intervention for each.

CURRENT AI — LIVE INSIGHT

"The 'Frustrated Visionary' cohort shows a 22% increase in burnout risk correlated with workload telemetry. Recommendation: Deploy autonomy-first intervention before the 90-day window closes."

INTERVENTION LEAD TIME 90 DAYS
WINDOW BEFORE PREDICTED EXIT - RESIDENCE FOR PROACTIVE INTERVENTION

7-panel
onSnapshot
Arrow-Key
CSV + TXT

— ETHICAL DIMENSION —

THE TRUST *DIMENSION.*

Most workforce tools measure performance. **This one measures trust.** The 13th axis captures how employees feel about being monitored - an ethical guardrail that prevents surveillance-driven attrition from compounding the very problem it was meant to solve.

ETHICAL ANALYTICS
Tracking discomfort modelled as a core diagnostic metric to prevent surveillance-driven attrition.

PRESENTATION MODE
Arrow-key navigation + automated AI notes export for executive briefings.

— TECHNICAL STACK —

THE *STACK.*

Flowchart onSnapshot listeners deliver sub-400ms snapshot updates to all 7 dashboard panels simultaneously.

PROJECT NAVIGATION

EXPLORE OTHER *records.*

CONTACT

● LIVE

If your data isn't driving decisions, it's just *noise.*

GET IN TOUCH ↗

justinsavioclarke@outlook.com

JUSTIN CLARKE

justinclarke.github.io

COMPLIANCE_PROTOCOL

01 // PROJECT_CLASSIFICATION
This portfolio is an independent, non-commercial professional creative research project demonstrating advanced data engineering techniques and interactive user interfaces.

02 // TRADEMARKS_&_ASSETS
"Formula 1", "F1", "Hulu", and "Disney+" are trademarks of their respective owners. Brand marks, logo files, and telemetry contexts are utilized strictly under nominative fair use.

F1_FRAMEWORK MARQ_BRAND DISNEY_API

03 // FAIR_USE_REPRESENTATION
These telemetry contexts are utilized for educational data identification and visualization. This portfolio is not affiliated with, endorsed by, or sponsored by any of these entities.

FAIR_USE NON-EXCLUSIVE

LICENSE: VOTING_SPECIFICATIONS

01_ENSURE_COMPLIANCE_AUDIT_01

SOLO ENGINEERING LEAD · LITESTORE.IN

RETAIL AS A SERVICE.

LiteStore is India's Retail-as-a-Service platform. I built litestore.in: **30+ routes**, LiteStore storefronts for **11 brands across 3 malls**, lead pipeline, GA4 telemetry. Shipped **solo at 19**.

VISIT LITESTORE.IN

● BUILD OUTPUT
[POST] axios → sheet.best/api/sheets/31835dc6...

ROUTES	TENANTS	MALLS	LOC
30+	11	3	~2K

ARCHITECTURE

HOW IT'S BUILT.

Pages Router with **getStaticProps** for every route, edge-cacheable, SEO-ready. Multi-tenant brand pages live at **/spaces/<mall>/<brand>**, each pulling per-tenant Tailwind color tokens from a single config. Forms POST via **axios → sheet.best** into the client's own Google Sheet serverless, zero backend, revocable without touching code. GA4 wired directly in **_document.js** with **process.env** config for staging/prod isolation.

NEXT.JS 12 · TAILWIND CSS · MUI · SWIPER · AOS · GA4 · SHEET.BEST · VERCEL · GITHUB ACTIONS

FORM PIPELINE

NEXT.JS FORM (client-side) → AXIOS POST (sheet.best API) → GOOGLE SHEETS (client's own data)

DESIGN SYSTEM

PER-TENANT TOKENS.

One **tailwind.config.js**. Every brand gets its own named color token, consumed by a shared template no copy-paste, no forked stylesheets.

tailwind.config.js — theme.colors

LITESTORE	#7e7ca6
MENSXP	#ff5e03
VITRO	#2c4b35
WOW	#bc9850
SLEEPYCAT	#f16832
JBL	#ff3200

ORION	GARUDA	LULU
JBL	MensXP	Frootle
Sleepycat	Vitro	
The Pant Project	Zymrat	
WOW	Skillmatics	
Xyxx		
Zymrat		
6 tenants	4 tenants	1 tenants

PRODUCTION METRICS

NUMBERS.

₹2.2 Cr+	58%	48 hrs	11	30+	3
GMV VIA FLEXI-STORES	CHEAPER THAN CONVENTIONAL RETAIL	BRAND TRANSITION TIME	BRANDS IN PRODUCTION	STATICALLY PRERENDERED ROUTES	MALL LOCATIONS

WHAT I ACTUALLY DID

MY CONTRIBUTIONS.

Shipped this as a second-year CS student. Here's the full scope code was only part of it.

SOLE FRONTEND ENGINEER
Every line of JSX, every Tailwind token, every route. Listed in /about/company as "Justin Clarke / React Developer."

BRAND IDENTITY & DESIGN
Designed the LiteStore logo and visual language from a blank brief no design team, no design file handed to me.

CLIENT LEAD (NO PM)
Sole point of contact for requirements and delivery. Directly managing a paying client at 19.

GOOGLE WORKSPACE ADMIN
Managed org-level Google Workspace for the client. First time owning infrastructure beyond the codebase.

THREE FULL REWRITES
HTML/CSS → Create React App → Next.js 12. Each version shipped. Each version taught something the next one fixed.

HIRED MY OWN REPLACEMENT
When I left, I recruited and onboarded the next developer. First time architecting a handoff, not just a product.

PROJECT NAVIGATION

EXPLORE OTHER *records.*

CONTACT

● LIVE

If your data isn't driving decisions, it's just *noise.*

GET IN TOUCH ↗

justinsavioclarke@outlook.com

JC JUSTIN CLARKE

DEVELOPER PORTFOLIO
justinclarke.github.io

COMPLIANCE_PROTOCOL

FAIR_USE · VER: 2026.EST

01. PROJECT_CLASSIFICATION
This portfolio is an independent, non-commercial professional creative research project demonstrating advanced data engineering techniques and interactive user interfaces.

02. TRADEMARKS_&_ASSETS
"Formula 1", "F1", "Audi", and "Spotify" are trademarks of their respective owners. Brand marks, logo files, and telemetry contexts are utilized strictly under nominative fair use.

F1_TELEMETRY · AUDI_SPEC · SPOTIFY_API

03. FAIR_USE_REPRESENTATION
These telemetry contexts are utilized for educational data identification and visualization. This portfolio is not affiliated with, endorsed by, or sponsored by any of these entities.

[STATUS: ACTIVE_VERIFICATION]

EXECUTE_COMPLIANCE_AUDIT.SH

RELIEF LOGISTICS ARCHITECTURE

DISASTER *response.*

Modeled life-saving coordination for **Philippine relief operations** using an 11-entity MySQL relational engine.

MySQL · 11 Tables · Complex JOINs · Views · Indexes · Stored Procedures

OPEN COMMAND DASHBOARD | PROJECT SPECIFICATION

5	7	5	10	15	9	10
DISASTERS	REGIONS	AGENCIES	RESOURCE TYPES	WAREHOUSES	SHIPMENTS	DISPATCHES

SYSTEM ARCHITECTURE

RELATIONAL BLUEPRINT.

A code-implemented visualization of the 11-entity relational engine. Toggle entity layers and explore supply chain and personnel dispatch hierarchies.

● DISASTER ● REGION ● AGENCY ● RESOURCE_TYPE ● DISPATCHER ● WAREHOUSE ● SUPPLY

relational_map.py — 11 nodes · 15 edges

11	PH	M:N	11
ENTITY TABLES	DISASTER TYPE	AGENCY ↔ RESOURCE	DATA DOMAINS

DATA MODELING

SCHEMA RIGOR.

Designed a robust MySQL architecture to synchronize relief efforts across 7 Philippine regions. Modeled multi-tier disasters — Typhoon Yagi, Luzon Earthquake, Mt. Kanlaon — and their full resource allocation chains.

7	47	<200ms
REGIONS	AGENCIES	QUERY RESPONSE

schema_validator.sql

- **M:N MODELING** — Agency ↔ Resource junction table with composite Primary Key enforcing relational integrity across the relationship-to-team and supply-to-region chains.
- **CHECK CONSTRAINTS** — Check constraints enforce current occupancy ≤ capacity to ensure all 7 emergency hubs — preventing logistic data violations at the schema level.
- **FK INTEGRITY** — Foreign Key chains span regional dispatch nodes: Agency → Team → Disaster → Region → Warehouse, ensuring traceable command hierarchy.
- **GEOSPHERIC GPS** — GEOMETRY and POINT columns store exact coordinates for each Philippine United Cheesecake warehouse, enabling spatial queries and 5-coordinate distance scores.

VISUALIZATION ENGINE

THE D3 ENGINE.

The interactive dashboard is 1,603 lines of handwritten Vanilla JS — no React, no Framework. Built on D3 v7 force simulation with custom physics, multi-layer filtering, and a programmatic alert system.

1,603	61	71	4
LINES OF CODE (VANILLA · NO FRAMEWORKS)	LINES OF MARKUP (HTML STRUCTURE)	FUNCTIONS (CORE LOGIC)	EXTERNAL LIBS (D3.JS · GOOGLE FONTS)

FORCE SIMULATION
D3 force-directed graph with custom charge, link distance, and collision physics tuned for 61-node readability.

PROGRAMMATIC ALERTS
Alert system auto-fires contextually from node data — shelter capacity warnings, active disaster alerts, network hub detection.

MULTI-LAYER FILTERING
Filter by region, disaster type, resource category, edge type, and search simultaneously. Pin/unpin nodes, zoom, and reset control.

ANALYTICAL DEPTH

THE QUERY SYLLABUS.

query_03_shelter_risk.sql

```
WITH ShelterMetrics AS (
  SELECT name, capacity,
    occupancy / capacity * 100 AS stress_pct
  FROM Shelters
)
SELECT name, stress_pct,
  RTILE() OVER (ORDER BY stress_pct DESC) AS stress_tier
FROM ShelterMetrics;

-- Output: 61 rows, sorted by stress_pct DESC
-- Shelter 3 Bicol: 97% → Shelter 1 Manila: 41%
```

11 query categories covering the full analytical spectrum — from basic retrieval to window functions, CTEs, and composite key modeling. Each category applied to real Philippine disaster data.

- SELECT/WHERE/ORDER
- GROUP BY + HAVING
- JOINS (3 MODELINGS)
- IN-SUBQUERIES
- CORRELATED FKS
- SHELTER MODELING
- CROSS/LEFT/RIGHT JOIN
- CTE COMPOSITION
- RTILE RECURSIVE
- TIMESTAMPDIFF
- CHECK CONSTRAINTS

INTERACTIVE COMMAND INTERFACE

THE DASHBOARD.

7 color-coded entity types. Full-text node search. Edge inspection on hover. Programmatic alert system. Pin/unpin. Zoom. Reset. All in a single HTML file.



11	47	1,603	<200ms
ENTITY TABLES	QUERY EXAMPLES	LINES OF CODE	QUERY RESPONSE

PROJECT NAVIGATION

EXPLORE OTHER *records.*

CONTACT

● LIVE

If your data isn't driving decisions, it's just *noise.*

GET IN TOUCH →

justinesavinclaske@outlook.com

JUSTIN CLARKE

justinclarke.github.io

RSC RESEARCH · SPOTIFY PROJECT

SPOTIFY: *predictive* ENGINE.

A **Terminal-First** research artifact solving the cold-start problem through 3-dimensional hierarchical similarity and acoustic DNA modelling.

READ PROJECT REPORT

VIEW NOTEBOOKS

ACOUSTIC FEATURE VECTOR

ACOUSTIC DNA.

Each track is fingerprinted across 20+ Spotify API dimensions. The **green** features drive high-energy recommendations. **teal** features fine-tune acoustic texture. Together they form the similarity vector.

DANCEABILITY	82
ENERGY	74
VALENCE	91
ACOUSTICNESS	12
INSTRUMENTALNESS	3
LIVENESS	58

SAMPLE VALUES · NORMALIZED 0–100

similarity_engine.py

```python
# Build audio feature vectors
audio_vecs = scaler.fit_transform(df[AUDIO_COLS])

# TF-IDF encode genre strings
genre_tfidf = TfidfVectorizer().fit_transform(df['genres'])

# Compute cosine similarities
sim  = cosine_similarity(audio_vecs, query_audio)
sim2 = cosine_similarity(pca_vecs,   query_pca)
sim3 = cosine_similarity(genre_tfidf, query_genre)

# Hierarchical stable sort — sole sort resolved
df['sim'], df['sim2'], df['sim3'] = sim, sim2, sim3
result = df.sort_values(['sim3','sim2','sim'], ascending=False, kind='stable')
```

METHODOLOGICAL DISCIPLINE

THREE MODEL *BENCHMARK.*

We tested our engineered models against Spotify's internal baseline — measuring precision across three distinct input modes: Playlist, Song, and Artist. Only by competing against the source can you beat it.

RECOMMENDED
MODEL 1

01

HIERARCHICAL

The flagship model. Uses a stable sort across 3 similarity dimensions: Genre TF-IDF → Popularity Affinity → Acoustic DNA.

SORT PIPELINE

GENRE TF-IDF · POPULARITY · ACOUSTIC DNA

BALANCED
MODEL 2

02

AVERAGED HYBRID

A linear combination of vector distances. Balances genre, popularity, and acoustic features into a single similarity score.

SORT PIPELINE

GENRE · POPULARITY · ACOUSTICS

EXISTING
CONTROL

03

SPOTIFY BASELINE

The official Spotify API recommendations endpoint — our external benchmark for measuring model performance.

SORT PIPELINE

SPOTIFY API · EXTERNAL · BLACK-BOX

MEMORY-FIRST DESIGN

DATA ENGINEERING.

Handling a 1M-row dataset on edge environments required strict memory engineering. We utilized **float16/int8** downcasting and chunked CSV processing to maintain a sub-200MB runtime footprint.

DATA **1M Rows** Processed	MEMORY **<200MB** Peak Usage
API **Live API** Integration	FEATURES **20+** Dimensions

DATASET GROWTH LOOP

01 **PLAYLIST URL INPUT**
User submits a Spotify playlist URL

02 **SPOTIPY API FETCH**
Extract audio features for all tracks

03 **APPEND TO DATASET**
New tracks persisted to new_tracks.csv

04 **TRIGGER AT 200 ROWS**
Model retrains on the expanded dataset

NOTEBOOK REPOSITORY

RESEARCH ARTIFACTS.

STAGE 01

Preprocessing.ipynb

Data cleaning, float16 downcasting, and CSV chunking logic for sub-200MB edge runtime.

RSC-1/DOC
1PP/KB

STAGE 02

Feature_Extraction.ipynb

Spotify API ingestion, 20-row ROI parsing, and multi-threaded feature engineering.

ART-1/DOC
~2PP/KB

STAGE 03

Modeling.ipynb

Hierarchical sort validation, cosine similarity benchmarks, and Model 1 vs. Spotify Control evaluation.

RSC-1/DOC
~2PP/KB

CORE: React + Typescript · ML: Gemini 3.5 + Scikit-Learn · UI: Pinterest (mood-time) · INPUT: Playlist · Song · Artist

PROJECT NAVIGATION

EXPLORE OTHER *records.*

CONTACT

● LIVE

If your data isn't driving decisions, it's just *noise.*

GET IN TOUCH →

justinsaviorclarke@outlook.com

JUSTIN CLARKE
DATA SCIENCE

PORTFOLIO ARCHIVE
justinclarke.github.io

COMPLIANCE_PROTOCOL

PAGE_END · EOF: SYNC_ACK

01. PROJECT_CLASSIFICATION

This portfolio is an independent, non-commercial professional creative research project demonstrating advanced data engineering techniques and interactive user interfaces.

02. TRADEMARKS_&_ASSETS

"Formula 1", "F1", "Audi", and "Spotify" are trademarks of their respective owners. Brand marks, logo files, and telemetry contents are utilized strictly under nominative fair use.

F1_TELEMETRY · AUDI_OMNI · SPOTIFY_API

03. FAIR_USE_REPRESENTATION

These telemetry contents are utilized for educational data identification and visualization. This portfolio is not affiliated with, endorsed by, or sponsored by any of these entities.

// session_active: post BSBR // auth_success: 13:54:50

~$ whoami

justin *clarke.*

~$ profile.read()

data & analytics developer.

Data to decisions and decisions into products

SYS CONTROLS

01 RESUMÉ — DOWNLOAD PDF

02 CONNECT — GET IN TOUCH

03 *the long version* — how I got here

04 FEATURED PROJECT — VIEW OVERVIEW



OFF THE PACE

2.4M TELEMETRY ROWS · dbt TRANSFORMATIONS · XGBoost PACE MODEL

MANIFEST

Featured *projects.*

PORTFOLIO DECK // CLICK TO EXPLORE WORK

OFF THE PACE

// CAUSAL DECOMPOSITION — INGESTING > LAP 47/57 · AGE: 5 LAPS

INTERACTIVE CONTROL DECK · TELEMETRY · CAUSAL

SECTOR S3 · DRS TRAIN (-0.2S)



S1 28.4s · S2 36.5s · S3 39.8s · SIGMA 94°C · DELTA 89.7°C

Monaco · Spa · Monza

dbt CONSOLE · RUN TESTS

[13:49:32] [dbt] SUCCESS…
[13:49:33] [XGBoost] Mod…
[13:49:14] [fabric] Sync…
[1:56:47 PM] [DuckDB] In…
[1:54:48 PM] [dbt] SUCCE…

2.4M Telemetry Rows · Fabric + dbt + DuckDB · Causal Regression Model

LET'S WORK TOGETHER — VISA · SPONSORED

PROD SAAS

LITESTORE

PROD HEALTH · LCP: 0.6S

VESSEL EDGE · SERV.JS · LIGHTHOUSE · TELEMETRY

98 · 99 · 95 · 94 · 95

0.6s LCP · 200 Pages · 120.4G/1M · SAS / Vercel

MSC RESEARCH

SPOTIFY ENGINE

MODEL OPERATIONAL · VALENCE: 0.91

MSD-MSC · 120 SPACE · VECTORS · RECOMMEND

91 · 65 · 74 · 82 · 12 · 18

MODEL FEATURE

TF-IDF Genre Vector

Sparse term weighting across 4.2K labels

1.2M Tracks · 120 Vector · TF-IDF + Cosine · MSD

RELATIONAL DATABASE

DISASTER RESPONSE

SIMONE OPERATIONS · DISASTER 1

DIS-REL-PR · MODULE · SCHEMA · QUERIES

5 · 7 · 4 · 10 · 15 · 3 · 10

LOGICAL FEATURE

M:N Rel Modeling

4 junction tables · composite PK setup

21 Entities · 47 Queries · PKs · 3NFish · 1% Integrity

BEHAVIORAL AI

HR ANALYSIS

FLIGHT RISK DETECTION · 3 ARCHETYPES

COLLECT · MAP · ANALYZE · GENERATE

TRACKED METRICS: 7 dimensions

AVG ENGAGEMENT: 5.4/10

6 high performers show workload misalignment.

LIC Analyzed · 3 Archetypes · Engagement scoring · Risk modeling

EXPERTISE

What I bring to the *stack.*

HOVER SKILLS TO TRACE PIPELINE

LINEAGE CONSOLE // Awaiting node connection. Hover any skill below to trace pipeline lineage. NODE: none · STATUS: STANDBY

01 STAGE 1
ENGINE & LOGIC
DEEP QUERY LOGIC & INFRASTRUCTURE

- SQL
- Python
- dbt
- Medallion Architecture
- DuckDB-Wasm

02 STAGE 2
SIGNALS & BI
PREDICTIVE SIGNALS & TELEMETRY

- Power BI
- Microsoft Fabric
- Causal Inference
- Telemetry Platforms
- XGBoost / ONNX

03 STAGE 3
PRODUCT & GROWTH
PRODUCT ANALYTICS & APPLICATIONS

- React
- KPI Development
- Event Tracking
- Data Products
- A/B Testing

CAREER TIMELINE

The full *record.*

SELECT CARDS TO EXPAND DETAILS

2018 · 2020 · 2022 · 2024 · 2026 NOW

PROFESSIONAL

JAN 2024 – DEC 2025
VNS Solutions
ANALYTICS ENGINEER
- ↓ 12+ hrs/wk MANUAL WORK AUTOMATED
- End-to-end ANALYTICS LOOP OWNERSHIP

MICROSOFT FABRIC · POWER BI · SQL · PYTHON

APR 2023 – APR 2023 · BTECH + MSC
LiteStore
TECHNICAL LEAD, FULL STACK & WEB PERFORMANCE
- ↑ 20% CONVERSION VIA A/B TESTS
- 3.0s → 0.6s PAGE LOAD (SSR + CACHING)

NEXT.JS · AWS · VERCEL · SAS

JAN – APR 2021 · DURING BTECH
Drop
FRONTEND DEVELOPER

REACT · TYPESCRIPT

ACADEMIC

FEB 2026 – 2028 · ACTIVE
Birla Institute of Technology and Science, Pilani
MBA IN BUSINESS ANALYTICS

ANALYTICS · STRATEGY · ML

Intersection of data analytics and business strategy. Evening programme — fully available for full-time roles.

2022 – 2023
Queen Mary, University of London
MSC IN COMPUTER SCIENCE

PYTHON · ML · RESEARCH

2018 – 2022 · DISTINCTION
Gandhi Institute of Technology and Management
BTECH, COMPUTER SCIENCE & ENGINEERING

R/DATA · ALGORITHMS · MATHS

CERTIFICATIONS_IN_PROGRESS

Microsoft PL-300: Power BI Data Analyst — EXPECTED JUN 2026

CONTACT — LIVE

If your data isn't driving decisions, it's just *noise.*

GET IN TOUCH

justinsavioclarke@outlook.com

JC · JUSTIN CLARKE

SOURCE_MANIFEST: justinclarke.github.io

COMPLIANCE_PROTOCOL — PATH_USE · VER: 2026_EST

01. PROJECT_CLASSIFICATION

This portfolio is an independent, non-commercial professional creative research project demonstrating advanced data engineering techniques and interactive user interfaces.

02. TRADEMARKS_&_ASSETS

"Formula 1", "F1", "Audi", and "Spotify" are trademarks of their respective owners. Brand marks, logo files, and telemetry contexts are utilized strictly under nominative fair use.

F1_TELEMETRY · AUDI_SPEC · SPOTIFY_API

03. FAIR_USE_REPRESENTATION

These telemetry contexts are utilized for educational data identification and visualization. This portfolio is not affiliated with, endorsed by, or sponsored by any of these entities.

[STATUS: ACTIVE_VERIFICATION] — >_ EXECUTE_COMPLIANCE_AUDIT.SH