

GEARHART

INDUCTION ELECTRICAL LOG

FILING NO.

88939

COMPANY

LAYNE TEXAS

WELL

GREEN TRAIL MCD

FIELD

WATER WELL

COUNTY

HARRIS

STATE

TEXAS

LOCATION:

N/A

Other Services:

NONE

SFC

TWP

RGE

Elevations:

KB

N/A

DF

N/A

CL

N/A

Permanent Datum

G.L.

Elev.

N/A

Log Measured from

G.L.

N/A Ft. Above Permanent Datum

Drilling Measured from

G.L.

Date

9-10-80

Run No.

ONE

Depth-Driller

1300'

Depth-Logger

1310'

Bottom Logged Interval

1309'

Top Logged Interval

45'

Casing-Driller

N/A

Casing-Logger

N/A

Bit Size

9 7/8"

Type Fluid in Hole

FCN

Density and Viscosity

9.5 42

pH and Fluid Loss

N/A N/A

Source of Sample

ELON LINE

Rm @ Meas. Temp.

104 @ 75

Rmf @ Meas. Temp.

104 @ 75

Rmc @ Meas. Temp.

104 @ 75

Source Rmf Rmc

104 @ 75

Rm @ BHT

104 @ 100F

Rmf @ BHT

104 @ 100F

Rmc @ BHT

104 @ 100F

End Circulation

1200

Time

1440

Longer on Bottom

1440

Max. Rec. Temp. Deg. F.

100

Equip. No. and Location

7324 CONROE

Recorded By

HOGAN, RAYLREZ

Witnessed By

MR. YARBRO

Changes in Mud Type or Additional Samples

Scale Changes

Date

Sample No.

Type Log

Depth

Scale Up Hole

Scale Down Hole

Depth-Driller

Type Fluid in Hole

EQUIPMENT DATA

Dens.

Visc.

Run No.

Tool No.

Tool Type

Tool Position

S. O.

Gamma Ray Tool No.

pH

Fluid Loss

ONE

5-81

6FF40

FREE

1 1/2"

NONE

Source of Sample

Rm @ Meas. Temp.

Rmf @ Meas. Temp.

Rmc @ Meas. Temp.

Source Rmf Rmc

Rm @ BHT

Rmf @ BHT

Rmc @ BHT

CALIBRATION DATA

Run No.

S. N. Zero

S. N. Int. Cal.

Loop Cal.

Tool Zero

Int. Cal.

GAMMA RAY

API SCALE

BKG. CPS.

STD. CPS.

ONE

.73

194

407.6

-23.5

651

N/A

N/A

N/A

Remarks:

No Cal. before survey due to tape error.

NOTICE:

All interpretations are opinions based on inferences from electrical or other measurements and we cannot, and do not, guarantee the accuracy or correctness of any interpretations, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages or expenses incurred or sustained by anyone resulting from any interpretation made by one of our officers, agents or employees. These interpretations are also subject to our General Terms and Conditions as set out in our current Price Schedule.

