



发明日志

Invention Log

3-12年级组

Grade 3-12

全球发明大会中国区组织委员会



2023-2024我的作品信息



My invention information for the academic year 2023-2024

请在这一页填写你的发明作品信息。
可以快速让别人知道你做了一项怎样的发明。
Please fill in your invention information on this page.
It can quickly let others know what kind of invention you have created.

发明作品信息 About Your Invention			
团队名称 Team Name	Justin Guo	作品名称 Invention Name	Bionic Ankle
队员姓名 Inventor Name(s)	Justin Guo		
所在城市 City	Shanghai	学校名称 School	Shanghai High School International Division
就读年级 Grade(s)	10	辅导老师 Teacher	
作品主要功能 Key Functions of Your Invention	Provide a bionic leg for disabled, able to do pronation, supination, dorsiflexion, and planar flexion (2 dimensional movements).		
作品原型照片 Pictures of Your Invention			

2023-2024我的竞赛主题



The theme of my competition for the academic year 2023-2024

ICC 结合 “十四五” 规划和 2035 年远景目标纲要以及联合国可持续发展目标 (SDGs) 设置了 15 个竞赛主题和驱动性问题。

看到这些现实的社会问题 (或者你关注到其他任何主题方向的问题) 有什么想法和灵感呢? 一起用科创的力量建设美好的未来吧。

ICC has established 15 competition themes and driving questions through 14th Five-Year Plan (2021-2025) for National Economic and Social Development and the Long-Range Objectives Through the Year 2035.

What ideas and inspirations do you have when you see these real social issues (or any other thematic directions you are concerned about)?

Let's work together to build a better future with the power of innovation.

主题 Theme	驱动性问题 Driving Question
无障碍世界 Accessibility for All	我们如何创建一个无障碍的世界? How can we create a barrier-free world?
包容与关爱 Including Everyone	我们如何让生活更具包容性? How can we make life more inclusive?
可持续社区 Sustainable Communities	我们如何让我们生活的社区更可持续? How can we make our communities more sustainable?
守护蓝色海洋 A Blue Revolution	我们如何保护我们的海洋? How can we protect our oceans?
未来学校 Future Schools	我们如何让学校变得更好? How can we create a better school?
食品的未来 The Future of Food	我们如何确保未来没有饥饿? How can we feed the future?
零浪费生活 Nothing Wasted	我们如何创建一个零浪费的世界? How can we create a zero-waste world?
老年福祉 Help the Aged	我们如何让老年人有更好的生活? How can we make life better for old people?
水就是一切 Water is Everything	我们如何确保每个人都有安全、洁净的饮用水? How can we ensure everyone has safe, clean water to drink?
与自然为友 Going Wild	我们如何在与自然的和谐中创新? How can we innovate in harmony with nature?
共向清洁未来 Cleaning Up the Future	我们如何让每个人都能利用清洁能源? How can we give everyone access to clean energy?
传承与弘扬中华文明 Preserving the Past	我们如何保护我们的文化? How can we preserve our culture?
保持安全 Staying Safe	我们如何让世界更安全? How can we make our world safer?
健康的未来 A Healthy Future	我们如何构建一个更健康的未来? How can we build a healthier future?
让乡村生活更美好 Better Village Life	我们如何建设宜居宜业和美乡村? How can we build a livable, prosperous, and beautiful countryside?

我的发明相关主题是: 无障碍世界 Accessibility for All

My invention relates to the following theme

2023-2024我的发明日历



My invention calendar for the academic year 2023-2024

- 请随意使用本页，可以圈画、标记出你的发明时间计划。

Feel free to use this page. You can circle, mark, or note down your invention timeline plans.

9月
September

日	一	二	三	四	五	六
1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31				

10月
October

日	一	二	三	四	五	六
			1	2	3	4
5	6	7	8	9	10	11
12	13	14	15	16	17	18
19	20	21	22	23	24	25
26	27	28	29	30		

11月
November

12月
December

日	一	二	三	四	五	六
			1	2	1	2
3	4	5	6	7	8	9
10	11	12	13	14	15	16
17	18	19	20	21	22	23
24	25	26	27	28	29	30
31						

1月
January

日	一	二	三	四	五	六
	1	2	3	4	5	6
7	8	9	10	11	12	13
14	15	16	17	18	19	20
21	22	23	24	25	26	27
28	29	30	31			

2月
February

日	一	二	三	四	五	六
				1	2	3
4	5	6	7	8	9	10
11	12	13	14	15	16	17
18	19	20	21	22	23	24
25	26	27	28	29		

3月
March

日	一	二	三	四	五	六
					1	2
3	4	5	6	7	8	9
10	11	12	13	14	15	16
17	18	19	20	21	22	23
24	25	26	27	28	29	30
31						

4月
April

日	一	二	三	四	五	六
	1	2	3	4	5	6
7	8	9	10	11	12	13
14	15	16	17	18	19	20
21	22	23	24	25	26	27
28	29	30				

5月
May

日	一	二	三	四	五	六
			1	2	3	4
5	6	7	8	9	10	11
12	13	14	15	16	17	18
19	20	21	22	23	24	25
26	27	28	29	30	31	

6月
June

日	一	二	三	四	五	六
					1	
2	3	4	5	6	7	8
9	10	11	12	13	14	15
16	17	18	19	20	21	22
23	24	25	26	27	28	29
30						

7月
July

日	一	二	三	四	五	六
	1	2	3	4	5	6
7	8	9	10	11	12	13
14	15	16	17	18	19	20
21	22	23	24	25	26	27
28	29	30	31			

8月
August

日	一	二	三	四	五	六
				1	2	3
4	5	6	7	8	9	10
11	12	13	14	15	16	17
18	19	20	21	22	23	24
25	26	27	28	29	30	31

如果你想展现独特的发明故事
If you want to showcase a unique invention story

我的发明日志

My invention Log

(使用提示：[如果你想要记载发明故事和过程](#)，可以自由使用本日志页面记录，见证你的发明过程。例如：在发明过程中做出了什么行动、行动的方式方法、以及行动的结果……这些内容可能包括图纸、计算、描述、测试结果等。如果你想放入视频，可以将视频链接地址或二维码放在空白页上。这些页面可以自由增加页数。)

(Usage Tip: [If you wish to document invention stories and processes](#), feel free to use this journal page to record and witness your invention journey. For instance, actions taken during the invention process, methods employed, and the outcomes of these actions……These contents may include drawings, calculations, descriptions, test results, etc. If you wish to include a video, you can place the video link address or QR code on a blank page. You are free to add pages as needed.)

日期Date 1/29/2024

Today, I first learned how to use electronics, and how to use Arduino. After downloading Arduino, I first started on how to control the basic electronic components. Controlling the electronic components is relatively easy. First, I need to connect the electronic component to my Arduino board using wires and confirm a connection in the virtual layer. Once the connection is created, I can start controlling the electronic component. Using functions digitalWrite and analogWrite, I can then send the directions to the electronic component.

Once I learned how to control the electronic component, I started on a mini project: building a car. I first started on building the hardware of the car, involving two wheels, two motors, battery, switch, frame of the car, Arduino board, and infrared ray receiver and sender. Some were glued on the board. Others are attached to intentional clip left on frame. After some work, the car is done. I immediately started on coding the software. I started on building 5 functions to control the car to go forward, backward, left, right, and stop.

Then, using the infrared ray receiver and sender, I can control the car. Except it that the buttons seem to have a lot of delay, which is not fun.

我的发明日志 如果你想展现独特的发明故事

My invention log If you want to showcase a unique invention story

日期Date 1/30

Forgetting about the infrared receiver and sender, I turned to an ultrasonic sensor. This ultrasonic sensor supposedly will use ultrasound to detect the distance between itself and a wall. Its function of ultrasonic sensor is supposedly to avoid obstacles. Yet, the process involves unacceptable delays and failing to turn that I do not understand what happened. I tried to fix these bugs, but the best my car can do is to crash into a wall, and turn after 1 second, then crash into another wall. These bugs just exists forever, even after changing the motor (because I think that it is the motor's problem.

我的发明日志 如果你想展现独特的发明故事

My invention log If you want to showcase a unique invention story

日期Date 1/31

Since I am planning to create a bionic leg, I will need to plan my leg using Solidworks, an application that can create 3D models. AutoCAD is an 2D drawing tool, which can help me master Solidworks faster. Today is just a day which I draw lines, create shapes, and cut the shapes out to form an easy mobile phone holder. Quite an easy day indeed.

我的发明日志 如果你想展现独特的发明故事

My invention log If you want to showcase a unique invention story

日期Date 2/1

Today is the day which I learned Solidworks, an essential tool for my modeling. Solidworks is like AutoCAD. I just need to choose a plane, draw my 2D design, and add a depth to it. It is simple if you learned AutoCAD before.

After I learned all the basic skills of the project, I finally can start to begin my project, which starts on 3.17.

我的发明日志 如果你想展现独特的发明故事

My invention log If you want to showcase a unique invention story

日期Date 3/17

To first started to plan my creation of the bionic leg. Using Solidworks, I started to map out my parts of the bionic leg. I first started to map out the drive leg. The drive leg is where the motor of the bionic leg is at. I need to create the motor-axle machine that will move the foot of the ankle. I need to map out the dimensions of the supporting boards, motors, axles, and other parts that make up the drive leg.

For the bionic ankle, I will want the statistics to be as close to a real human ankle.

An average human calf is around 500mm. So, for the drive leg, I estimated it to be a length of 250mm. The drive legs are the place to put two motors, so it cannot be too short in length.

I first need to design two boards that can fix the motors. To make work easy, the two boards are set to be identical. There will be two parts of the board: the motor part, where a motor is attached to this side, and the axle part, where the axle is attached to it. The first board's motor will correspond to the second board's axle. The first board's axle will correspond to the second board's motor.

The motor has a diameter of 89mm. I estimated that I need 10 mm of spacing between the motors for it to not interfere. There also need some space at the top of the board for connection to top boards and bottom boards. After calculation, the motor's center is set to be 65.5 mm away from the top of the board. To protect the motor, I also designed a circular baffle on the board to cover the motor. This circular baffle has a radius of 47.5mm, which covers the motor's 89 mm diameter. Additionally, a small hole must be at present for the motor's external DIP switch, which is used to control the ID of the motor. Moreover, on the other end of the sideboard, there must be a hole for the axle, which is set for 19mm.

The top boards and bottom boards of the drive leg are different. Both boards need to have a support for the guide wheels, an L-shaped structure with a hole to put in the guide wheels.

The top board is used to connect with the upper leg (either another machine or human upper leg). There is no additional structure on the top of the leg. The upper leg is as follows.

.....

我的发明日志 如果你想展现独特的发明故事

My invention log If you want to showcase a unique invention story

日期Date 3/24


Today, I plan to model out the bottom part of the leg, which consists of the supporting leg and the foot.

The lower part of the leg is at first a cylinder, but I need to attach a connector and spring system to the leg, so I changed the bottom to a rectangular block. I then drew the connector and spring's dimensions (they are bought parts) and fit them onto the leg.

Then, I copied the dimensions of the universal joint to Solidworks. The universal joint is going to connect the connector leg with the foot. The universal joint is a mechanical component that allows two-dimensional movement, similarly to the ankle's movement. It contains three parts: upper Yolk, a block, and lower Yolk.

The foot is a rectangle shaped with a semicircle on top of it. There are two structures that are used to attach the tension springs, but now, it is not connected to it.

Overall, after the end of 3.24, the bionic ankle looks like this.



The main framework of the bionic ankle is done, but there are still large rooms for improvements.

我的发明日志 如果你想展现独特的发明故事

My invention log If you want to showcase a unique invention story


日期Date 3/31

Today, I did the final touches to my first version of the model. For the supporting leg, I added a pair of tension springs that pulls on the springs mentioned above. This will allow a right-left movement for the leg. Also, the leg is redesigned to make it more like a foot, with an increased depth and smooth curves on it. There is also four holes on the corner such that strings can be fixed on here.

The guide wheel supporter has an additional triangular structure so that it's strength is enough

Then, I added all the screws that connects the whole structure together, and check if there are any adjustments needed to make. For four special screws, an additional cut into the supporting leg is needed to attach the supporting leg and the drive leg together. Also, the connection between the tension spring and spring is calculated such that the screw head will not interfere with the supporting leg.

This is the diagram after the adjustments.



我的发明日志 如果你想展现独特的发明故事

My invention log If you want to showcase a unique invention story

日期Date 4/5

Today, I started to build my first version of the bionic ankle.

I first started the foot. I need to connect the foot with the universal joint. Using screws to work a screw thread into the 3D printed material, I was able to connect them all together. The next part is to connect the universal joint to the supporting leg, which again involves screwing through 3D printed material. After that, I started to build the spring system in the supporting leg. The tension spring is connected to the leg and the connector. The connector part is then connected to the spring, and finally the spring is connected to the foot. Through all of this, the leg can finally stand on its own, and move 2 dimensionally.

After finishing the supporting leg and the foot, I started to work on the drive leg. I first started on connecting the upper and bottom board with the guide wheel supporter and the guide wheel. Then, I started to build the axle and motor system. I put the motor and the axle on one piece of board, and then, put the other one on top of the motor and axle. Then, I used some more connectors to connect the upper and lower board. Finally, the whole drive leg is completed.

To connect the drive leg with the supporting leg, I must screw in the four screws through the tiny trenches. The tiny trenches are so small such that the screwdriver cannot fit into it. Screwing these four screws are tedious work.

With the screwing finally done, the whole bionic leg is finished except for the string system. I need to bind the string on the four corners of the leg.

After the building process, I played with the leg for a bit, and the universal joint connector broke. In therefore need to design a new connector that can withstand more force.

But these are for the next day I work on this project.



我的发明日志 如果你想展现独特的发明故事

My invention log If you want to showcase a unique invention story

日期Date 4/19

The string binding plan is suspended, as I need to check the functions of the motor. If the strings are bind onto the foot, it is easy to break the whole ankle if some coding goes wrong.

For the motor, I choose three functions: send, stop, and read. Send function can direct the motor to move to a certain angle. Stop function can stop what the motor is doing. Read function can read the angle of the motor.

The read function is the hardest of all, as there are two motors. Each motor will send its data to my computer, ruining each other's signals. The only way to save this seems to be adding delays to the function, but it is still not fixed completely.

After making sure that the three functions are safe, we fastened up the strings, and tested it. Fastening the strings are not an easy job. I need a lot of strength to pull it and find a good way to attach it the legs. I don't have a good method to tie a knot or something. It took a lot of time.

After finishing up with the strings, I still managed to break the foot. The place on the foot that relates to the spring broke, which means I need to print the foot. This is the second time when a 3D printed structure broke. This also means that I need to bond the string again.

After some more playing and testing with the bionic ankle, I found out some problems that I need to solve in the next version. There must be a way to tighten the strings with the axle, reducing the power loss due to the sliding of the string. The string also needs new ways to fasten onto the ankle, because it is very hard to make it tight. The motor also vibrates a lot, meaning I need to add something to decrease the vibration.

```
void send(int ID,int64_t angle, bool dir) {
    // control motor rotation
    // ID: the id of the motor; for now there is motor 1 and motor 2
    // Angle: 0° - 359.99° the int64_t is from 0 - 35999
    // Direction: 0 clockwise, 1 counterclockwise

    senddate[0] = 0x3E;
    senddate[1] = 0xA5; // Code 13
    senddate[2] = ID; // 电机ID
    senddate[3] = 0x04;
    senddate[4] = senddate[0] + senddate[1] + senddate[2] + senddate[3];

    senddate[5] = dir; // 转动方向 0 顺 1 逆
    senddate[6] = (uint8_t)(angle & 0xFF); // 数据低位
    senddate[7] = (uint8_t)((angle >> 8) & 0xFF); // 数据高位
    senddate[8] = 0x00;
    senddate[9] = senddate[5] + senddate[6] + senddate[7] + senddate[8];
    Serial2.write(senddate,10);
}
```

```
void stop(int ID) {
    // stop the motor
    // ID: the id of the motor; for now there is motor 1 and motor 2
    senddate[0] = 0x3E;
    senddate[1] = 0xA5;
    senddate[2] = ID;
    senddate[3] = 0x00;
    senddate[4] = senddate[0] + senddate[1] + senddate[2] + senddate[3];
    Serial2.write(senddate,5);
}
```

```
long long int read_angle(int ID) {
    // read the angle the motor Type: uint8_t[10]
    senddate[0] = 0x04; // Value = 1
    senddate[1] = 0xA5; // Code
    senddate[2] = ID;
    senddate[3] = 0x00;
    senddate[4] = senddate[0] + senddate[1] + senddate[2] + senddate[3];
    Serial2.write(senddate,5);
    // Read 10 bits from motor
    if (Serial2.available() >= sizeof(motor_data)) {
        Serial2.readBytes(motor_data, sizeof(motor_data)); // 读取数据到数组motor_data中
    }
    // find the start of the program, and get the angle
    for (int i = 0; i < 10; i++) {
        if (motor_data[i] == 0x04) {
            if (motor_data[i+1] < 0x10) {
                angle = (uint16_t)(motor_data[i+1] << 8) + motor_data[i+2] << 8;
                angle = (uint16_t)(angle << 8) + motor_data[i+3] << 8;
                delay(10);
            }
            return (long long)angle;
        }
    }
    delay(10);
    return -1;
}
```

我的发明日志 如果你想展现独特的发明故事

My invention log If you want to showcase a unique invention story

日期Date 5/5

In this day, I found some better ways to fasten the string, using some string fastening parts, I was able to connect the strings better and faster to the foot. I need to change the holes on the foot of course, but problems in modifying the foot is much easier to deal with.

After the binding of the strings are finished once and for all, I turned to the electronics, which I build up the whole system with Arduino board NANO. I also found new ways to control the foot. There is an increment function in the motor, which will work with moving the foot better than directing the motor to spin to the stated angle.

The increment function is also failing me. The motor just would not move for some reasons I do not understand. I do not even understand how I fixed the problem. I just rewrote the function and it worked for some reason.

Although I was using NANO, but I found out I need a remote-control board to receive data from a planned gyroscope that will be embedded on the bottom of the leg. Using a wire to connect the two will mess up the wiring. So, I changed to esp32, which have a great remote-control function. It also have TX and RX pins on the hardware, therefore not needing virtual basis of TX, RX connection.

```
void increment(int ID, int32_t increase) {
    // add increment of angle to motor

    senddate[0] = 0x3E;
    senddate[1] = 0xA7;
    senddate[2] = ID;
    senddate[3] = 0x04;
    senddate[4] = senddate[0] + senddate[1] + senddate[2] + senddate[3];

    senddate[5] = (uint8_t)(increase & 0xFF);
    senddate[6] = (uint8_t)((increase >> 8) & 0xFF);
    senddate[7] = (uint8_t)((increase >> 16) & 0xFF);
    senddate[8] = (uint8_t)((increase >> 24) & 0xFF);
    senddate[9] = senddate[5] + senddate[6] + senddate[7] + senddate[8];

    Serial2.write(senddate,10);
}
```

我的发明日志 如果你想展现独特的发明故事

My invention log If you want to showcase a unique invention story

日期Date 5/12

With the increment function at hand, I started to work on the actual algorithm: PID. Proportional – integral – derivative controller, or PID controller, is a control loop mechanism that calculates the error from the desired values and the process variable and uses proportional, integral, and derivative terms to minimizes the error. The PID controller needs tedious debugging work to get right the variables.

I first tried an easy PID controller using a small motor, but the gyroscope is not stable enough to use PID controller. This mini project was halted sadly.

我的发明日志 如果你想展现独特的发明故事

My invention log If you want to showcase a unique invention story

日期Date 5/19

The morning of 5/19, I kept on adjusting my PID controller, but it constantly broke, and I must keep hold of the ankle to stop it breaking itself.

The afternoon of 5/19 involves learning new application: ADAMS. ADAMS is a strong physics simulator. It can model objects, forces acting on objects, joints between objects, cable systems, and more. ADAMS is a strong tool to help on understanding how the foot moves. I learned how ADAMS can import files from Solidworks, set the joints, add forces and cable systems. Using these functions, I can model my whole bionic ankle into ADAMS.

Working on it, I deleted every screw and unnecessary objects to decrease the memory needed to load the model and added joints to make it function like the real one.

The work is still not done yet. There is still a cable system that I have not added onto the ADAMS model, and I need MATLAB to work with it.

我的发明日志 如果你想展现独特的发明故事

My invention log If you want to showcase a unique invention story

日期Date 5/26

MATLAB is a strong mathematics tools that can work with ADAMS. Aside from its powerful ability to draw graphs, it has the possibility to simulate electronics system. Connecting it with ADAMS, MATLAB can control the forces of ADAMS and receive information from it. These means that the whole electronics system can be inputted into it.

I first practiced my MATLAB skills. First, I build a simple seesaw in ADAMS, and try to control a small ball on top of it. I connected it with MATLAB, and build a simple PID controller to control the torque on the seesaw. I then fiddled with the constants in the PID. The ball keeps flying off the seesaw with my numbers. But, at last, I managed to get one that looks fine and stable.

I look to the day where I can simulate the bionic ankle in ADAMS.

跟ICC 起创新发明 Innovate and invent with ICC

过程梳理指南

Invention Process Outline Guide

“发明”和“创新”是什么？

What are invention and innovation?

《辞海》对于“发明”的定义：创制新的事物，首创新的制作方法。

《辞海》对于“创新”的定义：抛开旧的，创造新的。

ICC认为，“发明”是创造或设计出以前不存在的新事物。“创新”是对现有产品或想法的添加或更改。

ICC接受发明和创新的作品。

According to 《辞海》 (a Chinese dictionary):

“Invention” is the creation of new things and the pioneering of new production methods.

“Innovation” is to discard the old and create the new.

ICC believes that “invention” is the creation or design of something that did not exist before. “Innovation” is the addition or modification of existing products or ideas. ICC accepts works of invention and innovation.

ICC不接受的发明和创新是什么？

What types of inventions and innovations does ICC not accept?

ICC不接受不能使世界变得更美好的创新发明（例如，发明某些东西只是为了盈利或对环境造成不必要的破坏）。

ICC不接受没有自主设计部分的发明原型（即，完全按照商店购买的产品或套件的说明书制作出来的作品）。

ICC不接受现有发明的复制品。

ICC does not accept innovations or inventions that do not contribute to making the world a better place (e.g., inventions created solely for profit or causing unnecessary harm to the environment).

ICC does not accept invention prototypes that lack original design elements (i.e., works made entirely according to the instructions of purchased products or kits).

ICC does not accept replicas of existing inventions.

发明日志的目的？

The purpose of an invention log?

发明日志的目的就是完整讲述你的发明过程。发明日志是发明的重要组成部分，它是对发明创造的构思、方案和过程的完整且准确的记录，它可以证明你提出了这个发明想法，甚至还能被用作专利申请材料的一部分。

The purpose of an invention log is to fully document your invention process. It is an essential component of the invention, providing a comprehensive and accurate record of the conception, plans, and process of the invention. It serves as evidence that you came up with the invention idea and can even be used as part of the patent application materials.

如何使用发明日志？

How to use an invention log?

发明日志是记录发明工作的日记。在发明日志中，你会记录下创造发明的每一步：你做了什么、为什么这样做、以及你是怎么做的，按照发明过程的步骤填写各页。团队成员共用一份发明日志。

本发明日志仅作为参考模板，并非唯一标准。发明日志并非发明完成后的总结报告，随着发明家的过程性工作，它将不断地被改写。你可发挥创意，自行设计更有趣的、带有自身特色的发明日志，但内容须包括发明过程的记录。

An invention log is a diary for recording invention work. In the invention log, you will record every step of creating the invention: what you did, why you did it, and how you did it. Fill in each page according to the steps of the invention process. Team members share one invention log.


This invention log serves as a reference template and is not the only standard. The invention log is not a summary report after the invention is completed; it will be continually revised as the inventor's procedural work progresses. You can unleash your creativity and design a more interesting and unique invention log, but it must include records of the invention process.

发明七步法

跟着创新发明流程梳理思路

Invention seven-steps

Organizing Thoughts Along the Invention and Innovation Process



定义与理解

注意：灰色部分文字的问题可选填

Identifying and Understanding

Note: Issues with text in gray areas are optional to fill in

1、你想解决什么问题？问题描述地越具体越好。你是怎么想到这个问题的？

What problem are you trying to solve? The more specific you are in describing the problem, the better your solution will be.
How did you come up with the problem?

As wars started to rage in the world, the rate of disability has gone high. More people need help on missing limbs, notably legs. The most important part of bionic leg is the ankle. Able to produce a good bionic ankle can greatly.

2、你想要达到的结果是什么？结果描述地越具体，你的解决方案就会越好。

What is the result you are trying to achieve? The more specific you are in describing the result you want, the better your solution will be.

I am trying to make a bionic ankle that can relatively mimic a human ankle, and help disabled people to walk once more.

3、可能的解决方案有哪些？你选择了哪一个？你是怎么决定要使用这种解决方案的？你是怎么想出解决方案的？解决方案描述地越具体越好。

What are some possible solutions? Which one did you choose to pursue? How did you decide which solution to try? The more specific you are in describing the solution you will create, the better your invention will be. How did you come up with the solution?

Some possible solutions are exoskeletons, wheelchair, bionic leg. I choose bionic leg, as I want disabled people to walk once more. Exoskeletons help those that are paralyzed, not those without a foot.

定义与理解

注意：灰色部分文字的问题可选填

Identifying and Understanding Note: Issues with text in gray areas are optional to fill in

4、这个解决方案以前被其他人采用过吗？如果有，你的方案有什么不同或改进？你在哪里查看是否有人做过这项发明的？搜索过什么网站？你可以出示 4 种不同类型的研究证据□
专家咨询、网站查询、采访朋友以及采访家人。

Has this solution been done before? If it exists, how is your approach different and better? What research did you do to see if this invention had been done before? Who did you talk to? Where did you look? What website did you search? You should show 4 pieces of evidence of different types of research – talking with experts, searching the internet, interviewing friends and family as to how useful this would be, etc.

Where I looked to see if my idea is new:

构思与设计


注意：灰色部分文字的问题可选填

Ideating and Designing Note: Issues with text in gray areas are optional to fill in

5、绘制你正在考虑制作的发明设计图（草图或工程图）。

标记所有重要的零件和功能，说明此发明将如何工作。


Draw a model (a sketch or drawing) of the invention you are thinking about building. Label all the important parts and features. Explain how the invention will work.




Bionic Ankle as a whole




Bionic Ankle




Spring System



Universal Joint



Foot



Motor – String System

The motors will rotate, turning the strings on the axle, each moving the foot in a diagonal direction. The combination of the two motors can lead to many possible movements of the foot, allowing it to move upward, downward, and sideways. The universal joint grants the mobility of the ankle, while the spring system limits the range of the movement. The spring system also absorbs shock, stabilizing the ankle.

1. Spring System: Absorb shock, Stabilize the foot, limit the movement of the ankle
2. Universal Joint: Allows movement of the ankle, connects the foot with the leg
3. Foot: The foot is the movable part of the bionic ankle
4. Motor – string system: This drives the movement of the ankle

构思与设计

注意：灰色部分文字的问题可选填

Ideating and Designing Note: Issues with text in gray areas are optional to fill in

6、这个设计可能会遇到什么问题？这种设计是否遵循可持续发展的原则？你和谁讨论过这个设计（同学、家长、老师等）？他们对你的设计有何评论？

What problems or issues might you encounter with this design? Is this design compatible with the principle of sustainability? Who did you talk to about this design (another student, parent, teacher, etc.)? What were their comments about your design?

This design has encountered problems relating to the read function, the sliding of strings on the axle, and problems relating to tying up the string.

7、如何解决第 6 项中的这些问题？

How can you fix those problems or address those issues (in No.6)?

1. I add delays in the read function to let it work smoothly
2. I am planning to add spirals on the axle such that the strings fit into them.
3. There are string fastening parts that I can buy.

8、重复步骤 5 至 7，直到你认为有一个可行的设计。在有一个好的设计之前，你可能需要在空白页上进行多次尝试。

Repeat steps 5 to 7 until you have a design that you think will work. You may have to make multiple copies of a blank page until you have a good design.

设计，制作，测试

注意：灰色部分文字的问题可选填

Designing, Building, Testing

Note: Issues with text in gray areas are optional to fill in

9、此发明需要什么零件、材料和工具，它们要花多少钱？

What parts, materials, and tools will you need to make the invention and how much will they cost?

These are all of the parts and materials that I need to buy online.

螺栓		
M3-8	32	
M3-16	16	
M4-10	8 ±	
M5-9	8 ±	
M3-11	8 ±	
M4-16	4	
M4-63	1	
M4.5-25	1	
M4.5-53	1	
M3-6	4	
M5-20	2	
M3-18	2	
M4-63	1	
M4-14	2	
塞打螺栓		
M6-20	4	
螺母		
M3	62	
M4	17	
M4.5	2	
M5	10	
M6	4	
电机		
MS9015V3	2	
导线轮		
6-21-6-3-1.5	4	
弹簧		
KJ100T53	2	
法兰轴承		
10-19-5	2	
推力球轴承	2	
避震器安装	2	
4M3连接器	4	
90度连接器	8	
万向节	1	
1mm钢丝	8节	
拉簧	4	
卡簧	2	

I also need to 3D print, or laser cutting:

Axle, Upper Board, Bottom Board, Side Boards, Supporting leg, Foot, Universal joint connector

10、你将从什么地方获得这些零件和材料？完成此发明需要什么其他的技能或能力？谁可以帮助你完成此发明？请解决这些问题，并完成此发明。

Where will you get those parts and materials?What additional skills or abilities will you need to make the invention?
Who can help you build the invention?Please address these issues and complete this invention.

I will either buy these materials online, 3D printing, and laser cutting. These are the places where AutoCAD and Solidworks will come into action. I also need to cut the metal axle out from a metal pole to complete the work.

设计，制作，测试

注意：灰色部分文字的问题可选填

Designing, Building, Testing

Note: Issues with text in gray areas are optional to fill in

11、测试并且评估此发明。你都通过哪些方式来测试你的发明？

Test and evaluate the invention. What did you do to test the invention?

12、你的发明可能存在哪些问题？哪些改进能解决这些问题？

Identify any problems with the invention. What will you change to make it better?

交流

注意：灰色部分文字的问题可选填

Communicating

Note: Issues with text in gray areas are optional to fill in

13、你给这个发明起了什么名字？为什么起这个名字？

Naming your invention is important. Why choose this name? Where I looked to see if my idea is new:

给发明起名时，你可以从这些角度来考虑：

When naming an invention, you can consider these perspectives:

1) 发明解决的问题、实现的功能。

The problem your invention solves and the functions it achieves.

2) 从营销角度考虑，它将如何解决问题和帮助他人。

From a marketing perspective, how it will address issues and help others.

3) 你的发明与已有发明的不同和改进。

The differences and improvements your invention offers compared to existing inventions.

4) 你的目标受众。

Your target audience.

5) 使用一些引人注目的命名技巧，比如押韵、使用数字等。

Use attention-grabbing naming techniques, such as rhyme, using numbers, etc.

This is the function of the project Bionic Ankle. I hope that it is very easy to understand.

14、制作三折展板和路演视频，以更好地展示你的发明。


Create a tri-fold display board and a pitch video to better showcase your invention.

展示你的发明故事 Present your invention story

发明展板 Invention Display Board

设计你的三折展板。右边是发明展板的外观示例图，你可以根据需要进行调整。请发挥创造力，并用你喜欢的方式，展示你的发明故事。

Design your tri-fold display board. On the right is an example of the appearance of the invention display board that you can adjust as needed. Use your creativity and present your invention story in a way you like.



建议展示的信息：

Recommended information to include:

- 发明的关键功能、如何使用（可展示图纸、表格等）
Key features of the invention and how it is used (can include drawings, tables, etc.)
- 发明是如何完成的
How the invention was completed
- 发明团队简介
Brief introduction of the invention team
- 发明使用的知识及科学原理
Knowledge and scientific principles used in the invention
- 用户评价
User reviews
- 队员姓名、项目名称、就读学校、所在城市
Team members' names, project name, school name, city
- 专利状态（未申请、已申请或专利申请中）
Patent status (not applied, applied, or patent pending)

确保使用：

Ensure to use:

- 可清晰阅读的字体
Clear readable font
- 协调的颜色搭配
Coordinated color scheme
- 美观的排版
Attractive layout
- 正确的语法和书写
Correct grammar and writing
- 合适尺寸的展板：展板折叠后的最大宽度不超过 62 厘米
Appropriate size for the display board: The maximum width after folding should not exceed 62 cm

展示你的发明故事 Present your invention story

发明展板 Invention Display Board

请在完成展板制作后，拍下展板的照片，并把照片粘贴在下方。

After completing the display board, please take a photo of the board and paste the photo below.


Shanghai SHSID

Justin Guo

Bionic Ankle

Background

The idea of a bionic ankle have existed for ages, but most bionic ankle focuses on improving only the gait pattern of the bionic ankle and shock absorption.

Problem

As wars started to rage in the world, the rate of disability has gone high. More people need help on missing limbs, notably legs. The most important part of bionic leg is the ankle. Able to produce a good bionic ankle can greatly help these disabled people.

Ankle's Angle







Motion	Maximum angle(°)
Dorsiflexion (up)	27.6
Plantar flexion (down)	31.6
Inversion (inward)	24.0
Eversion (outward)	11.0

Table 1: The maximum angle that each movement can get

These numbers relatively matches the human's ankle movements, with the percent accuracy, except dorsiflexion, are around 26%.

Programming

PID_control and PID_control2 are the same function using different variables


The programming of the bionic ankle relies theon a 2 variable PID control. The gyroscope will send its angle roll and pitch (one describes the rotation angle around the x axis, and one describes the rotation angle around the y axis). I then separately do uses PID controller on the two element. Then, combine the two outcomes and send it to the two motors, letting them increase or decrease their angle.

Solution

I am trying to make a bionic ankle that can relatively mimic a human ankle, and help disabled people to walk once more. Using Solidworks, I first plan out the whole structure of hardware to check out the plan's feasibility. Then, I started on building the whole project's hardware. After finishing the hardware, I then build the Arduino setup, using esp32 as the controller, a remote-control gyroscope as a sensor, and two motors as the drive force. Once all of electronics is finished, I turned to programming.

The Components





Spring System: limit the movement of the foot, absorbs shock

Motor System: Drive force of the bionic foot

Universal Joint: Allows the foot to move 2 dimensionally


Innovation

- Added inversion and eversion movements
- Used a better spring system to mimic human's ankle function
- Used ADAMS to model the kinematics for optimized lengths

Function

The bionic ankle will use two motors to mimic the movement of a normal human foot. Using the components spring system, universal joint, and motor system, the bionic foot tries to mimic the body part's function, including absorbing shock, providing power, joints, and bones.

Final Product

讲述你的发明故事 Show your invention story

路演视频 Pitch Video

你需要录制一段视频，介绍你的发明，并完成上传。

You need to record a video introducing your invention and complete the upload.

建议展示的信息：

Recommended information to include:

- 队员姓名、项目名称、就读学校、所在城市
Team members' names, project name, school name, city
- 发明的关键功能
Key features of the invention
- 发明是如何完成的
How the invention was completed
- 发明使用的知识及科学原理
Knowledge and scientific principles used in the invention
- 演示发明原型
Demonstration of the invention prototype
- 用户评价及其他有助于展示发明特点的信息
User reviews and other information helpful in showcasing the invention's characteristics

注意事项：

Notes:

- 视频时长 4 分钟以内，视频大小 500M 以内
Video duration should be within 4 minutes, and the file size should be within 500MB
- 连贯拍摄、无剪辑
Continuous shooting without editing
- 全部团队成员出境
All team members present
- 光线适宜、人物居中站立
Suitable lighting, with individuals standing centered
- 使用三折展板和发明原型辅助展示
Use tri-fold display board and invention prototype for assistance in the demonstration

上传平台：

Upload platform:

前往全球发明大会中国区官方网站：www.inventionconvention.cn，按规则上传视频。

Go to the official website of the Invention Convention China: www.inventionconvention.cn, and upload the video according to the rules.

探讨你的发明故事 Explore your invention story

评审圈 Judging Circle

以下是评委可能会在线上和线下比赛现场评审圈中提出的一些问题，你可以写下答案的一些关键部分，以提前做好准备。

Here are some questions that judges may ask in both online and offline competition evaluation circles. You can write down key parts of your answers to prepare in advance.

- 你的发明解决了什么问题？
What problem does your invention solve?
- 你是如何想到这个问题的？
How did you come up with this problem?
- 这个问题会影响哪些人？
Who does this problem affect?
- 你是如何考虑这个问题的解决方案的？
How did you consider the solution to this problem?
- 你从哪里得到了用于发明的材料？
Where did you get the materials for your invention?
- 谁帮助你完成了发明，他们是如何帮助你的？
Who helped you complete the invention, and how did they assist you?
- 你为这个发明做了哪些改进？
What improvements have you made to this invention?
- 你的发明还有改进的空间吗？
Is there room for improvement in your invention?
- 谁使用过你的发明，他们给出了怎样的评价？
Who has used your invention, and what feedback have they provided?
- 你如何评价自己的发明？
How do you evaluate your invention?

2023-2024我的纪念板

My commemorative board for 2023-2024

恭喜你完成了一项发明！

放上一张你在发明过程中最喜欢的照片，再写一句话给自己吧！

Congratulations on completing an invention!

Paste your favorite photo from the invention process in the blank space below, and write a sentence to yourself!

Shanghai
SHSID

Justin Guo

Problem

As wars started to rage in the world, the rate of disability has gone high. More people need help on missing limbs, notably legs. The most important part of bionic leg is the ankle. Able to produce a good bionic ankle can greatly help these disabled people.

Solution

I am trying to make a bionic ankle that can relatively mimic a human ankle, and help disabled people to walk once more. Using Solidworks, I first plan out the whole structure of hardware to check out the plan's feasibility. Then, I started on building the whole project's hardware. After finishing the hardware, I then build the Arduino setup, using esp32 as the controller, a remote-control gyroscope as a sensor, and two motors as the drive force. Once all of electronics is finished, I turned to programming.

Function

The bionic ankle will use two motors to mimic the movement of a normal human foot. Using the components spring system, universal joint, and motor system, the bionic foot tries to mimic the body part's function, including absorbing shock, providing power, joints, and bones.

Bionic Ankle

Ankle's Angle



Motion	Maximum angle(°)
Dorsiflexion (up)	27.6
Plantar flexion (down)	31.6
Inversion (inward)	24.0
Eversion (outward)	11.0

Table 1: The maximum angle that each movement can get

These numbers relatively matches the human's ankle movements, with the percent accuracy, except dorsiflexion, are around 26%.

Programming





```
graph TD
    Start([Start]) --> Init[Initialize variables]
    Init --> Read[Read sensor data]
    Read --> Process[Process sensor data]
    Process --> Control[Control motors]
    Control --> Output[Output movement]
    Output --> End([End])
```



PID_control and PID_control2 are the same function using different variables

The programming of the bionic ankle relies on a 2 variable PID control. The gyroscope will send its angle roll and pitch (one describes the rotation angle around the x axis, and one describes the rotation angle around the y axis). I then separately do uses PID controller on the two element. Then, combine the two outcomes and send it to the two motors, letting them increase or decrease their angle.

The Components



Spring System: limit the movement of the foot, absorbs shock

Motor System: Drive force of the bionic foot

Universal Joint: Allows the foot to move 2 dimensionally

Background


The idea of a bionic ankle have existed for ages, but most bionic ankle focuses on improving only the gait pattern of the bionic ankle and shock absorption.



Innovation

- Added inversion and eversion movements
- Used a better spring system to mimic human's ankle function
- Used ADAMS to model the kinematics for optimized lengths

Final Product



Watching something created is not a sad story.