Please scroll to see screenshots of task 1 and 2

Device	Interface	IPv4 Address	Subnet Mask	Default Gateway
Bangkok_Rtr	GigaEthernet0/1 Serial 0/0/0 RIP(10.0.0.0)	10.10.1.1 10.10.12.1	255.255.255.192 255.255.255.192	NA
HuaHin_Rtr	FastEthernet 0/1 Serial 0/3/0 Serial 0/3/1 RIP(10.0.0.0)	10.10.2.1 10.10.12.2 10.10.13.2	255.255.255.192 255.255.255.192 255.255.255.192	NA
Rayong_Rtr	Serial 0/0/1 Serial 0/3/0 Serial 0/3/1 RIP(10.0.0.0)	10.10.11.1 10.10.12.3 10.10.13.3	255.255.255.192 255.255.255.192 255.255.255.192	NA
PC_11	NA	10.10.1.11	255.255.255.192	10.10.1.1
PC_21	NA	10.10.2.21	255.255.255.192	10.10.2.1
PC_57	NA	10.10.3.31	255.255.255.192	10.10.3.1
BB_SW	NA	10.10.1.2	255.255.255.192	10.10.1.1
HH_SW	NA	10.10.2.2	255.255.255.192	10.10.2.1
RYG_SW	NA	10.10.3.2	255.255.255.192	10.10.3.1
Server-PT	NA	10.10.1.3	255.255.255.192	10.10.1.1
Acme server	NA	10.10.1.4	255.255.255.192	10.10.1.1

Topology


ACME Corporate Network
PC-PT
AdminPC_11
Fa0
Fa0/1
Fa0/2
Fa0/3
Server-PT
10.10.1.3
2960-24TT
BK_Switch
Server-PT
acme.com
10.10.1.4
Gig0/1
Se0/0/0
Se0/0/1
2911
Bangkok_Rtr
Se0/3/1
Se0/3/0
2811
HuaHin_Rtr
2811
Rayong_Rtr
Fa0/24
2950T-24
HH_Switch
2950-24
Rayong_SW
PC-PT
ClientPC_21
PC-PT
ClientPC_31

TASK 1
TELNET BANGKOK



TELNET HUAHIN



PING TEST
ADMIN TO CLIENT PC 21
CLIENT PC 21 TO ADMIN

Fire	Last Status	Source	Destination	Type	Color	Time(sec)	Periodic	Num	Edit	Delete
	Successful	Admi...	ClientPC_21	ICMP		0.000	N	0	(edit)	(delete)
	Successful	Client...	AdminPC_11	ICMP		0.000	N	1	(edit)	(delete)

TASK 2 PART 1



TASK 2 PART 2


AdminPC_11
Physical
Config
Desktop
Programming
Attributes
Command Prompt
X
Cisco Packet Tracer PC Command Line 1.0
C:\>TELNET 10.10.3.2
Trying 10.10.3.2 ...Open
User Access Verification
Password:
RYG_Switch>ENABLE
Password:
RYG_Switch#
Top

TASK 2 PART 3

Fire	Last Status	Source	Destination	Type	Color	Time(sec)	Periodic	Num	Edit	Delete
	Successful	Client...	ClientPC_31	ICMP		0.000	N	0	(edit)	(delete)
	Successful	Client...	ClientPC_21	ICMP		0.000	N	1	(edit)	(delete)