

MORGENTHAU,JUSTIN

DOB: 06/27/1976
Sex: M
Phone: (860) 680-9004
Patient ID: 2001579161

Age: 50
Fasting: Y

Specimen: WC177899C
Requisition: 0141190
Lab Reference ID: 829084015Q
Report Status: FINAL / SEE REPORT

Collected: 07/22/2026 09:46
Received: 07/22/2026 09:46
Reported: 07/23/2026 16:43

Client #: 22188373
SASSE,ROBERT
HHCMG SOUTH WINDSOR
1559 SULLIVAN AVE
SOUTH WINDSOR, CT 06074-2712
Phone: (860) 696-2350
Fax: (860) 724-4443

FASTING: YES

▲ LIPID PANEL WITH REFLEX TO DIRECT LDL

Analyte	Value	
▲ CHOLESTEROL, TOTAL	200 H	Reference Range: <200 mg/dL
HDL CHOLESTEROL	59	Reference Range: > OR = 40 mg/dL
TRIGLYCERIDES	79	Reference Range: <150 mg/dL
▲ LDL-CHOLESTEROL	123 H	mg/dL (calc)
Reference range: <100		
Desirable range <100 mg/dL for primary prevention; <70 mg/dL for patients with CHD or diabetic patients with > or = 2 CHD risk factors.		
LDL-C is now calculated using the Martin-Hopkins calculation, which is a validated novel method providing better accuracy than the Friedewald equation in the estimation of LDL-C. Martin SS et al. JAMA. 2013;310(19): 2061-2068 (http://education.QuestDiagnostics.com/faq/FAQ164)		
CHOL/HDL-C RATIO	3.4	Reference Range: <5.0 (calc)
▲ NON HDL CHOLESTEROL	141 H	Reference Range: <130 mg/dL (calc)
For patients with diabetes plus 1 major ASCVD risk factor, treating to a non-HDL-C goal of <100 mg/dL (LDL-C of <70 mg/dL) is considered a therapeutic option.		

COMPREHENSIVE METABOLIC PANEL

Analyte	Value	
GLUCOSE	93	Reference Range: 65-99 mg/dL
Fasting reference interval		
UREA NITROGEN (BUN)	17	Reference Range: 7-25 mg/dL
CREATININE	1.09	Reference Range: 0.70-1.30 mg/dL
EGFR	83	Reference Range: > OR = 60 mL/min/1.73m ²
BUN/CREATININE RATIO	SEE NOTE:	Reference Range: 6-22 (calc)
Not Reported: BUN and Creatinine are within reference range.		
SODIUM	137	Reference Range: 135-146 mmol/L
POTASSIUM	4.2	Reference Range: 3.5-5.3 mmol/L
CHLORIDE	101	Reference Range: 98-110 mmol/L
CARBON DIOXIDE	28	Reference Range: 20-32 mmol/L
CALCIUM	9.6	Reference Range: 8.6-10.3 mg/dL
PROTEIN, TOTAL	7.2	Reference Range: 6.1-8.1 g/dL
ALBUMIN	4.5	Reference Range: 3.6-5.1 g/dL

GLOBULIN	2.7	Reference Range: 1.9-3.7 g/dL (calc)
ALBUMIN/GLOBULIN RATIO	1.7	Reference Range: 1.0-2.5 (calc)
BILIRUBIN, TOTAL	0.7	Reference Range: 0.2-1.2 mg/dL
ALKALINE PHOSPHATASE	68	Reference Range: 35-144 U/L
AST	16	Reference Range: 10-35 U/L
ALT	21	Reference Range: 9-46 U/L

CBC (INCLUDES DIFF/PLT)

Analyte	Value	
WHITE BLOOD CELL COUNT	7.3	Reference Range: 3.8-10.8 Thousand/uL
RED BLOOD CELL COUNT	5.55	Reference Range: 4.20-5.80 Million/uL
HEMOGLOBIN	16.2	Reference Range: 13.2-17.1 g/dL
HEMATOCRIT	50.5	Reference Range: 39.4-51.1 %
MCV	91.0	Reference Range: 81.4-101.7 fL
MCH	29.2	Reference Range: 27.0-33.0 pg
MCHC	32.1	Reference Range: 31.6-35.4 g/dL
RDW	13.8	Reference Range: 11.0-15.0 %
PLATELET COUNT	202	Reference Range: 140-400 Thousand/uL
MPV	10.6	Reference Range: 7.5-12.5 fL
ABSOLUTE NEUTROPHILS	4256	Reference Range: 1500-7800 cells/uL
ABSOLUTE LYMPHOCYTES	2365	Reference Range: 850-3900 cells/uL
ABSOLUTE MONOCYTES	482	Reference Range: 200-950 cells/uL
ABSOLUTE EOSINOPHILS	168	Reference Range: 15-500 cells/uL
ABSOLUTE BASOPHILS	29	Reference Range: 0-200 cells/uL
NEUTROPHILS	58.3	%
LYMPHOCYTES	32.4	%
MONOCYTES	6.6	%
EOSINOPHILS	2.3	%
BASOPHILS	0.4	%

TSH W/REFLEX TO FT4

Analyte	Value	
TSH W/REFLEX TO FT4	1.95	Reference Range: 0.40-4.50 mIU/L

Performing Sites

NL1 Quest Diagnostics LLC-Quest Diagnostics LLC, 200 Forest St, Marlborough, MA 01752-3023 Laboratory Director: Salim E Kabawat M.D.
QWA Quest Diagnostics, LLC-Wallingford CL 0091, 3 Sterling Dr, Wallingford, CT 06492-5925 Laboratory Director: Salim Kabawat

Key

 Priority Out of Range  Out of Range

These results have been sent to the person who ordered the tests. Your receipt of these results should not be viewed as medical advice and is not meant to replace discussion with your

doctor or other healthcare professional.

Quest, Quest Diagnostics, the associated logo, Nichols Institute, Interactive Insights and all associated Quest Diagnostics marks are the registered trademarks of Quest Diagnostics. All third party marks - '®' and '™' - are the property of their respective owners. Privacy policy can be found at: <http://questdiagnostics.com/home/privacy-policy/online-privacy.html>. © 2022 Quest Diagnostics Incorporated. All rights reserved.

