# **ACE HARDWARE**

# **810 INVOICE ANSI X12 4010**

\*NOTES: FOR ALL IN

FOR ALL INVOICES ACE WILL CALCULATE THE EXTENDED COST OF EACH LINE ITEM THEN ROUND TO TWO )2) DECIMALS

FOR A NEGOTIABLE AMOUNT: IT102 QUANTITY INVOICED X IT104 UNIT PRICE=ITEM EXTENDED COST

ACE WILL CALCULATE THE GROSS, TOTAL AMOUNT FOR COMPARISON TO THE TDS01:(SUM OF ITEM EXTENDED

(SUM OF ITEM EXTENDED COST + SAC05 FREIGHT CHARGE + SAC05 MISC CHARGE(S))

- SAC05 ALLOWANCE(S) = TDS01 TOTAL INVOICE AMOUNT.

PLEASE REVIEW THE WAY YOU ARE TRANSMITTING YOUR EDI DOCUMENTS TO ACE AND MAKE ANY NECESSARY CHANGES OI

YOUR END TO AVOID SENDING TWO DIFFERENT DOCUMENT TYPES IN THE SAME ISA ENVELOPE

ISA SEGMENT

INTERCHANGE CONTROL HEADER

OCCURS 1 TIME

(X12 MANDATORY ENVELOPE)

ACE MANDATORY ENVELOPE

DATA	ELEMENT	DATA ELEMENT NAME	ANSI	ACE	DATA	ELEMENT	ACE REQUESTED
<b>ELEMENT</b>	NUMBER		REQ	REQ	TYPE	LENGTH	FIELD CONTENTS
ISA01	I01	AUTHORIZATION INFO QUAL.	М	M	ID	02/02	"00".
ISA02	102	AUTHORIZATION INFORMATION	М	M	AN	10/10	FOLLOW STANDARD.
ISA03	103	SECURITY INFO QUALIFIER	М	M	ID	02/02	"00".
ISA04	104	SECURITY INFORMATION	M	M	AN	10/10	FOLLOW STANDARD.
ISA05	105	INTERCHANGE SENDER ID QUALIFIER	M	M	ID	02/02	YOUR EDI ID QUALIFIER.
ISA06	106	INTERCHANGE SENDER ID	M	M	ID	15/15	YOUR EDI ID (IE. DUNS #).
ISA07	105	INTERCHANGE RECEIVER ID QUALIFIEI	M	M	ID	02/02	IF SENDING TO ACE:
							"ZZ" = ACE TEST QUALIFIER.
							"01" = ACE PRODUCTION QUALIFIER.
ISA08	107	INTERCHANGE RECEIVER ID	M	M	ID	15/15	IF SENDING TO ACE:
							"7089906600" = ACE TEST ID.
							"006928311" = ACE PRODUCTION ID.
ISA09	108	TRANSMISSION DATE	М	М	DT	06/06	YYMMDD.
ISA10	109	TRANSMISSION TIME	М	М	TM	04/04	ННММ.
ISA11	I10	INTERCHANGE CONTROL ID	М	М	ID	01/01	"U".
ISA12	l11	INTERCHANGE VERSION NUMBER	М	М	ID	05/05	"00400".
ISA13	l12	INTERCHANGE CONTROL NUMBER	М	М	N0	09/09	9 DIGIT CONTROL NUMBER.
ISA14	I13	ACKNOWLEDGEMENT REQUEST FLAG	M	M	ID	01/01	"0".
ISA15	l14	TEST INDICATOR	M	M	ID	01/01	"T" = TEST.
							"P" = PRODUCTION.
ISA16	I15	SUBELEMENT SEPARATOR	M	M	AN	01/01	FOLLOW STANDARD.

Revised 03/07

GS SEGMENT

FUNCTIONAL GROUP HEADER

OCCURS 1 TIME

(X12 MANDATORY ENVELOPE)

ACE MANDATORY ENVELOPE

DATA	<b>ELEMENT</b>	DATA ELEMENT NAME	ANSI	ACE	DATA	ELEMENT	ACE REQUESTED
<b>ELEMENT</b>	NUMBER		REQ	REQ	TYPE	LENGTH	FIELD CONTENTS
GS01	479	FUNCTIONAL ID	M	M	ID	02/02	USE "IN" FOR INVOICE INFORMATION.
GS02	142	GROUP/APPLICATION SENDER ID	M	M	ID	02/15	YOUR GROUP/EDI ID.
GS03	124	GROUP/APPLICATION RECEIVER ID	M	M	ID	02/15	IF SENDING TO ACE:
							"7089906600" = ACE TEST ID.
							"006928311" = ACE PRODUCTION ID.
GS04	373	APPLICATION GROUP DATE	M	M	DT	08/08	CCYYMMDD.
GS05	337	APPLICATION GROUP TIME	M	M	TM	04/08	HHMM OR HHMMSS OR HHMMSSDD.
GS06	28	APPLICATION GROUP CONTROL NUMB	M	M	N0	01/09	FOLLOW STANDARD.
GS07	455		М	M	ID	01/02	USE "X" FOR ANSI X12.
GS08	480	VERSION/RELEASE INDUSTRY CODE	M	M	ID	01/12	"004010".

ST SEGMENT

TRANSACTION SET HEADER

OCCURS 1 TIME

(X12 MANDATORY ENVELOPE)

ACE MANDATORY ENVELOPE

		(X12 WANDATOKT LINVLLOFL)		ACE MANDATORT ENVELOPE					
DATA	ELEMENT	DATA ELEMENT NAME	ANSI	ACE	DATA	ELEMENT	ACE REQUESTED		
SEGMENT	NUMBER		REQ	REQ	TYPE	LENGTH	FIELD CONTENTS		
ST01	143	TRANSACTION SET ID	M	M	ID	03/03	"810" FOR X12 INVOICE.		
ST02	329	TRANSACTION SET CONTROL NO.	M	M	AN	04/09	FOLLOW STANDARD.		

**BIG SEGMENT** 

BEGINNING SEGMENT FOR INVOICE

OCCURS 1 TIME

## ACE MANDATORY SEGMENT

DATA	ELEMENT	DATA ELEMENT NAME	ANSI	ACE	DATA	ELEMENT	ACE REQUESTED		
<b>ELEMENT</b>	NUMBER		REQ	REQ	TYPE	LENGTH	FIELD CONTENTS		
BIG01	373	INVOICE DATE	M	M	DT	08/08	INVOICE DATE.		
BIG02	76	INVOICE NUMBER	M	M	AN	01/22	INVOICE NUMBER.		
BIG03	373	PO DATE	0	M	DT	08/08	PO DATE.		
*BIG04	324	PO NUMBER	0	M	AN	01/22	PO NUMBER. See note below		
BIG05	328	RELEASE NUMBER	0	0	AN	01/30	CREDIT AUTHORIZATION NUMBER		

\*NOTE

RSC PO NUMBER = 1 ALPHA FOLLOWED BY 5 NUMERIC AND 1 ALPHA.

ANY OTHER FORMAT CAN BE CONSIDERED A STORE/DROP SHIP PO NUMBER.

REF SEGMENT REFFERENCE NUMBERS

MULTIPLE OCCURRENCE POSSIBLE

### ACE MANDATORY SEGMENT

			7.02						
DATA	ELEMENT	DATA ELEMENT NAME	ANSI	ACE	DATA	<b>ELEMENT</b>	ACE REQUESTED		
ELEMENT	NUMBER		REQ	REQ	TYPE	LENGTH	FIELD CONTENTS		
REF01	128	REFERENCE NUMBER QUALIFIER	M	M	ID		DESCRIBES TYPE OF REF NUMBER FOR ACE USE: "IA" = INTERNAL ACE VENDOR NUMBER. "IS" = INVOICE NUMBER SUFFIX.		
REF02	127	REFERENCE NUMBER	X	М	AN	.,	IF REF01 = "IA" USE THE ACE VENDOR #. IF REF01 = "IS" USE THESE CODES: "W" = WAREHOUSE. "D" = DIRECT. "R" = RELOAD.		
REF03	352	DESCRIPTION	Χ	-	AN	01/80	ACE ANTICIPATION CODE IF APPLICABLE.		

# N1 SEGMENT

NAME

# N1 LOOP (LOOP WILL REPEAT) ACE MANDATORY SEGMENT

DATA	<b>ELEMENT</b>	DATA ELEMENT NAME	ANSI	ACE	DATA	ELEMENT	ACE REQUESTED
<b>ELEMENT</b>	NUMBER		REQ	REQ	TYPE	LENGTH	FIELD CONTENTS
N101	98	ENTITY IDENTIFIER CODE	M	M	ID	02/03	USE ONE OF THE FOLLOWING CODES
							PER N1 LOOP:
							"ST" = SHIP TO
							"RE" = REMIT TO
							"RC" = RECEIVING OR JOB SITE LOCATION
							WHEN APPLICABLE.
N102	93	NAME	X	M	AN	01/60	IF N101 = "ST" USE THE SHIP TO NAME
							IF N101 = "RE" USE THE REMIT TO NAME
							IF N101 = "RC" USE THE RECEIVING/JOB
							SITE LOCATION NAME.

\*NOTE THE N1 LOOP SHOULD APPEAR TWICE, ONCE FOR SHIP TO AND ONCE FOR REMIT TO.

**N2 SEGMENT** 

ADDITIONAL NAME INFORMATION

CAN OCCUR 2 TIMES (PER N1 LOOP)

ACE OPTIONAL SEGMENT

DATA	ELEMENT	DATA ELEMENT NAME	ANSI	ACE	DATA	ELEMENT	ACE REQUESTED
<b>ELEMENT</b>	NUMBER		REQ	REQ	TYPE	LENGTH	FIELD CONTENTS
N201	93	NAME	М	-	AN	01/60	SHIP TO, REMIT TO, REC/JOB SITE NAME

N3 SEGMENT

ADDRESS INFORMATION

CAN OCCUR 2 TIMES (PER N1 LOOP)

ACE MANDATORY SEGMENT

	7102 1111 1112/11 0111 020112111								
DATA	ELEMENT	DATA ELEMENT NAME	ACE	ANSI	DATA	ELEMENT	ACE REQUESTED		
<b>ELEMENT</b>	NUMBER		REQ	REQ	TYPE	LENGTH	FIELD CONTENTS		
N301	166	ADDRESS	M	M	ID	01/55	SHIP TO, REMIT TO OR RECV/JOB SITE AD		
N302	166	ADDRESS	0	0	ID	01/55	SHIP TO, REMIT TO OR RECV/JOB SITE AD		

PAGE 8-4 06/05

N4 SEGMENT

GEOGRAPHIC LOCATION

# OCCURS 1 TIME (PER N1 LOOP)

# ACE MANDATORY SEGMENT

DATA	ELEMENT	DATA ELEMENT NAME	ANSI	ACE	DATA	ELEMENT	ACE REQUESTED
<b>ELEMENT</b>	NUMBER		REQ	REQ	TYPE	LENGTH	FIELD CONTENTS
N401	19	CITY NAME	0	M	AN	02/30	SHIP TO, REMIT TO, RECV/JOB SITE CITY.
N402	156	STATE OR PROVINCE CODE	0	M	ID	02/02	SHIP TO, REMIT TO OR RECV/JOB SITE ST
N403	116	POSTAL CODE	0	M	ID	03/15	SHIP TO, REMIT TO OR RECV/JOB SITE ZIP.
N405	309	LOCATION QUALIFIER	0	M	ID	01/02	USE THIS ELEMENT IF N101 = "ST"  USE "SN" IF SHIP TO IS A STORE.  USE "DC" IF SHIP TO IS A DISTRIBUTION.  CENTER OR RSC.
N406	310	LOCATION IDENTIFIER	Х	М	AN	01/30	IF N405 = "SN" USE THE SHIP TO STORE #.  THE STORE NUMBER CAN BE FOUND IN THE "ACE STORE LIST BY STATE & CITY BOOK".  DO NOT PREFIX THE STORE NUMBER WITH THE DUNS NUMBER.  IF N405 = "DC" USE THE LOCATION ID OF RSC/DC (RETAIL SUPT CTR/DIST CTR). THIS LOCATION ID CAN BE FOUND IN N104 OF THE EDI PO OR ON PAGE 3-2 OF THIS GUIDE. LOCATION ID = ACE DUNS + RSC/DC 4 DIGIT CODE.

ITD SEGMENT TERMS OR DEFERRED TERMS OF SALE

### ACE MANDATORY SEGMENT

DATA	ELEMENT	DATA ELEMENT NAME	ANSI	ACE	DATA	ELEMENT	ACE REQUESTED
<b>ELEMENT</b>	NUMBER		REQ	REQ	TYPE	LENGTH	FIELD CONTENTS
ITD01	336	TERMS TYPE CODE	0	M	ID	02/02	"14" =TERMS PREVIOUSLY AGREED UPON.
ITD02	333	TERMS BASIS DATE CODE	0	M	ID	01/02	CODE IDENTIFYING BEGINNING OF
							TERMS PERIOD:
							CODE "3" = INVOICE DATE.
ITD03	338	TERMS DISCOUNT %	0	Χ	R	01/06	PERCENT OF GROSS AMOUNT THAT
							CAN BE DEDUCTED IF INVOICE IS
							PAYED BY DUE DATE.
							DO NOT USE DECIMAL POINTS FOR %.
*ITD04	370	TERMS DISCOUNT DUE DATE	Χ	Χ	DT	08/08	DATE PAYMENT IS DUE, IF DISCOUNT IS
							TO BE REALIZED.
*ITD05	351	TERMS DISCOUNT DAYS DUE	Χ	Χ	N0	01/03	# OF DAYS UNTIL PAYMENT IS DUE,
							IF DISCOUNT IS TO BE REALIZED.
*ITD06	446	TERMS NET DUE DATE	0	Χ	DT	08/08	DATE TOTAL GROSS INVOICE IS DUE.
*ITD07	386	TERMS NET DAYS DUE	0	Χ	N0	01/03	# OF DAYS UNTIL TOTAL INVOICE IS
							DUE (DISCOUNT NOT APPLICABLE).
ITD08	362	TERMS DISCOUNT AMOUNT	0	Χ	N2	01/10	DISCOUNT REFLECTED AS \$ AMOUNT.

\*NOTE PLEASE INCLUDE EITHER ITD04 OR ITD05 BUT NOT BOTH. ALSO, INCLUDE EITHER ITD06 OR ITD07 BUT NOT BOTH.

# DTM SEGMENT DATE/TIME REFERENCE

MULTIPLE OCCURRANCE POSSIBLE

ACE OPTIONAL SEGMENT

	AGE OF FIGURE GEGINEIVE								
DATA	ELEMENT	DATA ELEMENT NAME	ANSI	ACE	DATA	ELEMENT	ACE REQUESTED		
SEGMENT	NUMBER		REQ	REQ	TYPE	LENGTH	FIELD CONTENTS		
DTM01	374	DATE/TIME QUALIFIER	M	-	ID	03/03	USE CODE "011" FOR DATE SHIPPED.		
DTM02	373	DATE	Χ	-	DT	08/08	ACTUAL DATE SHIPPED.		

IT1 SEGMENT

BASELINE ITEM DATA

### IT1 LOOP (LOOP CAN REPEAT)

### ACE MANDATORY SEGMENT

DATA	ELEMENT	DATA ELEMENT NAME	ANSI	ACE	DATA	ELEMENT	ACE REQUESTED
<b>ELEMENT</b>	NUMBER		REQ	REQ	TYPE	LENGTH	FIELD CONTENTS
IT102	358	QUANTITY INVOICED	Χ	M	R	01/10	QUANTITY INVOICED.
IT103	355	UNIT OF MEASURE CODE	Χ	M	ID	02/02	USE CODE "EA" FOR EACH.
IT104	212	UNIT PRICE	Χ	M	R	01/17	NET "EACH" PRICE.
		CONDITIONAL PAIRS IT106	-IT111 I	MAY O	CCUR	IN ANY ORD	DER
*IT106	235	PROD/SERV ID QUALIFIER	Χ	Χ	ID	02/02	"UK"=UPC CODE OR
*IT107	234	PRODUCT /SERVICE ID	Χ	Χ	AN	01/48	UPC OR EAN NUMBER.
*IT108	235	PROD/SERV ID QUALIFIER	Χ	Χ	ID	02/02	USE "IN" FOR BUYERS ITEM #.
*IT109	234	PRODUCT /SERVICE ID	Χ	Χ	AN	01/48	ACE SKU NUMBER.
*IT110	235	PROD/SERV ID QUALIFIER	Χ	Χ	ID	02/02	USE CODE "VN" FOR VENDORS REF. NO.
*IT111	234	PRODUCT /SERVICE ID	Χ	Χ	AN	01/48	MANUFACTURER NO (VENDOR REF #).

\*NOTE: WE REQUEST ALL THREE PRODUCT/SERVICE ID (IT107, IT109 AND IT111 PER LINE ITEM(IT1).

UPC IS MANDATORY. THESE IDENTIFIERS MAY BE IN ANY ORDER, BUT MUST BE PROCEEDED

WITH THE PRODUCT/SERVICE QUALIFIER SHOWN IN THE FORMATS. "UP" PRODUCT ID IS CHANGED TO "UK"

TO FACILITATE GLOBAL COMMERCE. THE 12-DIGIT UPC IS EXPANDED TO 14-DIGIT

**IT3 SEGMENT** 

ADDITIONAL ITEM DATA

OCCURS 1 TIME (PER IT1 LOOP)

ACE OPTIONAL SEGMENT

	AGE OF HOLVIE GEOMETAL									
DATA	ELEMENT	DATA ELEMENT NAME	ANSI	ACE	DATA	ELEMENT	ACE REQUESTED			
ELEMENT	NUMBER		REQ	REQ	TYPE	LENGTH	FIELD CONTENTS			
IT304	383	QUANTITY DIFFERENCE	Χ	-	R	01/09	QUANTITY ON BACKORDER.			

PID SEGMENT PRODUCT ITEM DISCRIPTION

OCCURS 1 TIME (PER IT1 LOOP)

ACE MANDATORY SEGMENT

DATA	<b>ELEMENT</b>	DATA ELEMENT NAME	ANSI	ACE	DATA	<b>ELEMENT</b>	ACE REQUESTED
<b>ELEMENT</b>	NUMBER		REQ	REQ	TYPE	LENGTH	FIELD CONTENTS
PID01	349	ITEM DESCRIPTION TYPE	M	M	ID	01/01	USE "F" FOR FREE FORM.
PID05	352	DESCRIPTION	Χ	M	AN	01/80	PRODUCT DESCRIPTION .

TDS SEGMENT TOTAL MONETARY VALUE SUMMARY

OCCURS 1 TIME

ACE MANDATORY SEGMENT

DATA	<b>ELEMENT</b>	DATA ELEMENT NAME	ANSI	ACE	DATA	ELEMENT	ACE REQUESTED
<b>ELEMENT</b>	NUMBER		REQ	REQ	TYPE	LENGTH	FIELD CONTENTS
TDS01	610	TOTAL INVOICE AMT	M	M	N2	01/15	GROSS TOTAL DUE, INCLUDING
							FREIGHT CHARGES AND ALLOWANCES.
							DO NOT USE DECIMAL POINT.

CAD SEGMENT CARRIER DETAIL

OCCURS 1 TIME

ACE OPTIONIAL SEGMENT

	ACE OPTIONAL SEGMENT									
DATA	<b>ELEMENT</b>	DATA ELEMENT NAME	ANSI	ACE	DATA	ELEMENT	ACE REQUESTED			
<b>ELEMENT</b>	NUMBER		REQ	REQ	TYPE	LENGTH	FIELD CONTENTS			
CAD05	387	ROUTING	Χ	-	AN	1/35	CARRIER NAME.			

SAC SEGMENT | ALLOWANCE / CHARGE

# MULTIPLE OCCURRANCE POSSIBLE

# ACE OPTIONAL SEGMENT

DATA	ELEMENT	DATA ELEMENT NAME	ANSI	ACE	DATA	ELEMENT	ACE REQUESTED
<b>ELEMENT</b>	NAME		REQ	REQ	TYPE	LENGTH	FIELD CONTENTS
SAC01	248	ALLOWANCE/CHARGE INDICATOR	M	M	ID	01/01	"C" = CHARGE
							"A" = ALLOWANCE
SAC03	559	AGENCY QUALIFIER CODE	Х	M	ID	02/02	THERE ARE MANY CODES; ACE WILL
							SPECIFICALLY USE:
							"FC" = FREIGHT CHARGE
							"FA" = FREIGHT ALLOWANCE
							NOTE: ACE ACCEPTS ALL STANDARD
							CODES, BUT TREATS THEM AS A
							MISC CHARGE OR ALLOWANCE.
SAC04	1301	ALLOWANCE/CHARGE CODE	X	M	AN	01/10	"ZZ"-MUTUALLY DEFINED.
SAC05	610	AMOUNT	0	M	N2	01/15	TOTAL ALLOWANCE/CHARGE AMOUNT.
SAC15	352	DESCRIPTION	X	M	AN	01/80	DESCRIPTION OF ALLOWANCE/CHARGE.

MULTIPLE SAC SEGMENTS CAN BE SENT. \*NOTE

CTT SEGMENT TRANSACTION TOTALS

OCCURS 1 TIME

# ACE MANDATORY SEGMENT

	AGE WARDATION GEOMETH								
DATA	ELEMENT	DATA ELEMENT NAME	ANSI	ACE	DATA	ELEMENT	ACE REQUESTED		
ELEMENT	NUMBER		REQ	REQ	TYPE	LENGTH	FIELD CONTENTS		
CTT01	354	NUMBER OF LINE ITEMS	М	М	N0	01/06	TOTAL NUMBER OF INVOICE LINES		
							I.E. SUM OF IT1 OCCURENCES.		
CTT02	347	HASH TOTALS	0	0	R	01/10	TOTAL EACHES INVOICED		
							I.E. SUM OF IT102 CONTENTS.		
CTT03	81	WEIGHT	Х	0	R	01/10	TOTAL WEIGHT OF ORDER.		
CTT04	355	UNIT OF MEASUREMENT CODE	Χ	Χ	ID	02/02	"ZZ" = MUTUALLY DEFINED.		

SE SEGMENT TRANSACTION SET TRAILER OCCURS 1 TIME

(X12 MANDATORY ENVELOPE) ACE MANDATORY ENVELOPE

DATA	ELEMENT	DATA ELEMENT NAME	ANSI	ACE	DATA	ELEMENT	ACE REQUESTED
<b>ELEMENT</b>	NUMBER		REQ	REQ	TYPE	LENGTH	FIELD CONTENTS
SE01	96	NUMBER OF INCLUDED SEGMENTS	M	M	N0	01/06	FOLLOW STANDARD.
SE02	329	TRANSACTION SET CONTROL NO	M	M	AN	04/09	FOLLOW STANDARD.

GE SEGMENT FUNCTIONAL GROUP TRAILER OCCURS 1 TIME

(X12 MANDATORY ENVELOPE) ACE MANDATORY ENVELOPE

DATA	<b>ELEMENT</b>	DATA ELEMENT NAME	ANSI	ACE	DATA	ELEMENT	ACE REQUESTED
<b>ELEMENT</b>	NUMBER		REQ	REQ	TYPE	LENGTH	FIELD CONTENTS
GE01	97	NO. OF INCLUDED TRANSACTION SETS	М	M	N0	01/06	FOLLOW STANDARD.
GE02	28	GROUP CONTROL NO	М	M	N0	01/09	FOLLOW STANDARD.

IEA SEGMENT INTERCHANGE CONTROL TRAILER OCCURS 1 TIME

(X12 MANDATORY ENVELOPE) ACE MANDATORY ENVELOPE

DATA	ELEMENT	DATA ELEMENT NAME	ANSI	ACE	DATA	ELEMENT	ACE REQUESTED
<b>ELEMENT</b>	NUMBER		REQ	REQ	TYPE	LENGTH	FIELD CONTENTS
IEA01	I16	NUMBER OF INCLUDED GROUPS	M	M	N0	01/05	FOLLOW STANDARD.
IEA02	l12	INTERCHANGE CONTROL NO	M	M	N0	01/09	FOLLOW STANDARD.