

HW#2 Chapter 3

1.1, 1.2, 1.3

1.4 a, c, f, g and/or cartesian

1.5 c, b, e, f, g, h

1.6 all

1.1

a) q_1 startb) $M_1: \{q_2\}$ $M_2: \{q_1, q_4\}$ c) $M_1: (q_1, q_2), (q_2, q_3), (q_3, q_1), (q_1, q_1)$ $aabb$ $M_2: (q_1, q_1), (q_1, q_2), (q_1, q_3), (q_2, q_4)$ $aabb$ d) M_1 : no M_2 : yese) M_1 : no M_2 : yes

1.2

 $M_1: (\{q_1, q_2, q_3\}, \{a, b\}, \delta_1, q_1, \{q_3\})$ $M_2: (\{q_1, q_2, q_3, q_4\}, \{a, b\}, \delta_2, q_1, \{q_1, q_4\})$


$$\delta_1$$

	a	b
q_1	q_2	q_1
q_2	q_3	q_3
q_3	q_2	q_1



$$\delta_2$$

	a	b
q_1	q_1	q_2
q_2	q_3	q_4
q_3	q_2	q_1
q_4	q_3	q_4


1.3




1.4

a) $\{w \mid w \text{ has at least 3 a's and at least 2 b's}\}$  $L_1 = \{w \mid w \text{ has at least 3 a's}\}$  $L_2 = \{w \mid w \text{ has at least 2 b's}\}$


Continue




c) $\{w \mid w \text{ has an even number of 'a's and one or two 'b's}\}$
 $L = \{w \mid w \text{ has an even number of 'a's}\}$




$L_2 = \{w \mid w \text{ has one or two 'b's}\}$





Continued



d) $\{w \mid w \text{ has an odd number of 'a's and ends with a 'b'}\}$
 $L = \{w \mid w \text{ has an odd number of 'a's}\}$




ii = $\{w \mid w \text{ ends with a 'b'}\}$




3.


g) $\{w \mid w \text{ has even length and odd no. of } a's\}$
 $\{w \mid w \text{ has even length}\}$




ii) $\{w \mid w \text{ has an odd number of } a's\}$



iii) Combine




1.5) $\{w \mid w \text{ does not contain the substring } ab \text{ nor } ba\}$
 $\{w \mid w \text{ does contain the substring } ab \text{ or } ba\}$




b) $\{w \mid w \text{ is not any string in } a^*b^*\}$


$w \text{ is a string in } a^*b^*$




Complement




Q | $\{w \mid w \text{ is any string not in } (ab^+)^*$
 $w \text{ is in } (ab^+)^*$



f | $\{w \mid w \text{ is any string not in } a^* \cup b^*\}$
 $w \text{ is a string in } a^* \cup b^*$




g | $\{w \mid w \text{ is any string that doesn't contain exactly two a's}\}$
 $w \text{ is a string that contains exactly two a's}$




5

h) $\{w \mid w \text{ is any string except } a \text{ and } b\}$




i) $b^* a b^*$


a) $\{w \mid w \text{ begins with } 1 \text{ and ends with } a 0\}$




b) $\{w \mid w \text{ contains at least } 3 \text{ '1's}\}$



c) $\{w \mid w \text{ contains the substring } 010\}$




d) $\{w \mid w \text{ has length at least } 3 \text{ and its third symbol is } 0\}$




6


e) $\{w \mid w \text{ starts with } 0 \text{ has odd length or starts with } 1 \text{ has even length}\}$




f) $\{w \mid w \text{ does not contain the substring } 110\}$




g) $\{w \mid \text{the length of } w \text{ is at most } 5\}$



h) $\{w \mid w \text{ is any string except } 11 \text{ and } 111\}$




i) $\{w \mid \text{every odd position of } w \text{ is } 1\}$




7


j) $\{w \mid w \text{ contains at least 2 0's and at most one 1}\}$



k) $\{\epsilon, 0\}$



l) $\{w \mid w \text{ contains an even \# of 0's or contains exactly two 1's}\}$



m) the empty set



n) All strings except the empty string

