

OpenAPI 3.1.0

Universal Music Store

Admin Open API

English administration operations reference

Version 1.0.0

Generated from the implemented admin route tree on 2026-08-27.

Authentication and Operations

Admin operations require an authenticated staff session or an approved internal bearer credential. Each protected route must enforce the relevant permission before mutating or exposing commerce data.

Hardening guidance: preserve request correlation IDs, audit mutations, redact credentials and payment data, validate payloads server-side, and return least-privilege responses.

Authentication schemes

Scheme	Transport	Use
AdminSession	Cookie	Interactive staff session from admin sign-in.
StaffApiKey	Bearer token	Approved internal integrations and automation.

Tags

- Admin / Analytics
- Admin / Audit Logs
- Admin / Campaigns
- Admin / Catalog
- Admin / Channels
- Admin / Chat Orders
- Admin / Cms
- Admin / Commerce
- Admin / Commerce Recovery Metrics
- Admin / Cost Visibility
- Admin / Crm
- Admin / Delivery Logistics
- Admin / Devices
- Admin / Employees
- Admin / Feature Mappings
- Admin / Integration Health
- Admin / Integrations
- Admin / Inventory
- Admin / Invoices
- Admin / Loyalty
- Admin / Medusa
- Admin / Offline Queue
- Admin / Operator Notes
- Admin / Orders
- Admin / Payment Attempts
- Admin / Payment Health
- Admin / Payments
- Admin / Pin Approval
- Admin / Pos
- Admin / Profile
- Admin / Receipts
- Admin / Reconciliation
- Admin / Reviews
- Admin / Roles
- Admin / Segments
- Admin / Shifts
- Admin / Sse
- Admin / Storefront Home
- Admin / Storefront Public Metadata
- Admin / Tasks
- Admin / Terminal Open Drawer
- Admin / Terminal Print
- Admin / Terminal Print Label
- Admin / Tracking Capabilities
- Admin / Voids
- Admin / Workflow
- Auth / ...Nextauth
- Integrations / Channels
- Integrations / Chat Orders
- Integrations / Couriers
- Medusa / Orders
- Medusa / Shipments
- Pos / Medusa
- Webhooks / Nango

Endpoint Index

209 operations discovered from the admin application route handlers.

Method	Path	Domain	Implementation
GET	/admin/analytics/clv	Admin / Analytics	apps/admin/src/app/api/admin/analytics/clv/route.ts
GET	/admin/analytics/retention	Admin / Analytics	apps/admin/src/app/api/admin/analytics/retention/route.ts
GET	/admin/analytics/sales-trends	Admin / Analytics	apps/admin/src/app/api/admin/analytics/sales-trends/route.ts
GET	/admin/audit-logs	Admin / Audit Logs	apps/admin/src/app/api/admin/audit-logs/route.ts
POST	/admin/campaigns/{id}/execute	Admin / Campaigns	apps/admin/src/app/api/admin/campaigns/[id]/execute/route.ts
PATCH	/admin/campaigns/{id}	Admin / Campaigns	apps/admin/src/app/api/admin/campaigns/[id]/route.ts
GET	/admin/campaigns	Admin / Campaigns	apps/admin/src/app/api/admin/campaigns/route.ts
POST	/admin/campaigns	Admin / Campaigns	apps/admin/src/app/api/admin/campaigns/route.ts
GET	/admin/catalog/categories	Admin / Catalog	apps/admin/src/app/api/admin/catalog/categories/route.ts
POST	/admin/catalog/categories	Admin / Catalog	apps/admin/src/app/api/admin/catalog/categories/route.ts
GET	/admin/catalog/media	Admin / Catalog	apps/admin/src/app/api/admin/catalog/media/route.ts
POST	/admin/catalog/media	Admin / Catalog	apps/admin/src/app/api/admin/catalog/media/route.ts
PATCH	/admin/catalog/products/{id}	Admin / Catalog	apps/admin/src/app/api/admin/catalog/products/[id]/route.ts
DELETE	/admin/catalog/products/{id}	Admin / Catalog	apps/admin/src/app/api/admin/catalog/products/[id]/route.ts
POST	/admin/catalog/products	Admin / Catalog	apps/admin/src/app/api/admin/catalog/products/route.ts
GET	/admin/catalog/products/suggestions	Admin / Catalog	apps/admin/src/app/api/admin/catalog/products/suggestions/route.ts
POST	/admin/channels/events/{id}/process	Admin / Channels	apps/admin/src/app/api/admin/channels/events/[id]/process/route.ts
GET	/admin/channels/events	Admin / Channels	apps/admin/src/app/api/admin/channels/events/route.ts
POST	/admin/chat-orders/{id}/settle	Admin / Chat Orders	apps/admin/src/app/api/admin/chat-orders/[id]/settle/route.ts
POST	/admin/chat-orders/{id}/status	Admin / Chat Orders	apps/admin/src/app/api/admin/chat-orders/[id]/status/route.ts
GET	/admin/chat-orders/variant-suggestions	Admin / Chat Orders	apps/admin/src/app/api/admin/chat-orders/variant-suggestions/route.ts
GET	/admin/cms/announcement	Admin / Cms	apps/admin/src/app/api/admin/cms/announcement/route.ts

Method	Path	Domain	Implementation
PUT	/admin/cms/announcement	Admin / Cms	apps/admin/src/app/api/admin/cms/announcement/route.ts
DELETE	/admin/cms/announcement	Admin / Cms	apps/admin/src/app/api/admin/cms/announcement/route.ts
DELETE	/admin/cms/block-presets/{id}	Admin / Cms	apps/admin/src/app/api/admin/cms/block-presets/[id]/route.ts
GET	/admin/cms/block-presets	Admin / Cms	apps/admin/src/app/api/admin/cms/block-presets/route.ts
POST	/admin/cms/block-presets	Admin / Cms	apps/admin/src/app/api/admin/cms/block-presets/route.ts
GET	/admin/cms/blog/{id}	Admin / Cms	apps/admin/src/app/api/admin/cms/blog/[id]/route.ts
PUT	/admin/cms/blog/{id}	Admin / Cms	apps/admin/src/app/api/admin/cms/blog/[id]/route.ts
DELETE	/admin/cms/blog/{id}	Admin / Cms	apps/admin/src/app/api/admin/cms/blog/[id]/route.ts
POST	/admin/cms/blog/bulk	Admin / Cms	apps/admin/src/app/api/admin/cms/blog/bulk/route.ts
GET	/admin/cms/blog/export	Admin / Cms	apps/admin/src/app/api/admin/cms/blog/export/route.ts
GET	/admin/cms/blog	Admin / Cms	apps/admin/src/app/api/admin/cms/blog/route.ts
POST	/admin/cms/blog	Admin / Cms	apps/admin/src/app/api/admin/cms/blog/route.ts
GET	/admin/cms/category-content/catalog-gaps	Admin / Cms	apps/admin/src/app/api/admin/cms/category-content/catalog-gaps/route.ts
GET	/admin/cms/category-content/medusa-categories	Admin / Cms	apps/admin/src/app/api/admin/cms/category-content/medusa-categories/route.ts
GET	/admin/cms/category-content	Admin / Cms	apps/admin/src/app/api/admin/cms/category-content/route.ts
POST	/admin/cms/category-content	Admin / Cms	apps/admin/src/app/api/admin/cms/category-content/route.ts
POST	/admin/cms/category-content/sync-from-medusa	Admin / Cms	apps/admin/src/app/api/admin/cms/category-content/sync-from-medusa/route.ts
GET	/admin/cms/components/{id}	Admin / Cms	apps/admin/src/app/api/admin/cms/components/[id]/route.ts
PATCH	/admin/cms/components/{id}	Admin / Cms	apps/admin/src/app/api/admin/cms/components/[id]/route.ts
POST	/admin/cms/components/{id}	Admin / Cms	apps/admin/src/app/api/admin/cms/components/[id]/route.ts
DELETE	/admin/cms/components/{id}	Admin / Cms	apps/admin/src/app/api/admin/cms/components/[id]/route.ts
GET	/admin/cms/components	Admin / Cms	apps/admin/src/app/api/admin/cms/components/route.ts
POST	/admin/cms/components	Admin / Cms	apps/admin/src/app/api/admin/cms/components/route.ts
PUT	/admin/cms/experiments/{id}	Admin / Cms	apps/admin/src/app/api/admin/cms/experiments/[id]/route.ts
GET	/admin/cms/experiments	Admin / Cms	apps/admin/src/app/api/admin/cms/experiments/route.ts
POST	/admin/cms/experiments	Admin / Cms	apps/admin/src/app/api/admin/cms/experiments/route.ts
GET	/admin/cms/forms/settings	Admin / Cms	apps/admin/src/app/api/admin/cms/forms/settings/route.ts
PUT	/admin/cms/forms/settings	Admin / Cms	apps/admin/src/app/api/admin/cms/forms/settings/route.ts
PATCH	/admin/cms/forms/submissions/{id}	Admin / Cms	apps/admin/src/app/api/admin/cms/forms/submissions/[id]/route.ts
GET	/admin/cms/forms/submissions/export	Admin / Cms	apps/admin/src/app/api/admin/cms/forms/submissions/export/route.ts
GET	/admin/cms/forms/submissions	Admin / Cms	apps/admin/src/app/api/admin/cms/forms/submissions/route.ts
GET	/admin/cms/media/{id}	Admin / Cms	apps/admin/src/app/api/admin/cms/media/[id]/route.ts
PATCH	/admin/cms/media/{id}	Admin / Cms	apps/admin/src/app/api/admin/cms/media/[id]/route.ts
DELETE	/admin/cms/media/{id}	Admin / Cms	apps/admin/src/app/api/admin/cms/media/[id]/route.ts
GET	/admin/cms/media	Admin / Cms	apps/admin/src/app/api/admin/cms/media/route.ts

Method	Path	Domain	Implementation
POST	/admin/cms/media	Admin / Cms	apps/admin/src/app/api/admin/cms/media/route.ts
POST	/admin/cms/navigation/publish	Admin / Cms	apps/admin/src/app/api/admin/cms/navigation/publish/route.ts
GET	/admin/cms/navigation	Admin / Cms	apps/admin/src/app/api/admin/cms/navigation/route.ts
PUT	/admin/cms/navigation	Admin / Cms	apps/admin/src/app/api/admin/cms/navigation/route.ts
GET	/admin/cms/pages/{id}/mutations	Admin / Cms	apps/admin/src/app/api/admin/cms/pages/[id]/mutations/route.ts
GET	/admin/cms/pages/{id}	Admin / Cms	apps/admin/src/app/api/admin/cms/pages/[id]/route.ts
PUT	/admin/cms/pages/{id}	Admin / Cms	apps/admin/src/app/api/admin/cms/pages/[id]/route.ts
DELETE	/admin/cms/pages/{id}	Admin / Cms	apps/admin/src/app/api/admin/cms/pages/[id]/route.ts
GET	/admin/cms/pages	Admin / Cms	apps/admin/src/app/api/admin/cms/pages/route.ts
POST	/admin/cms/pages	Admin / Cms	apps/admin/src/app/api/admin/cms/pages/route.ts
PUT	/admin/cms/redirects/{id}	Admin / Cms	apps/admin/src/app/api/admin/cms/redirects/[id]/route.ts
DELETE	/admin/cms/redirects/{id}	Admin / Cms	apps/admin/src/app/api/admin/cms/redirects/[id]/route.ts
PATCH	/admin/cms/redirects/bulk	Admin / Cms	apps/admin/src/app/api/admin/cms/redirects/bulk/route.ts
GET	/admin/cms/redirects/export	Admin / Cms	apps/admin/src/app/api/admin/cms/redirects/export/route.ts
POST	/admin/cms/redirects/import	Admin / Cms	apps/admin/src/app/api/admin/cms/redirects/import/route.ts
GET	/admin/cms/redirects/resolve	Admin / Cms	apps/admin/src/app/api/admin/cms/redirects/resolve/route.ts
GET	/admin/cms/redirects	Admin / Cms	apps/admin/src/app/api/admin/cms/redirects/route.ts
POST	/admin/cms/redirects	Admin / Cms	apps/admin/src/app/api/admin/cms/redirects/route.ts
GET	/admin/commerce-recovery-metrics	Admin / Commerce Recovery Metrics	apps/admin/src/app/api/admin/commerce-recovery-metrics/route.ts
GET	/admin/commerce/products/lookup	Admin / Commerce	apps/admin/src/app/api/admin/commerce/products/lookup/route.ts
GET	/admin/commerce/products/search	Admin / Commerce	apps/admin/src/app/api/admin/commerce/products/search/route.ts
GET	/admin/cost-visibility	Admin / Cost Visibility	apps/admin/src/app/api/admin/cost-visibility/route.ts
GET	/admin/crm/bridge	Admin / Crm	apps/admin/src/app/api/admin/crm/bridge/route.ts
POST	/admin/crm/bridge	Admin / Crm	apps/admin/src/app/api/admin/crm/bridge/route.ts
POST	/admin/crm/nango/connect-session	Admin / Crm	apps/admin/src/app/api/admin/crm/nango/connect-session/route.ts
GET	/admin/crm/nango	Admin / Crm	apps/admin/src/app/api/admin/crm/nango/route.ts
POST	/admin/crm/nango	Admin / Crm	apps/admin/src/app/api/admin/crm/nango/route.ts
DELETE	/admin/crm/nango	Admin / Crm	apps/admin/src/app/api/admin/crm/nango/route.ts
DELETE	/admin/crm/notes/{id}	Admin / Crm	apps/admin/src/app/api/admin/crm/notes/[id]/route.ts
GET	/admin/crm/notes	Admin / Crm	apps/admin/src/app/api/admin/crm/notes/route.ts
POST	/admin/crm/notes	Admin / Crm	apps/admin/src/app/api/admin/crm/notes/route.ts
GET	/admin/crm/operations	Admin / Crm	apps/admin/src/app/api/admin/crm/operations/route.ts
POST	/admin/crm/operations	Admin / Crm	apps/admin/src/app/api/admin/crm/operations/route.ts
PATCH	/admin/crm/operations	Admin / Crm	apps/admin/src/app/api/admin/crm/operations/route.ts

Method	Path	Domain	Implementation
DELETE	/admin/crm/operations	Admin / Crm	apps/admin/src/app/api/admin/crm/operations/route.ts
GET	/admin/delivery-logistics/operations	Admin / Delivery Logistics	apps/admin/src/app/api/admin/delivery-logistics/operations/route.ts
POST	/admin/delivery-logistics/operations	Admin / Delivery Logistics	apps/admin/src/app/api/admin/delivery-logistics/operations/route.ts
GET	/admin/delivery-logistics	Admin / Delivery Logistics	apps/admin/src/app/api/admin/delivery-logistics/route.ts
GET	/admin/delivery-logistics/shipments	Admin / Delivery Logistics	apps/admin/src/app/api/admin/delivery-logistics/shipments/route.ts
POST	/admin/delivery-logistics/shipments	Admin / Delivery Logistics	apps/admin/src/app/api/admin/delivery-logistics/shipments/route.ts
PATCH	/admin/devices/{id}	Admin / Devices	apps/admin/src/app/api/admin/devices/[id]/route.ts
GET	/admin/devices	Admin / Devices	apps/admin/src/app/api/admin/devices/route.ts
POST	/admin/devices	Admin / Devices	apps/admin/src/app/api/admin/devices/route.ts
PUT	/admin/employees/{id}/pin	Admin / Employees	apps/admin/src/app/api/admin/employees/[id]/pin/route.ts
POST	/admin/employees/{id}/pin	Admin / Employees	apps/admin/src/app/api/admin/employees/[id]/pin/route.ts
GET	/admin/employees/{id}	Admin / Employees	apps/admin/src/app/api/admin/employees/[id]/route.ts
PATCH	/admin/employees/{id}	Admin / Employees	apps/admin/src/app/api/admin/employees/[id]/route.ts
DELETE	/admin/employees/{id}	Admin / Employees	apps/admin/src/app/api/admin/employees/[id]/route.ts
GET	/admin/employees	Admin / Employees	apps/admin/src/app/api/admin/employees/route.ts
POST	/admin/employees	Admin / Employees	apps/admin/src/app/api/admin/employees/route.ts
GET	/admin/feature-mappings	Admin / Feature Mappings	apps/admin/src/app/api/admin/feature-mappings/route.ts
GET	/admin/integration-health	Admin / Integration Health	apps/admin/src/app/api/admin/integration-health/route.ts
GET	/admin/integrations/pancake	Admin / Integrations	apps/admin/src/app/api/admin/integrations/pancake/route.ts
POST	/admin/inventory/adjust	Admin / Inventory	apps/admin/src/app/api/admin/inventory/adjust/route.ts
GET	/admin/inventory/cycle-counts/{id}	Admin / Inventory	apps/admin/src/app/api/admin/inventory/cycle-counts/[id]/route.ts

Method	Path	Domain	Implementation
POST	/admin/inventory/cycle-counts/{id}	Admin / Inventory	apps/admin/src/app/api/admin/inventory/cycle-counts/[id]/route.ts
GET	/admin/inventory/cycle-counts	Admin / Inventory	apps/admin/src/app/api/admin/inventory/cycle-counts/route.ts
POST	/admin/inventory/cycle-counts	Admin / Inventory	apps/admin/src/app/api/admin/inventory/cycle-counts/route.ts
GET	/admin/inventory/ledger	Admin / Inventory	apps/admin/src/app/api/admin/inventory/ledger/route.ts
GET	/admin/inventory/purchase-orders/{id}	Admin / Inventory	apps/admin/src/app/api/admin/inventory/purchase-orders/[id]/route.ts
POST	/admin/inventory/purchase-orders/{id}	Admin / Inventory	apps/admin/src/app/api/admin/inventory/purchase-orders/[id]/route.ts
GET	/admin/inventory/purchase-orders	Admin / Inventory	apps/admin/src/app/api/admin/inventory/purchase-orders/route.ts
POST	/admin/inventory/purchase-orders	Admin / Inventory	apps/admin/src/app/api/admin/inventory/purchase-orders/route.ts
POST	/admin/inventory/reservations/{id}	Admin / Inventory	apps/admin/src/app/api/admin/inventory/reservations/[id]/route.ts
GET	/admin/inventory/reservations	Admin / Inventory	apps/admin/src/app/api/admin/inventory/reservations/route.ts
POST	/admin/inventory/reservations	Admin / Inventory	apps/admin/src/app/api/admin/inventory/reservations/route.ts
GET	/admin/inventory	Admin / Inventory	apps/admin/src/app/api/admin/inventory/route.ts
GET	/admin/inventory/stream	Admin / Inventory	apps/admin/src/app/api/admin/inventory/stream/route.ts
GET	/admin/inventory/transfers/{id}	Admin / Inventory	apps/admin/src/app/api/admin/inventory/transfers/[id]/route.ts
POST	/admin/inventory/transfers/{id}	Admin / Inventory	apps/admin/src/app/api/admin/inventory/transfers/[id]/route.ts
GET	/admin/inventory/transfers	Admin / Inventory	apps/admin/src/app/api/admin/inventory/transfers/route.ts
POST	/admin/inventory/transfers	Admin / Inventory	apps/admin/src/app/api/admin/inventory/transfers/route.ts
POST	/admin/invoices/{id}/lifecycle	Admin / Invoices	apps/admin/src/app/api/admin/invoices/[id]/lifecycle/route.ts
POST	/admin/invoices/{id}/provider	Admin / Invoices	apps/admin/src/app/api/admin/invoices/[id]/provider/route.ts
GET	/admin/invoices	Admin / Invoices	apps/admin/src/app/api/admin/invoices/route.ts
POST	/admin/invoices	Admin / Invoices	apps/admin/src/app/api/admin/invoices/route.ts
GET	/admin/loyalty/lookup	Admin / Loyalty	apps/admin/src/app/api/admin/loyalty/lookup/route.ts
POST	/admin/loyalty/points	Admin / Loyalty	apps/admin/src/app/api/admin/loyalty/points/route.ts
GET	/admin/loyalty/rewards	Admin / Loyalty	apps/admin/src/app/api/admin/loyalty/rewards/route.ts

Method	Path	Domain	Implementation
POST	/admin/loyalty/rewards	Admin / Loyalty	apps/admin/src/app/api/admin/loyalty/rewards/route.ts
GET	/admin/loyalty	Admin / Loyalty	apps/admin/src/app/api/admin/loyalty/route.ts
POST	/admin/loyalty	Admin / Loyalty	apps/admin/src/app/api/admin/loyalty/route.ts
GET	/admin/medusa/payment-providers	Admin / Medusa	apps/admin/src/app/api/admin/medusa/payment-providers/route.ts
GET	/admin/offline-queue	Admin / Offline Queue	apps/admin/src/app/api/admin/offline-queue/route.ts
POST	/admin/offline-queue	Admin / Offline Queue	apps/admin/src/app/api/admin/offline-queue/route.ts
PATCH	/admin/offline-queue	Admin / Offline Queue	apps/admin/src/app/api/admin/offline-queue/route.ts
GET	/admin/operator-notes	Admin / Operator Notes	apps/admin/src/app/api/admin/operator-notes/route.ts
POST	/admin/operator-notes	Admin / Operator Notes	apps/admin/src/app/api/admin/operator-notes/route.ts
POST	/admin/orders/{orderId}/refund	Admin / Orders	apps/admin/src/app/api/admin/orders/[orderId]/refund/route.ts
POST	/admin/orders/bulk-fulfill	Admin / Orders	apps/admin/src/app/api/admin/orders/bulk-fulfill/route.ts
POST	/admin/orders/export-jnt-csv	Admin / Orders	apps/admin/src/app/api/admin/orders/export-jnt-csv/route.ts
GET	/admin/payment-attempts/export	Admin / Payment Attempts	apps/admin/src/app/api/admin/payment-attempts/export/route.ts
GET	/admin/payment-health	Admin / Payment Health	apps/admin/src/app/api/admin/payment-health/route.ts
POST	/admin/payments/{id}/mark-review	Admin / Payments	apps/admin/src/app/api/admin/payments/[id]/mark-review/route.ts
POST	/admin/payments/{id}/retry	Admin / Payments	apps/admin/src/app/api/admin/payments/[id]/retry/route.ts
GET	/admin/payments/capabilities	Admin / Payments	apps/admin/src/app/api/admin/payments/capabilities/route.ts
POST	/admin/payments/connect-session	Admin / Payments	apps/admin/src/app/api/admin/payments/connect-session/route.ts
POST	/admin/payments/connections/reconnect	Admin / Payments	apps/admin/src/app/api/admin/payments/connections/reconnect/route.ts
GET	/admin/payments/connections	Admin / Payments	apps/admin/src/app/api/admin/payments/connections/route.ts
POST	/admin/payments/connections	Admin / Payments	apps/admin/src/app/api/admin/payments/connections/route.ts
DELETE	/admin/payments/connections	Admin / Payments	apps/admin/src/app/api/admin/payments/connections/route.ts

Method	Path	Domain	Implementation
POST	/admin/payments/provider-operation	Admin / Payments	apps/admin/src/app/api/admin/payments/provider-operation/route.ts
GET	/admin/payments	Admin / Payments	apps/admin/src/app/api/admin/payments/route.ts
POST	/admin/pin-approval	Admin / Pin Approval	apps/admin/src/app/api/admin/pin-approval/route.ts
GET	/admin/pos/enterprise	Admin / Pos	apps/admin/src/app/api/admin/pos/enterprise/route.ts
POST	/admin/pos/enterprise	Admin / Pos	apps/admin/src/app/api/admin/pos/enterprise/route.ts
GET	/admin/pos/feature-mappings	Admin / Pos	apps/admin/src/app/api/admin/pos/feature-mappings/route.ts
GET	/admin/profile/avatar	Admin / Profile	apps/admin/src/app/api/admin/profile/avatar/route.ts
PATCH	/admin/profile	Admin / Profile	apps/admin/src/app/api/admin/profile/route.ts
GET	/admin/receipts	Admin / Receipts	apps/admin/src/app/api/admin/receipts/route.ts
POST	/admin/receipts	Admin / Receipts	apps/admin/src/app/api/admin/receipts/route.ts
GET	/admin/reconciliation	Admin / Reconciliation	apps/admin/src/app/api/admin/reconciliation/route.ts
PATCH	/admin/reviews/{id}	Admin / Reviews	apps/admin/src/app/api/admin/reviews/[id]/route.ts
GET	/admin/reviews	Admin / Reviews	apps/admin/src/app/api/admin/reviews/route.ts
GET	/admin/roles	Admin / Roles	apps/admin/src/app/api/admin/roles/route.ts
GET	/admin/segments/{id}/members	Admin / Segments	apps/admin/src/app/api/admin/segments/[id]/members/route.ts
POST	/admin/segments/{id}/members	Admin / Segments	apps/admin/src/app/api/admin/segments/[id]/members/route.ts
GET	/admin/segments	Admin / Segments	apps/admin/src/app/api/admin/segments/route.ts
POST	/admin/segments	Admin / Segments	apps/admin/src/app/api/admin/segments/route.ts
POST	/admin/shifts/{id}/close	Admin / Shifts	apps/admin/src/app/api/admin/shifts/[id]/close/route.ts
GET	/admin/shifts/{id}/reconciliation	Admin / Shifts	apps/admin/src/app/api/admin/shifts/[id]/reconciliation/route.ts
GET	/admin/shifts	Admin / Shifts	apps/admin/src/app/api/admin/shifts/route.ts
POST	/admin/shifts	Admin / Shifts	apps/admin/src/app/api/admin/shifts/route.ts
GET	/admin/sse	Admin / Sse	apps/admin/src/app/api/admin/sse/route.ts
GET	/admin/storefront-home	Admin / Storefront Home	apps/admin/src/app/api/admin/storefront-home/route.ts
PUT	/admin/storefront-home	Admin / Storefront Home	apps/admin/src/app/api/admin/storefront-home/route.ts
GET	/admin/storefront-public-metadata	Admin / Storefront	apps/admin/src/app/api/admin/storefront-public-metadata/route.ts

Method	Path	Domain	Implementation
		Public Metadata	
PUT	/admin/storefront-public-metadata	Admin / Storefront Public Metadata	apps/admin/src/app/api/admin/storefront-public-metadata/route.ts
GET	/admin/tasks/today	Admin / Tasks	apps/admin/src/app/api/admin/tasks/today/route.ts
POST	/admin/terminal-open-drawer	Admin / Terminal Open Drawer	apps/admin/src/app/api/admin/terminal-open-drawer/route.ts
POST	/admin/terminal-print-label	Admin / Terminal Print Label	apps/admin/src/app/api/admin/terminal-print-label/route.ts
POST	/admin/terminal-print	Admin / Terminal Print	apps/admin/src/app/api/admin/terminal-print/route.ts
POST	/admin/tracking-capabilities/revoke	Admin / Tracking Capabilities	apps/admin/src/app/api/admin/tracking-capabilities/revoke/route.ts
GET	/admin/voids	Admin / Voids	apps/admin/src/app/api/admin/voids/route.ts
POST	/admin/voids	Admin / Voids	apps/admin/src/app/api/admin/voids/route.ts
GET	/admin/workflow/entities	Admin / Workflow	apps/admin/src/app/api/admin/workflow/entities/route.ts
POST	/admin/workflow/transition	Admin / Workflow	apps/admin/src/app/api/admin/workflow/transition/route.ts
GET	/auth/{...nextauth}	Auth / ...Nextauth	apps/admin/src/app/api/auth/[...nextauth]/route.ts
POST	/auth/{...nextauth}	Auth / ...Nextauth	apps/admin/src/app/api/auth/[...nextauth]/route.ts
POST	/integrations/channels/webhook	Integrations / Channels	apps/admin/src/app/api/integrations/channels/webhook/route.ts
POST	/integrations/chat-orders/intake	Integrations / Chat Orders	apps/admin/src/app/api/integrations/chat-orders/intake/route.ts
GET	/integrations/couriers	Integrations / Couriers	apps/admin/src/app/api/integrations/couriers/route.ts
POST	/integrations/couriers/telemetry	Integrations / Couriers	apps/admin/src/app/api/integrations/couriers/telemetry/route.ts
PATCH	/medusa/orders/{orderId}	Medusa / Orders	apps/admin/src/app/api/medusa/orders/[orderId]/route.ts
POST	/medusa/shipments	Medusa / Shipments	apps/admin/src/app/api/medusa/shipments/route.ts
POST	/pos/medusa/commit-sale	Pos / Medusa	apps/admin/src/app/api/pos/medusa/commit-sale/route.ts
POST	/pos/medusa/draft-order	Pos / Medusa	apps/admin/src/app/api/pos/medusa/draft-order/route.ts
POST	/pos/medusa/lookup	Pos / Medusa	apps/admin/src/app/api/pos/medusa/lookup/route.ts
GET	/pos/medusa/quick-products	Pos / Medusa	apps/admin/src/app/api/pos/medusa/quick-products/route.ts
GET	/pos/medusa/search	Pos / Medusa	apps/admin/src/app/api/pos/medusa/search/route.ts
GET	/pos/medusa/suggestions	Pos / Medusa	apps/admin/src/app/api/pos/medusa/suggestions/route.ts

Method	Path	Domain	Implementation
POST	/webhooks/nango	Webhooks / Nango	apps/admin/src/app/api/webhooks/nango/route.ts

Response and Security Contract

Successful responses

Each operation has its own request and response schema generated from the route handler source, with strict object boundaries and a runtime source reference. Mutation operations require an Idempotency-Key unless they are signed webhook deliveries.

Error responses

Status	Meaning	Required hardening behavior
400	Invalid request	Validate and reject malformed or unsafe input.
401	Unauthenticated or unauthorized	Do not disclose protected resource details.
409	Replay or concurrency conflict	Do not execute a duplicate side effect.
413	Payload too large	Reject before parsing or persistence.
500	Internal failure	Log with correlation ID and return a safe public message.

Source of truth

The companion YAML file is generated from route handlers under `apps/admin/src/app/api`. Contract metadata is emitted per operation so route, permission, tenant, and replay-control drift is visible in review.