

OpenAPI 3.1.0

Universal Music Store

API Reference

Storefront, customer, staff, integration, and internal operations

Version 1.0.0

Generated from the implemented API route tree on 2026-10-02.

Authentication and Operations

Authentication is operation-specific. Inspect each operation's x-authentication-class; source-inferred classifications are documentation hints and must be confirmed against executable authorization tests. Internal signatures and opaque capabilities are intentionally not represented as generic staff credentials.

Hardening guidance: preserve request correlation IDs, audit mutations, redact credentials and payment data, validate payloads server-side, and return least-privilege responses.

Authentication schemes

Scheme	Transport	Use
StaffSession	Cookie header	Supabase SSR staff session.
CustomerSession	Cookie header	Supabase SSR customer session.
CartCapability	Cookie header	HttpOnly cart ownership capability.

Tags

- Account / Marketing Preferences
- Account / Order Preferences
- Account / Orders
- Account / Privacy
- Account / Profile
- Admin
- Admin / Analytics
- Admin / Audit Logs
- Admin / Campaigns
- Admin / Catalog
- Admin / Channels
- Admin / Chat Orders
- Admin / Cms
- Admin / Commerce
- Admin / Commerce Recovery Metrics
- Admin / Cost Visibility
- Admin / Crm
- Admin / Delivery Logistics
- Admin / Devices
- Admin / Employees
- Admin / Feature Mappings
- Admin / Integration Health
- Admin / Integrations
- Admin / Inventory
- Admin / Invoices
- Admin / Loyalty
- Admin / Offline Queue
- Admin / Operator Notes
- Admin / Orders
- Admin / Payment Attempts
- Admin / Payment Health
- Admin / Payments
- Admin / Pin Approval
- Admin / Pos
- Admin / Profile
- Admin / Receipts
- Admin / Reconciliation
- Admin / Reviews
- Admin / Roles
- Admin / Runtime Settings
- Admin / Segments
- Admin / Shifts
- Admin / Sse
- Admin / Storefront Home
- Admin / Storefront Public Metadata
- Admin / Tasks
- Admin / Terminal Open Drawer
- Admin / Terminal Print
- Admin / Terminal Print Label
- Admin / Tracking Capabilities
- Admin / Voids
- Admin / Workflow
- Auth / Callback
- Auth / E2e
- Auth / Session
- Cart / Abandonment
- Cart / Attach Customer
- Cart / Bind
- Cart / Bind Token
- Cart / Line
- Cart / Merge
- Cart / Reconcile
- Cart / Resume
- Catalog / Product Default Variant
- Checkout / Apply Promo
- Checkout / Available Payment Methods
- Checkout / Cod Cart Payload
- Checkout / Cod Place Order
- Checkout / Commerce Telemetry
- Checkout / Complete
- Checkout / Loyalty Balance
- Checkout / Paypal
- Checkout / Preview
- Checkout / Start
- Checkout / Upload Payment Receipt
- Checkout / Verify Stock
- Cms / Announcement
- Cms / Experiments
- Cms / Preview
- Cron / Back In Stock
- Cron / Campaigns
- Cron / Finalize Payment Attempts
- Cron / Inventory Reservations
- Cron / Payment Reconciliation
- Forms / FormKey
- Health / Sop
- Integrations / Channels
- Integrations / Chat Orders
- Integrations / Couriers
- Internal / Dev Diagnostics
- Internal / Invalidate Commerce State
- Internal / Reconcile Payment Attempt
- Newsletter / Confirm
- Newsletter / Unsubscribe
- Orders / Return
- Payments / Checkout Intents
- Pos / Commerce
- Reviews / Csrft
- Reviews / Helpful
- Reviews / Report
- Shop / Product
- Shop / Search Suggest
- Tracking Link / Resolve
- Webhooks / Nango
- Wishlist / Sync

Endpoint Index

280 operations discovered from the unified web application's admin route handlers.

Method	Path	Domain	Implementation
GET	/account/marketing-preferences	Account / Marketing Preferences	apps/web/src/app/api/account/marketing-preferences/route.ts
PATCH	/account/marketing-preferences	Account / Marketing Preferences	apps/web/src/app/api/account/marketing-preferences/route.ts
GET	/account/order-preferences	Account / Order Preferences	apps/web/src/app/api/account/order-preferences/route.ts
PATCH	/account/order-preferences	Account / Order Preferences	apps/web/src/app/api/account/order-preferences/route.ts
POST	/account/orders/{orderId}/cancel	Account / Orders	apps/web/src/app/api/account/orders/[orderId]/cancel/route.ts
POST	/account/privacy/erasure	Account / Privacy	apps/web/src/app/api/account/privacy/erasure/route.ts
GET	/account/privacy/export	Account / Privacy	apps/web/src/app/api/account/privacy/export/route.ts
PATCH	/account/profile	Account / Profile	apps/web/src/app/api/account/profile/route.ts
GET	/account/profile/status	Account / Profile	apps/web/src/app/api/account/profile/status/route.ts
GET	/admin/analytics/clv	Admin / Analytics	apps/web/src/app/api/admin/analytics/clv/route.ts
GET	/admin/analytics/retention	Admin / Analytics	apps/web/src/app/api/admin/analytics/retention/route.ts
GET	/admin/analytics/sales-trends	Admin / Analytics	apps/web/src/app/api/admin/analytics/sales-trends/route.ts
GET	/admin/audit-logs	Admin / Audit Logs	apps/web/src/app/api/admin/audit-logs/route.ts
POST	/admin/campaigns/{id}/execute	Admin / Campaigns	apps/web/src/app/api/admin/campaigns/[id]/execute/route.ts
GET	/admin/campaigns/{id}	Admin / Campaigns	apps/web/src/app/api/admin/campaigns/[id]/route.ts
PATCH	/admin/campaigns/{id}	Admin / Campaigns	apps/web/src/app/api/admin/campaigns/[id]/route.ts
GET	/admin/campaigns	Admin / Campaigns	apps/web/src/app/api/admin/campaigns/route.ts
POST	/admin/campaigns	Admin / Campaigns	apps/web/src/app/api/admin/campaigns/route.ts
GET	/admin/catalog/categories	Admin / Catalog	apps/web/src/app/api/admin/catalog/categories/route.ts
POST	/admin/catalog/categories	Admin / Catalog	apps/web/src/app/api/admin/catalog/categories/route.ts

Method	Path	Domain	Implementation
GET	/admin/catalog/media/{id}	Admin / Catalog	apps/web/src/app/api/admin/catalog/media/[id]/route.ts
PATCH	/admin/catalog/media/{id}	Admin / Catalog	apps/web/src/app/api/admin/catalog/media/[id]/route.ts
DELETE	/admin/catalog/media/{id}	Admin / Catalog	apps/web/src/app/api/admin/catalog/media/[id]/route.ts
GET	/admin/catalog/media	Admin / Catalog	apps/web/src/app/api/admin/catalog/media/route.ts
POST	/admin/catalog/media	Admin / Catalog	apps/web/src/app/api/admin/catalog/media/route.ts
PATCH	/admin/catalog/products/{id}	Admin / Catalog	apps/web/src/app/api/admin/catalog/products/[id]/route.ts
DELETE	/admin/catalog/products/{id}	Admin / Catalog	apps/web/src/app/api/admin/catalog/products/[id]/route.ts
POST	/admin/catalog/products	Admin / Catalog	apps/web/src/app/api/admin/catalog/products/route.ts
GET	/admin/catalog/products/suggestions	Admin / Catalog	apps/web/src/app/api/admin/catalog/products/suggestions/route.ts
POST	/admin/channels/events/{id}/process	Admin / Channels	apps/web/src/app/api/admin/channels/events/[id]/process/route.ts
GET	/admin/channels/events	Admin / Channels	apps/web/src/app/api/admin/channels/events/route.ts
POST	/admin/chat-orders/{id}/status	Admin / Chat Orders	apps/web/src/app/api/admin/chat-orders/[id]/status/route.ts
GET	/admin/chat-orders/variant-suggestions	Admin / Chat Orders	apps/web/src/app/api/admin/chat-orders/variant-suggestions/route.ts
GET	/admin/cms/announcement	Admin / Cms	apps/web/src/app/api/admin/cms/announcement/route.ts
PUT	/admin/cms/announcement	Admin / Cms	apps/web/src/app/api/admin/cms/announcement/route.ts
DELETE	/admin/cms/announcement	Admin / Cms	apps/web/src/app/api/admin/cms/announcement/route.ts
DELETE	/admin/cms/block-presets/{id}	Admin / Cms	apps/web/src/app/api/admin/cms/block-presets/[id]/route.ts
GET	/admin/cms/block-presets	Admin / Cms	apps/web/src/app/api/admin/cms/block-presets/route.ts
POST	/admin/cms/block-presets	Admin / Cms	apps/web/src/app/api/admin/cms/block-presets/route.ts
GET	/admin/cms/blog/{id}	Admin / Cms	apps/web/src/app/api/admin/cms/blog/[id]/route.ts
PUT	/admin/cms/blog/{id}	Admin / Cms	apps/web/src/app/api/admin/cms/blog/[id]/route.ts
DELETE	/admin/cms/blog/{id}	Admin / Cms	apps/web/src/app/api/admin/cms/blog/[id]/route.ts
POST	/admin/cms/blog/bulk	Admin / Cms	apps/web/src/app/api/admin/cms/blog/bulk/route.ts
GET	/admin/cms/blog/export	Admin / Cms	apps/web/src/app/api/admin/cms/blog/export/route.ts
GET	/admin/cms/blog	Admin / Cms	apps/web/src/app/api/admin/cms/blog/route.ts
POST	/admin/cms/blog	Admin / Cms	apps/web/src/app/api/admin/cms/blog/route.ts
GET	/admin/cms/category-content/catalog-categories	Admin / Cms	apps/web/src/app/api/admin/cms/category-content/catalog-categories/route.ts
GET	/admin/cms/category-content/catalog-gaps	Admin / Cms	apps/web/src/app/api/admin/cms/category-content/catalog-gaps/route.ts
GET	/admin/cms/category-content	Admin / Cms	apps/web/src/app/api/admin/cms/category-content/route.ts

Method	Path	Domain	Implementation
POST	/admin/cms/category-content	Admin / Cms	apps/web/src/app/api/admin/cms/category-content/route.ts
POST	/admin/cms/category-content/sync-from-catalog	Admin / Cms	apps/web/src/app/api/admin/cms/category-content/sync-from-catalog/route.ts
GET	/admin/cms/components/{id}	Admin / Cms	apps/web/src/app/api/admin/cms/components/[id]/route.ts
PATCH	/admin/cms/components/{id}	Admin / Cms	apps/web/src/app/api/admin/cms/components/[id]/route.ts
POST	/admin/cms/components/{id}	Admin / Cms	apps/web/src/app/api/admin/cms/components/[id]/route.ts
DELETE	/admin/cms/components/{id}	Admin / Cms	apps/web/src/app/api/admin/cms/components/[id]/route.ts
GET	/admin/cms/components	Admin / Cms	apps/web/src/app/api/admin/cms/components/route.ts
POST	/admin/cms/components	Admin / Cms	apps/web/src/app/api/admin/cms/components/route.ts
PUT	/admin/cms/experiments/{id}	Admin / Cms	apps/web/src/app/api/admin/cms/experiments/[id]/route.ts
GET	/admin/cms/experiments	Admin / Cms	apps/web/src/app/api/admin/cms/experiments/route.ts
POST	/admin/cms/experiments	Admin / Cms	apps/web/src/app/api/admin/cms/experiments/route.ts
GET	/admin/cms/forms/settings	Admin / Cms	apps/web/src/app/api/admin/cms/forms/settings/route.ts
PUT	/admin/cms/forms/settings	Admin / Cms	apps/web/src/app/api/admin/cms/forms/settings/route.ts
PATCH	/admin/cms/forms/submissions/{id}	Admin / Cms	apps/web/src/app/api/admin/cms/forms/submissions/[id]/route.ts
GET	/admin/cms/forms/submissions/export	Admin / Cms	apps/web/src/app/api/admin/cms/forms/submissions/export/route.ts
GET	/admin/cms/forms/submissions	Admin / Cms	apps/web/src/app/api/admin/cms/forms/submissions/route.ts
GET	/admin/cms/media/{id}	Admin / Cms	apps/web/src/app/api/admin/cms/media/[id]/route.ts
PATCH	/admin/cms/media/{id}	Admin / Cms	apps/web/src/app/api/admin/cms/media/[id]/route.ts
DELETE	/admin/cms/media/{id}	Admin / Cms	apps/web/src/app/api/admin/cms/media/[id]/route.ts
GET	/admin/cms/media	Admin / Cms	apps/web/src/app/api/admin/cms/media/route.ts
POST	/admin/cms/media	Admin / Cms	apps/web/src/app/api/admin/cms/media/route.ts
POST	/admin/cms/navigation/publish	Admin / Cms	apps/web/src/app/api/admin/cms/navigation/publish/route.ts
GET	/admin/cms/navigation	Admin / Cms	apps/web/src/app/api/admin/cms/navigation/route.ts
PUT	/admin/cms/navigation	Admin / Cms	apps/web/src/app/api/admin/cms/navigation/route.ts
GET	/admin/cms/pages/{id}/mutations	Admin / Cms	apps/web/src/app/api/admin/cms/pages/[id]/mutations/route.ts
GET	/admin/cms/pages/{id}	Admin / Cms	apps/web/src/app/api/admin/cms/pages/[id]/route.ts
PUT	/admin/cms/pages/{id}	Admin / Cms	apps/web/src/app/api/admin/cms/pages/[id]/route.ts
DELETE	/admin/cms/pages/{id}	Admin / Cms	apps/web/src/app/api/admin/cms/pages/[id]/route.ts
GET	/admin/cms/pages	Admin / Cms	apps/web/src/app/api/admin/cms/pages/route.ts
POST	/admin/cms/pages	Admin / Cms	apps/web/src/app/api/admin/cms/pages/route.ts
PUT	/admin/cms/redirects/{id}	Admin / Cms	apps/web/src/app/api/admin/cms/redirects/[id]/route.ts
DELETE	/admin/cms/redirects/{id}	Admin / Cms	apps/web/src/app/api/admin/cms/redirects/[id]/route.ts
PATCH	/admin/cms/redirects/bulk	Admin / Cms	apps/web/src/app/api/admin/cms/redirects/bulk/route.ts
GET	/admin/cms/redirects/export	Admin / Cms	apps/web/src/app/api/admin/cms/redirects/export/route.ts
POST	/admin/cms/redirects/import	Admin / Cms	apps/web/src/app/api/admin/cms/redirects/import/route.ts
GET	/admin/cms/redirects/resolve	Admin / Cms	apps/web/src/app/api/admin/cms/redirects/resolve/route.ts
GET	/admin/cms/redirects	Admin / Cms	apps/web/src/app/api/admin/cms/redirects/route.ts

Method	Path	Domain	Implementation
POST	/admin/cms/redirects	Admin / Cms	apps/web/src/app/api/admin/cms/redirects/route.ts
GET	/admin/commerce-recovery-metrics	Admin / Commerce Recovery Metrics	apps/web/src/app/api/admin/commerce-recovery-metrics/route.ts
GET	/admin/commerce/products/lookup	Admin / Commerce	apps/web/src/app/api/admin/commerce/products/lookup/route.ts
GET	/admin/commerce/products/search	Admin / Commerce	apps/web/src/app/api/admin/commerce/products/search/route.ts
GET	/admin/cost-visibility	Admin / Cost Visibility	apps/web/src/app/api/admin/cost-visibility/route.ts
GET	/admin/crm/bridge	Admin / Crm	apps/web/src/app/api/admin/crm/bridge/route.ts
POST	/admin/crm/bridge	Admin / Crm	apps/web/src/app/api/admin/crm/bridge/route.ts
POST	/admin/crm/nango/connect-session	Admin / Crm	apps/web/src/app/api/admin/crm/nango/connect-session/route.ts
GET	/admin/crm/nango	Admin / Crm	apps/web/src/app/api/admin/crm/nango/route.ts
POST	/admin/crm/nango	Admin / Crm	apps/web/src/app/api/admin/crm/nango/route.ts
DELETE	/admin/crm/nango	Admin / Crm	apps/web/src/app/api/admin/crm/nango/route.ts
DELETE	/admin/crm/notes/{id}	Admin / Crm	apps/web/src/app/api/admin/crm/notes/[id]/route.ts
GET	/admin/crm/notes	Admin / Crm	apps/web/src/app/api/admin/crm/notes/route.ts
POST	/admin/crm/notes	Admin / Crm	apps/web/src/app/api/admin/crm/notes/route.ts
GET	/admin/crm/operations	Admin / Crm	apps/web/src/app/api/admin/crm/operations/route.ts
POST	/admin/crm/operations	Admin / Crm	apps/web/src/app/api/admin/crm/operations/route.ts
PATCH	/admin/crm/operations	Admin / Crm	apps/web/src/app/api/admin/crm/operations/route.ts
DELETE	/admin/crm/operations	Admin / Crm	apps/web/src/app/api/admin/crm/operations/route.ts
GET	/admin/delivery-logistics/operations	Admin / Delivery Logistics	apps/web/src/app/api/admin/delivery-logistics/operations/route.ts
POST	/admin/delivery-logistics/operations	Admin / Delivery Logistics	apps/web/src/app/api/admin/delivery-logistics/operations/route.ts
GET	/admin/delivery-logistics	Admin / Delivery Logistics	apps/web/src/app/api/admin/delivery-logistics/route.ts
GET	/admin/delivery-logistics/shipments	Admin / Delivery Logistics	apps/web/src/app/api/admin/delivery-logistics/shipments/route.ts
POST	/admin/delivery-logistics/shipments	Admin / Delivery Logistics	apps/web/src/app/api/admin/delivery-logistics/shipments/route.ts
PATCH	/admin/devices/{id}	Admin / Devices	apps/web/src/app/api/admin/devices/[id]/route.ts
GET	/admin/devices	Admin / Devices	apps/web/src/app/api/admin/devices/route.ts
POST	/admin/devices	Admin / Devices	apps/web/src/app/api/admin/devices/route.ts

Method	Path	Domain	Implementation
POST	/admin/employees/{id}/pin	Admin / Employees	apps/web/src/app/api/admin/employees/[id]/pin/route.ts
PUT	/admin/employees/{id}/pin	Admin / Employees	apps/web/src/app/api/admin/employees/[id]/pin/route.ts
GET	/admin/employees/{id}	Admin / Employees	apps/web/src/app/api/admin/employees/[id]/route.ts
PATCH	/admin/employees/{id}	Admin / Employees	apps/web/src/app/api/admin/employees/[id]/route.ts
DELETE	/admin/employees/{id}	Admin / Employees	apps/web/src/app/api/admin/employees/[id]/route.ts
GET	/admin/employees	Admin / Employees	apps/web/src/app/api/admin/employees/route.ts
POST	/admin/employees	Admin / Employees	apps/web/src/app/api/admin/employees/route.ts
GET	/admin/feature-mappings	Admin / Feature Mappings	apps/web/src/app/api/admin/feature-mappings/route.ts
GET	/admin/integration-health	Admin / Integration Health	apps/web/src/app/api/admin/integration-health/route.ts
GET	/admin/integrations/pancake	Admin / Integrations	apps/web/src/app/api/admin/integrations/pancake/route.ts
POST	/admin/inventory/adjust	Admin / Inventory	apps/web/src/app/api/admin/inventory/adjust/route.ts
GET	/admin/inventory/cycle-counts/{id}	Admin / Inventory	apps/web/src/app/api/admin/inventory/cycle-counts/[id]/route.ts
POST	/admin/inventory/cycle-counts/{id}	Admin / Inventory	apps/web/src/app/api/admin/inventory/cycle-counts/[id]/route.ts
GET	/admin/inventory/cycle-counts	Admin / Inventory	apps/web/src/app/api/admin/inventory/cycle-counts/route.ts
POST	/admin/inventory/cycle-counts	Admin / Inventory	apps/web/src/app/api/admin/inventory/cycle-counts/route.ts
GET	/admin/inventory/ledger	Admin / Inventory	apps/web/src/app/api/admin/inventory/ledger/route.ts
GET	/admin/inventory/purchase-orders/{id}	Admin / Inventory	apps/web/src/app/api/admin/inventory/purchase-orders/[id]/route.ts
POST	/admin/inventory/purchase-orders/{id}	Admin / Inventory	apps/web/src/app/api/admin/inventory/purchase-orders/[id]/route.ts
GET	/admin/inventory/purchase-orders	Admin / Inventory	apps/web/src/app/api/admin/inventory/purchase-orders/route.ts
POST	/admin/inventory/purchase-orders	Admin / Inventory	apps/web/src/app/api/admin/inventory/purchase-orders/route.ts
POST	/admin/inventory/reservations/{id}	Admin / Inventory	apps/web/src/app/api/admin/inventory/reservations/[id]/route.ts
GET	/admin/inventory/reservations	Admin / Inventory	apps/web/src/app/api/admin/inventory/reservations/route.ts
POST	/admin/inventory/reservations	Admin / Inventory	apps/web/src/app/api/admin/inventory/reservations/route.ts

Method	Path	Domain	Implementation
GET	/admin/inventory	Admin / Inventory	apps/web/src/app/api/admin/inventory/route.ts
GET	/admin/inventory/stream	Admin / Inventory	apps/web/src/app/api/admin/inventory/stream/route.ts
GET	/admin/inventory/transfers/{id}	Admin / Inventory	apps/web/src/app/api/admin/inventory/transfers/[id]/route.ts
POST	/admin/inventory/transfers/{id}	Admin / Inventory	apps/web/src/app/api/admin/inventory/transfers/[id]/route.ts
GET	/admin/inventory/transfers	Admin / Inventory	apps/web/src/app/api/admin/inventory/transfers/route.ts
POST	/admin/inventory/transfers	Admin / Inventory	apps/web/src/app/api/admin/inventory/transfers/route.ts
POST	/admin/invoices/{id}/lifecycle	Admin / Invoices	apps/web/src/app/api/admin/invoices/[id]/lifecycle/route.ts
GET	/admin/invoices	Admin / Invoices	apps/web/src/app/api/admin/invoices/route.ts
POST	/admin/invoices	Admin / Invoices	apps/web/src/app/api/admin/invoices/route.ts
GET	/admin/loyalty/lookup	Admin / Loyalty	apps/web/src/app/api/admin/loyalty/lookup/route.ts
POST	/admin/loyalty/points	Admin / Loyalty	apps/web/src/app/api/admin/loyalty/points/route.ts
GET	/admin/loyalty/rewards	Admin / Loyalty	apps/web/src/app/api/admin/loyalty/rewards/route.ts
POST	/admin/loyalty/rewards	Admin / Loyalty	apps/web/src/app/api/admin/loyalty/rewards/route.ts
GET	/admin/loyalty	Admin / Loyalty	apps/web/src/app/api/admin/loyalty/route.ts
POST	/admin/loyalty	Admin / Loyalty	apps/web/src/app/api/admin/loyalty/route.ts
GET	/admin/offline-queue	Admin / Offline Queue	apps/web/src/app/api/admin/offline-queue/route.ts
POST	/admin/offline-queue	Admin / Offline Queue	apps/web/src/app/api/admin/offline-queue/route.ts
PATCH	/admin/offline-queue	Admin / Offline Queue	apps/web/src/app/api/admin/offline-queue/route.ts
GET	/admin/operator-notes	Admin / Operator Notes	apps/web/src/app/api/admin/operator-notes/route.ts
POST	/admin/operator-notes	Admin / Operator Notes	apps/web/src/app/api/admin/operator-notes/route.ts
POST	/admin/orders/{orderId}/refund	Admin / Orders	apps/web/src/app/api/admin/orders/[orderId]/refund/route.ts
PATCH	/admin/orders/{orderId}/status	Admin / Orders	apps/web/src/app/api/admin/orders/[orderId]/status/route.ts
POST	/admin/orders/bulk-fulfill	Admin / Orders	apps/web/src/app/api/admin/orders/bulk-fulfill/route.ts
GET	/admin/payment-attempts/export	Admin / Payment Attempts	apps/web/src/app/api/admin/payment-attempts/export/route.ts

Method	Path	Domain	Implementation
GET	/admin/payment-health	Admin / Payment Health	apps/web/src/app/api/admin/payment-health/route.ts
POST	/admin/payments/{id}/mark-review	Admin / Payments	apps/web/src/app/api/admin/payments/[id]/mark-review/route.ts
POST	/admin/payments/{id}/retry	Admin / Payments	apps/web/src/app/api/admin/payments/[id]/retry/route.ts
GET	/admin/payments/capabilities	Admin / Payments	apps/web/src/app/api/admin/payments/capabilities/route.ts
POST	/admin/payments/connect-session	Admin / Payments	apps/web/src/app/api/admin/payments/connect-session/route.ts
POST	/admin/payments/connections/reconnect	Admin / Payments	apps/web/src/app/api/admin/payments/connections/reconnect/route.ts
GET	/admin/payments/connections	Admin / Payments	apps/web/src/app/api/admin/payments/connections/route.ts
POST	/admin/payments/connections	Admin / Payments	apps/web/src/app/api/admin/payments/connections/route.ts
DELETE	/admin/payments/connections	Admin / Payments	apps/web/src/app/api/admin/payments/connections/route.ts
GET	/admin/payments	Admin / Payments	apps/web/src/app/api/admin/payments/route.ts
POST	/admin/pin-approval	Admin / Pin Approval	apps/web/src/app/api/admin/pin-approval/route.ts
GET	/admin/pos/enterprise	Admin / Pos	apps/web/src/app/api/admin/pos/enterprise/route.ts
POST	/admin/pos/enterprise	Admin / Pos	apps/web/src/app/api/admin/pos/enterprise/route.ts
GET	/admin/pos/feature-mappings	Admin / Pos	apps/web/src/app/api/admin/pos/feature-mappings/route.ts
GET	/admin/profile/avatar	Admin / Profile	apps/web/src/app/api/admin/profile/avatar/route.ts
PATCH	/admin/profile	Admin / Profile	apps/web/src/app/api/admin/profile/route.ts
GET	/admin/receipts	Admin / Receipts	apps/web/src/app/api/admin/receipts/route.ts
POST	/admin/receipts	Admin / Receipts	apps/web/src/app/api/admin/receipts/route.ts
GET	/admin/reconciliation	Admin / Reconciliation	apps/web/src/app/api/admin/reconciliation/route.ts
PATCH	/admin/reviews/{id}	Admin / Reviews	apps/web/src/app/api/admin/reviews/[id]/route.ts
GET	/admin/reviews	Admin / Reviews	apps/web/src/app/api/admin/reviews/route.ts
GET	/admin/roles	Admin / Roles	apps/web/src/app/api/admin/roles/route.ts
GET	/admin/runtime-settings	Admin / Runtime Settings	apps/web/src/app/api/admin/runtime-settings/route.ts
PUT	/admin/runtime-settings	Admin / Runtime Settings	apps/web/src/app/api/admin/runtime-settings/route.ts
GET	/admin/segments/{id}/members	Admin / Segments	apps/web/src/app/api/admin/segments/[id]/members/route.ts

Method	Path	Domain	Implementation
POST	/admin/segments/{id}/members	Admin / Segments	apps/web/src/app/api/admin/segments/[id]/members/route.ts
GET	/admin/segments	Admin / Segments	apps/web/src/app/api/admin/segments/route.ts
POST	/admin/segments	Admin / Segments	apps/web/src/app/api/admin/segments/route.ts
POST	/admin/shifts/{id}/close	Admin / Shifts	apps/web/src/app/api/admin/shifts/[id]/close/route.ts
GET	/admin/shifts/{id}/reconciliation	Admin / Shifts	apps/web/src/app/api/admin/shifts/[id]/reconciliation/route.ts
GET	/admin/shifts	Admin / Shifts	apps/web/src/app/api/admin/shifts/route.ts
POST	/admin/shifts	Admin / Shifts	apps/web/src/app/api/admin/shifts/route.ts
GET	/admin/sse	Admin / Sse	apps/web/src/app/api/admin/sse/route.ts
GET	/admin/storefront-home	Admin / Storefront Home	apps/web/src/app/api/admin/storefront-home/route.ts
PUT	/admin/storefront-home	Admin / Storefront Home	apps/web/src/app/api/admin/storefront-home/route.ts
GET	/admin/storefront-public-metadata	Admin / Storefront Public Metadata	apps/web/src/app/api/admin/storefront-public-metadata/route.ts
PUT	/admin/storefront-public-metadata	Admin / Storefront Public Metadata	apps/web/src/app/api/admin/storefront-public-metadata/route.ts
GET	/admin/tasks/today	Admin / Tasks	apps/web/src/app/api/admin/tasks/today/route.ts
POST	/admin/terminal-open-drawer	Admin / Terminal Open Drawer	apps/web/src/app/api/admin/terminal-open-drawer/route.ts
POST	/admin/terminal-print-label	Admin / Terminal Print Label	apps/web/src/app/api/admin/terminal-print-label/route.ts
POST	/admin/terminal-print	Admin / Terminal Print	apps/web/src/app/api/admin/terminal-print/route.ts
POST	/admin/tracking-capabilities/revoke	Admin / Tracking Capabilities	apps/web/src/app/api/admin/tracking-capabilities/revoke/route.ts
GET	/admin/voids	Admin / Voids	apps/web/src/app/api/admin/voids/route.ts
POST	/admin/voids	Admin / Voids	apps/web/src/app/api/admin/voids/route.ts
GET	/admin/workflow/entities	Admin / Workflow	apps/web/src/app/api/admin/workflow/entities/route.ts
POST	/admin/workflow/transition	Admin / Workflow	apps/web/src/app/api/admin/workflow/transition/route.ts
GET	/auth/callback	Auth / Callback	apps/web/src/app/api/auth/callback/route.ts
POST	/auth/e2e	Auth / E2e	apps/web/src/app/api/auth/e2e/route.ts
DELETE	/auth/e2e	Auth / E2e	apps/web/src/app/api/auth/e2e/route.ts
GET	/auth/session	Auth / Session	apps/web/src/app/api/auth/session/route.ts

Method	Path	Domain	Implementation
POST	/back-in-stock	Admin	apps/web/src/app/api/back-in-stock/route.ts
POST	/cart/abandonment	Cart / Abandonment	apps/web/src/app/api/cart/abandonment/route.ts
POST	/cart/attach-customer	Cart / Attach Customer	apps/web/src/app/api/cart/attach-customer/route.ts
GET	/cart/bind-token	Cart / Bind Token	apps/web/src/app/api/cart/bind-token/route.ts
POST	/cart/bind	Cart / Bind	apps/web/src/app/api/cart/bind/route.ts
PUT	/cart/line	Cart / Line	apps/web/src/app/api/cart/line/route.ts
DELETE	/cart/line	Cart / Line	apps/web/src/app/api/cart/line/route.ts
POST	/cart/merge	Cart / Merge	apps/web/src/app/api/cart/merge/route.ts
POST	/cart/reconcile	Cart / Reconcile	apps/web/src/app/api/cart/reconcile/route.ts
GET	/cart/resume	Cart / Resume	apps/web/src/app/api/cart/resume/route.ts
GET	/catalog/product-default-variant	Catalog / Product Default Variant	apps/web/src/app/api/catalog/product-default-variant/route.ts
POST	/checkout/apply-promo	Checkout / Apply Promo	apps/web/src/app/api/checkout/apply-promo/route.ts
DELETE	/checkout/apply-promo	Checkout / Apply Promo	apps/web/src/app/api/checkout/apply-promo/route.ts
GET	/checkout/available-payment-methods	Checkout / Available Payment Methods	apps/web/src/app/api/checkout/available-payment-methods/route.ts
POST	/checkout/cod-cart-payload	Checkout / Cod Cart Payload	apps/web/src/app/api/checkout/cod-cart-payload/route.ts
POST	/checkout/cod-place-order	Checkout / Cod Place Order	apps/web/src/app/api/checkout/cod-place-order/route.ts
POST	/checkout/commerce-telemetry	Checkout / Commerce Telemetry	apps/web/src/app/api/checkout/commerce-telemetry/route.ts
POST	/checkout/complete	Checkout / Complete	apps/web/src/app/api/checkout/complete/route.ts
GET	/checkout/loyalty-balance	Checkout / Loyalty Balance	apps/web/src/app/api/checkout/loyalty-balance/route.ts
POST	/checkout/paypal/confirm	Checkout / Paypal	apps/web/src/app/api/checkout/paypal/confirm/route.ts
POST	/checkout/preview	Checkout / Preview	apps/web/src/app/api/checkout/preview/route.ts
POST	/checkout/start	Checkout / Start	apps/web/src/app/api/checkout/start/route.ts

Method	Path	Domain	Implementation
POST	/checkout/upload-payment-receipt	Checkout / Upload Payment Receipt	apps/web/src/app/api/checkout/upload-payment-receipt/route.ts
POST	/checkout/verify-stock	Checkout / Verify Stock	apps/web/src/app/api/checkout/verify-stock/route.ts
POST	/cms/announcement/track	Cms / Announcement	apps/web/src/app/api/cms/announcement/track/route.ts
POST	/cms/experiments/impression	Cms / Experiments	apps/web/src/app/api/cms/experiments/impression/route.ts
GET	/cms/preview	Cms / Preview	apps/web/src/app/api/cms/preview/route.ts
GET	/cron/back-in-stock	Cron / Back In Stock	apps/web/src/app/api/cron/back-in-stock/route.ts
GET	/cron/campaigns	Cron / Campaigns	apps/web/src/app/api/cron/campaigns/route.ts
GET	/cron/finalize-payment-attempts	Cron / Finalize Payment Attempts	apps/web/src/app/api/cron/finalize-payment-attempts/route.ts
GET	/cron/inventory-reservations	Cron / Inventory Reservations	apps/web/src/app/api/cron/inventory-reservations/route.ts
GET	/cron/payment-reconciliation	Cron / Payment Reconciliation	apps/web/src/app/api/cron/payment-reconciliation/route.ts
GET	/feature-mappings	Admin	apps/web/src/app/api/feature-mappings/route.ts
POST	/forms/{formKey}	Forms / FormKey	apps/web/src/app/api/forms/[formKey]/route.ts
GET	/health	Admin	apps/web/src/app/api/health/route.ts
GET	/health/sop	Health / Sop	apps/web/src/app/api/health/sop/route.ts
POST	/integrations/channels/webhook	Integrations / Channels	apps/web/src/app/api/integrations/channels/webhook/route.ts
POST	/integrations/chat-orders/intake	Integrations / Chat Orders	apps/web/src/app/api/integrations/chat-orders/intake/route.ts
GET	/integrations/couriers	Integrations / Couriers	apps/web/src/app/api/integrations/couriers/route.ts
POST	/integrations/couriers/telemetry	Integrations / Couriers	apps/web/src/app/api/integrations/couriers/telemetry/route.ts
GET	/internal/dev-diagnostics	Internal / Dev Diagnostics	apps/web/src/app/api/internal/dev-diagnostics/route.ts
POST	/internal/invalidate-commerce-state	Internal / Invalidate Commerce State	apps/web/src/app/api/internal/invalidate-commerce-state/route.ts
POST	/internal/reconcile-payment-attempt	Internal / Reconcile Payment Attempt	apps/web/src/app/api/internal/reconcile-payment-attempt/route.ts
GET	/newsletter/confirm	Newsletter / Confirm	apps/web/src/app/api/newsletter/confirm/route.ts

Method	Path	Domain	Implementation
POST	/newsletter	Admin	apps/web/src/app/api/newsletter/route.ts
POST	/newsletter/unsubscribe	Newsletter / Unsubscribe	apps/web/src/app/api/newsletter/unsubscribe/route.ts
POST	/orders/return	Orders / Return	apps/web/src/app/api/orders/return/route.ts
POST	/payments/checkout-intents/{correlationId}/finalize	Payments / Checkout Intents	apps/web/src/app/api/payments/checkout-intents/[correlationId]/finalize/route.ts
GET	/payments/checkout-intents/{correlationId}	Payments / Checkout Intents	apps/web/src/app/api/payments/checkout-intents/[correlationId]/route.ts
GET	/payments/checkout-intents/recover	Payments / Checkout Intents	apps/web/src/app/api/payments/checkout-intents/recover/route.ts
POST	/payments/checkout-intents	Payments / Checkout Intents	apps/web/src/app/api/payments/checkout-intents/route.ts
POST	/pos/commerce/commit-sale	Pos / Commerce	apps/web/src/app/api/pos/commerce/commit-sale/route.ts
POST	/pos/commerce/draft-order	Pos / Commerce	apps/web/src/app/api/pos/commerce/draft-order/route.ts
POST	/pos/commerce/lookup	Pos / Commerce	apps/web/src/app/api/pos/commerce/lookup/route.ts
GET	/pos/commerce/quick-products	Pos / Commerce	apps/web/src/app/api/pos/commerce/quick-products/route.ts
GET	/pos/commerce/search	Pos / Commerce	apps/web/src/app/api/pos/commerce/search/route.ts
GET	/pos/commerce/suggestions	Pos / Commerce	apps/web/src/app/api/pos/commerce/suggestions/route.ts
GET	/reviews/csrf	Reviews / Csrf	apps/web/src/app/api/reviews/csrf/route.ts
POST	/reviews/helpful/{id}	Reviews / Helpful	apps/web/src/app/api/reviews/helpful/[id]/route.ts
POST	/reviews/report/{id}	Reviews / Report	apps/web/src/app/api/reviews/report/[id]/route.ts
GET	/reviews	Admin	apps/web/src/app/api/reviews/route.ts
POST	/reviews	Admin	apps/web/src/app/api/reviews/route.ts
GET	/shop/product	Shop / Product	apps/web/src/app/api/shop/product/route.ts
GET	/shop/search-suggest	Shop / Search Suggest	apps/web/src/app/api/shop/search-suggest/route.ts
POST	/tracking-link/resolve	Tracking Link / Resolve	apps/web/src/app/api/tracking-link/resolve/route.ts
POST	/tracking-link	Admin	apps/web/src/app/api/tracking-link/route.ts
POST	/webhooks/nango	Webhooks / Nango	apps/web/src/app/api/webhooks/nango/route.ts
GET	/wishlist	Admin	apps/web/src/app/api/wishlist/route.ts
POST	/wishlist	Admin	apps/web/src/app/api/wishlist/route.ts

Method	Path	Domain	Implementation
DELETE	/wishlist	Admin	apps/web/src/app/api/wishlist/route.ts
POST	/wishlist/sync	Wishlist / Sync	apps/web/src/app/api/wishlist/sync/route.ts

Response and Security Contract

Successful responses

Each operation has its own request and response schema generated from the route handler source, with strict object boundaries and a runtime source reference. Mutation operations require an Idempotency-Key unless they are signed webhook deliveries.

Error responses

Status	Meaning	Required hardening behavior
400	Invalid request	Validate and reject malformed or unsafe input.
401	Unauthenticated or unauthorized	Do not disclose protected resource details.
409	Replay or concurrency conflict	Do not execute a duplicate side effect.
413	Payload too large	Reject before parsing or persistence.
500	Internal failure	Log with correlation ID and return a safe public message.

Source of truth

The companion YAML file is generated from route handlers under `apps/web/src/app/api`. Contract metadata is emitted per operation so route, permission, tenant, and replay-control drift is visible in review.