Challenge#7: Block, Inline, Class and Id

Block:

```
<!DOCTYPE html>
                                                             h3{
<html lang="en">
                                                                  font-size: 6rem;
                                                                  text-transform: uppercase;
   <meta charset="UTF-8">
                                                                  color: □#2f4858;
   <meta name="viewport" content="width=device-width, initial-scale=1.0">
                                                             p{
  <title>Pajes Bakeshop</title>
                                                                  font-size: 2rem;
  <link rel="stylesheet" href="style2.css">
                                                                  font-weight: lighter;
                                                                  line-height: 1.8rem;
                                                                  padding: 1rem 0;
   <h3>Indulge in heavenly sweet deligths</h3>
                                                                  margin-bottom: 1rem;
   kalibog ba ani
                                                                  color: □#2f4858;
```

Inline:

```
span{{
    color: ■#00c9a5;
    text-transform: uppercase;
}
```

Class:

```
.navbar{
    background-color: #00afa5;
    display: flex;
    justify-content: space-between;
    align-items: center;
    padding: 2rem 7%;
    position: fixed;
    top: 0;
    left: 0;
    right: 0;
    height: 16vh;
    z-index: 1000;
.navbar .logocontent{
    display: flex;
    align-items: center;
.navbar .logocontent .logo img{
height: 9rem;
border-radius: 50%;
.navbar .logocontent .logoname{{
color: ■#e8f3f1;
    font-size: 35px;
font-weight: bolder;
    text-transform: uppercase;
```

ld: