

```
In [1]: ➤ import re
from sklearn.datasets import load_digits
from sklearn.model_selection import train_test_split
import numpy as np
import matplotlib.pyplot as plt
import seaborn as sns
from sklearn import metrics
%matplotlib inline
digits=load_digits()
```

```
In [2]: ➤ print("Image data shape",digits.data.shape)
print("label data shape",digits.target.shape)
```


Image data shape (1797, 64)
label data shape (1797,)

```
In [3]: ➤ plt.figure(figsize=(20,4))
```

Out[3]: <Figure size 2000x400 with 0 Axes>

<Figure size 2000x400 with 0 Axes>

```
In [4]: ➤ for index,(image,label) in enumerate (zip(digits.data[0:7],digits.target[0:7])):
plt.subplot(1,7,index+1)
plt.imshow(np.reshape(image,(8,8)),cmap=plt.cm.gray)
plt.title('Training:%i/n'%label,fontsize=10)
```



```
In [5]: ▶ from sklearn.model_selection import train_test_split
x_train,x_test,y_train,y_test=train_test_split(digits.data,digits.target,test_size=0.30,random_state=2)
print(x_train.shape)
print(x_test.shape)
print(y_train.shape)
print(y_test.shape)
```

```
(1257, 64)
(540, 64)
(1257,)
(540,)
```

```
In [6]: ▶ from sklearn.linear_model import LogisticRegression
logisticRegr=LogisticRegression(max_iter=10000)
logisticRegr.fit(x_train,y_train)
print(logisticRegr.predict(x_test))
```

```
[4 0 9 1 8 7 1 5 1 6 6 7 6 1 5 5 8 6 2 7 4 6 4 1 5 2 9 5 4 6 5 6 3 4 0 9 9
 8 4 6 8 8 5 7 9 8 9 6 1 7 0 1 9 7 3 3 1 8 8 8 9 8 5 8 4 9 3 5 8 4 3 1 3 8
 7 3 3 0 8 7 2 8 5 3 8 7 6 4 6 2 2 0 1 1 5 3 5 7 1 8 2 2 6 4 6 7 3 7 3 9 4
 7 0 3 5 1 5 0 3 9 2 7 3 2 0 8 1 9 2 1 5 1 0 3 4 3 0 8 3 2 2 7 3 1 6 7 2 8
 3 1 1 6 4 8 2 1 8 4 1 3 1 1 9 5 4 8 7 4 8 9 5 7 6 9 4 0 4 0 0 9 0 6 5 8 8
 3 7 9 2 0 8 2 7 3 0 2 1 9 2 7 0 6 9 3 1 1 3 5 2 5 5 2 1 2 9 4 6 5 5 5 9 7
 1 5 9 6 3 7 1 7 5 1 7 2 7 5 5 4 8 6 6 2 8 7 3 7 8 0 9 5 7 4 3 4 1 0 3 3 5
 4 1 3 1 2 5 1 4 0 3 1 5 5 7 4 0 1 0 9 5 5 5 4 0 1 8 6 2 1 1 1 7 9 6 7 9 7
 0 4 9 6 9 2 7 2 1 0 8 2 8 6 5 7 8 4 5 7 8 6 4 2 6 9 3 0 0 8 0 6 6 7 1 4 5
 6 9 7 2 8 5 1 2 4 1 8 8 7 6 0 8 0 6 1 5 7 8 0 4 1 4 5 9 2 2 3 9 1 3 9 3 2
 8 0 6 5 6 2 5 2 3 2 6 1 0 7 6 0 6 2 7 0 3 2 4 2 3 6 9 7 7 0 3 5 4 1 2 2 1
 2 7 7 0 4 9 8 5 6 1 6 5 2 0 8 2 4 3 3 2 9 3 8 9 9 5 9 0 3 4 7 9 8 5 7 5 0
 5 3 5 0 2 7 3 0 4 3 6 6 1 9 6 3 4 6 4 6 7 2 7 6 3 0 3 0 1 3 6 1 0 4 3 8 4
 3 3 4 8 6 9 6 3 3 0 5 7 8 9 1 5 3 2 5 1 7 6 0 6 9 5 2 4 4 7 2 0 5 6 2 0 8
 4 4 4 7 1 0 4 1 9 2 1 3 0 5 3 9 8 2 6 0 0 4]
```

```
In [7]: ▶ score=logisticRegr.score(x_test,y_test)  
print(score)
```

0.9537037037037037

```
In [ ]: ▶
```