<ul><li>1. What is the latest version of HTML as of 2021?</li><li>a) HTML4</li><li>b) HTML5</li><li>c) XHTML</li><li>d) HTML7</li><li>Answer: b) HTML5</li></ul>	
<ul> <li>2. Which tag is used to define a paragraph in HTML?</li> <li>a) <par> b)  c) <paragraph> d) <text> Answer: b) </text></paragraph></par></li> </ul>	
<ul> <li>3. What is the purpose of the <nav> tag in HTML?</nav></li> <li>a) It defines a navigation bar for the website.</li> <li>b) It creates a hyperlink to an external website.</li> <li>c) It displays a list of navigation options.</li> <li>d) It styles the text in bold.</li> <li>Answer: a) It defines a navigation bar for the website.</li> </ul>	
<ul> <li>4. Which attribute is used to provide alternative text for an image in HTML?</li> <li>a) src</li> <li>b) alt</li> <li>c) title</li> <li>d) link</li> <li>Answer: b) alt</li> </ul>	
<ul> <li>5. The <h1> tag is used for:</h1></li> <li>a) Creating a hyperlink</li> <li>b) Highlighting text in yellow</li> <li>c) Denoting the highest level heading</li> <li>d) Inserting an image</li> <li>Answer: c) Denoting the highest level heading</li> </ul>	
<ul> <li>6. What is the correct HTML tag for inserting a line break?</li> <li>a)  b) &lt; b&gt;</li> <li>c)  break&gt;</li> <li>d) &lt; ine&gt;</li> <li>Answer: a)  br&gt;</li> </ul>	
7. The <ul> tag is used to create: a) An unordered list b) An underlined text c) A table with rows and columns d) A URL link Answer: a) An unordered list</ul>	
8. Which attribute is used to specify the width of a table border in HTML?  a) border-width	

- b) border-size
- c) border
- d) table-border

Answer: c) border

- 9. Which of the following is NOT a valid image format in HTML?
  - a) .jpg
  - b) .gif
  - c) .bmp
  - d) .exe

Answer: d) .exe

- 10. The <form> element in HTML is used for:
  - a) Inserting multimedia files
  - b) Displaying images
  - c) Creating interactive forms for user input
  - d) Embedding audio and video files

Answer: c) Creating interactive forms for user input

- 11. What does the HTML acronym CSS stand for?
  - a) Computer Style Sheets
  - b) Cascading Style Sheets
  - c) Colorful Style Sheets
  - d) Creative Style Sheets

Answer: b) Cascading Style Sheets

- 12. Which HTML tag is used to define a table row?
  - a)
  - b)
  - c)
  - d) <table-row>

Answer: b)

- 13. What does the <audio> tag in HTML do?
  - a) It embeds an audio file directly on the webpage.
  - b) It defines an area for text-to-speech conversion.
  - c) It displays an audio player control for playing audio files.
  - d) It creates an audio link to an external website.

Answer: c) It displays an audio player control for playing audio files.

- 14. Which tag is used to embed a video in HTML5?
  - a) <video>
  - b) < media >
  - c) <movie>
  - d) <vid>

Answer: a) <video>

- 15. The <aside> tag is used for:
  - a) Inserting a side image on the webpage.
  - b) Creating a side navigation bar.
  - c) Defining content aside from the main content.

d) Displaying footnotes at the bottom of the page.

Answer: c) Defining content aside from the main content.

- 16. Which attribute is used to specify the target window or frame for a hyperlink?
  - a) target
  - b) href
  - c) link
  - d) window

Answer: a) target

- 17. Which of the following is NOT a valid color representation in HTML/CSS?
  - a) #FF0000
  - b) rgb(255,0,0)
  - c) color: red;
  - d) blue

Answer: d) blue

- 18. What is the purpose of the <blockquote> tag in HTML?
  - a) It inserts a block of code on the webpage.
  - b) It displays a large, stylized text block.
  - c) It indents text to the right.
  - d) It denotes a block of quoted text.

Answer: d) It denotes a block of quoted text.

- 19. Which tag is used to create an ordered list in HTML?
  - a) < list>
  - b)
  - c)
  - d) <ordered-list>

Answer: b)

- 20. The <b> tag is used for:
  - a) Inserting a bullet point
  - b) Making text bold
  - c) Creating a break in the text
  - d) Displaying an image

Answer: b) Making text bold

- 21. Which attribute is used to set the background color of an HTML element?
  - a) bg-color
  - b) background
  - c) color
  - d) bgcolor

Answer: b) background

- 22. The <cite> tag is used to define:
  - a) An italicized text
  - b) A citation or reference to a creative work
  - c) A computer code snippet
  - d) A hyperlink to an external website

Answer: b) A citation or reference to a creative work

<ul> <li>23. What does the HTML acronym API stand for?</li> <li>a) Application Programming Interface</li> <li>b) Audio Playback Interface</li> <li>c) Animation Processing Interface</li> <li>d) Advanced Page Integration</li> <li>Answer: a) Application Programming Interface</li> </ul>
24. Which tag is used to create a hyperlink to an email address in HTML?  a) <li>a) <li>link&gt; b) <a> c) <email> d) <mail> Answer: b) <a></a></mail></email></a></li></li>
25. The <kbd> tag is used to represent:  a) Keyboard input b) Bold text c) A keyboard shortcut d) A block of code Answer: a) Keyboard input</kbd>
26. Which tag is used to create a horizontal rule (a horizontal line) in HTML?  a) <rule> b) <li>c) <hr/> d) <hline> Answer: c) <hr/></hline></li></rule>
<ul> <li>27. In HTML, how can you create a hyperlink that opens in a new browser window or tab?</li> <li>a) Use the <target="_blank"> attribute.</target="_blank"></li> <li>b) Use the <open="new"> attribute.</open="new"></li> <li>c) Use the <new-window> tag.</new-window></li> <li>d) Use the <a href="url" new=""> tag.</a></li> <li>Answer: a) Use the <target="_blank"> attribute.</target="_blank"></li> </ul>
<ul> <li>28. Which tag is used to define a line item in an ordered or unordered list in HTML?</li> <li>a) <li>b) <li>line-item&gt;</li> <li>c) </li> </li></li></ul>
item> d) <li>d:ist-item&gt; Answer: a) <li>ii&gt;</li></li>
29. The <sup> tag is used to create:  a) Superscript text b) Subscript text c) Strikethrough text d) Underlined text Answer: a) Superscript text</sup>

30. What is the correct HTML tag for inserting an image? a) <image/> b) <img/> c) <picture> d) <graphic> Answer: b) <img/></graphic></picture>
31. The <tfoot> tag is used to define the footer content for: a) A table b) A web page c) A form d) An image Answer: a) A table</tfoot>
32. Which of the following elements is used to group and style a set of inline elements together in HTML?  a) <div> b) <span> c) <group> d) <block> Answer: b) <span></span></block></group></span></div>
33. The <code> tag is used to represent: a) Computer code or programming code b) A code of conduct for the website c) A code that links to an external website d) An encryption code for secure data transmission Answer: a) Computer code or programming code</code>
34. Which attribute is used to specify an image URL in the <img/> tag? a) url b) src c) link d) href Answer: b) src
<ul> <li>35. What is the purpose of the <dfn> tag in HTML?</dfn></li> <li>a) It defines a footnote for a specific term.</li> <li>b) It creates a definition list.</li> <li>c) It denotes the start of a new form in HTML.</li> <li>d) It marks a term's definition or a term to be defined.</li> <li>Answer: d) It marks a term's definition or a term to be defined.</li> </ul>
36. Which attribute is used to specify the alignment of content within a table cell in HTML?  a) valign b) align c) position d) float Answer: b) align

- 37. The <address> tag in HTML is used to define:
  - a) The physical address of a company
  - b) The address of an email recipient
  - c) The web address of a website
  - d) The address of a location on a map

Answer: a) The physical address of a company

- 38. What is the correct HTML tag for creating a level-two heading?
  - a) <heading2>
  - b) <h2>
  - c) <h>
  - d) <h-level2>

Answer: b) <h2>

- 39. The <dl> tag is used to create:
- a) A definition list
- b) A data link
- c) A display list
- d) A description list

Answer: a) A definition list

- 40. Which attribute is used to specify the alignment of text within an element in HTML?
  - a) text-align
  - b) align
  - c) text-position
  - d) position

Answer: a) text-align

- 41. The <figure> tag in HTML is used to:
  - a) Create a mathematical figure
  - b) Display an image with a caption
  - c) Define a floating text box
  - d) Insert a drawing on the webpage

Answer: b) Display an image with a caption

- 42. Which tag is used to create a hyperlink to another section on the same webpage?
  - a) <link>
  - b) <href>
  - c) <a>
  - d) <anchor>

Answer: c) <a>

- 43. What is the purpose of the <base> tag in HTML?
  - a) It defines the base font size for the entire webpage.
  - b) It sets the base URL for relative links on the webpage.
  - c) It creates a base shape for drawing elements.
  - d) It defines the base color for the webpage.

Answer: b) It sets the base URL for relative links on the webpage.

- 44. Which attribute is used to specify the column span for a table cell in HTML?
  - a) colspan

- b) col
- c) span
- d) col-span

Answer: a) colspan

- 45. The tag is used to:
  - a) Display preformatted text
  - b) Insert a preview of an image
  - c) Show a progress bar
  - d) Create a pre-styled list

Answer: a) Display preformatted text

- 46. Which tag is used to create an input field for entering numeric values in HTML?
  - a) < number >
  - b) <input type="number">
  - c) < numeric>
  - d) <input type="numeric">

Answer: b) <input type="number">

- 47. The <embed> tag in HTML is used to:
  - a) Embed an external website within a webpage.
  - b) Insert a video in the webpage.
  - c) Display an image in a webpage.
  - d) Embed multimedia content, like audio or video, in a webpage.

Answer: d) Embed multimedia content, like audio or video, in a webpage.

- 48. Which of the following is NOT a valid color representation in CSS?
  - a) rgb(255,255,255)
  - b) #FFFFFF
  - c) color: white;
  - d) 000000

Answer: d) 000000

- 49. The <meter> tag in HTML is used to represent:
  - a) An input field for entering measurements
  - b) A progress bar with a known range
  - c) A video or audio player control
  - d) A meter measurement for font size

Answer: b) A progress bar with a known range

- 50. Which attribute is used to specify the width of an image in HTML?
  - a) width
  - b) size
  - c) img-width
  - d) image-width

Answer: a) width

- 1. CSS stands for:
  - a) Creative Style Sheets
  - b) Computer Styling System
  - c) Cascading Style Sheets

d) Colorful Styling Solutions Answer: c) Cascading Style Sheets 2. In CSS, which symbol is used to select a class? a)# b) . c) @ d) \$ Answer: b) . 3. How can you insert inline CSS within an HTML document? a) Using the <style> tag in the <head> section b) Using the <css> tag in the <body> section c) Using the <link> tag in the <head> section d) Using the <script> tag in the <body> section Answer: a) Using the <style> tag in the <head> section 4. To select an element with the ID "navbar," which CSS selector should be used? a) #navbar b) .navbar c) navbar d) &navbar Answer: a) #navbar 5. The CSS property used to set the background color of an element is: a) background-color b) color c) bgcolor d) background Answer: a) background-color 6. Which CSS property is used to change the font size of text? a) font-weight b) font-size c) text-size d) size Answer: b) font-size 7. The CSS property "font-family" is used to: a) Set the font size of text b) Specify the style of the font c) Define the font type for text d) Change the color of the font Answer: c) Define the font type for text 8. Which property is used to control the spacing between lines of text? a) line-height b) text-spacing c) line-spacing d) spacing Answer: a) line-height

<ul> <li>9. To select all <h2> elements that are inside a <div> element, you would use:</div></h2></li> <li>a) div h2</li> <li>b) h2 div</li> <li>c) div + h2</li> <li>d) h2 &gt; div</li> <li>Answer: a) div h2</li> </ul>
<ul> <li>10. The CSS property used to create space around an element is:</li> <li>a) margin</li> <li>b) padding</li> <li>c) space</li> <li>d) border</li> <li>Answer: b) padding</li> </ul>
<ul> <li>11. Which CSS property is used to control the appearance of the top border of an element?</li> <li>a) border-top</li> <li>b) top-border</li> <li>c) border-up</li> <li>d) border-top-style</li> <li>Answer: a) border-top</li> </ul>
<ul> <li>12. The CSS property "text-decoration" is used for:</li> <li>a) Changing the font style of text</li> <li>b) Setting the background color of text</li> <li>c) Adding a line above or below text</li> <li>d) Controlling the spacing between letters</li> <li>Answer: c) Adding a line above or below text</li> </ul>
<ul> <li>13. How can you link an external CSS file to an HTML document?</li> <li>a) Using the <script> tag</li> <li>b) Using the <css> tag</li> <li>c) Using the <style> tag</li> <li>d) Using the <li>link> tag</li> <li>Answer: d) Using the <li>link> tag</li> </ul></td></tr><tr><td><ul> <li>14. Which CSS property is used to make text appear in italics?</li> <li>a) font-weight</li> <li>b) text-style</li> <li>c) font-style</li> <li>d) text-italic</li> <li>Answer: c) font-style</li> </ul></td></tr><tr><td><ul><li>15. To select all elements with the class "btn," you would use which CSS selector?</li><li>a) #btn</li><li>b) .btn</li><li>c) btn</li><li>d) &btn</li><li>Answer: b) .btn</li></ul></td></tr><tr><td>16. The CSS property "position" is used to:</td></tr></tbody></table></script></li></ul>

- a) Control the visibility of an element
- b) Set the display style of an element
- c) Specify the location of an element in relation to its parent
- d) Define the size of an element

Answer: c) Specify the location of an element in relation to its parent

- 17. Which CSS property is used to create rounded corners for an element?
  - a) border-radius
  - b) border-style
  - c) border-corner
  - d) corner-radius

Answer: a) border-radius

- 18. The "z-index" property in CSS is used to control:
  - a) The stacking order of elements on the z-axis
  - b) The font size of an element
  - c) The visibility of an element
  - d) The border width of an element

Answer: a) The stacking order of elements on the z-axis

- 19. What is the default value of the "position" property in CSS?
  - a) relative
  - b) static
  - c) absolute
  - d) fixed

Answer: b) static

- 20. The CSS property "text-align" is used to:
  - a) Set the indentation of text
  - b) Align text vertically within an element
  - c) Align text horizontally within an element
  - d) Set the line height of text

Answer: c) Align text horizontally within an element

- 21. The CSS property "float" is used to:
  - a) Create a floating image on the webpage
  - b) Wrap text around an image
  - c) Align text to the left or right of its container
  - d) Define the width of an element

Answer: c) Align text to the left or right of its container

- 22. To select the first element of a specific type on the page, you would use the selector:
  - a):first
  - b):first-child
  - c):first-element
  - d):first-type

Answer: a) :first

- 23. Which CSS property is used to control the thickness of the border of an element?
  - a) border-thickness
  - b) border-size

- c) border-width
- d) border-style

Answer: c) border-width

- 24. The "box-sizing" property in CSS is used to control:
  - a) The size of an image inside its container
  - b) The visibility of an element
  - c) The spacing between elements
  - d) How the total width and height of an element are calculated

Answer: d) How the total width and height of an element are calculated

- 25. What is the correct CSS syntax for changing the text color of an element?
  - a) text-color: red;
  - b) color: red;
  - c) font-color: red;
  - d) text: red;

Answer: b) color: red;

- 26. Which CSS property is used to add shadows to an element?
  - a) box-shadow
  - b) shadow-effect
  - c) element-shadow
  - d) shadow-style

Answer: a) box-shadow

- 27. The "display: none;" property in CSS is used to:
  - a) Make an element visible on the page
  - b) Completely remove an element from the page layout
  - c)

Hide an element temporarily

d) Create an inline element

Answer: b) Completely remove an element from the page layout

- 28. To select all elements inside a <div> element with the class "container," you would use:
  - a) div .p
  - b) div .container
  - c) .container p
  - d) .container > p

Answer: d) .container > p

- 29. The "font-weight" property is used to control:
  - a) The width of the font
  - b) The boldness of the font
  - c) The color of the font
  - d) The size of the font

Answer: b) The boldness of the font

- 30. Which CSS property is used to create a border around an element?
  - a) border
  - b) border-style

- c) border-width
- d) border-color

Answer: a) border

- 31. The "letter-spacing" property in CSS is used to control:
  - a) The space between lines of text
  - b) The space between words in a sentence
  - c) The space between letters in a word
  - d) The space between paragraphs

Answer: c) The space between letters in a word

- 32. How can you include multiple CSS files in an HTML document?
  - a) Using the <style> tag multiple times in the <head> section
  - b) Using the <css> tag multiple times in the <body> section
  - c) Using the <link> tag multiple times in the <head> section
  - d) Using the <script> tag multiple times in the <body> section

Answer: c) Using the <link> tag multiple times in the <head> section

- 33. Which CSS property is used to create a drop shadow effect for an element?
  - a) box-shadow
  - b) text-shadow
  - c) element-shadow
  - d) shadow-effect

Answer: b) text-shadow

- 34. The CSS property "opacity" is used to control:
  - a) The background color of an element
  - b) The visibility of an element
  - c) The blending mode of an element
  - d) The transparency of an element

Answer: d) The transparency of an element

- 35. To select all elements with the class "highlight" that are inside a <div> element, you would use:
  - a) div.highlight
  - b) div > .highlight
  - c) .highlight div
  - d) .highlight div

Answer: b) div > .highlight

- 36. The "text-transform" property in CSS is used to:
  - a) Control the alignment of text within an element
  - b) Transform text to uppercase or lowercase
  - c) Add text effects like shadows or glow
  - d) Change the font style of text

Answer: b) Transform text to uppercase or lowercase

- 37. Which CSS property is used to control the space between elements on the outside of their border?
  - a) margin
  - b) padding
  - c) space

d) border

Answer: a) margin

- 38. The CSS property "text-overflow" is used to control:
  - a) The wrapping behavior of text
  - b) The visibility of text
  - c) The spacing between letters
  - d) How text that overflows its container is displayed

Answer: d) How text that overflows its container is displayed

- 39. What is the correct CSS syntax for changing the font weight to bold?
  - a) font: bold;
  - b) font-weight: bold;
  - c) weight: bold;
  - d) bold: font;

Answer: b) font-weight: bold;

- 40. Which CSS property is used to add an image as a background for an element?
  - a) background-image
  - b) image-background
  - c) background-src
  - d) src-background

Answer: a) background-image

- 41. The "overflow" property in CSS is used to control:
  - a) The visibility of an element
  - b) The wrapping behavior of text
  - c) How content that overflows its container is displayed
  - d) The position of an element

Answer: c) How content that overflows its container is displayed

- 42. To select all elements with the class "sidebar" that are siblings of a <main> element, you would use:
  - a) main.sidebar
  - b) main + .sidebar
  - c) .sidebar main
  - d) .sidebar + main

Answer: b) main + .sidebar

- 43. The "text-indent" property in CSS is used to:
  - a) Control the spacing between lines of text
  - b) Indent the first line of a block of text
  - c) Add indentation to an element's border
  - d) Align text vertically within an element

Answer: b) Indent the first line of a block of text

- 44. Which CSS property is used to create a linear gradient background for an element?
  - a) gradient-color
  - b) background-gradient
  - c) linear-gradient
  - d) background-color

## Answer: c) linear-gradient

- 45. The "text-shadow" property is used to add:
  - a) A shadow to the border of an element
  - b) A shadow to an image
  - c) A shadow to text
  - d) A shadow to the background of an element

Answer: c) A shadow to text

- 46. How can you target the last child of a specific element using CSS?
  - a):last
  - b) :last-child
  - c) :child-last
  - d):last-element

Answer: b) :last-child

- 47. Which CSS property is used to create an underline for text?
  - a) text-underline
  - b) text-decoration
  - c) underline-text
  - d) text-style

Answer: b) text-decoration

- 48. The "clear" property in CSS is used to control:
  - a) The visibility of an element
  - b) The position of an element concerning floated elements
  - c) The blending mode of an element
  - d) The transparency of an element

Answer: b) The position of an element concerning floated elements

- 49. What is the correct CSS syntax for changing the background color to green for elements with the class "highlight"?
  - a) background: green;
  - b) background-color: green;
  - c) color: green;
  - d) bg-color: green;

Answer: b) background-color: green;

- 50. The "line-break" property in CSS is used to control:
  - a) The wrapping behavior of text
  - b) The visibility of text
  - c) The spacing between lines of text
  - d) The position of an element

Answer: a) The wrapping behavior of text