

PRACTICAL NO. 2

Desing a web page that makes use of :

A. Table tag:

Code:


```
<!DOCTYPE html>
<html lang="en">
  <head>
    <title>Student table</title>
  </head>
  <body>
    <table border="2" align="center" style="color:black;
background-color: whitesmoke; border-color: black; text-align:
center; width:100%;">
      <tr>
        <th colspan="4">Student table</th> <!--using
colspan -->
      </tr>
      <tr>
        <th>Sr. no.</th>
        <th>Roll no.</th>
        <th>Name</th>
        <th>Marks</th>
      </tr>
      <tr>
        <td>1</td>
        <td>123</td>
        <td>Jayesh</td>
        <td>100%</td>
      </tr>
      <tr>
        <td>2</td>
        <td>124</td>
        <td>Aryan</td>
        <td>101%</td>
      </tr>
      <tr>
        <td>3</td>
        <td>125</td>
        <td>Sandesh</td>
        <td rowspan="2">99%</td> <!--using rowspan
attribut-->
      </tr>
      <tr>
```

```

        <td>4</td>
        <td>126</td>
        <td>Ashutosh</td>
        <!-- <td>100%</td> -->
    </tr>
</table>
</body>
</html>

```

Output:



Student table			
Sr. no.	Roll no.	Name	Marks
1	123	Jayesh	100%
2	124	Aryan	101%
3	125	Sandesh	99%
4	126	Ashutosh	
5	127	Shrikant	100%

B. Form tag:

Code:

```

<!DOCTYPE html>
<html lang="en">
<head>
    <title>Login form</title>
</head>
<body>
    <form action="login from.db">

        <div>First name: <input type="text" value="Enter name"
id="fn"></div>
        <div>Last name: <input type="text" value="Enter last
name" id="ln"></div>
        <div>Contact no.: <input type="number" id="cn"></div>
        <div>Gender:
            <input type="radio" id="g1" name="gen">Male
            <input type="radio" id="g2" name="gen">Female
    </form>


```

```

</div>
<div>Hobbies:
    <input type="checkbox" id="h1">Playing
    <input type="checkbox" id="h1">Dancing
    <input type="checkbox" id="h1">Singing
    <input type="checkbox" id="h1">Swimming
</div>
<div>Country:
    <select name="con" id="cntry">
        <option value="1">India</option>
        <option value="2">China</option>
        <option value="3">America</option>
        <option value="4">Egypt</option>
        <option value="5">Canada</option>
        <option value="6">Combodia</option>
        <option value="7">Russia</option>
    </select>
</div>
<div>
    <input type="reset" value="Clear data">
    <input type="submit" value="Login">
</div>
</form>
</body>
</html>

```

Output:




First name:
 Last name:
 Contact no.:
 Gender: ☐ Male ☐ Female
 Hobbies: ☐ Playing ☐ Dancing ☐ Singing ☐ Swimming
 Country:

C. Navigation across multiple pages:

Code:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <title>Page navigation</title>
</head>
<body>
  <h3>Examples of page navigation</h3>
  <a href="https://www.google.co.in/">Click here to visit
google</a><br>
  <a href="https://www.amazon.in/">Click here to visit
amazon</a>
</body>
</html>
```

Output:



Examples of page navigation

[Click here to visit google](https://www.google.co.in/)

[Click here to visit amazon](https://www.amazon.in/)


D. Embedded multi-media elements

Code:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <title>Audio</title>
</head>
<body>
  <audio controls autoplay>
    <source
src="https://commondatastorage.googleapis.com/codeskulptor-
demos/DDR_assets/Sevish_-__nbsp_.mp3" type="audio/mp3">
  </audio>
```

```
</body>  
</html>
```

Output:



Code:

```
<!DOCTYPE html>  
<html lang="en">  
<head>  
  <title>Document</title>  
</head>  
<body>  
  <video controls autoplay style="width: 400px;">  
    <source src="sea.mp4" type="video/ogg">  
  </video>  
</body>  
</html>
```

Output:

