


- Q3-10.** Can we say whether a signal is periodic or nonperiodic by just looking at its frequency domain plot? How?
- Q3-11.** Is the frequency domain plot of a voice signal discrete or continuous?
- Q3-12.** Is the frequency domain plot of an alarm system discrete or continuous?
- Q3-13.** We send a voice signal from a microphone to a recorder. Is this baseband or broadband transmission?
- Q3-14.** We send a digital signal from one station on a LAN to another station. Is this baseband or broadband transmission?
- Q3-15.** We modulate several voice signals and send them through the air. Is this baseband or broadband transmission?

### 3.8.3 Problems

- P3-1.** Given the frequencies listed below, calculate the corresponding periods.
- a.** 24 Hz                      **b.** 8 MHz                      **c.** 140 KHz
- P3-2.** Given the following periods, calculate the corresponding frequencies.
- a.** 5 s                      **b.** 12  $\mu$ s                      **c.** 220 ns
- P3-3.** What is the phase shift for the following?
- a.** A sine wave with the maximum amplitude at time zero
- b.** A sine wave with maximum amplitude after 1/4 cycle
- c.** A sine wave with zero amplitude after 3/4 cycle and increasing
- P3-4.** What is the bandwidth of a signal that can be decomposed into five sine waves with frequencies at 0, 20, 50, 100, and 200 Hz? All peak amplitudes are the same. Draw the bandwidth.
- P3-5.** A periodic composite signal with a bandwidth of 2000 Hz is composed of two sine waves. The first one has a frequency of 100 Hz with a maximum amplitude of 20 V; the second one has a maximum amplitude of 5 V. Draw the bandwidth.
- P3-6.** Which signal has a wider bandwidth, a sine wave with a frequency of 100 Hz or a sine wave with a frequency of 200 Hz?
- P3-7.** What is the bit rate for each of the following signals?
- a.** A signal in which 1 bit lasts 0.001 s
- b.** A signal in which 1 bit lasts 2 ms
- c.** A signal in which 10 bits last 20  $\mu$ s
- P3-8.** A device is sending out data at the rate of 1000 bps.
- a.** How long does it take to send out 10 bits?
- b.** How long does it take to send out a single character (8 bits)?
- c.** How long does it take to send a file of 100,000 characters?


- P3-9.** What is the bit rate for the signal in Figure 3.35?

**Figure 3.35** Problem P3-9




- P3-10.** What is the frequency of the signal in Figure 3.36?

**Figure 3.36** Problem P3-10



- P3-11.** What is the bandwidth of the composite signal shown in Figure 3.37?

**Figure 3.37** Problem P3-11



- P3-12.** A periodic composite signal contains frequencies from 10 to 30 KHz, each with an amplitude of 10 V. Draw the frequency spectrum.
- P3-13.** A nonperiodic composite signal contains frequencies from 10 to 30 KHz. The peak amplitude is 10 V for the lowest and the highest signals and is 30 V for the 20-KHz signal. Assuming that the amplitudes change gradually from the minimum to the maximum, draw the frequency spectrum.
- P3-14.** A TV channel has a bandwidth of 6 MHz. If we send a digital signal using one channel, what are the data rates if we use one harmonic, three harmonics, and five harmonics?
- P3-15.** A signal travels from point A to point B. At point A, the signal power is 100 W. At point B, the power is 90 W. What is the attenuation in decibels?
- P3-16.** The attenuation of a signal is  $-10$  dB. What is the final signal power if it was originally 5 W?
- P3-17.** A signal has passed through three cascaded amplifiers, each with a 4 dB gain. What is the total gain? How much is the signal amplified?

- P3-18.** If the bandwidth of the channel is 5 Kbps, how long does it take to send a frame of 100,000 bits out of this device?
- P3-19.** The light of the sun takes approximately eight minutes to reach the earth. What is the distance between the sun and the earth?
- P3-20.** A signal has a wavelength of 1  $\mu\text{m}$  in air. How far can the front of the wave travel during 1000 periods?
- P3-21.** A line has a signal-to-noise ratio of 1000 and a bandwidth of 4000 KHz. What is the maximum data rate supported by this line?
- P3-22.** We measure the performance of a telephone line (4 KHz of bandwidth). When the signal is 10 V, the noise is 5 mV. What is the maximum data rate supported by this telephone line?
- P3-23.** A file contains 2 million bytes. How long does it take to download this file using a 56-Kbps channel? 1-Mbps channel?
- P3-24.** A computer monitor has a resolution of 1200 by 1000 pixels. If each pixel uses 1024 colors, how many bits are needed to send the complete contents of a screen?
- P3-25.** A signal with 200 milliwatts power passes through 10 devices, each with an average noise of 2 microwatts. What is the SNR? What is the SNR<sub>dB</sub>?
- P3-26.** If the peak voltage value of a signal is 20 times the peak voltage value of the noise, what is the SNR? What is the SNR<sub>dB</sub>?
- P3-27.** What is the theoretical capacity of a channel in each of the following cases?
- a.** Bandwidth: 20 KHz      SNR<sub>dB</sub> = 40
  - b.** Bandwidth: 200 KHz      SNR<sub>dB</sub> = 4
  - c.** Bandwidth: 1 MHz      SNR<sub>dB</sub> = 20
- P3-28.** We need to upgrade a channel to a higher bandwidth. Answer the following questions:
- a.** How is the rate improved if we double the bandwidth?
  - b.** How is the rate improved if we double the SNR?
- P3-29.** We have a channel with 4 KHz bandwidth. If we want to send data at 100 Kbps, what is the minimum SNR<sub>dB</sub>? What is the SNR?
- P3-30.** What is the transmission time of a packet sent by a station if the length of the packet is 1 million bytes and the bandwidth of the channel is 200 Kbps?
- P3-31.** What is the length of a bit in a channel with a propagation speed of  $2 \times 10^8$  m/s if the channel bandwidth is
- a.** 1 Mbps?                      **b.** 10 Mbps?                      **c.** 100 Mbps?
- P3-32.** How many bits can fit on a link with a 2 ms delay if the bandwidth of the link is
- a.** 1 Mbps?                      **b.** 10 Mbps?                      **c.** 100 Mbps?

- P3-33.** What is the total delay (latency) for a frame of size 5 million bits that is being sent on a link with 10 routers each having a queuing time of  $2\ \mu\text{s}$  and a processing time of  $1\ \mu\text{s}$ . The length of the link is 2000 Km. The speed of light inside the link is  $2 \times 10^8\ \text{m/s}$ . The link has a bandwidth of 5 Mbps. Which component of the total delay is dominant? Which one is negligible?

---

## 3.9 SIMULATION EXPERIMENTS

### 3.9.1 Applets

We have created some Java applets to show some of the main concepts discussed in this chapter. It is strongly recommended that the students activate these applets on the book website and carefully examine the protocols in action.