

NPM audit

ai-service

```
PS C:\Users\javig\OneDrive\Escritorio\ProyectoU2_AdminRedes\services\ai-service> npm audit

up to date, audited 108 packages in 2s

19 packages are looking for funding
  run `npm fund` for details

found 0 vulnerabilities
❖ PS C:\Users\javig\OneDrive\Escritorio\ProyectoU2_AdminRedes\services\ai-service>
```

appointment-service

```
PS C:\Users\javig\OneDrive\Escritorio\ProyectoU2_AdminRedes\services\appointment-service> npm audit
found 0 vulnerabilities
```

auth-service

```
PS C:\Users\javig\OneDrive\Escritorio\ProyectoU2_AdminRedes\services\auth-service> npm audit
# npm audit report

js-yaml <3.14.2
Severity: moderate
js-yaml has prototype pollution in merge (<<) - https://github.com/advisories/GHSA-mh29-5h37-fv8m
fix available via `npm audit fix`
node_modules/js-yaml

1 moderate severity vulnerability

To address all issues, run:
  npm audit fix
❖ PS C:\Users\javig\OneDrive\Escritorio\ProyectoU2_AdminRedes\services\auth-service>

PS C:\Users\javig\OneDrive\Escritorio\ProyectoU2_AdminRedes\services\auth-service> npm audit fix

changed 1 package, and audited 445 packages in 2s

51 packages are looking for funding
  run `npm fund` for details

found 0 vulnerabilities
❖ PS C:\Users\javig\OneDrive\Escritorio\ProyectoU2_AdminRedes\services\auth-service>
```

config-service

```
PS C:\Users\javig\OneDrive\Escritorio\ProyectoU2_AdminRedes\services\config-service> npm audit
found 0 vulnerabilities
```

notification-service

```
PS C:\Users\javig\OneDrive\Escritorio\ProyectoU2_AdminRedes\services\notification-service> npm audit
# npm audit report

nodemailer <7.0.7
Severity: moderate
Nodemailer: Email to an unintended domain can occur due to Interpretation Conflict - https://github.com/advisories/GHSA-mm7p-fcc7-pg87
fix available via `npm audit fix --force`
Will install nodemailer@7.0.11, which is a breaking change
node_modules/nodemailer

semver 7.0.0 - 7.5.1
Severity: high
semver vulnerable to Regular Expression Denial of Service - https://github.com/advisories/GHSA-c2qf-rxjj-qggw
fix available via `npm audit fix --force`
Will install nodemon@3.1.11, which is a breaking change
node_modules/simple-update-notifier/node_modules/semver
  simple-update-notifier 1.0.7 - 1.1.0
    Depends on vulnerable versions of semver
node_modules/simple-update-notifier
  nodemon 2.0.19 - 2.0.22
    Depends on vulnerable versions of simple-update-notifier
node_modules/nodemon

4 vulnerabilities (1 moderate, 3 high)

To address all issues (including breaking changes), run:
  npm audit fix --force
PS C:\Users\javig\OneDrive\Escritorio\ProyectoU2_AdminRedes\services\notification-service>
```

```
PS C:\Users\javig\OneDrive\Escritorio\ProyectoU2_AdminRedes\services\notification-service> npm audit fix

semver 7.0.0 - 7.5.1
Severity: high
semver vulnerable to Regular Expression Denial of Service - https://github.com/advisories/GHSA-c2qf-rxjj-qggw
fix available via `npm audit fix --force`
Will install nodemon@3.1.11, which is a breaking change
node_modules/simple-update-notifier/node_modules/semver
  simple-update-notifier 1.0.7 - 1.1.0
    Depends on vulnerable versions of semver
node_modules/simple-update-notifier
  nodemon 2.0.19 - 2.0.22
    Depends on vulnerable versions of simple-update-notifier
node_modules/nodemon

4 vulnerabilities (1 moderate, 3 high)

To address all issues (including breaking changes), run:
  npm audit fix --force
PS C:\Users\javig\OneDrive\Escritorio\ProyectoU2_AdminRedes\services\notification-service> npm audit fix --force
npm warn using --force Recommended protections disabled.
npm warn audit Updating nodemailer to 7.0.11, which is a SemVer major change.
npm warn audit Updating nodemon to 3.1.11, which is a SemVer major change.

removed 1 package, changed 5 packages, and audited 122 packages in 2s

19 packages are looking for funding
  run `npm fund` for details

found 0 vulnerabilities
PS C:\Users\javig\OneDrive\Escritorio\ProyectoU2_AdminRedes\services\notification-service>
```

queue service:

```
PS C:\Users\javig\OneDrive\Escritorio\ProyectoU2_AdminRedes\services\queue-service> npm audit
found 0 vulnerabilities
```

statistics-service:

```

PS C:\Users\javig\OneDrive\Escritorio\ProyectoU2_AdminRedes\services\statistics-service> npm audit
# npm audit report

semver 7.0.0 - 7.5.1
Severity: high
semver vulnerable to Regular Expression Denial of Service - https://github.com/advisories/GHSA-c2qf-rxjj-qqgw
fix available via `npm audit fix --force`
Will install nodemon@3.1.11, which is a breaking change
node_modules/simple-update-notifier/node_modules/semver
  simple-update-notifier 1.0.7 - 1.1.0
    Depends on vulnerable versions of semver
node_modules/simple-update-notifier
  nodemon 2.0.19 - 2.0.22
    Depends on vulnerable versions of simple-update-notifier
node_modules/nodemon

3 high severity vulnerabilities

To address all issues (including breaking changes), run:
  npm audit fix --force
PS C:\Users\javig\OneDrive\Escritorio\ProyectoU2_AdminRedes\services\statistics-service>

```

fix:

```

PS C:\Users\javig\OneDrive\Escritorio\ProyectoU2_AdminRedes\services\statistics-service> npm audit fix --force
npm warn using --force Recommended protections disabled.
npm warn audit Updating nodemon to 3.1.11, which is a SemVer major change.

removed 1 package, changed 4 packages, and audited 121 packages in 2s

19 packages are looking for funding
  run `npm fund` for details

found 0 vulnerabilities
PS C:\Users\javig\OneDrive\Escritorio\ProyectoU2_AdminRedes\services\statistics-service>

```

NMAP

Comando para analizar:

nmap -sV -p

3010,9090,3100,3008,3001,3006,3013,3014,3009,3011,3004,3012,3007,8080,8443,6379

localhost

```
PS C:\Users\javig> nmap -sV -p 3010,9090,3100,3008,3001,3006,3013,3014,3009,3011,3004,3012,3007,8080,8443,6379 localhost
Starting Nmap 7.98 ( https://nmap.org ) at 2025-11-30 20:03 -0300
Nmap scan report for localhost (127.0.0.1)
Host is up (0.00040s latency).
Other addresses for localhost (not scanned): ::1

PORT      STATE SERVICE      VERSION
3001/tcp   open  nessus?
3004/tcp   open  http         Node.js (Express middleware)
3006/tcp   open  deslogind?
3007/tcp   open  lotusmtap?
3008/tcp   open  midnight-tech?
3009/tcp   open  pxc-ntfy?
3010/tcp   open  http         Grafana http
3011/tcp   open  trusted-web?
3012/tcp   open  twsdss?
3013/tcp   open  http         Node.js (Express middleware)
3014/tcp   open  broker_service?
3100/tcp   open  http         Golang net/http server (Go-IPFS json-rpc or InfluxDB API)
6379/tcp   open  redis        Redis key-value store
8080/tcp   open  http         nginx 1.29.3
8443/tcp   open  ssl/http     nginx 1.29.3
9090/tcp   open  http         Golang net/http server (Go-IPFS json-rpc or InfluxDB API)
8 services unrecognized despite returning data. If you know the service/version, please submit the following fingerprints at https://nmap.org/cgi-bin/submit.cgi?new-service :
```

```
=====NEXT SERVICE FINGERPRINT (SUBMIT INDIVIDUALLY)=====
SF-Port3001-TCP:V=7.98%I=7%0=11/30%Time=692CC039%P=i686-pc-windows-windows
SF:%r(MCP, 2F, "HTTP/1.1\x20400\x20Bad\x20Request\r\nConnection:\x20close\r
SF:\n\r\n")%r(GetRequest, 3AA, "HTTP/1.1\x20404\x20Not\x20Found\r\nContent-
SF:Security-Policy:\x20default-src\x20'self';base-uri\x20'self';font-src\x
SF:20'self'\x20https:\x20data;;form-action\x20'self';frame-ancestors\x20's
SF:elf';img-src\x20'self'\x20data;;object-src\x20'none';script-src\x20'sel
SF:f';script-src-attr\x20'none';style-src\x20'self'\x20https:\x20'unsafe-i
SF:inline';upgrade-insecure-requests\r\nCross-Origin-Opener-Policy:\x20same
SF:origin\r\nCross-Origin-Resource-Policy:\x20same-origin\r\nOrigin-Agent
SF:Cluster:\x20?1\r\nReferrer-Policy:\x20no-referrer\r\nStrict-Transport
SF:Security:\x20max-age=15552000;\x20includeSubDomains\r\nX-Content-Type-
SF:Options:\x20nosniff\r\nX-DNS-Prefetch-Control:\x20off\r\nX-Download-Opt
SF:ions:\x20noopen\r\nX-Frame-Options:\x20SAMEORIGIN\r\nX-Permitted-Cross-
SF:Domain-Policies:\x20none\r\nX-XSS-Protection:\x200\r\nVary:\x20Origin\r
SF:\nAccess-Control-Allow-Credentials:\x20true\r\nContent-Type:\x20applicac
SF:tion/json;\x20charset=utf-8\r\nContent-Length:\x2030\r\nETag:\x20W/"1e
SF:-whou9sM6XmJt0ZWc9/edTWMh8"\r\nDate:\x20Sun,\x2030\x20Nov\x202025\x2
SF:023:03:26\x20GMT\r\nConnection:\x20c")%r(HTTPOptions, 391, "HTTP/1.1\x20
SF:204\x20No\x20Content\r\nContent-Security-Policy:\x20default-src\x20'sel
SF:f';base-uri\x20'self';font-src\x20'self'\x20https:\x20data;;form-action
SF:\x20'self';frame-ancestors\x20'self';img-src\x20'self'\x20data;;object-
SF:src\x20'none';script-src\x20'self';script-src-attr\x20'none';style-src\
SF:x20'self'\x20https:\x20'unsafe-inline';upgrade-insecure-requests\r\nCro
SF:ss-Origin-Opener-Policy:\x20same-origin\r\nCross-Origin-Resource-Policy
SF::\x20same-origin\r\nOrigin-Agent-Cluster:\x20?1\r\nReferrer-Policy:\x2
SF:0no-referrer\r\nStrict-Transport-Security:\x20max-age=15552000;\x20incl
SF:udeSubDomains\r\nX-Content-Type-Options:\x20nosniff\r\nX-DNS-Prefetch-C
SF:ontrol:\x20off\r\nX-Download-Options:\x20noopen\r\nX-Frame-Options:\x20
SF:SAMEORIGIN\r\nX-Permitted-Cross-Domain-Policies:\x20none\r\nX-XSS-Prote
SF:ction:\x200\r\nVary:\x20Origin,\x20Access-Control-Request-Headers\r\nAc
SF:cess-Control-Allow-Credentials:\x20true\r\nAccess-Control-Allow-Methods
SF::\x20GET, HEAD, PUT, PATCH, POST, DELETE\r\nContent-Length:\x200\r\nDate:\x2
SF:0Sun,\x2030\x20Nov\x202025\x2023:03:26\x20GMT\r\nConnecti");
=====NEXT SERVICE FINGERPRINT (SUBMIT INDIVIDUALLY)=====
SF-Port3006-TCP:V=7.98%I=7%0=11/30%Time=692CC039%P=i686-pc-windows-windows
SF:%r(SMBProgNeg, 2F, "HTTP/1.1\x20400\x20Bad\x20Request\r\nConnection:\x20
```

```

SF:\x20nosniff\r\nX-DNS-Prefetch-Control:\x20off\r\nX-Download-Options:\x2
SF:0noopen\r\nX-Frame-Options:\x20SAMEORIGIN\r\nX-Permitted-Cross-Domain-P
SF:olicies:\x20none\r\nX-XSS-Protection:\x200\r\nVary:\x20Origin\r\nAccess
SF:-Control-Allow-Credentials:\x20true\r\nContent-Type:\x20application/json
SF:n;\x20charset=utf-8\r\nContent-Length:\x2030\r\nETag:\x20W/"1e-vhoo9s
SF:M6XmJtOZWc9/edTTWHh8"\r\nDate:\x20Sun,\x2030\x20Nov\x202025\x2023:03:2
SF:6\x20GMT\r\nConnection:\x20c")%r(HTTPOptions,391,"HTTP/1\1\x20204\x20N
SF:o\x20Content\r\nContent-Security-Policy:\x20default-src\x20'self';base-
SF:uri\x20'self';font-src\x20'self'\x20https:\x20data:;form-action\x20'sel
SF:f';frame-ancestors\x20'self';img-src\x20'self'\x20data:;object-src\x20'
SF:none';script-src\x20'self';script-src-attr\x20'none';style-src\x20'self
SF:'\x20https:\x20'unsafe-inline';upgrade-insecure-requests\r\nCross-Origi
SF:n-Opener-Policy:\x20same-origin\r\nCross-Origin-Resource-Policy:\x20sam
SF:e-origin\r\nOrigin-Agent-Cluster:\x20?1\r\nReferrer-Policy:\x20no-refe
SF:rrer\r\nStrict-Transport-Security:\x20max-age=15552000;\x20includeSubDo
SF:mains\r\nX-Content-Type-Options:\x20nosniff\r\nX-DNS-Prefetch-Control:\
SF:x20off\r\nX-Download-Options:\x20noopen\r\nX-Frame-Options:\x20SAMEORIG
SF:IN\r\nX-Permitted-Cross-Domain-Policies:\x20none\r\nX-XSS-Protection:\x
SF:200\r\nVary:\x20Origin,\x20Access-Control-Request-Headers\r\nAccess-Con
SF:trol-Allow-Credentials:\x20true\r\nAccess-Control-Allow-Methods:\x20GET
SF:,HEAD,PUT,PATCH,POST,DELETE\r\nContent-Length:\x200\r\nDate:\x20Sun,\x2
SF:030\x20Nov\x202025\x2023:03:26\x20GMT\r\nConnecti");

```

Service detection performed. Please report any incorrect results at <https://nmap.org/submit/> .
Nmap done: 1 IP address (1 host up) scanned in 68.35 seconds
PS C:\Users\javig> |

Nessus

Basic Network Scan

tenable

Nessus Essentials Plus

Scans

Settings

My Scans

Projecto adm redes

All Scans

Trash

Policies

Plugin Rules

Tenable News

Cybersecurity Snapshot: Global Agencies Target Cri...

Read More

BNSCAN

Back to Projecto adm redes

Configure

Audit Trail

Launch

Report

Export

Hosts 1

Vulnerabilities 38

Remediations 1

Notes 7

History 2

Filter

Search Hosts

1 Host

Host

Auth

Vulnerabilities

dev.local

Fail

9

190

Scan Details

Policy: Basic Network Scan

Status: Completed

Severity Base: CVSS v3.0

Scanner: Local Scanner

Start: Today at 11:01 PM

End: Today at 11:23 PM

Elapsed: 21 minutes

Vulnerabilities

Critical

High

Medium

Low

Info

tenable

Nessus Essentials Plus

Scans

Settings

My Scans

Projecto adm redes

All Scans

Trash

Policies

Plugin Rules

Tenable News

Github Copilot Chat Prompt Injection via Filename

Read More

BNSCAN

Back to Projecto adm redes

Configure

Audit Trail

Launch

Report

Export

Hosts 1

Vulnerabilities 38

Remediations 1

Notes 7

History 2

Filter

Search Vulnerabilities

38 Vulnerabilities

Sev

CVSS

VPR

EPSS

Name

Family

Count

MEDIUM

5.3

SMB Signing not required

Misc.

1

MIXED

SSL (Multiple Issues)

General

10

MIXED

Grafana (Multiple Issu...

Web Servers

6

INFO

HTTP (Multiple Issues)

Web Servers

23

INFO

SMB (Multiple Issues)

Windows

5

INFO

TLS (Multiple Issues)

Service detection

4

INFO

TLS (Multiple Issues)

General

3

INFO

Web Server (Multiple ...

Web Servers

3

INFO

Netstat Portscanner (SSH)

Port scanners

68

Scan Details

Policy: Basic Network Scan

Status: Completed

Severity Base: CVSS v3.0

Scanner: Local Scanner

Start: Today at 11:01 PM

End: Today at 11:23 PM

Elapsed: 21 minutes

Vulnerabilities

Critical

High

Medium

Low

Info

tenable

Nessus Essentials Plus

Scans

Settings

My Scans

Projecto adm redes

All Scans

Trash

Policies

Plugin Rules

Tenable News

Google Cloud Platform (GCP) Google Security Operat...

Read More

INFO

Service Detection

Service detection

18

INFO

Strict Transport Security (S...

Service detection

11

INFO

Non-compliant Strict Trans...

Service detection

9

INFO

DCE Services Enumeration

Windows

8

INFO

Service Detection (HELP Re...

Service detection

3

INFO

Web Server UPnP Detection

Service detection

3

INFO

MySQL Server Detection

Databases

2

INFO

nginx HTTP Server Detection

Web Servers

2

INFO

Additional DNS Hostnames

General

1

INFO

Common Platform Enume...

General

1

INFO

Device Type

General

1

INFO

Grafana Labs Web Detection

Service detection

1

INFO

Host Fully Qualified Domai...

General

1

https://localhost:8834/#/scans/folders/my-scans

tenable

Nessus Essentials Plus

Scans

Settings

FOLDERS

My Scans

Projecto adm redes

All Scans

Trash

RESOURCES

Policies

Plugin Rules

Tenable News

Google Cloud Platform (GCP) Google Security Operat...

Read More

Google Cloud Platform (GCP) Google Security Operat...

Read More

INFO

Microsoft Windows NTLM...

Windows

1

INFO

Nessus Scan Information

Settings

1

INFO

Nessus Server Detection

Service detection

1

INFO

Netstat Connection Inform...

General

1

INFO

OS Fingerprints Detected

General

1

INFO

OS Identification

General

1

INFO

OS Identification and Insta...

Misc.

1

INFO

OS Security Patch Assessm...

Settings

1

INFO

Patch Report

General

1

INFO

PostgreSQL Server Detecti...

Service detection

1

INFO

Redis Server Detection

Service detection

1

INFO

Service Detection (GET req...

Service detection

1

INFO

Target Credential Status by...

Settings

1

INFO

TLS ALPN Supported Proto...

Misc.

1

INFO

Universal Plug and Play (U...

Service detection

1

INFO

Unknown Service Detectio...

Service detection

1

risk information

Hosts1

Vulnerabilities38

Remediations1

Notes7

History2

MEDIUM

SMB Signing not required

<

>

Plugin Details

Description

Signing is not required on the remote SMB server. An unauthenticated, remote attacker can exploit this to conduct man-in-the-middle attacks against the SMB server.

Solution

Enforce message signing in the host's configuration. On Windows, this is found in the policy setting 'Microsoft network server: Digitally sign communications (always)'. On Samba, the setting is called 'server signing'. See the 'see also' links for further details.

See Also

<http://www.nessus.org/u7df39b8b3>

<http://technet.microsoft.com/en-us/library/cc731957.aspx>

<http://www.nessus.org/u774b80723>

<https://www.samba.org/samba/docs/current/man-html/smb.conf.5.html>

<http://www.nessus.org/u7a3cac4ea>

Output

No output recorded.

To see debug logs, please visit individual host

Port	Hosts
445 / tcp / cifs	dev.local

Severity:Medium

ID:57608

Version:1.20

Type:remote

Family:Misc.

Published:January 19, 2012

Modified:October 5, 2022

Risk Information

Risk Factor: Medium

CVSS v3.0 Base Score: 5.3

CVSS v3.0 Vector:
CVSS:3.0/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:L/A:N

CVSS v3.0 Temporal Vector:
CVSS:3.0/E:U/RL:O/RC:C

CVSS v3.0 Temporal Score: 4.6

CVSS v2.0 Base Score: 5.0

CVSS v2.0 Temporal Score: 3.7

CVSS v2.0 Vector:
CVSS2#AV:N/AC:L/Au:N/C:N/I:P/A:N

CVSS v2.0 Temporal Vector:
CVSS2#E:U/RL:O/RC:C

GRAFANA MEDIUM

[Back to Vulnerabilities](#)

Vulnerabilities 38

Search Vulnerabilities

6 Vulnerabilities

☐	Sev	CVSS	VPR	EPSS	Name	Family	Count		
☐	MEDIUM	5.5	4.2	0.0003	Grafana Labs 10.4.x < 10.4...	Web Servers	1		
☐	MEDIUM	5.0	1.6	0.0001	Grafana Labs < 10.4.17+se...	Web Servers	1		
☐	MEDIUM	4.7	4.4	0.001	Grafana Labs Incorrect Per...	Web Servers	1		
☐	MEDIUM	4.3	1.4	0.0063	Grafana Labs Integration ...	Web Servers	1		
☐	MEDIUM	4.3	1.4	0.0004	Grafana Labs 10.4.x < 10.4...	Web Servers	1		
☐	LOW	2.7	1.4	0.0005	Grafana Labs < 11.6.2 Imp...	Web Servers	1		

Scan Details

Policy: Basic Network Scan
Status: Completed
Severity Base: CVSS v3.0
Scanner: Local Scanner
Start: Today at 11:01 PM
End: Today at 11:23 PM
Elapsed: 21 minutes

Vulnerabilities



Comandos y pruebas

EVIDENCIAS SOBRE HTTPS/TLS

Comando	Respuesta Esperada
<code>curl.exe -k -I http://dev.local:8080/</code>	301 Moved Permanently
<code>curl.exe -k -I https://dev.local:8443/</code>	403 Forbidden (Detecta User-Agent malicioso)
<code>curl.exe -k -I -A "Mozilla/5.0" https://dev.local:8443/</code>	200 OK
Visitar página <code>dev.local:8443</code>	Mostrar el candado (conexión segura)

EVIDENCIAS HARDENING DE CONTENEDORES DOCKER

1. Usuario no privilegiado:

- Ejemplo: Uso de `USER nodejs` en *backend* (e.g., `services/auth-service/Dockerfile:15, 29`, `services/appointment-service/Dockerfile:20, 42`). Patrón replicado en la mayoría de los servicios Node.js (ver `rg -n "USER nodejs"`). *ai-service* también lo implementa (`services/ai-service/Dockerfile:5, 23`).

2. Imágenes base con versión explícita:

- `node:18.18.2-alpine` en *multi-stage builds* de Node.js (e.g., `services/auth-service/Dockerfile:1, 9`).
- *ai-service* usa `FROM node:18-alpine` (`services/ai-service/Dockerfile:2`).

3. Multi-stage builds:

- Dos `FROM` en servicios Node principales (`builder` → `runtime`), e.g., `services/appointment-service/Dockerfile:2 y :14`.
- Excepción: *ai-service* es *single-stage*.

4. security_opt: no-new-privileges + cap_drop: [ALL] en Compose:

- Aplicado a *Backend/Infra* (e.g., `docker-compose.yml:98-101` para

db-proxy).

- Aplicado a *Monitoreo* (e.g., `docker-compose.yml:851-854` para loki).

5. Excepción Nginx documentada (ejecución como root):

- Documentación: `docs/final.md:81-86` y `docs/hardening-contenedores.md:1-6`.
- Configuración en Compose: `api-gateway` (`docker-compose.yml:684-717`) y *frontends* con `user: "0:0"`.

EVIDENCIAS HARDENING BASE DE DATOS (PostgreSQL)

Comando	Resultado	Evidencia
<code>docker compose ps</code>	<code>postgres-master Up</code> About an hour (healthy) 5432/tcp	Puerto interno (5432) sin mapeo a <i>hosts</i> .
<code>psql -h dev.local -p 5432 -U user -d municipalidad_db</code>	Connection refused	Puerto 5432 no expuesto fuera del <i>bridge</i> de Docker.
<code>docker exec -e PGPASSWORD=user123_adminX -it postgres-master psql -h db-proxy -p 5432 -U user -d municipalidad_db -c "SELECT 1;"</code>	?column? 1 (1 row)	Acceso exitoso desde otro contenedor (db-proxy), confirmando la limitación de acceso externo.

EVIDENCIAS WAF (Web Application Firewall)

Prueba	Comando	Resultado Esperado
Bloqueo User-Agent	<code>curl.exe -k -I -A "sqlmap" https://dev.local:8443/api/auth/</code>	HTTP/1.1 403 Forbidden
Rate Limiting (429)	<code>1..200 % { curl.exe -k -s -o /dev/null -w "%{http_code}\n" -A "Mozilla" https://localhost:8443/api/auth/ }</code>	Mezcla de códigos, incluyendo 429 (Too Many Requests).