

**AIOps** □ □ □ □ □ □ □ □ □ □

• UI

|  |                          |
|--|--------------------------|
|  | V1.0                     |
|  | http://localhost:30 253/ |
|  | 2026-09-12               |
|  | AI                       |
|  | “ / / ”                  |

“ ” “ ”

UI

Word “ ”

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10 AI LLM Agent Workflow MCP
- 11 AI
- 12
- 13
- 14
- 15
- 16
- 17
- A
- B
- C

/ 1—7 1—15 /

1

1.1

AI

1.2

- /
- 
- Kubernetes/
- LLM Agent Skill Workflow MCP
- 

1.3

|  | /             |
|--|---------------|
|  |               |
|  | SLO           |
|  |               |
|  |               |
|  | API           |
|  |               |
|  | mock/fixture/ |

2

| ID   |    |                      |
|------|----|----------------------|
| D-01 |    | “ ” adminOnly        |
| D-02 |    |                      |
| D-03 | AI | AI AI                |
| D-04 |    | /                    |
| D-05 |    | / / /<br>generation  |
| D-06 |    | mock fixture “ ”     |
| D-07 |    | AI                   |
| D-08 |    | tab                  |
| D-09 |    | 0                    |
| D-10 |    | API-only API / / API |

2.1

- “ / ”
- “ ”
- JSON
- 200
- 
- LLM

3

3.1

“ \_ \_ \_ \_ \_ ”

|  |  | / |     |
|--|--|---|-----|
|  |  | / |     |
|  |  |   |     |
|  |  | / | /   |
|  |  |   |     |
|  |  | / | SLO |
|  |  | / |     |

3.2

|  | / / / /VM/ / /               | KubernetesJSON |
|--|------------------------------|----------------|
|  | SLO                          |                |
|  | /                            | “ ”            |
|  |                              |                |
|  | Agent Skill Workflow MCP RAG | LLM            |
|  | AI                           | AIOps          |
|  |                              |                |

3.3

P0
P1
P2

| P0 | AI                                |             |
|----|-----------------------------------|-------------|
| P1 | / SLO LLM/Agent/Workflow/MCP/RAG/ |             |
| P2 | / call / FinOps ITSM/On-          | “ / ” P0/P1 |

# 4

## 4.1

|  |  |         | /overview       |
|--|--|---------|-----------------|
|  |  | / /SLO/ | /problems       |
|  |  |         | /resources      |
|  |  |         | /investigations |
|  |  |         | /actions        |
|  |  |         | /knowledge      |
|  |  |         | /reports        |
|  |  | AI      | /capabilities   |

## 4.2

- 
- /
- 
- URL 300 ms
- “ ”

## 4.3

| URL | scope time tab filter selection |
|-----|---------------------------------|
|     | canonical UID                   |
|     | / / source                      |
|     |                                 |
|     | 301/replace                     |

5

5.1

3D

|  | 1440×900         | 184 px  | 56–60 px | 24 px    |          |
|--|------------------|---------|----------|----------|----------|
|  | Microsoft YaHei/ |         | 14 px    | 13–14 px | 20/16 px |
|  | #245B89          | #111827 | #667085  | #F7F9FC  | #D9D9D9  |
|  | /                | /       | /        |          |          |
|  | 8 px             | 6 px    | 999 px   |          |          |
|  |                  |         |          |          |          |
|  | 40–44 px         | KPI     | 6        | /        |          |
|  | /                |         | “ ”      |          |          |

5.2

| KPI |                  | 0   |
|-----|------------------|-----|
|     | + / + tooltip    |     |
|     | /                |     |
|     | URL              |     |
|     |                  | “ ” |
|     |                  |     |
|     | request/run ID / | “ ” |
|     |                  | “ ” |

5.3 AI

- 420–480 px
- scope / ID generation
- AI “ / ”
- span
-

# 6

## UI

### 6.1



1

- KPI / tooltip
- KPI /AI/
- 
-

6.2

A AIOps

总览

问题3

资源

调查14

处置11

知识与报告

能力与设置

作用域 kind-aiopts-kind-02

更新于 4 分钟前 刷新 通知 2 M

问题中心

问题

告警聚合为问题，指标、日志、Trace、事件、变更和图谱作为证据。

待处理 3 全部问题 数据探索 告警规则 SLO 搜索问题、资源或服务

| 问题                         | 影响对象                 | 信号           | 状态  | 最近变化   |      |
|----------------------------|----------------------|--------------|-----|--------|------|
| 服务错误率持续升高<br>严重 · 3 条有效证据  | kubernetes-cluster   | 指标 · 日志 · 变更 | 待调查 | 6 分钟前  | 开始调查 |
| 容器容量接近安全阈值<br>警告 · 4 个工作负载 | default / deployment | 指标 · 事件      | 观察中 | 12 分钟前 | 查看   |
| 图谱数据不完整<br>数据质量 · 影响智能诊断   | kubernetes source    | 同步 · 图谱      | 集配置 | 7 分钟前  | 修复接入 |

最终 UI 结构规范 · 页面数值为 2026-09-12 只读观察或版式示例，不得作为验收数据

2

- SLO
- 
- SLO
- /
- 
-

6.3

A AIOps

总览

问题3

资源

调查14

处置11

知识与报告

能力与设置

作用域 kind-aiopts-kind-02

更新于 4 分钟前 刷新 通知 2 M

资产与关系

资源

导出当前视图

五个云资源域统一检索、比较、下钻和查看关系。

计算23  
物理机 · 节点 · VM

网络12  
Network · NAD · NIC

存储9  
PV · PVC · StorageClass

Kubernetes15  
Workload · Pod · Service

应用服务8  
业务 · 应用 · 服务 · 中间件

全部资源

异常

容量风险

关系图

名称、UID、命名空间或类型

| 名称                                                  | 类型 / 位置                    | 健康 | 活动信号             | 数据时效                       |
|-----------------------------------------------------|----------------------------|----|------------------|----------------------------|
| aiops-kind-02-control-plane<br>canonical UID 在详情中展示 | Node · kind-aiopts-kind-02 | 未知 | Kubernetes 图谱不完整 | 7 分钟前 <a href="#">查看详情</a> |
| coredns<br>kube-system                              | Deployment · Kubernetes    | 正常 | 暂无活动问题           | 4 分钟前 <a href="#">查看详情</a> |
| example-vm<br>KubeVirt                              | VM · compute               | 降级 | 存储依赖异常           | 1 分钟前 <a href="#">查看关系</a> |

最终 UI 结构规范 · 页面数值为 2026-09-12 只读观察版式示例，不得作为验收数据

3

- Kubernetes
- canonical UID
- 
- 
- 
- JSON

6.4



4

- scope generation
- /
- 
- p95 10
- Unknown/Candidate/Supported Confirmed

6.5

A AIOps

总览

问题3

资源

调查14

处置11

知识与报告

能力与设置

作用域 kind-aiopts-kind-02

更新于 4 分钟前 刷新 通知 2 M

决策与执行

处置

风险、预检、确认、执行与验证共用一条生命周期。

待确认

重启工作负载 api

来源：调查 RCA-20260912-014 · 风险：中 · 影响：3 个 Pod

审阅并确认

风险评估

预检

确认

执行

验证

处置计划

只显示当前阶段与必要信息。

| 步骤                  | 目标          | 检查                  | 状态  |
|---------------------|-------------|---------------------|-----|
| 1 · rollout restart | default/api | ResourceVersion 已锁定 | 通过  |
| 2 · 观察窗口            | 错误率与就绪副本    | 10 分钟               | 待执行 |
| 3 · 回滚              | 上一版本        | 验证失败时触发             | 待命  |

安全边界

统一账户可访问此页面，但本次写操作仍需显式确认。

影响范围

default/api 与其 3 个 Pod

审计

记录操作者、Scope、参数、结果和验证证据

恢复

验证失败时提供确定性回滚

最终 UI 结构规范 · 页面数值为 2026-09-12 只读观察或版式示例，不得作为验收数据

5

- Draft → Preflight → Awaiting confirmation → Running → Succeeded/Failed → Verified/Rolled back

•

ID

•

•

/SLO

•

•

6.6 AI

AI

AIOps

总览

问题3

资源

调查14

处置11

知识与报告

能力与设置

作用域 全平台

运行态势

现在最需要处理什么

按影响与紧迫性排序，只呈现需要决策的信息。

数据可信度需关注 2 个集群陈旧，Kubernetes 图谱源不完整。

严重问题3  
需要立即处理

受影响集群1  
共 2 个集群

采集覆盖0 / 2  
当前验收阻断

优先处理

问题、影响、证据和下一步。

查看全部

服务错误率持续升高

影响 kubernetes-cluster · 3 条证据 · 6 分钟前

开始调查

容器容量接近安全阈值

影响 4 个工作负载 · 需要补充指标

查看问题

图谱数据不完整

Kubernetes source quality=partial · 影响关系与根因定位

修复接入

AI 运维助手

已冻结当前页面上下文

kubernetes-cluster 最近 30 分钟 服务错误率 graph 3098

初步结论

错误率上升与最近一次工作负载变更时间吻合

日志和事件支持该假设；Kubernetes 图谱数据不完整，因此结论等级为 Supported，而不是 Confirmed。

关键证据

- 错误率在变更后 4 分钟开始升高
- 3 个实例中有 2 个出现相同错误
- 未发现节点级资源瓶颈

集群按降序排列

kind 未知

kubernetes 未知

还缺什么 deployment revision 对照

查看完整证据 创建调查

6 AI

- AI
- “ — — — / — ”
- 
- / run ID
-

6.7

A

AIOps

总览

问题3

资源

调查14

处置11

知识与报告

能力与设置

作用域 全平台

更新于 4 分钟前 刷新 通知 2 M

平台能力

能力与设置

查看审计日志

能力总览

接入与目录

数据与图谱

AI 能力中心

策略与自动化

安全与范围

自身健康

需要处理 4

集群数据陈旧、Kubernetes 图谱失败、ai-orchestrator 与 minio 异常。

进入问题 查看影响

接入与目录

2 个集群、设备清单、业务/应用/服务目录和凭据引用。

集群 2 目录待完善

数据与图谱

8 个图谱源中 7 个成功；Outbox 无积压，别名存在 100 条。

7 / 8 查看同步

AI 能力中心

LLM 已配置；egress proxy 异常。智能体、技能、工作流和 MCP 待纳入统一界面。

模型 工作流 MCP

策略与自动化

告警、SLO、调查、处置和恢复策略统一版本化。

调查策略 执行策略

平台自身健康

7 / 9 组件健康；展示依赖、最近成功、影响范围和恢复动作。

7 / 9 查看组件

最终 UI 结构规范 · 页面数值为 2026-09-12 只读观察版式示例，不得作为验收数据

7 AI

- 
- 
- 
- 
- 
-

AI

/

secret

14

6.8

A

AIOps

总览

问题3

资源

调查14

处置11

知识与报告

能力与设置

作用域 全平台

更新于 4 分钟前 刷新 通知 2 M

数据与图谱

知识图谱运维

用状态、影响和动作取代原始 JSON。

有审计的全量对账

同步源

Outbox

对账运行

别名冲突

Shadow diff

Schema

KubeVirt

成功

generation 3098 · 1 分钟前

Middleware

成功

generation 1393 · 1 分钟前

Trace

成功

generation 1583 · 1 分钟前

Kubernetes

失败

quality=partial · 影响关系与 RCA

Network

成功

generation 5 · 3 分钟前

Hardware

成功

10 分钟周期 · 最近成功

Catalog

成功

全量审计 · 最近成功

Change

成功

全量审计 · 最近成功

| 数据源                            | 当前代次 | 最近成功             | 新鲜度 SLO | 影响             | 操作                                        |
|--------------------------------|------|------------------|---------|----------------|-------------------------------------------|
| Kubernetes<br>canonical source | 468  | 2026-09-10 18:40 | 已超时     | 资源关系、影响分析、智能定位 | <a href="#">查看错误</a> · <a href="#">重试</a> |
| KubeVirt                       | 3098 | 2026-09-12 13:46 | 达标      | VM、存储与网络依赖     | <a href="#">查看运行</a>                      |
| Trace                          | 1583 | 2026-09-12 13:46 | 达标      | 服务依赖与传播路径      | <a href="#">查看运行</a>                      |


最终 UI 结构规范 · 页面数值为 2026-09-12 只读观察版式示例，不得作为验收数据

8

- enabled cadence last attempted last success duration quality generation error
- / “ ” “ ”
- / schema/alias
- 
- JSON

15

6.9 AI



9 AI Agent Workflow MCP

- Agent Skill Workflow MCP RAG
- schema /
- MCP server transport schema
- LLM provider/model/ / / / endpoint/secret
- run

6.10

|   |  | / | scope time problemId KPI                 |
|---|--|---|------------------------------------------|
|   |  |   |                                          |
|   |  |   | resourceUid                              |
|   |  |   | investigationId hypothesisId evidenceIds |
|   |  | / | actionId                                 |
| / |  |   |                                          |

## 7

### 7.1

|            | GPU/                                              | hosts runs_on allocates backs depends_on      |
|------------|---------------------------------------------------|-----------------------------------------------|
|            | /VPC IP LB/Ingress                                | connects routes_to exposes fronts attached_to |
|            | PVC/PV CSI /                                      | mounts claims provisions replicates backs_up  |
| Kubernetes | namespace node workload pod container service CRD | owns schedules selects serves controls        |
|            | API                                               | calls reads writes depends_on owned_by        |

### 7.2

|     |                | source timestamp |
|-----|----------------|------------------|
|     | trace/resource |                  |
|     | span           | trace            |
|     | K8s/ /         | UID              |
|     | /              | diff /           |
|     |                |                  |
| SLO | SLI            |                  |
|     |                |                  |

### 7.3

|               |  | UI             |
|---------------|--|----------------|
| Healthy       |  | +              |
| Partial       |  |                |
| Stale         |  |                |
| Unknown       |  | 0              |
| Not connected |  | /              |
| Failed        |  | run/request ID |

8

8.1

| A          | /   | /                                                  |
|------------|-----|----------------------------------------------------|
| B          | / / |                                                    |
| C          |     | LLM Agent Skill Workflow MCP                       |
| D API-only |     | /internal/v1/query/* control-plane security replay |

endpoint    A/B/C    UI                    / / /                    client

8.2

| auth/users/tenants                           | /      |              |               |
|----------------------------------------------|--------|--------------|---------------|
| clusters/resources/services                  |        |              | canonical UID |
| metrics/logs/traces/topology                 | / /    |              |               |
| capacity/dashboards                          | / /    |              | view          |
| alerts/rules/events/silences/SLO             |        |              |               |
| AI chat/runs/actions/shell/suggestion/nl2sql | AI / / |              |               |
| skills/agents/rules/flows/workflows          | AI     |              | API client    |
| knowledge                                    | / AI   |              |               |
| KG                                           | / +    |              | raw JSON      |
| MCP                                          | AI     | server tools | /             |
| IPMI/node/SNMP/ops                           | /      |              | redirect      |
| system health/cache/components               | /      |              |               |

8.3 /

- gap / schema owner
- MCP server AI / DAG P1
- / / FinOps Not connected/Planned

9



| quality      | healthy / partial / stale / failed / unknown |
|--------------|----------------------------------------------|
| generation   |                                              |
| counts       | /                                            |
| error/run_id |                                              |

9.3

|  | generation    schema/alias |   |
|--|----------------------------|---|
|  |                            |   |
|  |                            | / |
|  | generation                 |   |

9.4

1.

UID
2.

cadence    UI                      run ID
3.

source    last success    quality    generation
4.

canonical UID                      /                      generation
5.

Partial/Failed    generation
6.

generation

## 10 AI

### 10.1

|             | /                                                               |                 |
|-------------|-----------------------------------------------------------------|-----------------|
|             | provider model /                                                | secret          |
| Agent Skill | schema / owner                                                  | scope           |
| Workflow    | DAG /                                                           |                 |
| MCP         | server schema health transport version tool allowlist last call | server          |
| RAG         | /                                                               | /               |
|             | prompt/ scope                                                   | run fail closed |
|             | / / / trace                                                     |                 |

### 10.2 LLM

- 
- NL2SQL/
- egress
- API endpoint host secret /
- run provider/model/route/fallback/config version token

### 10.3 Workflow

|  | workflow ID owner / JSON schema                 |
|--|-------------------------------------------------|
|  |                                                 |
|  | LLM                                             |
|  | run ID scope /                                  |
|  | Draft → Validated → Published → Deprecated diff |
|  | schema dry run                                  |

### 10.4 MCP

MCP “ ” server transport

| /      |                                                                          |
|--------|--------------------------------------------------------------------------|
| Server | name endpoint/transport protocol/version owner enabled last probe health |
| Tool   | name description input/output schema read/write risk timeout idempotency |

|   |                             |
|---|-----------------------------|
| / |                             |
|   | workflow/agent/scope        |
|   | run ID scope policy version |
|   | test call dry-run/          |

10.5

- Agent Skill Workflow schema
- 
- 
- / / /

11 AI



| scope        | tenant cluster namespace resource UIDs            |
|--------------|---------------------------------------------------|
| time_window  | / source timestamp                                |
| source/query |                                                   |
| observation  |                                                   |
| quality      | freshness completeness sampling uncertainty error |
| locator      | trace/span diff                                   |

11.3

| Unknown   |  |  |
|-----------|--|--|
| Candidate |  |  |
| Supported |  |  |
| Confirmed |  |  |

11.4

| / | 6 | VM               |
|---|---|------------------|
| / | 6 | DNS Ingress/LB / |
|   | 5 | PVC CSI IO       |
|   | 5 | /                |
|   | 5 | AI               |
| / | 4 |                  |
| / | 6 |                  |
|   | 3 |                  |

| /         | 0     |
|-----------|-------|
|           | 0     |
| Confirmed | 0     |
| AI /      | 0     |
|           | 0     |
| Top-1     | ≥ 90% |
| Top-3     | ≥ 95% |
|           | 100%  |

|     | $\geq 90\%$ |
|-----|-------------|
| 5   | $\geq 90\%$ |
| p95 | $\leq 10$   |
| p95 | $\leq 300$  |

# 12

## 12.1

- mock server fixture
- run ID/ /
- 
- UI API /
- UI API

## 12.2

| value / unit     |                              |
|------------------|------------------------------|
| source           |                              |
| source_timestamp |                              |
| collected_at     |                              |
| last_success_at  | last_attempted               |
| freshness        | SLA fresh/stale              |
| completeness     | /                            |
| scope            | tenant/cluster/resource/time |
| request/run ID   | AI                           |

## 12.3

7. UI scope URL
8. API scope
- 9.
10. UI/API/source
11. mismatch owner

# 13

## 13.1

API

scope

## 13.2

| R0 |       |           |
|----|-------|-----------|
| R1 |       |           |
| R2 |       | + + + + + |
| R3 | / / / | + + + / + |

## 13.3

- tenant/cluster/resource
- MCP /
- LLM token secret
- run ID actor scope policy version
- fail closed
- / LLM

## 14

### 14.1

| $\geq 1280$ px | / AI |
|----------------|------|
| 1024–1279 px   | AI   |
| 768–1023 px    |      |
| $< 768$ px     | /    |

### 14.2

- WCAG 2.2 AA /
- 
- Esc Enter
- aria-live

### 14.3

|    | $p75 \text{ LCP} \leq 2.5\text{s}$ $\text{CLS} \leq 0.1$ $\text{INP} \leq 200\text{ms}$ / |
|----|-------------------------------------------------------------------------------------------|
|    | $\leq 300\text{ms}$ /                                                                     |
|    | $p95 \leq 3\text{s}$ 1s                                                                   |
|    | $\leq 2\text{s}$ /                                                                        |
|    |                                                                                           |
| AI | $p95 \leq 10\text{s}$ $p95 \leq 300\text{s}$                                              |

### 14.4

- route scope hash request ID API latency/status render error web vitals AI run ID secret
- Sentry/ request ID
- feature flag /

15

15.1

- /
- 
- view model
- gap contract test

15.2

| □□    | □□□□                                | □□□□□□                                                                   | □□□□                                 |
|-------|-------------------------------------|--------------------------------------------------------------------------|--------------------------------------|
| T0    | run ID tokens                       | docs contracts test fixtures                                             | API                                  |
| T1    | scope                               | observability-frontend/src/layout/<br>navConfig.ts App.tsx router/styles | / / adminOnly                        |
| T2    | canonical UID /<br>view model       | frontend api/hooks/types Go<br>response contracts                        | contract tests Unknown/Partial/Stale |
| T3 /  | /SLO/ /                             | frontend<br>pages/components alert/problem<br>APIs                       |                                      |
| T4    | / /VM                               | resource routes/pages inventory/KG<br>adapters                           |                                      |
| T5    | / AI                                | investigation/ai run components<br>orchestrator contracts                | 40                                   |
| T6    |                                     | action center control-plane adapters                                     | / / /                                |
| T7    | quality/generation                  | GraphOpsPanel replacement kg<br>APIs/runtime                             | partial                              |
| T8 AI | LLM Agent/Skill Workflow MCP<br>RAG | AI capability pages missing backend<br>registry APIs                     | / / / secret                         |
| T9 /  | /                                   | knowledge/report pages and exports                                       | / /                                  |
| T10   |                                     | shared components CSP telemetry<br>tests                                 | AA audit                             |
| T11   | AI /                                | acceptance artifacts                                                     | P0/P1 mock                           |

15.3

- 12. URL
- 13. API
- 14. / / / view model
- 15. loading/empty/partial/stale/error/forbidden/success
- 16. scope request cancellation
- 17. UI/API/source
- 18. UI 1440×900 1024×768

15.4

- / mock fixture Math.random hard-coded health/count fallback

- `adminOnly`      `view=` hardware/vm/capacity/grafana/rules/telemetry      A
- API client      orphan capability
- API      scope
- AI prompt      MCP      /PII

## 16

### 16.1

|  | commit/build                          |
|--|---------------------------------------|
|  | /                                     |
|  | run ID / owner                        |
|  | mock/fixture/demo fallback            |
|  | URL scope request/run ID / API/source |

### 16.2

| G1    | / / /                    |
|-------|--------------------------|
| G2    |                          |
| G3    | UI/API/source / / / mock |
| G4    | API A/B/C D              |
| G5 AI | 40                       |
| G6    |                          |

### 16.3

|    | loading success true empty filter empty partial stale unknown not<br>connected failed forbidden |
|----|-------------------------------------------------------------------------------------------------|
|    | 0/1/ / / / / /                                                                                  |
|    | 5xx 429                                                                                         |
| /  | / scope                                                                                         |
|    |                                                                                                 |
| AI | stale scope                                                                                     |

### 16.4

|  | lint         | CI mock API |
|--|--------------|-------------|
|  | view model / |             |

|    | schema      scope | provider/consumer contract + |
|----|-------------------|------------------------------|
|    | / / /      ARIA   | Story/fixture                |
|    |                   | happy path + failure path    |
|    | UI/API/source     |                              |
|    |                   | diff                         |
| AI |                   | 40    +    +                 |
| /  |                   | /                            |

16.5

- frontend/backend/orchestrator/graph/data source/build ID
- /
- ID                      owner
- UI/API/source                      scope
- endpoint → A/B/C/D → UI path →    →
- AI    40                      run
- /
- “    ”
- P0/P1                      owner

16.6

2026-09-12                      0/2                      /    AIOps    7/9 AI                      LLM egress

Kubernetes    partial/failed

17

|     |             |                                           |                                                                            |                |
|-----|-------------|-------------------------------------------|----------------------------------------------------------------------------|----------------|
|     | /           | “                                         | AI                                                                         | ”              |
| 1.  | AIOps       | [REPO_ROOT]                               | [BASE_URL]                                                                 |                |
| 2.  | 《docs/AIOps | .docx                                     | /                                                                          |                |
| 3.  |             | acceptance_run_id                         | endpoint→A/B/C/D                                                           |                |
| 4.  | T0—T11      |                                           | loading/success/empty/partial/stale/unknown/not-connected/failed/forbidden |                |
|     | mock        | fixture                                   |                                                                            |                |
| 5.  |             |                                           | AI                                                                         |                |
| 6.  |             | cadence                                   | quality last attempted/last success generation                             | / / generation |
|     | JSON        |                                           |                                                                            |                |
| 7.  | AI          | LLM Agent Skill Workflow MCP server/tools | RAG                                                                        | run            |
| 8.  | scope       | → → → / → → →                             | Confirmed                                                                  | 40             |
| 9.  |             | run ID/ /                                 | UI/API/source                                                              |                |
| 10. |             |                                           |                                                                            |                |
| 11. | G1—G6       | owner                                     | P0/P1                                                                      | AI             |

## A

| /                                  |                                               | /                                  |
|------------------------------------|-----------------------------------------------|------------------------------------|
| /                                  | /overview                                     | replace scope/time                 |
| /clusters/:id/resources            | /resources?cluster=:id                        | ID canonical scope                 |
| Assistant/Chat                     | AI /capabilities/ai                           | conversationId                     |
| investigate                        | /investigations                               | run/investigation ID               |
| actions/ops                        | /actions                                      | actionId/status                    |
| knowledge                          | /knowledge                                    | source/query                       |
| capacity → resources?view=capacity | /resources?domain=[ ]&tab=capacity            | tab                                |
| grafana → observe?view=grafana     | /reports/dashboards metrics                   | dashboard/resource silent fallback |
| alert rules → observe?view=rules   | /problems?tab=rules                           | rules tab                          |
| log → observe?view=telemetry       | /resources/:uid?tab=logs /problems?tab=events | resource/problem                   |
| hardware/vm redirect               | /resources?domain=compute&type=hardware vm    | domain/type                        |
| system/admin                       | /capabilities                                 |                                    |
| graph raw ops                      | /capabilities/data-graph                      | / / / raw JSON tab                 |

B

|    |                                       |
|----|---------------------------------------|
| /  |                                       |
|    | scope/time adminOnly                  |
|    | KPI                                   |
|    | /SLO/ /                               |
|    | / / / / unknown 0                     |
|    | scope/generation /                    |
|    | / / / / / AI                          |
|    |                                       |
|    | / / /                                 |
|    | secret                                |
|    | cadence quality generation            |
| AI | LLM/Agent/Skill/Workflow/MCP/RAG/ / / |
|    | → → →AI→                              |
|    | AA / / /                              |

C

|    | 5 6 14 1—9 | AA                                  |
|----|------------|-------------------------------------|
|    | 4 6 15 16  | / /E2E/                             |
|    | 7 12 16    | mock UI/API/source                  |
|    | 8 A        | endpoint→A/B/C/D                    |
| AI | 11 10—11   | 40                                  |
| /  | 10 9       | quality/generation                  |
|    | 3 7        |                                     |
|    | 9 10       | LLM/Workflow/MCP/Agent/Skill/RAG/ / |
|    | 2 4 13     |                                     |

C.1

“ ”

- 1—9
- A/B/C D
- UI/API/source
- generation
- AI 11 Confirmed AI
- 
- P0/P1

| V1.0 | 2026-09-12 | UIAI |
|------|------------|------|