# Joy of Computing using Python - Objective Question Bank (25 Questions)

Q1. What will be the output of the following code?

print(2 + 3 * 5)

Answer: B) 17

Q2. What will len("NPTEL") return?

Answer: B) 5

Q3. Which data structure is mutable?

Answer: B) list

Q4. What is the output?

s = "hello"

print(s.upper())

Answer: B) HELLO

Q5. Which function is used to get input from the user in Python?

Answer: C) input()

Q6. What will be the output?

print(type([1, 2, 3]))

Answer: A) <class 'list'>

Q7. What is the output?

for i in range(3): print(i, end="-")

Answer: A) 0-1-2-

Q8. Which of the following is a correct function definition in Python?

Answer: C) def test():

Q9. In Python, dictionaries are defined using:

Answer: C) {}

Q10. What does the following return?

"abc".find("b")

Answer: B) 1

Q11. What is the output?

lst = [10, 20, 30]

lst.pop()

print(lst)

Answer: B) [10, 20]

Q12. What is the output of:

x = 5

print(x == 5.0)

Answer: A) True

Q13. Which of the following is used to define a block in Python?

Answer: C) indentation

Q14. What is the output?

x = "123"

print(x.isdigit())

Answer: A) True

Q15. Python is a:

Answer: B) Interpreted language

Q16. Which keyword is used to handle exceptions in Python?

Answer: A) try

Q17. Output of:

for i in range(1, 6, 2): print(i, end=",")

Answer: A) 1,3,5,

Q18. Which of these is not a valid data type in Python?

Answer: B) real

Q19. How do you open a file in write mode in Python?

Answer: B) open("file.txt", "w")

Q20. Output of this code:

print(bool(0))

Answer: B) False

Q21. What is the output?

a = [1, 2, 3]

print(a[1:])

Answer: B) [2, 3]

Q22. Which keyword is used to define a function in Python?

Answer: C) def

Q23. Which of the following is not a Python loop?

Answer: C) do-while

Q24. What does range(2, 10, 2) generate?

Answer: B) [2, 4, 6, 8]

Q25. Which of the following is used to comment a line in Python?

Answer: C) #