




```
PS D:\Agile\university-dept> git init
Initialized empty Git repository in D:/Agile/university-dept/.git/
PS D:\Agile\university-dept> git add .
PS D:\Agile\university-dept> git commit -m "Initial commit"
[main (root-commit) d7d9eae] Initial commit
 1 file changed, 77 insertions(+)
 create mode 100644 index.html
```

```
PS D:\Agile\university-dept> git push -u origin main
info: please complete authentication in your browser...
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Delta compression using up to 16 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 813 bytes | 813.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/Jyotheswar18/university-dept.git
 * [new branch]      main -> main
branch 'main' set up to track 'origin/main'.
PS D:\Agile\university-dept> git push -u origin main
branch 'main' set up to track 'origin/main'.
Everything up-to-date
```



```
PS D:\Agile\university-dept> docker build -t university-app .
 => [internal] load build definition from Dockerfile                                                    0.0s
 => => transferring dockerfile: 95B                                                                     0.0s
 => [internal] load metadata for docker.io/library/nginx:alpine                                         3.2s
 => [auth] library/nginx:pull token for registry-1.docker.io                                            0.0s
 => [internal] load .dockerignore                                                                       0.0s
 => => transferring context: 2B                                                                         0.0s
 => [internal] load build context                                                                       0.2s
 => => transferring context: 34.65kB                                                                    0.2s
 => [1/2] FROM docker.io/library/nginx:alpine@sha256:8aa63af009a39ecd6c28d61da578a5447378c10bb097a069e3a3e0fb4  21.5s
 => => resolve docker.io/library/nginx:alpine@sha256:8aa63af009a39ecd6c28d61da578a5447378c10bb097a069e3a3e0fb42  0.0s
 => => sha256:612c0c1df4c55a0bf145f84df03cb28de505e6a52fb8e49c9da7b143fc00ad2d 20.25MB / 20.25MB          21.2s
 => => sha256:4a8b0b2a5b1937755263ac7ac4ee26db2906c13a5d70f1fb1875ba8e370cdd8f 1.40kB / 1.40kB            1.0s
 => => sha256:453da7dbc73e7338c4e201ec3f3c4a5f7751adbf5a6f127792c1cd001a780721 1.21kB / 1.21kB            1.6s
 => => sha256:781ff50d2644f74714c0d5a4ffa3447bbfd4b293cfb1dc6a637722ae24c89241 404B / 404B               1.3s
 => => sha256:aee4e54b3865ee4d98545b6b49f9e8ab3b9b6ed114a2eafedc7a22e984ea5a68 956B / 956B               0.7s
 => => sha256:583599bb7d382e9e986a9ff65204981307bfa71670a29f4190eedae93c4858be 627B / 627B               0.6s
 => => sha256:82736a35d0e7f1309edc13d09115410b81542cf8b91afff80deeace02b6f2f26 1.87MB / 1.87MB            3.9s
 => => sha256:6a0ac1617861a677b045b7ff88545213ec31c0ff08763195a70a4a5adda577bb 3.86MB / 3.86MB            7.7s
 => => extracting sha256:6a0ac1617861a677b045b7ff88545213ec31c0ff08763195a70a4a5adda577bb                0.1s
 => => extracting sha256:82736a35d0e7f1309edc13d09115410b81542cf8b91afff80deeace02b6f2f26                0.1s
 => => extracting sha256:583599bb7d382e9e986a9ff65204981307bfa71670a29f4190eedae93c4858be                0.0s
 => => extracting sha256:aee4e54b3865ee4d98545b6b49f9e8ab3b9b6ed114a2eafedc7a22e984ea5a68                0.0s
 => => extracting sha256:781ff50d2644f74714c0d5a4ffa3447bbfd4b293cfb1dc6a637722ae24c89241                0.0s
 => => extracting sha256:453da7dbc73e7338c4e201ec3f3c4a5f7751adbf5a6f127792c1cd001a780721                0.0s
 => => extracting sha256:4a8b0b2a5b1937755263ac7ac4ee26db2906c13a5d70f1fb1875ba8e370cdd8f                0.0s
 => => extracting sha256:612c0c1df4c55a0bf145f84df03cb28de505e6a52fb8e49c9da7b143fc00ad2d                0.3s
 => [2/2] COPY . /usr/share/nginx/html                                                                  0.1s
 => exporting to image                                                                                  0.2s
 => => exporting layers                                                                                 0.1s
 => => exporting manifest sha256:b393bc7d4271c19d06d18303db5b2c630562a2b2423679b62b37021c5a9cfebd        0.0s
 => => exporting config sha256:3b1c322fae8736bece4de0e9696e4a8b83934c2baab2c790b941d69f58346ff3          0.0s
 => => exporting attestation manifest sha256:646fa2bfff61dcf1766af9c4ef7091650a1a01d8ff632d9678b680f5428055a7  0.0s
 => => exporting manifest list sha256:cd1cabbfd5bfd6fb89660fbdaf874bc1f27d547f07aa08f362cb25a03bc91676  0.0s
 => => naming to docker.io/library/university-app:latest                                                0.0s
 => => unpacking to docker.io/library/university-app:latest                                             0.0s

View build details: docker-desktop://dashboard/build/desktop-linux/desktop-linux/r858lc71cpuq03ltvh8pqnu3r
PS D:\Agile\university-dept>
```

```
PS D:\Agile\university-dept> docker run -d -p 8081:80 university-app
0b54da9f93437e5304d124e9a39a3257386b0f9e7ae0076fcd180707af192acc
PS D:\Agile\university-dept>
```

XYZ University

Head: Dr. John Doe

About Department

The Computer Science department focuses on software development, artificial intelligence, and data science.

Courses Offered

- Data Structures
- Operating Systems
- Machine Learning

Faculty

Dr. John Doe - Artificial Intelligence

Dr. Jane Smith - Computer Networks

Contact

Address: XYZ University, Chennai

Phone: 9876543210

Email: cs@xyz.edu

Â© 2026 XYZ University. All rights reserved.

File Edit Selection View Go Run Terminal Help university-dept

EXPLORER

OPEN EDITORS 2 unsaved
- Welcome
- index.html
- Dockerfile
- deployment.yaml
- service.yaml

UNIVERSITY-DEPT
- deployment.yaml
- Dockerfile
- index.html
- service.yaml

OUTLINE

TIMELINE

Welcome | index.html | Dockerfile | deployment.yaml | service.yaml

service.yaml

```yaml
apiVersion: v1
kind: Service
metadata:
  name: university-service
spec:
  type: NodePort
  selector:
    app: university
  ports:
    - port: 80
      targetPort: 80
      nodePort: 30007
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS GITLENS powershell

```
 => => extracting sha256:781ff50d2644f74714c0d5a4ffa3447bbfd4b293cfb1dc6a637722ae24c89241   0.0s
 => => extracting sha256:453da7dbc73e7338c4e201ec3f3c4a5f7751adbf5a6f127792c1cd001a780721   0.0s
 => => extracting sha256:4a8b0b2a5b193775263ac7ac4ee26db2906c13a5d70f1fb1875ba8e370cdd8f   0.0s
 => => extracting sha256:612c0c1df4c55a0bf145f84df03cb28de505e6a52fb8e49c9da7b143fc00ad2d   0.3s
 …
PS D:\Agile\university-dept> git add .
PS D:\Agile\university-dept> git commit -m "Added Deployment and service file"
[main 91e92ec] Added Deployment and service file
 2 files changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 deployment.yaml
 create mode 100644 service.yaml
PS D:\Agile\university-dept> git push
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 16 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 349 bytes | 349.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/Jyotheswar18/university-dept.git
   46c3eb0..91e92ec  main -> main
PS D:\Agile\university-dept>
```

main Launchpad 0 0 Git Graph Ln 12, Col 2

docker desktop PERSONAL Search Ctrl+K

- Gordon BETA
- Containers
- Images
- Volumes
- Kubernetes
- Builds
- Docker Hub
- Docker Scout
- Models
- MCP Toolkit BETA
- Extensions

Upgrade plan

Kubernetes Give feedback

Namespace: default

Cluster Stop Edit cluster

Cluster	Cluster type	Nodes	Kubernetes version
Active	kind	1	v1.34.3

Deployments

No deployments

Run the following command in a terminal to create a deployment

```
kubectl create deployment my-app --image=nginx
```

Pods

No pods

Run the following command in a terminal to run a container in a pod

```
kubectl run nginx --image nginx
```

Kubernetes
Desktop cluster successfully started

Engine running | Kubernetes running RAM 3.34 GB CPU 0.94% Disk: 7.81 GB used (limit 1006.85 GB) Terminal Update available

```
PS D:\Agile\university-dept> kubectl apply -f deployment.yaml
deployment.apps/university-deployment created
PS D:\Agile\university-dept>
```

```
PS D:\Agile\university-dept> kubectl apply -f service.yaml
service/university-service created
PS D:\Agile\university-dept>
```





Jenkins / All / New Item

New Item

Enter an item name

University_pipeline

Select an item type

Pipeline
Build, test, and deploy using pipelines. Supports stages, parallel work, and running on multiple agents.

Freestyle project
Classic, general-purpose job type that checks out from up to one SCM, executes build steps serially, followed by post-build steps like archiving artifacts and sending email notifications.

Multi-configuration project
Suitable for projects that need a large number of different configurations, such as testing on multiple environments, platform-specific builds, etc.

Folder
Creates a container that stores nested items in it. Useful for grouping things together. Unlike view, which is just a filter, a folder creates a separate namespace, so you can have multiple things of the same name as long as they are in different folders.

Multibranch Pipeline
Creates a set of Pipeline projects according to detected branches in one SCM repository.

Organization Folder
Creates a set of multibranch project subfolders by scanning for repositories.

OK