

28.26 30/09/2026

Mixed References

A mixed reference is a cell reference in which either the row or the column is fixed, while the other changes when the formula is copied.

eg: \$A1 → Column A is fixed; row changes

A\$1 → Row 1 is fixed; Column changes

eg:-

A	B
1	2
2	4 (= \$A2 * B\$1)
3	6 (= \$A3 * B\$1)
4	8 (= \$A4 * B\$1)
5	10 (= \$A5 * B\$1)

Round the decimal value:

→ To round a decimal value to a specific number of decimal places, use the round function

Eg:- If $A1 = 25.6789$

Syntax:- $=\text{ROUND}(A1, 2)$

Result:- 25.68

Round up

The round up function rounds a number away from zero, increasing the value to the specified number of decimal places

Syntax:- $=\text{ROUNDUP}(\text{number}, \text{num-digits})$

Eg:- If $A1 = 25.341$

$=\text{ROUNDUP}(A1, 2)$

Result:- 25.35

OR, If $A1 = 4.8319$

$=\text{ROUNDUP}(A1, 0)$

Result:- 5

Round down

The round down function rounds a number towards zero to the specified number of decimal places

Syntax:- $=\text{ROUNDDOWN}(\text{number}, \text{num-digits})$

Eg:- If $A1 = 4.8319$

$=\text{ROUNDDOWN}(A1, 0)$

Result:- 4

Power

The power function raises a number to a specified power (exponent)

We can use the power function and specify the cell address or use ^ symbol b/w the two cell

addresses

Syntax: $=POWER(\text{number}, \text{power})$

Eg: If H2 has 4 and 12 has 2
 $=POWER(H2, 12)$ or use $(=H2^{12})$

Result = 16

Result = 16

Conversion of numeric to Roman

use the roman function to convert a number into a roman numeral

Syntax: $=ROMAN(\text{number})$

Eg: If A1 = 25
 $=ROMAN(A1)$

Result: XXV

Repeat function

The rept function repeats a given text or character a specified number of times

Syntax: $=REPT(\text{text}, \text{number-times})$

Eg: $=REPT("A", 5)$

Result: AAAAA

Repeat a number as many times as the number itself

In excel, use the rept function

Eg: If A1 = 2 and you want to repeat the number 2 times

$=REPT(A1, A1)$

Result: 22

print * According to a given number

Eg:- $\text{REPT}(A1, \$B\$1)$

Result:- *****

Square root

The SQRT function calculates the square root of a positive number

Syntax:- $\text{SQRT}(\text{number})$

Eg $\text{SQRT}(25)$

Result:- 5

Multiply a value by -1

To change the sign of a number, multiply it by -1

Eg:- $A1 * -1$

If $A1 = 50$

Result = -50

positive to negative Conversion using absolute function

The ABS function converts a negative number into its positive value

Eg:- $\text{ABS}(\text{number})$

If $A1 = -50$

$\text{ABS}(A1)$

Result = 50