


# Assembly List

Date: 14-09-2019 / 21:01  
Project: MYSCAPE MEA- Production - Glass order(14-09-2019)

Person in Charge: maldar



## Position: 12 & 13F-SW3

Quantity: 1 Pcs.

Phase: LOT-02 production

System: Alumil M15000 Basic Standard Standard  
(Vertical Passing) EPDM

Size: 1,792 x 2,627 mm

Corner Connections: Spring Cleat

Drainage: Visible





Colour: Frame Element: GROUP D RAL 7021 STRUCTU Black grey Structura

This position was subject to a preliminary structural design.




Scale: 1: 50 / Interior View

Weight of Position (w/o Accessories): 188.86 (188.86)  
kg  
(177.50 kg Fillings / 11.36 kg Profiles)

## Frame Element

Profiles						
Drawing	Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
	1 (1) Pcs.	M15008	HINGED FRAME	2,627.0	V - V	L / 1
	1 (1) Pcs.	M15008	HINGED FRAME	2,627.0	V - V	R / 2
	1 (1) Pcs.	M15008	HINGED FRAME	1,792.0	V - V	B / 3
	1 (1) Pcs.	M15008	HINGED FRAME	1,792.0	V - V	T / 4


## Accessories

Drawing	Quantity	Number	Description	Colour
	4 (4) pc	EX-1251346400	MECHANICAL CORNER CLEAT 13x46,4mm	
	4 (4) pc	EX-1802501000	ALIGNMENT CORNER 11 25 10 11000	BLACK
	3 (3) pc	EX-3101150103	WATER EVACUATION CAP ROUND	BLACK

## 1: Fixed Field Inside Glazed

Weight: 178.6 kg







## Glazings Beads

Drawing	Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
	1 (1) Pcs.	M19697	GLAZING BEAD	2,575.0	I - I	L

# Assembly List

Date:  
Project:


14-09-2019 / 21:01  
MYSCAPE MEA- Production - Glass order(14-09-2019)

Drawing	Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
	1 (1) Pcs.	M19697	GLAZING BEAD	2,575.0	I - I	R
	1 (1) Pcs.	M19697	GLAZING BEAD	1,696.4	I - I	B
	1 (1) Pcs.	M19697	GLAZING BEAD	1,696.4	I - I	T
Glass						
Quantity	Width [mm]	Height [mm]	Area [m²]	Description	Field	
1 (1) Pcs.	1,730	2,565	4.44	28MM THK. GLASS (8+12+8)., 28 mm Inside: TSG, 8 mm Outside: TSG, 8 mm	1	
Gaskets						
Drawing	Quantity	Number	Description	Colour		
	8.71 (8.71) m	EX-2000686001	OUTSIDE GLAZING GASKET PLUGGED 3mm EPDM BLACK	BLACK		
	8.71 (8.71) m	EX-2000800501	GLAZING GASKET 5mm EPDM BLACK	BLACK		
	8.80 (8.80) m	EX-2203123003	SASH GASKET CS3123	BLACK		
Accessories						
Drawing	Quantity	Number	Description	Colour		
	4 (4) pc	EX-2900000500	SETTING BLOCK 5mm	BLACK		

# Assembly List

Date: 14-09-2019 / 21:01  
Project: MYSCAPE MEA- Production - Glass order(14-09-2019)

Person in Charge: maldar



## Position: 10 & 11F-SD1

Quantity: 1 Pcs.

Master Bed room 1 10th floor

Phase: LOT-02 production

System: Alumil M12500 Basic Standard  
(Vertical Passing) EPDM

Size: 2,992 x 2,661 mm

Corner Connections: Mechanical cleat



Drainage: Visible

Colour: Frame Element: ANODIZING GOLD & INOX 104520 Silver


Scale: 1: 50 / Interior View

Weight of Position (w/o Accessories): 61.71 (61.71) kg  
(0.00 kg Fillings / 61.71 kg Profiles)

## Frame Element

Accessories				
Drawing	Quantity	Number	Description	Colour
	4 (4) pc	EX-1401126000	CORNER CONNECTOR DIE CAST 10,6x26,2mm	
	4 (4) pc	EX-3101150103	WATER EVACUATION CAP ROUND	BLACK


1: Empty Field - The insertion position is described on the following pages.

Hardware					
Drawing	Quantity	Number	Description	Colour	Seq.No.
	4 (4) pc	EX-6000063000	ROLLER PLASTIC TRIPLE M630 AND M12500 CONCEALED	BLACK	
	1 (1) pc	EX-6301260000	SECOND SASH LOCKING FOR COCEALED SASH M12500		
	1 (1) pc	EX-6301260100	FIRST SASH LOCKING FOR COCEALED SASH M12500		















# Assembly List

Date:  
Project:

14-09-2019 / 21:01  
MYSCAPE MEA- Production - Glass order(14-09-2019)

Drawing	Quantity	Number	Description	Colour	Seq.No.
	4 (4) pc	EX-6601250461	EXTERNAL HANDLE FOR M12500	BLACK	



















## Secondary Profiles and Accessories

Profiles						
Drawing	Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
	2 (2) Pcs.	660-00-613-00	INOX GUIDE RAIL HEAVY DUTY S700, S650, SF85 6m	2,915.0	I - I	B
			Colour: INOX			
	1 (1) Pcs.	M11387	HINGED ADDITIONAL PROFILE	2,504.0	I - I	R
			Colour: GROUP D RAL 7021 STRUCTU			
	2 (2) Pcs.	M12413	SLIDING ADDITIONAL PROFILE	2,574.0	I - I	R
			Colour: GROUP D. RAL 7021 STRUCTU			
	4 (4) Pcs.	M12504	SLIDING SASH PROFILE WITHOUT GLAZING BEAD	1,478.0	V - V V - V	T
			Colour: GROUP D. RAL 7021 STRUCTU			
	4 (4) Pcs.	M12504	SLIDING SASH PROFILE WITHOUT GLAZING BEAD	2,574.0	V - V V - V	R
			Colour: GROUP D. RAL 7021 STRUCTU			
	2 (2) Pcs.	M12509	SLIDING INTERLOCK	2,490.4	I - I	R
			Colour: GROUP D. RAL 7021 STRUCTU			
	2 (2) Pcs.	M12511	ADDITIONAL PROFILE	2,631.0	I - I	R
			Colour: GROUP D. RAL 7021 STRUCTU			
	1 (1) Pcs.	M12512	DOUBLE INTERLOCK SLIDING FRAME RAIL WITH BRUSH SILL	2,992.0	V - V V - V	B
			Colour: GROUP D. RAL 7021 STRUCTU			
	2 (2) Pcs.	M12512	DOUBLE INTERLOCK SLIDING FRAME RAIL WITH BRUSH SILL	2,646.0	V - I V - I	R
			Colour: GROUP D. RAL 7021 STRUCTU			
	2 (2) Pcs.	M12601	SLIDING ADDITIONAL PROFILE	2,915.0	I - I	B
			Colour: GROUP D. RAL 7021 STRUCTU			
	1 (1) Pcs.	M12602	DOUBLE INTERLOCK SLIDING FRAME RAIL WITH BRUSH SILL	2,988.0	I - I	T
			Colour: GROUP D. RAL 7021 STRUCTU			
	1 (1) Pcs.	M9010	SLIDING ADDITIONAL PROFILE	2,504.0	I - I	R
			Colour: GROUP D RAL 7021 STRUCTU			
Gaskets						
Drawing	Quantity	Number	Description	Colour		
	33.26 (33.26) m	EX-2000800501	GLAZING GASKET 5mm EPDM BLACK	BLACK		
	4.99 (4.99) m	EX-2201100101	SEAL GASKET FRAME 2mm EPDM BLACK	BLACK		

# Assembly List

Date:  
Project:


14-09-2019 / 21:01  
MYSCAPEMEA- Production - Glass order(14-09-2019)

Drawing	Quantity	Number	Description	Colour
	4.99 (4.99) m	EX-6206910703	BRUSH PILE SEAL 7mm 4P	BLACK
	30.90 (30.90) m	EX-6206910803	BRUSH PILE SEAL 8mm 4P	BLACK
<b>Accessories</b>				
Drawing	Quantity	Number	Description	Colour
	8 (8) pc	EX-1251122300	MECHANICAL CORNER CLEAT 10,9x22,6mm	
	4 (4) pc	EX-1251148000	MECHANICAL CORNER CLEAT 11x48	
	6 (6) pc	EX-2900000400	SETTING BLOCK 4mm	RED
	6 (6) pc	EX-2900000500	SETTING BLOCK 5mm	BLACK
	8 (8) pc	EX-3101100003	COVER FOR Ø11 HOLE ROUND	BLACK
	1 (1) Pair	EX-3111138700	PAIR OF END CAPS FOR REINFORCEMENT PROFILES M11387, M12412,	BLACK
	2 (2) Pair	EX-3111250403	SASH SLIDING SPACERS M12500	BLACK
	2 (2) Pair	EX-3111260200	DOUBLE FRAME END CAPS FOR CONCEALED SASH M12500	BLACK
	2 (2) Pair	EX-3111260400	SASH SPACER ADDON SET FOR CONCEALED SASH M12500	BLACK
	2 (2) Pair	EX-3111260903	PAIR OF INTERLOCKING PROFILE END CAPS FOR M12500 LEFT PARALL	BLACK
	1 (1) Pair	EX-6601250000	CENTRAL SEAL SET FOR M12500 PARALLEL SLIDING	
	9 (9) pc	EX-6604408803	EXTERNAL FLAP VALVE SV-E TYPE	BLACK
	12 (12) pc	EX-7981224213	CSK TAPPING SCREW ISO 7050/DIN 7982 INOX A2 4,2X13 PH	INOX
	8 (8) pc	EX-7981224225	CSK TAPPING SCREW ISO 7050/DIN 7982 INOX A2 4,2X25 PH	INOX
	16 (16) pc	EX-7981224238	CSK TAPPING SCREW ISO 7050/DIN 7982 INOX A2 4,2X38 PH	INOX
	16 (16) pc	EX-7981224295	CSK TAPPING SCREW ISO 7050/DIN 7982 INOX A2 4,2X9,5 PH	INOX

# Assembly List

Date: 14-09-2019 / 21:01  
Project: MYSCAPE MEA- Production - Glass order(14-09-2019)

Person in Charge: maldar



## Position: 12 & 13F-SD1

Quantity: 1 Pcs.  
Master Bed room 1 12th floor  
Phase: LOT-02 production  
System: Alumil M12500 Basic Standard  
(Vertical Passing) EPDM

Scale: 1: 50 / Interior View

Weight of Position (w/o Accessories): 61.65 (61.65) kg  
(0.00 kg Fillings / 61.65 kg Profiles)



Size: 2,987 x 2,657 mm

Corner Connections: Mechanical cleat


Drainage: Visible

Colour: Frame Element: ANODIZING GOLD & INOX 104520 Silver

## Frame Element

Accessories				
Drawing	Quantity	Number	Description	Colour
	4 (4) pc	EX-1401126000	CORNER CONNECTOR DIE CAST 10,6x26,2mm	
	4 (4) pc	EX-3101150103	WATER EVACUATION CAP ROUND	BLACK


1: Empty Field - The insertion position is described on the following pages.

Hardware					
Drawing	Quantity	Number	Description	Colour	Seq.No.
	4 (4) pc	EX-6000063000	ROLLER PLASTIC TRIPLE M630 AND M12500 CONCEALED	BLACK	
	1 (1) pc	EX-6301260000	SECOND SASH LOCKING FOR COCEALED SASH M12500		
	1 (1) pc	EX-6301260100	FIRST SASH LOCKING FOR COCEALED SASH M12500		















# Assembly List

Date:  
Project:

14-09-2019 / 21:01  
MYSCAPE MEA- Production - Glass order(14-09-2019)

Drawing	Quantity	Number	Description	Colour	Seq.No.
	4 (4) pc	EX-6601250461	EXTERNAL HANDLE FOR M12500	BLACK	



















## Secondary Profiles and Accessories

Profiles						
Drawing	Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
	2 (2) Pcs.	660-00-613-00	INOX GUIDE RAIL HEAVY DUTY S700, S650, SF85 6m	2,910.0	I - I	B
			Colour: INOX			
	1 (1) Pcs.	M11387	HINGED ADDITIONAL PROFILE	2,500.0	I - I	R
			Colour: GROUP D RAL 7021 STRUCTU			
	2 (2) Pcs.	M12413	SLIDING ADDITIONAL PROFILE	2,570.0	I - I	R
			Colour: GROUP D. RAL 7021 STRUCTU			
	4 (4) Pcs.	M12504	SLIDING SASH PROFILE WITHOUT GLAZING BEAD	1,489.5	V - V V - V	T
			Colour: GROUP D. RAL 7021 STRUCTU			
	4 (4) Pcs.	M12504	SLIDING SASH PROFILE WITHOUT GLAZING BEAD	2,570.0	V - V V - V	R
			Colour: GROUP D. RAL 7021 STRUCTU			
	2 (2) Pcs.	M12509	SLIDING INTERLOCK	2,486.4	I - I	R
			Colour: GROUP D. RAL 7021 STRUCTU			
	2 (2) Pcs.	M12511	ADDITIONAL PROFILE	2,627.0	I - I	R
			Colour: GROUP D. RAL 7021 STRUCTU			
	1 (1) Pcs.	M12512	DOUBLE INTERLOCK SLIDING FRAME RAIL WITH BRUSH SILL	2,987.0	V - V V - V	B
			Colour: GROUP D. RAL 7021 STRUCTU			
	2 (2) Pcs.	M12512	DOUBLE INTERLOCK SLIDING FRAME RAIL WITH BRUSH SILL	2,642.0	V - I V - I	R
			Colour: GROUP D. RAL 7021 STRUCTU			
	2 (2) Pcs.	M12601	SLIDING ADDITIONAL PROFILE	2,910.0	I - I	B
			Colour: GROUP D. RAL 7021 STRUCTU			
	1 (1) Pcs.	M12602	DOUBLE INTERLOCK SLIDING FRAME RAIL WITH BRUSH SILL	2,983.0	I - I	T
			Colour: GROUP D. RAL 7021 STRUCTU			
	1 (1) Pcs.	M9010	SLIDING ADDITIONAL PROFILE	2,500.0	I - I	R
			Colour: GROUP D RAL 7021 STRUCTU			
Gaskets						
Drawing	Quantity	Number	Description	Colour		
	33.20 (33.20) m	EX-2000800501	GLAZING GASKET 5mm EPDM BLACK	BLACK		
	4.98 (4.98) m	EX-2201100101	SEAL GASKET FRAME 2mm EPDM BLACK	BLACK		

# Assembly List

Date:  
Project:

14-09-2019 / 21:01  
MYSCAPEMEA- Production - Glass order(14-09-2019)


Drawing	Quantity	Number	Description	Colour
	4.98 (4.98) m	EX-6206910703	BRUSH PILE SEAL 7mm 4P	BLACK
	30.85 (30.85) m	EX-6206910803	BRUSH PILE SEAL 8mm 4P	BLACK
<b>Accessories</b>				
Drawing	Quantity	Number	Description	Colour
	8 (8) pc	EX-1251122300	MECHANICAL CORNER CLEAT 10,9x22,6mm	
	4 (4) pc	EX-1251148000	MECHANICAL CORNER CLEAT 11x48	
	6 (6) pc	EX-2900000400	SETTING BLOCK 4mm	RED
	6 (6) pc	EX-2900000500	SETTING BLOCK 5mm	BLACK
	8 (8) pc	EX-3101100003	COVER FOR Ø11 HOLE ROUND	BLACK
	1 (1) Pair	EX-3111138700	PAIR OF END CAPS FOR REINFORCEMENT PROFILES M11387, M12412,	BLACK
	2 (2) Pair	EX-3111250403	SASH SLIDING SPACERS M12500	BLACK
	2 (2) Pair	EX-3111260200	DOUBLE FRAME END CAPS FOR CONCEALED SASH M12500	BLACK
	2 (2) Pair	EX-3111260400	SASH SPACER ADDON SET FOR CONCEALED SASH M12500	BLACK
	2 (2) Pair	EX-3111260903	PAIR OF INTERLOCKING PROFILE END CAPS FOR M12500 LEFT PARALL	BLACK
	1 (1) Pair	EX-6601250000	CENTRAL SEAL SET FOR M12500 PARALLEL SLIDING	
	9 (9) pc	EX-6604408803	EXTERNAL FLAP VALVE SV-E TYPE	BLACK
	12 (12) pc	EX-7981224213	CSK TAPPING SCREW ISO 7050/DIN 7982 INOX A2 4,2X13 PH	INOX
	8 (8) pc	EX-7981224225	CSK TAPPING SCREW ISO 7050/DIN 7982 INOX A2 4,2X25 PH	INOX
	16 (16) pc	EX-7981224238	CSK TAPPING SCREW ISO 7050/DIN 7982 INOX A2 4,2X38 PH	INOX
	16 (16) pc	EX-7981224295	CSK TAPPING SCREW ISO 7050/DIN 7982 INOX A2 4,2X9,5 PH	INOX



# Assembly List

Date: 14-09-2019 / 21:01  
Project: MYSCAPE MEA- Production - Glass order(14-09-2019)

Person in Charge: maldar



## Position: 10 & 11F-SW1

Quantity: 1 Pcs.  
Phase: LOT-02 production  
System: Alumil M12500 Basic Standard  
(Vertical Passing) EPDM

Scale: 1: 50 / Interior View

Weight of Position (w/o Accessories): 69.16 (69.16) kg  
(0.00 kg Fillings / 69.16 kg Profiles)



Size: 3,781 x 2,630 mm

Corner Connections: Mechanical cleat



Drainage: Visible

Colour: Frame Element: ANODIZING GOLD & INOX 104520 Silver

## Frame Element

Accessories				
Drawing	Quantity	Number	Description	Colour
	4 (4) pc	EX-1401126000	CORNER CONNECTOR DIE CAST 10,6x26,2mm	
	5 (5) pc	EX-3101150103	WATER EVACUATION CAP ROUND	BLACK

1: Empty Field - The insertion position is described on the following pages.
















Hardware					
Drawing	Quantity	Number	Description	Colour	Seq.No.
	2 (2) pc	EX-6000063000	ROLLER PLASTIC TRIPLE M630 AND M12500 CONCEALED	BLACK	
	1 (1) pc	EX-6301260000	SECOND SASH LOCKING FOR COCEALED SASH M12500		
	1 (1) pc	EX-6601250461	EXTERNAL HANDLE FOR M12500	BLACK	

# Assembly List

Date:  
Project:

14-09-2019 / 21:01  
MYSCAPE MEA- Production - Glass order(14-09-2019)





















## Secondary Profiles and Accessories

Profiles						
Drawing	Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
	1 (1) Pcs.	660-00-613-00	INOX GUIDE RAIL HEAVY DUTY S700, S650, SF85 6m	3,704.0	I - I	B
			Colour: INOX			
	1 (1) Pcs.	M11387	HINGED ADDITIONAL PROFILE	2,473.0	I - I	R
			Colour: GROUP D RAL 7021 STRUCTU			
	2 (2) Pcs.	M12413	SLIDING ADDITIONAL PROFILE	2,543.0	I - I	R
			Colour: GROUP D. RAL 7021 STRUCTU			
	4 (4) Pcs.	M12504	SLIDING SASH PROFILE WITHOUT GLAZING BEAD	1,872.5	V - V V - V	T
			Colour: GROUP D. RAL 7021 STRUCTU			
	4 (4) Pcs.	M12504	SLIDING SASH PROFILE WITHOUT GLAZING BEAD	2,543.0	V - V V - V	R
			Colour: GROUP D. RAL 7021 STRUCTU			
	1 (1) Pcs.	M12504	SLIDING SASH PROFILE WITHOUT GLAZING BEAD	1,910.0	V - V V - V	B
			Colour: GROUP D. RAL 7021 STRUCTU			
	2 (2) Pcs.	M12509	SLIDING INTERLOCK	2,459.4	I - I	R
			Colour: GROUP D. RAL 7021 STRUCTU			
	2 (2) Pcs.	M12511	ADDITIONAL PROFILE	2,600.0	I - I	R
			Colour: GROUP D. RAL 7021 STRUCTU			
	1 (1) Pcs.	M12512	DOUBLE INTERLOCK SLIDING FRAME RAIL WITH BRUSH SILL	3,781.0	V - V V - V	B
			Colour: GROUP D. RAL 7021 STRUCTU			
	2 (2) Pcs.	M12512	DOUBLE INTERLOCK SLIDING FRAME RAIL WITH BRUSH SILL	2,615.0	V - I V - I	R
			Colour: GROUP D. RAL 7021 STRUCTU			
	1 (1) Pcs.	M12521	ADDITIONAL PROFILE	1,910.0	V - V V - V	B
			Colour: GROUP D. RAL 7021 STRUCTU			
	2 (2) Pcs.	M12601	SLIDING ADDITIONAL PROFILE	3,704.0	I - I	B
			Colour: GROUP D. RAL 7021 STRUCTU			
	1 (1) Pcs.	M12602	DOUBLE INTERLOCK SLIDING FRAME RAIL WITH BRUSH SILL	3,777.0	I - I	T
			Colour: GROUP D. RAL 7021 STRUCTU			
	1 (1) Pcs.	M9010	SLIDING ADDITIONAL PROFILE	2,473.0	I - I	R
			Colour: GROUP D RAL 7021 STRUCTU			
Gaskets						
Drawing	Quantity	Number	Description	Colour		
	8.80 (8.80) m	EX-2000800201	GLAZING GASKET 2mm EPDM BLACK	BLACK		

# Assembly List

Date:  
Project:


14-09-2019 / 21:01  
MYSCAPEMEA- Production - Glass order(14-09-2019)

Drawing	Quantity	Number	Description	Colour
	36.16 (36.16) m	EX-2000800501	GLAZING GASKET 5mm EPDM BLACK	BLACK
	4.93 (4.93) m	EX-2201100101	SEAL GASKET FRAME 2mm EPDM BLACK	BLACK
	4.93 (4.93) m	EX-6206910703	BRUSH PILE SEAL 7mm 4P	BLACK
	37.09 (37.09) m	EX-6206910803	BRUSH PILE SEAL 8mm 4P	BLACK
<b>Accessories</b>				
Drawing	Quantity	Number	Description	Colour
	10 (10) pc	EX-1251122300	MECHANICAL CORNER CLEAT 10,9x22,6mm	
	4 (4) pc	EX-1251148000	MECHANICAL CORNER CLEAT 11x48	
	16 (16) pc	EX-2900000400	SETTING BLOCK 4mm	RED
	16 (16) pc	EX-2900000500	SETTING BLOCK 5mm	BLACK
	8 (8) pc	EX-3101100003	COVER FOR Ø11 HOLE ROUND BLACK	BLACK
	1 (1) Pair	EX-3111138700	PAIR OF END CAPS FOR REINFORCEMENT PROFILES M11387, M12412,	BLACK
	2 (2) Pair	EX-3111250403	SASH SLIDING SPACERS M12500	BLACK
	2 (2) Pair	EX-3111260200	DOUBLE FRAME END CAPS FOR CONCEALED SASH M12500	BLACK
	2 (2) Pair	EX-3111260400	SASH SPACER ADDON SET FOR CONCEALED SASH M12500	BLACK
	2 (2) Pair	EX-3111260903	PAIR OF INTERLOCKING PROFILE END CAPS FOR M12500 LEFT PARALL	BLACK
	1 (1) Pair	EX-6601250000	CENTRAL SEAL SET FOR M12500 PARALLEL SLIDING	
	11 (11) pc	EX-6604408803	EXTERNAL FLAP VALVE SV-E TYPE	BLACK
	12 (12) pc	EX-7981224213	CSK TAPPING SCREW ISO 7050/DIN 7982 INOX A2 4,2X13 PH	INOX
	8 (8) pc	EX-7981224225	CSK TAPPING SCREW ISO 7050/DIN 7982 INOX A2 4,2X25 PH	INOX
	16 (16) pc	EX-7981224238	CSK TAPPING SCREW ISO 7050/DIN 7982 INOX A2 4,2X38 PH	INOX
	16 (16) pc	EX-7981224295	CSK TAPPING SCREW ISO 7050/DIN 7982 INOX A2 4,2X9,5 PH	INOX

# Assembly List

Date: 14-09-2019 / 21:01  
Project: MYSCAPE MEA- Production - Glass order(14-09-2019)

Person in Charge: maldar



## Position: 12 & 13F-SW1

Quantity: 1 Pcs.  
Phase: LOT-02 production  
System: Alumil M12500 Basic Standard  
(Vertical Passing) EPDM

Scale: 1: 50 / Interior View

Weight of Position (w/o Accessories): 70.52 (70.52) kg  
(0.00 kg Fillings / 70.52 kg Profiles)



Size: 3,822 x 2,639 mm

Corner Connections: Mechanical cleat



Drainage: Visible

Colour: Frame Element: ANODIZING GOLD & INOX 104520 Silver

## Frame Element

Accessories				
Drawing	Quantity	Number	Description	Colour
	4 (4) pc	EX-1401126000	CORNER CONNECTOR DIE CAST 10,6x26,2mm	
	5 (5) pc	EX-3101150103	WATER EVACUATION CAP ROUND	BLACK

1: Empty Field - The insertion position is described on the following pages.
















Hardware					
Drawing	Quantity	Number	Description	Colour	Seq.No.
	2 (2) pc	EX-6000063000	ROLLER PLASTIC TRIPLE M630 AND M12500 CONCEALED	BLACK	
	1 (1) pc	EX-6301260000	SECOND SASH LOCKING FOR COCEALED SASH M12500		
	1 (1) pc	EX-6601250461	EXTERNAL HANDLE FOR M12500	BLACK	

# Assembly List

Date:  
Project:

14-09-2019 / 21:01  
MYSCAPE MEA- Production - Glass order(14-09-2019)






















## Secondary Profiles and Accessories

Profiles							
Drawing	Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.	
	1 (1) Pcs.	660-00-613-00	INOX GUIDE RAIL HEAVY DUTY S700, S650, SF85 6m	3,745.0	I - I	B	
			Colour: INOX				
	1 (1) Pcs.	M11387	HINGED ADDITIONAL PROFILE	2,482.0	I - I	R	
			Colour: GROUP D RAL 7021 STRUCTU				
	2 (2) Pcs.	M12413	SLIDING ADDITIONAL PROFILE	2,552.0	I - I	R	
			Colour: GROUP D. RAL 7021 STRUCTU				
	4 (4) Pcs.	M12504	SLIDING SASH PROFILE WITHOUT GLAZING BEAD	1,893.0	V - V V - V	T	
			Colour: GROUP D. RAL 7021 STRUCTU				
	4 (4) Pcs.	M12504	SLIDING SASH PROFILE WITHOUT GLAZING BEAD	2,552.0	V - V V - V	R	
			Colour: GROUP D. RAL 7021 STRUCTU				
	1 (1) Pcs.	M12504	SLIDING SASH PROFILE WITHOUT GLAZING BEAD	1,910.0	V - V V - V	B	
			Colour: GROUP D. RAL 7021 STRUCTU				
	2 (2) Pcs.	M12509	SLIDING INTERLOCK	2,468.4	I - I	R	
			Colour: GROUP D. RAL 7021 STRUCTU				
	2 (2) Pcs.	M12511	ADDITIONAL PROFILE	2,609.0	I - I	R	
			Colour: GROUP D. RAL 7021 STRUCTU				
	1 (1) Pcs.	M12512	DOUBLE INTERLOCK SLIDING FRAME RAIL WITH BRUSH SILL	3,822.0	V - V V - V	B	
			Colour: GROUP D. RAL 7021 STRUCTU				
	2 (2) Pcs.	M12512	DOUBLE INTERLOCK SLIDING FRAME RAIL WITH BRUSH SILL	2,624.0	V - I V - I	R	
			Colour: GROUP D. RAL 7021 STRUCTU				
	1 (1) Pcs.	M12521	ADDITIONAL PROFILE	1,910.0	V - V V - V	B	
			Colour: GROUP D. RAL 7021 STRUCTU				
	2 (2) Pcs.	M12521	ADDITIONAL PROFILE	1,200.0	V - I V - I	R	
			Colour: GROUP D. RAL 7021 STRUCTU				
	2 (2) Pcs.	M12601	SLIDING ADDITIONAL PROFILE	3,745.0	I - I	B	
			Colour: GROUP D. RAL 7021 STRUCTU				
	1 (1) Pcs.	M12602	DOUBLE INTERLOCK SLIDING FRAME RAIL WITH BRUSH SILL	3,818.0	I - I	T	
			Colour: GROUP D. RAL 7021 STRUCTU				
	1 (1) Pcs.	M9010	SLIDING ADDITIONAL PROFILE	2,482.0	I - I	R	
			Colour: GROUP D RAL 7021 STRUCTU				

# Assembly List

Date:  
Project:


14-09-2019 / 21:01  
MYSCAPEMEA- Production - Glass order(14-09-2019)

Gaskets				
Drawing	Quantity	Number	Description	Colour
	8.80 (8.80) m	EX-2000800201	GLAZING GASKET 2mm EPDM BLACK	BLACK
	36.40 (36.40) m	EX-2000800501	GLAZING GASKET 5mm EPDM BLACK	BLACK
	4.95 (4.95) m	EX-2201100101	SEAL GASKET FRAME 2mm EPDM BLACK	BLACK
	4.95 (4.95) m	EX-6206910703	BRUSH PILE SEAL 7mm 4P	BLACK
	37.46 (37.46) m	EX-6206910803	BRUSH PILE SEAL 8mm 4P	BLACK
Accessories				
Drawing	Quantity	Number	Description	Colour
	10 (10) pc	EX-1251122300	MECHANICAL CORNER CLEAT 10,9x22,6mm	
	4 (4) pc	EX-1251148000	MECHANICAL CORNER CLEAT 11x48	
	16 (16) pc	EX-2900000400	SETTING BLOCK 4mm	RED
	16 (16) pc	EX-2900000500	SETTING BLOCK 5mm	BLACK
	8 (8) pc	EX-3101100003	COVER FOR Ø11 HOLE ROUND BLACK	BLACK
	1 (1) Pair	EX-3111138700	PAIR OF END CAPS FOR REINFORCEMENT PROFILES M11387, M12412,	BLACK
	2 (2) Pair	EX-3111250403	SASH SLIDING SPACERS M12500	BLACK
	2 (2) Pair	EX-3111260200	DOUBLE FRAME END CAPS FOR CONCEALED SASH M12500	BLACK
	2 (2) Pair	EX-3111260400	SASH SPACER ADDON SET FOR CONCEALED SASH M12500	BLACK
	2 (2) Pair	EX-3111260903	PAIR OF INTERLOCKING PROFILE END CAPS FOR M12500 LEFT PARALL	BLACK
	1 (1) Pair	EX-6601250000	CENTRAL SEAL SET FOR M12500 PARALLEL SLIDING	
	11 (11) pc	EX-6604408803	EXTERNAL FLAP VALVE SV-E TYPE	BLACK
	12 (12) pc	EX-7981224213	CSK TAPPING SCREW ISO 7050/DIN 7982 INOX A2 4,2X13 PH	INOX
	8 (8) pc	EX-7981224225	CSK TAPPING SCREW ISO 7050/DIN 7982 INOX A2 4,2X25 PH	INOX
	16 (16) pc	EX-7981224238	CSK TAPPING SCREW ISO 7050/DIN 7982 INOX A2 4,2X38 PH	INOX
	16 (16) pc	EX-7981224295	CSK TAPPING SCREW ISO 7050/DIN 7982 INOX A2 4,2X9,5 PH	INOX

# Assembly List

Date: 14-09-2019 / 21:01  
Project: MYSCAPE MEA- Production - Glass order(14-09-2019)

Person in Charge: maldar



## Position: 10 & 11F-SW8

Quantity: 1 Pcs.

Phase: LOT-02 production

System: Alumil M15000 Basic Standard Standard  
(Vertical Passing) EPDM

Size: 3,511 x 2,614 mm

Corner Connections: Spring Cleat

Type of T-Connections: Aluminium Cleat

Drainage: Visible

Colour:










Frame Element: GROUP D RAL 7021 STRUCTU Black grey Structura

This position was subject to a preliminary structural design.

Scale: 1: 50 / Interior View

Weight of Position (w/o Accessories): 375.56 (375.56)  
kg  
(346.36 kg Fillings / 29.20 kg Profiles)








## Frame Element

Profiles						
Drawing	Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
	1 (1) Pcs.	M15008	HINGED FRAME	2,614.0	V - V	L / 1
	1 (1) Pcs.	M15008	HINGED FRAME	2,614.0	V - V	R / 2
	1 (1) Pcs.	M15008	HINGED FRAME	3,511.0	V - V	B / 3
	1 (1) Pcs.	M15008	HINGED FRAME	3,511.0	V - V	T / 4
	1 (1) Pcs.	M15064	HINGED "T" SYSTEM PROFILE	2,571.0	I - I	V / 5
	2 (2) Pcs.	M9010	SLIDING ADDITIONAL PROFILE	2,614.0	I - I	V / 5
	2 (2) Pcs.	M11387	HINGED ADDITIONAL PROFILE	2,614.0	I - I	V / 5
Accessories						
Drawing	Quantity	Number	Description	Colour		
	4 (4) pc	EX-1251346400	MECHANICAL CORNER CLEAT 13x46,4mm			
	2 (2) pc	EX-1601123391	T-CLEAT INSIDE 33,2mm INOX SCREW			

# Assembly List

Date:  
Project:





14-09-2019 / 21:01  
MYSCAPE MEA- Production - Glass order(14-09-2019)

Drawing	Quantity	Number	Description	Colour
	2 (2) pc	EX-1601183391	T-CLEAT OUTSIDE 33,2mm INOX SCREW	
	4 (4) pc	EX-1802501000	ALIGNMENT CORNER 11 25 10 11000	BLACK
	6 (6) pc	EX-3101150103	WATER EVACUATION CAP ROUND	BLACK
	2 (2) Pair	EX-3111138700	PAIR OF END CAPS FOR REINFORCEMENT PROFILES M11387, M12412,	BLACK
	8 (8) pc	EX-4701183500	PIN NAIL FOR "T" PROFILES 6mm	
	4 (4) pc	EX-7985223919	CSK DRILLING SCREW ISO 15482/DIN 7504P GALV 3,9X19 PH	
	22 (22) pc	EX-7985224219	CSK DRILLING SCREW ISO 15482/DIN 7504P GALV 4,2X19 PH	

## 1,2: Fixed Field Inside Glazed (Statements per Field, 2 Fields Total)

Weight: 174.2 kg

### Glazings Beads

Drawing	Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
	1 (1*2) Pcs.	M19697	GLAZING BEAD	2,562.0	I - I	L
	1 (1*2) Pcs.	M19697	GLAZING BEAD	2,562.0	I - I	R
	1 (1*2) Pcs.	M19697	GLAZING BEAD	1,662.9	I - I	B
	1 (1*2) Pcs.	M19697	GLAZING BEAD	1,662.9	I - I	T


### Glass

Quantity	Width [mm]	Height [mm]	Area [m²]	Description	Field
1 (1*2) Pcs.	1,697	2,552	4.33	28MM THK. GLASS (8+12+8)., 28 mm Inside: TSG, 8 mm Outside: TSG, 8 mm	1

### Gaskets

Drawing	Quantity	Number	Description	Colour
	8.61 (8.61*2) m	EX-2000686001	OUTSIDE GLAZING GASKET PLUGGED 3mm EPDM BLACK	BLACK
	8.61 (8.61*2) m	EX-2000800501	GLAZING GASKET 5mm EPDM BLACK	BLACK
	8.70 (8.70*2) m	EX-2203123003	SASH GASKET CS3123	BLACK

### Accessories

Drawing	Quantity	Number	Description	Colour
	4 (4*2) pc	EX-2900000500	SETTING BLOCK 5mm	BLACK






# Assembly List

Date: 14-09-2019 / 21:01  
Project: MYSCAPE MEA- Production - Glass order(14-09-2019)

Person in Charge: maldar



## Position: 12 & 13F-SW8

Quantity: 1 Pcs.

Phase: LOT-02 production

System: Alumil M15000 Basic Standard Standard  
(Vertical Passing) EPDM

Size: 3,548 x 2,635 mm

Corner Connections: Spring Cleat

Type of T-Connections: Aluminium Cleat

Drainage: Visible

Colour: Frame Element: GROUP D RAL 7021 STRUCTU Black grey Structura

This position was subject to a preliminary structural design.

Scale: 1: 50 / Interior View

Weight of Position (w/o Accessories): 382.47 (382.47)  
kg  
(353.02 kg Fillings / 29.46 kg Profiles)








## Frame Element

Profiles						
Drawing	Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
	1 (1) Pcs.	M15008	HINGED FRAME	2,635.0	V - V	L / 1
	1 (1) Pcs.	M15008	HINGED FRAME	2,635.0	V - V	R / 2
	1 (1) Pcs.	M15008	HINGED FRAME	3,548.0	V - V	B / 3
	1 (1) Pcs.	M15008	HINGED FRAME	3,548.0	V - V	T / 4
	1 (1) Pcs.	M15064	HINGED "T" SYSTEM PROFILE	2,592.0	I - I	V / 5
	2 (2) Pcs.	M9010	SLIDING ADDITIONAL PROFILE	2,635.0	I - I	V / 5
	2 (2) Pcs.	M11387	HINGED ADDITIONAL PROFILE	2,635.0	I - I	V / 5
Accessories						
Drawing	Quantity	Number	Description	Colour		
	4 (4) pc	EX-1251346400	MECHANICAL CORNER CLEAT 13x46,4mm			
	2 (2) pc	EX-1601123391	T-CLEAT INSIDE 33,2mm INOX SCREW			

# Assembly List

Date:  
Project:





14-09-2019 / 21:01  
MYSCAPE MEA- Production - Glass order(14-09-2019)

Drawing	Quantity	Number	Description	Colour
	2 (2) pc	EX-1601183391	T-CLEAT OUTSIDE 33,2mm INOX SCREW	
	4 (4) pc	EX-1802501000	ALIGNMENT CORNER 11 25 10 11000	BLACK
	6 (6) pc	EX-3101150103	WATER EVACUATION CAP ROUND	BLACK
	2 (2) Pair	EX-3111138700	PAIR OF END CAPS FOR REINFORCEMENT PROFILES M11387, M12412,	BLACK
	8 (8) pc	EX-4701183500	PIN NAIL FOR "T" PROFILES 6mm	
	4 (4) pc	EX-7985223919	CSK DRILLING SCREW ISO 15482/DIN 7504P GALV 3,9X19 PH	
	22 (22) pc	EX-7985224219	CSK DRILLING SCREW ISO 15482/DIN 7504P GALV 4,2X19 PH	

## 1,2: Fixed Field Inside Glazed (Statements per Field, 2 Fields Total)

Weight: 177.6 kg

### Glazings Beads

Drawing	Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
	1 (1*2) Pcs.	M19697	GLAZING BEAD	2,583.0	I - I	L
	1 (1*2) Pcs.	M19697	GLAZING BEAD	2,583.0	I - I	R
	1 (1*2) Pcs.	M19697	GLAZING BEAD	1,681.4	I - I	B
	1 (1*2) Pcs.	M19697	GLAZING BEAD	1,681.4	I - I	T


### Glass

Quantity	Width [mm]	Height [mm]	Area [m²]	Description	Field
1 (1*2) Pcs.	1,715	2,573	4.41	28MM THK. GLASS (8+12+8)., 28 mm Inside: TSG, 8 mm Outside: TSG, 8 mm	1

### Gaskets

Drawing	Quantity	Number	Description	Colour
	8.69 (8.69*2) m	EX-2000686001	OUTSIDE GLAZING GASKET PLUGGED 3mm EPDM BLACK	BLACK
	8.70 (8.70*2) m	EX-2000800501	GLAZING GASKET 5mm EPDM BLACK	BLACK
	8.79 (8.79*2) m	EX-2203123003	SASH GASKET CS3123	BLACK

### Accessories


Drawing	Quantity	Number	Description	Colour
	4 (4*2) pc	EX-2900000500	SETTING BLOCK 5mm	BLACK



# Assembly List

Date: 14-09-2019 / 21:01  
Project: MYSCAPE MEA- Production - Glass order(14-09-2019)

Person in Charge: maldar



## Position: 10 & 11F-SW9

Quantity: 1 Pcs.  
Phase: LOT-02 production  
System: Alumil M12500 Basic Standard  
(Vertical Passing) EPDM

Scale: 1: 50 / Interior View

Weight of Position (w/o Accessories): 68.85 (68.85) kg  
(0.00 kg Fillings / 68.85 kg Profiles)



Size: 3,777 x 2,607 mm

Corner Connections: Mechanical cleat



Drainage: Visible

Colour: Frame Element: ANODIZING GOLD & INOX 104520 Silver

## Frame Element

Accessories				
Drawing	Quantity	Number	Description	Colour
	4 (4) pc	EX-1401126000	CORNER CONNECTOR DIE CAST 10,6x26,2mm	
	5 (5) pc	EX-3101150103	WATER EVACUATION CAP ROUND	BLACK

## 1: Empty Field - The insertion position is described on the following pages.
















Hardware					
Drawing	Quantity	Number	Description	Colour	Seq.No.
	2 (2) pc	EX-6000063000	ROLLER PLASTIC TRIPLE M630 AND M12500 CONCEALED	BLACK	
	1 (1) pc	EX-6301260000	SECOND SASH LOCKING FOR COCEALED SASH M12500		
	1 (1) pc	EX-6601250461	EXTERNAL HANDLE FOR M12500	BLACK	

# Assembly List

Date:  
Project:

14-09-2019 / 21:01  
MYSCAPE MEA- Production - Glass order(14-09-2019)





















## Secondary Profiles and Accessories

Profiles						
Drawing	Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
	1 (1) Pcs.	660-00-613-00	INOX GUIDE RAIL HEAVY DUTY S700, S650, SF85 6m	3,700.0	I - I	B
			Colour: INOX			
	1 (1) Pcs.	M11387	HINGED ADDITIONAL PROFILE	2,450.0	I - I	R
			Colour: GROUP D RAL 7021 STRUCTU			
	2 (2) Pcs.	M12413	SLIDING ADDITIONAL PROFILE	2,520.0	I - I	R
			Colour: GROUP D. RAL 7021 STRUCTU			
	4 (4) Pcs.	M12504	SLIDING SASH PROFILE WITHOUT GLAZING BEAD	1,870.5	V - V V - V	T
			Colour: GROUP D. RAL 7021 STRUCTU			
	4 (4) Pcs.	M12504	SLIDING SASH PROFILE WITHOUT GLAZING BEAD	2,520.0	V - V V - V	R
			Colour: GROUP D. RAL 7021 STRUCTU			
	1 (1) Pcs.	M12504	SLIDING SASH PROFILE WITHOUT GLAZING BEAD	1,950.0	V - V V - V	B
			Colour: GROUP D. RAL 7021 STRUCTU			
	2 (2) Pcs.	M12509	SLIDING INTERLOCK	2,436.4	I - I	R
			Colour: GROUP D. RAL 7021 STRUCTU			
	2 (2) Pcs.	M12511	ADDITIONAL PROFILE	2,577.0	I - I	R
			Colour: GROUP D. RAL 7021 STRUCTU			
	1 (1) Pcs.	M12512	DOUBLE INTERLOCK SLIDING FRAME RAIL WITH BRUSH SILL	3,777.0	V - V V - V	B
			Colour: GROUP D. RAL 7021 STRUCTU			
	2 (2) Pcs.	M12512	DOUBLE INTERLOCK SLIDING FRAME RAIL WITH BRUSH SILL	2,592.0	V - I V - I	R
			Colour: GROUP D. RAL 7021 STRUCTU			
	1 (1) Pcs.	M12521	ADDITIONAL PROFILE	1,950.0	V - V V - V	B
			Colour: GROUP D. RAL 7021 STRUCTU			
	2 (2) Pcs.	M12601	SLIDING ADDITIONAL PROFILE	3,700.0	I - I	B
			Colour: GROUP D. RAL 7021 STRUCTU			
	1 (1) Pcs.	M12602	DOUBLE INTERLOCK SLIDING FRAME RAIL WITH BRUSH SILL	3,773.0	I - I	T
			Colour: GROUP D. RAL 7021 STRUCTU			
	1 (1) Pcs.	M9010	SLIDING ADDITIONAL PROFILE	2,450.0	I - I	R
			Colour: GROUP D RAL 7021 STRUCTU			
Gaskets						
Drawing	Quantity	Number	Description	Colour		
	8.80 (8.80) m	EX-2000800201	GLAZING GASKET 2mm EPDM BLACK	BLACK		

# Assembly List


Date:  
Project:

14-09-2019 / 21:01  
MYSCAPEMEA- Production - Glass order(14-09-2019)

Drawing	Quantity	Number	Description	Colour
	35.96 (35.96) m	EX-2000800501	GLAZING GASKET 5mm EPDM BLACK	BLACK
	4.88 (4.88) m	EX-2201100101	SEAL GASKET FRAME 2mm EPDM BLACK	BLACK
	4.88 (4.88) m	EX-6206910703	BRUSH PILE SEAL 7mm 4P	BLACK
	36.97 (36.97) m	EX-6206910803	BRUSH PILE SEAL 8mm 4P	BLACK
<b>Accessories</b>				
Drawing	Quantity	Number	Description	Colour
	10 (10) pc	EX-1251122300	MECHANICAL CORNER CLEAT 10,9x22,6mm	
	4 (4) pc	EX-1251148000	MECHANICAL CORNER CLEAT 11x48	
	16 (16) pc	EX-2900000400	SETTING BLOCK 4mm	RED
	16 (16) pc	EX-2900000500	SETTING BLOCK 5mm	BLACK
	8 (8) pc	EX-3101100003	COVER FOR Ø11 HOLE ROUND BLACK	BLACK
	1 (1) Pair	EX-3111138700	PAIR OF END CAPS FOR REINFORCEMENT PROFILES M11387, M12412,	BLACK
	2 (2) Pair	EX-3111250403	SASH SLIDING SPACERS M12500	BLACK
	2 (2) Pair	EX-3111260200	DOUBLE FRAME END CAPS FOR CONCEALED SASH M12500	BLACK
	2 (2) Pair	EX-3111260400	SASH SPACER ADDON SET FOR CONCEALED SASH M12500	BLACK
	2 (2) Pair	EX-3111260903	PAIR OF INTERLOCKING PROFILE END CAPS FOR M12500 LEFT PARALL	BLACK
	1 (1) Pair	EX-6601250000	CENTRAL SEAL SET FOR M12500 PARALLEL SLIDING	
	11 (11) pc	EX-6604408803	EXTERNAL FLAP VALVE SV-E TYPE	BLACK
	12 (12) pc	EX-7981224213	CSK TAPPING SCREW ISO 7050/DIN 7982 INOX A2 4,2X13 PH	INOX
	8 (8) pc	EX-7981224225	CSK TAPPING SCREW ISO 7050/DIN 7982 INOX A2 4,2X25 PH	INOX
	16 (16) pc	EX-7981224238	CSK TAPPING SCREW ISO 7050/DIN 7982 INOX A2 4,2X38 PH	INOX
	16 (16) pc	EX-7981224295	CSK TAPPING SCREW ISO 7050/DIN 7982 INOX A2 4,2X9,5 PH	INOX

# Assembly List

Date: 14-09-2019 / 21:01  
 Project: MYSCAPE MEA- Production - Glass order(14-09-2019)  
 Person in Charge: maldar



## Position: 12 & 13F-SW9

Quantity: 1 Pcs.  
 Phase: LOT-02 production  
 System: Alumil M12500 Basic Standard  
 (Vertical Passing) EPDM

Scale: 1: 50 / Interior View

Weight of Position (w/o Accessories): 69.50 (69.50) kg  
 (0.00 kg Fillings / 69.50 kg Profiles)



Size: 3,825 x 2,624 mm

Corner Connections: Mechanical cleat



Drainage: Visible

Colour: Frame Element: ANODIZING GOLD & INOX 104520 Silver

## Frame Element

Accessories				
Drawing	Quantity	Number	Description	Colour
	4 (4) pc	EX-1401126000	CORNER CONNECTOR DIE CAST 10,6x26,2mm	
	5 (5) pc	EX-3101150103	WATER EVACUATION CAP ROUND	BLACK

1: Empty Field - The insertion position is described on the following pages.

Hardware					
Drawing	Quantity	Number	Description	Colour	Seq.No.
	2 (2) pc	EX-6000063000	ROLLER PLASTIC TRIPLE M630 AND M12500 CONCEALED	BLACK	
	1 (1) pc	EX-6301260000	SECOND SASH LOCKING FOR COCEALED SASH M12500		
	1 (1) pc	EX-6601250461	EXTERNAL HANDLE FOR M12500	BLACK	


















# Assembly List

Date:  
Project:

14-09-2019 / 21:01  
MYSCAPE MEA- Production - Glass order(14-09-2019)





## Secondary Profiles and Accessories

Profiles						
Drawing	Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
	1 (1) Pcs.	660-00-613-00	INOX GUIDE RAIL HEAVY DUTY S700, S650, SF85 6m	3,748.0	I - I	B
			Colour: INOX			
	1 (1) Pcs.	M11387	HINGED ADDITIONAL PROFILE	2,467.0	I - I	R
			Colour: GROUP D RAL 7021 STRUCTU			
	2 (2) Pcs.	M12413	SLIDING ADDITIONAL PROFILE	2,537.0	I - I	R
			Colour: GROUP D. RAL 7021 STRUCTU			
	4 (4) Pcs.	M12504	SLIDING SASH PROFILE WITHOUT GLAZING BEAD	1,894.5	V - V V - V	T
			Colour: GROUP D. RAL 7021 STRUCTU			
	4 (4) Pcs.	M12504	SLIDING SASH PROFILE WITHOUT GLAZING BEAD	2,537.0	V - V V - V	R
			Colour: GROUP D. RAL 7021 STRUCTU			
	1 (1) Pcs.	M12504	SLIDING SASH PROFILE WITHOUT GLAZING BEAD	1,950.0	V - V V - V	B
			Colour: GROUP D. RAL 7021 STRUCTU			
	2 (2) Pcs.	M12509	SLIDING INTERLOCK	2,453.4	I - I	R
			Colour: GROUP D. RAL 7021 STRUCTU			
	2 (2) Pcs.	M12511	ADDITIONAL PROFILE	2,594.0	I - I	R
			Colour: GROUP D. RAL 7021 STRUCTU			
	1 (1) Pcs.	M12512	DOUBLE INTERLOCK SLIDING FRAME RAIL WITH BRUSH SILL	3,825.0	V - V V - V	B
			Colour: GROUP D. RAL 7021 STRUCTU			
	2 (2) Pcs.	M12512	DOUBLE INTERLOCK SLIDING FRAME RAIL WITH BRUSH SILL	2,609.0	V - I V - I	R
			Colour: GROUP D. RAL 7021 STRUCTU			
	1 (1) Pcs.	M12521	ADDITIONAL PROFILE	1,950.0	V - V V - V	B
			Colour: GROUP D. RAL 7021 STRUCTU			
	2 (2) Pcs.	M12601	SLIDING ADDITIONAL PROFILE	3,748.0	I - I	B
			Colour: GROUP D. RAL 7021 STRUCTU			
	1 (1) Pcs.	M12602	DOUBLE INTERLOCK SLIDING FRAME RAIL WITH BRUSH SILL	3,821.0	I - I	T
			Colour: GROUP D. RAL 7021 STRUCTU			
	1 (1) Pcs.	M9010	SLIDING ADDITIONAL PROFILE	2,467.0	I - I	R
			Colour: GROUP D RAL 7021 STRUCTU			
Gaskets						
Drawing	Quantity	Number	Description	Colour		
	8.80 (8.80) m	EX-2000800201	GLAZING GASKET 2mm EPDM BLACK	BLACK		

















# Assembly List

Date:  
Project:

14-09-2019 / 21:01  
MYSCAPEMEA- Production - Glass order(14-09-2019)

Drawing	Quantity	Number	Description	Colour
	36.29 (36.29) m	EX-2000800501	GLAZING GASKET 5mm EPDM BLACK	BLACK
	4.92 (4.92) m	EX-2201100101	SEAL GASKET FRAME 2mm EPDM BLACK	BLACK
	4.92 (4.92) m	EX-6206910703	BRUSH PILE SEAL 7mm 4P	BLACK
	37.42 (37.42) m	EX-6206910803	BRUSH PILE SEAL 8mm 4P	BLACK


## Accessories

Drawing	Quantity	Number	Description	Colour
	10 (10) pc	EX-1251122300	MECHANICAL CORNER CLEAT 10,9x22,6mm	
	4 (4) pc	EX-1251148000	MECHANICAL CORNER CLEAT 11x48	
	16 (16) pc	EX-2900000400	SETTING BLOCK 4mm	RED
	16 (16) pc	EX-2900000500	SETTING BLOCK 5mm	BLACK
	8 (8) pc	EX-3101100003	COVER FOR Ø11 HOLE ROUND BLACK	BLACK
	1 (1) Pair	EX-3111138700	PAIR OF END CAPS FOR REINFORCEMENT PROFILES M11387, M12412,	BLACK
	2 (2) Pair	EX-3111250403	SASH SLIDING SPACERS M12500	BLACK
	2 (2) Pair	EX-3111260200	DOUBLE FRAME END CAPS FOR CONCEALED SASH M12500	BLACK
	2 (2) Pair	EX-3111260400	SASH SPACER ADDON SET FOR CONCEALED SASH M12500	BLACK
	2 (2) Pair	EX-3111260903	PAIR OF INTERLOCKING PROFILE END CAPS FOR M12500 LEFT PARALL	BLACK
	1 (1) Pair	EX-6601250000	CENTRAL SEAL SET FOR M12500 PARALLEL SLIDING	
	11 (11) pc	EX-6604408803	EXTERNAL FLAP VALVE SV-E TYPE	BLACK
	12 (12) pc	EX-7981224213	CSK TAPPING SCREW ISO 7050/DIN 7982 INOX A2 4,2X13 PH	INOX
	8 (8) pc	EX-7981224225	CSK TAPPING SCREW ISO 7050/DIN 7982 INOX A2 4,2X25 PH	INOX
	16 (16) pc	EX-7981224238	CSK TAPPING SCREW ISO 7050/DIN 7982 INOX A2 4,2X38 PH	INOX
	16 (16) pc	EX-7981224295	CSK TAPPING SCREW ISO 7050/DIN 7982 INOX A2 4,2X9,5 PH	INOX

# Assembly List

Date: 14-09-2019 / 21:01  
Project: MYSCAPE MEA- Production - Glass order(14-09-2019)

Person in Charge: maldar



## Position: 10 & 11F-SW10

Quantity: 1 Pcs.  
Phase: LOT-02 production  
System: Alumil M12500 Basic Standard  
(Vertical Passing) EPDM

Scale: 1: 50 / Interior View

Weight of Position (w/o Accessories): 70.07 (70.07) kg  
(0.00 kg Fillings / 70.07 kg Profiles)



Size: 3,791 x 2,623 mm

Corner Connections: Mechanical cleat



Drainage: Visible

Colour: Frame Element: ANODIZING GOLD & INOX 104520 Silver

## Frame Element

Accessories				
Drawing	Quantity	Number	Description	Colour
	4 (4) pc	EX-1401126000	CORNER CONNECTOR DIE CAST 10,6x26,2mm	
	5 (5) pc	EX-3101150103	WATER EVACUATION CAP ROUND	BLACK

1: Empty Field - The insertion position is described on the following pages.
















Hardware					
Drawing	Quantity	Number	Description	Colour	Seq.No.
	2 (2) pc	EX-6000063000	ROLLER PLASTIC TRIPLE M630 AND M12500 CONCEALED	BLACK	
	1 (1) pc	EX-6301260000	SECOND SASH LOCKING FOR COCEALED SASH M12500		
	1 (1) pc	EX-6601250461	EXTERNAL HANDLE FOR M12500	BLACK	

# Assembly List

Date:  
Project:

14-09-2019 / 21:01  
MYSCAPE MEA- Production - Glass order(14-09-2019)






















## Secondary Profiles and Accessories

Profiles							
Drawing	Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.	
	1 (1) Pcs.	660-00-613-00	INOX GUIDE RAIL HEAVY DUTY S700, S650, SF85 6m	3,714.0	I - I	B	
			Colour: INOX				
	1 (1) Pcs.	M11387	HINGED ADDITIONAL PROFILE	2,466.0	I - I	R	
			Colour: GROUP D RAL 7021 STRUCTU				
	2 (2) Pcs.	M12413	SLIDING ADDITIONAL PROFILE	2,536.0	I - I	R	
			Colour: GROUP D. RAL 7021 STRUCTU				
	4 (4) Pcs.	M12504	SLIDING SASH PROFILE WITHOUT GLAZING BEAD	1,877.5	V - V V - V	T	
			Colour: GROUP D. RAL 7021 STRUCTU				
	4 (4) Pcs.	M12504	SLIDING SASH PROFILE WITHOUT GLAZING BEAD	2,536.0	V - V V - V	R	
			Colour: GROUP D. RAL 7021 STRUCTU				
	1 (1) Pcs.	M12504	SLIDING SASH PROFILE WITHOUT GLAZING BEAD	1,950.0	V - V V - V	B	
			Colour: GROUP D. RAL 7021 STRUCTU				
	2 (2) Pcs.	M12509	SLIDING INTERLOCK	2,452.4	I - I	R	
			Colour: GROUP D. RAL 7021 STRUCTU				
	2 (2) Pcs.	M12511	ADDITIONAL PROFILE	2,593.0	I - I	R	
			Colour: GROUP D. RAL 7021 STRUCTU				
	1 (1) Pcs.	M12512	DOUBLE INTERLOCK SLIDING FRAME RAIL WITH BRUSH SILL	3,791.0	V - V V - V	B	
			Colour: GROUP D. RAL 7021 STRUCTU				
	2 (2) Pcs.	M12512	DOUBLE INTERLOCK SLIDING FRAME RAIL WITH BRUSH SILL	2,608.0	V - I V - I	R	
			Colour: GROUP D. RAL 7021 STRUCTU				
	1 (1) Pcs.	M12521	ADDITIONAL PROFILE	1,950.0	V - V V - V	B	
			Colour: GROUP D. RAL 7021 STRUCTU				
	2 (2) Pcs.	M12521	ADDITIONAL PROFILE	1,200.0	V - I V - I	R	
			Colour: GROUP D. RAL 7021 STRUCTU				
	2 (2) Pcs.	M12601	SLIDING ADDITIONAL PROFILE	3,714.0	I - I	B	
			Colour: GROUP D. RAL 7021 STRUCTU				
	1 (1) Pcs.	M12602	DOUBLE INTERLOCK SLIDING FRAME RAIL WITH BRUSH SILL	3,787.0	I - I	T	
			Colour: GROUP D. RAL 7021 STRUCTU				
	1 (1) Pcs.	M9010	SLIDING ADDITIONAL PROFILE	2,466.0	I - I	R	
			Colour: GROUP D RAL 7021 STRUCTU				

# Assembly List

Date:  
Project:


14-09-2019 / 21:01  
MYSCAPEMEA- Production - Glass order(14-09-2019)

Gaskets				
Drawing	Quantity	Number	Description	Colour
	8.80 (8.80) m	EX-2000800201	GLAZING GASKET 2mm EPDM BLACK	BLACK
	36.15 (36.15) m	EX-2000800501	GLAZING GASKET 5mm EPDM BLACK	BLACK
	4.91 (4.91) m	EX-2201100101	SEAL GASKET FRAME 2mm EPDM BLACK	BLACK
	4.91 (4.91) m	EX-6206910703	BRUSH PILE SEAL 7mm 4P	BLACK
	37.14 (37.14) m	EX-6206910803	BRUSH PILE SEAL 8mm 4P	BLACK
Accessories				
Drawing	Quantity	Number	Description	Colour
	10 (10) pc	EX-1251122300	MECHANICAL CORNER CLEAT 10,9x22,6mm	
	4 (4) pc	EX-1251148000	MECHANICAL CORNER CLEAT 11x48	
	16 (16) pc	EX-2900000400	SETTING BLOCK 4mm	RED
	16 (16) pc	EX-2900000500	SETTING BLOCK 5mm	BLACK
	8 (8) pc	EX-3101100003	COVER FOR Ø11 HOLE ROUND BLACK	BLACK
	1 (1) Pair	EX-3111138700	PAIR OF END CAPS FOR REINFORCEMENT PROFILES M11387, M12412,	BLACK
	2 (2) Pair	EX-3111250403	SASH SLIDING SPACERS M12500	BLACK
	2 (2) Pair	EX-3111260200	DOUBLE FRAME END CAPS FOR CONCEALED SASH M12500	BLACK
	2 (2) Pair	EX-3111260400	SASH SPACER ADDON SET FOR CONCEALED SASH M12500	BLACK
	2 (2) Pair	EX-3111260903	PAIR OF INTERLOCKING PROFILE END CAPS FOR M12500 LEFT PARALL	BLACK
	1 (1) Pair	EX-6601250000	CENTRAL SEAL SET FOR M12500 PARALLEL SLIDING	
	11 (11) pc	EX-6604408803	EXTERNAL FLAP VALVE SV-E TYPE	BLACK
	12 (12) pc	EX-7981224213	CSK TAPPING SCREW ISO 7050/DIN 7982 INOX A2 4,2X13 PH	INOX
	8 (8) pc	EX-7981224225	CSK TAPPING SCREW ISO 7050/DIN 7982 INOX A2 4,2X25 PH	INOX
	16 (16) pc	EX-7981224238	CSK TAPPING SCREW ISO 7050/DIN 7982 INOX A2 4,2X38 PH	INOX
	16 (16) pc	EX-7981224295	CSK TAPPING SCREW ISO 7050/DIN 7982 INOX A2 4,2X9,5 PH	INOX

# Assembly List

Date: 14-09-2019 / 21:01  
Project: MYSCAPE MEA- Production - Glass order(14-09-2019)

Person in Charge: maldar



## Position: 12 & 13F-SW10

Quantity: 1 Pcs.  
Phase: LOT-02 production  
System: Alumil M12500 Basic Standard  
(Vertical Passing) EPDM

Scale: 1: 50 / Interior View

Weight of Position (w/o Accessories): 70.01 (70.01) kg  
(0.00 kg Fillings / 70.01 kg Profiles)



Size: 3,790 x 2,619 mm

Corner Connections: Mechanical cleat



Drainage: Visible

Colour: Frame Element: ANODIZING GOLD & INOX 104520 Silver

## Frame Element

Accessories				
Drawing	Quantity	Number	Description	Colour
	4 (4) pc	EX-1401126000	CORNER CONNECTOR DIE CAST 10,6x26,2mm	
	5 (5) pc	EX-3101150103	WATER EVACUATION CAP ROUND	BLACK

1: Empty Field - The insertion position is described on the following pages.
















Hardware					
Drawing	Quantity	Number	Description	Colour	Seq.No.
	2 (2) pc	EX-6000063000	ROLLER PLASTIC TRIPLE M630 AND M12500 CONCEALED	BLACK	
	1 (1) pc	EX-6301260000	SECOND SASH LOCKING FOR COCEALED SASH M12500		
	1 (1) pc	EX-6601250461	EXTERNAL HANDLE FOR M12500	BLACK	

# Assembly List

Date:  
Project:

14-09-2019 / 21:01  
MYSCAPE MEA- Production - Glass order(14-09-2019)






















## Secondary Profiles and Accessories

Profiles						
Drawing	Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
	1 (1) Pcs.	660-00-613-00	INOX GUIDE RAIL HEAVY DUTY S700, S650, SF85 6m	3,713.0	I - I	B
			Colour: INOX			
	1 (1) Pcs.	M11387	HINGED ADDITIONAL PROFILE	2,462.0	I - I	R
			Colour: GROUP D RAL 7021 STRUCTU			
	2 (2) Pcs.	M12413	SLIDING ADDITIONAL PROFILE	2,532.0	I - I	R
			Colour: GROUP D. RAL 7021 STRUCTU			
	4 (4) Pcs.	M12504	SLIDING SASH PROFILE WITHOUT GLAZING BEAD	1,877.0	V - V V - V	T
			Colour: GROUP D. RAL 7021 STRUCTU			
	4 (4) Pcs.	M12504	SLIDING SASH PROFILE WITHOUT GLAZING BEAD	2,532.0	V - V V - V	R
			Colour: GROUP D. RAL 7021 STRUCTU			
	1 (1) Pcs.	M12504	SLIDING SASH PROFILE WITHOUT GLAZING BEAD	1,950.0	V - V V - V	B
			Colour: GROUP D. RAL 7021 STRUCTU			
	2 (2) Pcs.	M12509	SLIDING INTERLOCK	2,448.4	I - I	R
			Colour: GROUP D. RAL 7021 STRUCTU			
	2 (2) Pcs.	M12511	ADDITIONAL PROFILE	2,589.0	I - I	R
			Colour: GROUP D. RAL 7021 STRUCTU			
	1 (1) Pcs.	M12512	DOUBLE INTERLOCK SLIDING FRAME RAIL WITH BRUSH SILL	3,790.0	V - V V - V	B
			Colour: GROUP D. RAL 7021 STRUCTU			
	2 (2) Pcs.	M12512	DOUBLE INTERLOCK SLIDING FRAME RAIL WITH BRUSH SILL	2,604.0	V - I V - I	R
			Colour: GROUP D. RAL 7021 STRUCTU			
	1 (1) Pcs.	M12521	ADDITIONAL PROFILE	1,950.0	V - V V - V	B
			Colour: GROUP D. RAL 7021 STRUCTU			
	2 (2) Pcs.	M12521	ADDITIONAL PROFILE	1,200.0	V - I V - I	R
			Colour: GROUP D. RAL 7021 STRUCTU			
	2 (2) Pcs.	M12601	SLIDING ADDITIONAL PROFILE	3,713.0	I - I	B
			Colour: GROUP D. RAL 7021 STRUCTU			
	1 (1) Pcs.	M12602	DOUBLE INTERLOCK SLIDING FRAME RAIL WITH BRUSH SILL	3,786.0	I - I	T
			Colour: GROUP D. RAL 7021 STRUCTU			
	1 (1) Pcs.	M9010	SLIDING ADDITIONAL PROFILE	2,462.0	I - I	R
			Colour: GROUP D RAL 7021 STRUCTU			

# Assembly List

Date:  
Project:

14-09-2019 / 21:01  
MYSCAPEMEA- Production - Glass order(14-09-2019)


Gaskets				
Drawing	Quantity	Number	Description	Colour
	8.80 (8.80) m	EX-2000800201	GLAZING GASKET 2mm EPDM BLACK	BLACK
	36.11 (36.11) m	EX-2000800501	GLAZING GASKET 5mm EPDM BLACK	BLACK
	4.91 (4.91) m	EX-2201100101	SEAL GASKET FRAME 2mm EPDM BLACK	BLACK
	4.91 (4.91) m	EX-6206910703	BRUSH PILE SEAL 7mm 4P	BLACK
	37.12 (37.12) m	EX-6206910803	BRUSH PILE SEAL 8mm 4P	BLACK
Accessories				
Drawing	Quantity	Number	Description	Colour
	10 (10) pc	EX-1251122300	MECHANICAL CORNER CLEAT 10,9x22,6mm	
	4 (4) pc	EX-1251148000	MECHANICAL CORNER CLEAT 11x48	
	16 (16) pc	EX-2900000400	SETTING BLOCK 4mm	RED
	16 (16) pc	EX-2900000500	SETTING BLOCK 5mm	BLACK
	8 (8) pc	EX-3101100003	COVER FOR Ø11 HOLE ROUND BLACK	BLACK
	1 (1) Pair	EX-3111138700	PAIR OF END CAPS FOR REINFORCEMENT PROFILES M11387, M12412,	BLACK
	2 (2) Pair	EX-3111250403	SASH SLIDING SPACERS M12500	BLACK
	2 (2) Pair	EX-3111260200	DOUBLE FRAME END CAPS FOR CONCEALED SASH M12500	BLACK
	2 (2) Pair	EX-3111260400	SASH SPACER ADDON SET FOR CONCEALED SASH M12500	BLACK
	2 (2) Pair	EX-3111260903	PAIR OF INTERLOCKING PROFILE END CAPS FOR M12500 LEFT PARALL	BLACK
	1 (1) Pair	EX-6601250000	CENTRAL SEAL SET FOR M12500 PARALLEL SLIDING	
	11 (11) pc	EX-6604408803	EXTERNAL FLAP VALVE SV-E TYPE	BLACK
	12 (12) pc	EX-7981224213	CSK TAPPING SCREW ISO 7050/DIN 7982 INOX A2 4,2X13 PH	INOX
	8 (8) pc	EX-7981224225	CSK TAPPING SCREW ISO 7050/DIN 7982 INOX A2 4,2X25 PH	INOX
	16 (16) pc	EX-7981224238	CSK TAPPING SCREW ISO 7050/DIN 7982 INOX A2 4,2X38 PH	INOX
	16 (16) pc	EX-7981224295	CSK TAPPING SCREW ISO 7050/DIN 7982 INOX A2 4,2X9,5 PH	INOX



# Assembly List

Date: 14-09-2019 / 21:01  
Project: MYSCAPE MEA- Production - Glass order(14-09-2019)

Person in Charge: maldar



## Position: 10 & 11F-SW14

Quantity: 1 Pcs.

Phase: LOT-02 production

System: Alumil M15000 Basic Standard Standard  
(Vertical Passing) EPDM

Size: 3,108 x 2,614 mm

Corner Connections: Spring Cleat

Type of T-Connections: Aluminium Cleat

Drainage: Visible










Colour: Frame Element: GROUP D RAL 7021 STRUCTU Black grey Structura

This position was subject to a preliminary structural design.

Scale: 1: 50 / Interior View

Weight of Position (w/o Accessories): 333.37 (333.37)  
kg  
(305.22 kg Fillings / 28.15 kg Profiles)








## Frame Element

Profiles						
Drawing	Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
	1 (1) Pcs.	M15008	HINGED FRAME	2,614.0	V - V	L / 1
	1 (1) Pcs.	M15008	HINGED FRAME	2,614.0	V - V	R / 2
	1 (1) Pcs.	M15008	HINGED FRAME	3,108.0	V - V	B / 3
	1 (1) Pcs.	M15008	HINGED FRAME	3,108.0	V - V	T / 4
	1 (1) Pcs.	M15064	HINGED "T" SYSTEM PROFILE	2,571.0	I - I	V / 5
	2 (2) Pcs.	M9010	SLIDING ADDITIONAL PROFILE	2,614.0	I - I	V / 5
	2 (2) Pcs.	M11387	HINGED ADDITIONAL PROFILE	2,614.0	I - I	V / 5
Accessories						
Drawing	Quantity	Number	Description	Colour		
	4 (4) pc	EX-1251346400	MECHANICAL CORNER CLEAT 13x46,4mm			
	2 (2) pc	EX-1601123391	T-CLEAT INSIDE 33,2mm INOX SCREW			

# Assembly List

Date:  
Project:





14-09-2019 / 21:01  
MYSCAPE MEA- Production - Glass order(14-09-2019)

Drawing	Quantity	Number	Description	Colour
	2 (2) pc	EX-1601183391	T-CLEAT OUTSIDE 33,2mm INOX SCREW	
	4 (4) pc	EX-1802501000	ALIGNMENT CORNER 11 25 10 11000	BLACK
	6 (6) pc	EX-3101150103	WATER EVACUATION CAP ROUND	BLACK
	2 (2) Pair	EX-3111138700	PAIR OF END CAPS FOR REINFORCEMENT PROFILES M11387, M12412,	BLACK
	8 (8) pc	EX-4701183500	PIN NAIL FOR "T" PROFILES 6mm	
	4 (4) pc	EX-7985223919	CSK DRILLING SCREW ISO 15482/DIN 7504P GALV 3,9X19 PH	
	22 (22) pc	EX-7985224219	CSK DRILLING SCREW ISO 15482/DIN 7504P GALV 4,2X19 PH	

## 1,2: Fixed Field Inside Glazed (Statements per Field, 2 Fields Total)

Weight: 153.6 kg

### Glazings Beads

Drawing	Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
	1 (1*2) Pcs.	M19697	GLAZING BEAD	2,562.0	I - I	L
	1 (1*2) Pcs.	M19697	GLAZING BEAD	2,562.0	I - I	R
	1 (1*2) Pcs.	M19697	GLAZING BEAD	1,461.4	I - I	B
	1 (1*2) Pcs.	M19697	GLAZING BEAD	1,461.4	I - I	T

### Glass

Quantity	Width [mm]	Height [mm]	Area [m²]	Description	Field
1 (1*2) Pcs.	1,495	2,552	3.82	28MM THK. GLASS (8+12+8)., 28 mm Inside: TSG, 8 mm Outside: TSG, 8 mm	1

### Gaskets

Drawing	Quantity	Number	Description	Colour
	8.20 (8.20*2) m	EX-2000686001	OUTSIDE GLAZING GASKET PLUGGED 3mm EPDM BLACK	BLACK
	8.20 (8.20*2) m	EX-2000800501	GLAZING GASKET 5mm EPDM BLACK	BLACK
	8.29 (8.29*2) m	EX-2203123003	SASH GASKET CS3123	BLACK

### Accessories


Drawing	Quantity	Number	Description	Colour
	4 (4*2) pc	EX-2900000500	SETTING BLOCK 5mm	BLACK



# Assembly List

Date: 14-09-2019 / 21:01  
Project: MYSCAPE MEA- Production - Glass order(14-09-2019)

Person in Charge: maldar



## Position: 12 & 13F-SW14

Quantity: 1 Pcs.

Phase: LOT-02 production

System: Alumil M15000 Basic Standard Standard  
(Vertical Passing) EPDM

Size: 3,154 x 2,622 mm

Corner Connections: Spring Cleat

Type of T-Connections: Aluminium Cleat

Drainage: Visible

Colour:








Frame Element: GROUP D RAL 7021 STRUCTU Black grey Structura

This position was subject to a preliminary structural design.



Scale: 1: 50 / Interior View

Weight of Position (w/o Accessories): 339.22 (339.22)  
kg  
(310.89 kg Fillings / 28.33 kg Profiles)

## Frame Element

Profiles						
Drawing	Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
	1 (1) Pcs.	M15008	HINGED FRAME	2,622.0	V - V	L / 1
	1 (1) Pcs.	M15008	HINGED FRAME	2,622.0	V - V	R / 2
	1 (1) Pcs.	M15008	HINGED FRAME	3,154.0	V - V	B / 3
	1 (1) Pcs.	M15008	HINGED FRAME	3,154.0	V - V	T / 4
	1 (1) Pcs.	M15064	HINGED "T" SYSTEM PROFILE	2,579.0	I - I	V / 5
	2 (2) Pcs.	M9010	SLIDING ADDITIONAL PROFILE	2,622.0	I - I	V / 5
	2 (2) Pcs.	M11387	HINGED ADDITIONAL PROFILE	2,622.0	I - I	V / 5








## Accessories

Drawing	Quantity	Number	Description	Colour
	4 (4) pc	EX-1251346400	MECHANICAL CORNER CLEAT 13x46,4mm	
	2 (2) pc	EX-1601123391	T-CLEAT INSIDE 33,2mm INOX SCREW	

# Assembly List

Date:  
Project:





14-09-2019 / 21:01  
MYSCAPEMEA- Production - Glass order(14-09-2019)

Drawing	Quantity	Number	Description	Colour
	2 (2) pc	EX-1601183391	T-CLEAT OUTSIDE 33,2mm INOX SCREW	
	4 (4) pc	EX-1802501000	ALIGNMENT CORNER 11 25 10 11000	BLACK
	6 (6) pc	EX-3101150103	WATER EVACUATION CAP ROUND	BLACK
	2 (2) Pair	EX-3111138700	PAIR OF END CAPS FOR REINFORCEMENT PROFILES M11387, M12412,	BLACK
	8 (8) pc	EX-4701183500	PIN NAIL FOR "T" PROFILES 6mm	
	4 (4) pc	EX-7985223919	CSK DRILLING SCREW ISO 15482/DIN 7504P GALV 3,9X19 PH	
	22 (22) pc	EX-7985224219	CSK DRILLING SCREW ISO 15482/DIN 7504P GALV 4,2X19 PH	

## 1,2: Fixed Field Inside Glazed (Statements per Field, 2 Fields Total)

Weight: 156.4 kg

### Glazings Beads

Drawing	Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
	1 (1*2) Pcs.	M19697	GLAZING BEAD	2,570.0	I - I	L
	1 (1*2) Pcs.	M19697	GLAZING BEAD	2,570.0	I - I	R
	1 (1*2) Pcs.	M19697	GLAZING BEAD	1,484.4	I - I	B
	1 (1*2) Pcs.	M19697	GLAZING BEAD	1,484.4	I - I	T

### Glass

Quantity	Width [mm]	Height [mm]	Area [m²]	Description	Field
1 (1*2) Pcs.	1,518	2,560	3.89	28MM THK. GLASS (8+12+8)., 28 mm Inside: TSG, 8 mm Outside: TSG, 8 mm	1

### Gaskets

Drawing	Quantity	Number	Description	Colour
	8.26 (8.26*2) m	EX-2000686001	OUTSIDE GLAZING GASKET PLUGGED 3mm EPDM BLACK	BLACK
	8.26 (8.26*2) m	EX-2000800501	GLAZING GASKET 5mm EPDM BLACK	BLACK
	8.35 (8.35*2) m	EX-2203123003	SASH GASKET CS3123	BLACK

### Accessories


Drawing	Quantity	Number	Description	Colour
	4 (4*2) pc	EX-2900000500	SETTING BLOCK 5mm	BLACK



# Assembly List

Date: 14-09-2019 / 21:01  
Project: MYSCAPEMEA- Production - Glass order(14-09-2019)

Person in Charge: maldar



## Position: 10 & 11F-SW4

Quantity: 1 Pcs.  
Phase: LOT-02 production  
System: Alumil M15000 Basic Standard Standard  
(Vertical Passing) EPDM

Scale: 1: 50 / Interior View

Weight of Position (w/o Accessories): 17.04 (17.04) kg  
(8.02 kg Fillings / 9.03 kg Profiles)

Size: 882 x 896 mm

Frame Element-Corner Connections: Spring Cleat

Window-Corner Connections: Spring Cleat

Drainage: Visible

Colour: Frame Element: GROUP D RAL 7021 STRUCTU Black grey Structura

This position was subject to a preliminary structural design.

## Frame Element

Profiles						
Drawing	Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
	1 (1) Pcs.	M15008	HINGED FRAME	896.0	V - V	L / 1
	1 (1) Pcs.	M15008	HINGED FRAME	896.0	V - V	R / 2
	1 (1) Pcs.	M15008	HINGED FRAME	882.0	V - V	B / 3
	1 (1) Pcs.	M15008	HINGED FRAME	882.0	V - V	T / 4
Accessories						
Drawing	Quantity	Number	Description	Colour		
	4 (4) pc	EX-1251346400	MECHANICAL CORNER CLEAT 13x46,4mm			
	4 (4) pc	EX-1802501000	ALIGNMENT CORNER 11 25 10 11000	BLACK		
	2 (2) pc	EX-3101150103	WATER EVACUATION CAP ROUND	BLACK		






## 1: Top Hung Window open Out - Handle Height: Centre (421 mm)

Hardware:	TOP HUNG WITH HD ARMS, Handle: With Right Cranked Handle (BLACK), Extra Splindle: Without (Sash Depth<70mm&OnePo, Friction Hinge: Max. 1700x1500mm - 80kg					
Weight:	16.5 kg		Size:	842 x 856 mm		
Profiles						
Drawing	Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
	1 (1) Pcs.	M15460	HINGED SASH EUROPEAN GROOVE OPENING OUTSIDE WINDOW PROFILE	856.0	V - V	L / 5





# Assembly List

Date:  
Project:

14-09-2019 / 21:01  
MYSCAPE MEA- Production - Glass order(14-09-2019)

Drawing	Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
	1 (1) Pcs.	M15460	HINGED SASH EUROPEAN GROOVE OPENING OUTSIDE WINDOW PROFILE	856.0	V - V	R / 6
	1 (1) Pcs.	M15460	HINGED SASH EUROPEAN GROOVE OPENING OUTSIDE WINDOW PROFILE	842.0	V - V	B / 7
	1 (1) Pcs.	M15460	HINGED SASH EUROPEAN GROOVE OPENING OUTSIDE WINDOW PROFILE	842.0	V - V	T / 8
	1 (1) Pcs.	M9316	BOLT ROD MECH. PROFILE / Above Handle	333.0	I - I	
	1 (1) Pcs.	M9316	BOLT ROD MECH. PROFILE / Below Handle	353.0	I - I	

## Glazings Beads

Drawing	Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
	1 (1) Pcs.	M11454	GLAZING BEAD	748.0	I - I	L
	1 (1) Pcs.	M11454	GLAZING BEAD	748.0	I - I	R
	1 (1) Pcs.	M11454	GLAZING BEAD	690.0	I - I	B
	1 (1) Pcs.	M11454	GLAZING BEAD	690.0	I - I	T

## Glass

Quantity	Width [mm]	Height [mm]	Area [m²]	Description	Field
1 (1) Pcs.	724	738	0.53	6MM THK. GLASS, 6 mm Inside: TSG, 6 mm	1

## Hardware

Drawing	Quantity	Number	Description	Colour	Seq.No.
	1 (1) pc	EX-3809976661	CRANKED SLIM HANDLE FACADE/SLIDING ALUMIL PIN63mm RIGHT LIGH / Lock Side	BLACK	Ha
	8 (8) pc	EX-4000197100	SHIM FOR 14/18 FRAMES FOR PROJECTING-OUT WINDOW STAY ARMS		
	1 (1) Pair	EX-4008351000	TOP HUNG ARM 22" EURO GROOVE 80/100KG 45/20 DEGREE OPEN / Lateral		L
	2 (2) pc	EX-4156239000	LOCKING PIN ELEMENT AK-8		
	1 (1) pc	EX-4159483500	GEAR FOR SPINDLE HANDLE 90o F:35mm GU / Lock Side		Ha
	2 (2) pc	EX-4159590100	LOCKING PLATE NOT ADJUSTABLE AK-8		

## Gaskets









Drawing	Quantity	Number	Description	Colour
	2.87 (2.87) m	EX-2000686001	OUTSIDE GLAZING GASKET PLUGGED 3mm EPDM BLACK	BLACK



# Assembly List

Date:  
Project:


14-09-2019 / 21:01  
MYSCAPEMEA- Production - Glass order(14-09-2019)

Drawing	Quantity	Number	Description	Colour
	2.87 (2.87) m	EX-2000800601	GLAZING GASKET 6mm EPDM BLACK	BLACK
	3.12 (3.12) m	EX-2101500001	CENTRAL GASKET M15000 EPDM BLACK	BLACK
	3.50 (3.50) m	EX-2201100101	SEAL GASKET FRAME 2mm EPDM BLACK	BLACK
	3.50 (3.50) m	EX-2201500101	SEAL GASKET 5mm EPDM BLACK	BLACK
<b>Accessories</b>				
Drawing	Quantity	Number	Description	Colour
	4 (4) pc	EX-1252340000	MECHANICAL CORNER CLEAT 23x39,8mm	
	4 (4) pc	EX-1801500400	ALIGNMENT CORNER M15000	BLACK
	4 (4) pc	EX-1801500700	ALIGNMENT CORNER LARGE M15000	BLACK
	4 (4) pc	EX-1801900001	ALIGNMENT CORNER INOX THIN	INOX
	4 (4) pc	EX-2551500001	VULCANIZED CORNER FOR M15000 CENTRAL GASKET EPDM BLACK	BLACK
	6 (6) pc	EX-2900000500	SETTING BLOCK 5mm	BLACK
	2 (2) pc	EX-4165575100	COUNTERSUNK HANDLE SCREW M5X75 DIN 965, 4.8-H / Lock Side	

# Assembly List

Date: 14-09-2019 / 21:01  
Project: MYSCAPE MEA- Production - Glass order(14-09-2019)

Person in Charge: maldar



## Position: 12 & 13F-SW4

Quantity: 1 Pcs.

Phase: LOT-02 production

System: Alumil M15000 Basic Standard Standard  
(Vertical Passing) EPDM

Scale: 1: 50 / Interior View

Weight of Position (w/o Accessories): 17.09 (17.09) kg  
(8.04 kg Fillings / 9.05 kg Profiles)

Size: 855 x 927 mm

Frame Element-Corner Connections: Spring Cleat

Window-Corner Connections: Spring Cleat

Drainage: Visible

Colour: Frame Element: GROUP D RAL 7021 STRUCTU Black grey Structura

This position was subject to a preliminary structural design.

## Frame Element

Profiles						
Drawing	Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
	1 (1) Pcs.	M15008	HINGED FRAME	927.0	V - V	L / 1
	1 (1) Pcs.	M15008	HINGED FRAME	927.0	V - V	R / 2
	1 (1) Pcs.	M15008	HINGED FRAME	855.0	V - V	B / 3
	1 (1) Pcs.	M15008	HINGED FRAME	855.0	V - V	T / 4

Accessories						
Drawing	Quantity	Number	Description	Colour		
	4 (4) pc	EX-1251346400	MECHANICAL CORNER CLEAT 13x46,4mm			
	4 (4) pc	EX-1802501000	ALIGNMENT CORNER 11 25 10 11000	BLACK		
	2 (2) pc	EX-3101150103	WATER EVACUATION CAP ROUND	BLACK		






## 1: Top Hung Window open Out - Handle Height: Centre (407.5 mm)

Hardware:	TOP HUNG WITH HD ARMS, Handle: With Right Cranked Handle (BLACK), Extra Splindle: Without (Sash Depth<70mm&OnePo, Friction Hinge: Max. 1700x1500mm - 80kg					
Weight:	16.5 kg		Size:	815 x 887 mm		
Profiles						
Drawing	Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
	1 (1) Pcs.	M15460	HINGED SASH EUROPEAN GROOVE OPENING OUTSIDE WINDOW PROFILE	887.0	V - V	L / 5





# Assembly List

Date:  
Project:

14-09-2019 / 21:01  
MYSCAPEMEA- Production - Glass order(14-09-2019)

Drawing	Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
	1 (1) Pcs.	M15460	HINGED SASH EUROPEAN GROOVE OPENING OUTSIDE WINDOW PROFILE	887.0	V - V	R / 6
	1 (1) Pcs.	M15460	HINGED SASH EUROPEAN GROOVE OPENING OUTSIDE WINDOW PROFILE	815.0	V - V	B / 7
	1 (1) Pcs.	M15460	HINGED SASH EUROPEAN GROOVE OPENING OUTSIDE WINDOW PROFILE	815.0	V - V	T / 8
	1 (1) Pcs.	M9316	BOLT ROD MECH. PROFILE / Above Handle	319.5	I - I	
	1 (1) Pcs.	M9316	BOLT ROD MECH. PROFILE / Below Handle	339.5	I - I	

## Glazings Beads

Drawing	Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
	1 (1) Pcs.	M11454	GLAZING BEAD	779.0	I - I	L
	1 (1) Pcs.	M11454	GLAZING BEAD	779.0	I - I	R
	1 (1) Pcs.	M11454	GLAZING BEAD	663.0	I - I	B
	1 (1) Pcs.	M11454	GLAZING BEAD	663.0	I - I	T


## Glass

Quantity	Width [mm]	Height [mm]	Area [m²]	Description	Field
1 (1) Pcs.	697	769	0.54	6MM THK. GLASS, 6 mm Inside: TSG, 6 mm	1

## Hardware

Drawing	Quantity	Number	Description	Colour	Seq.No.
	1 (1) pc	EX-3809976661	CRANKED SLIM HANDLE FACADE/SLIDING ALUMIL PIN63mm RIGHT LIGH / Lock Side	BLACK	Ha
	8 (8) pc	EX-4000197100	SHIM FOR 14/18 FRAMES FOR PROJECTING-OUT WINDOW STAY ARMS		
	1 (1) Pair	EX-4008351000	TOP HUNG ARM 22" EURO GROOVE 80/100KG 45/20 DEGREE OPEN / Lateral		L
	2 (2) pc	EX-4156239000	LOCKING PIN ELEMENT AK-8		
	1 (1) pc	EX-4159483500	GEAR FOR SPINDLE HANDLE 90o F:35mm GU / Lock Side		Ha
	2 (2) pc	EX-4159590100	LOCKING PLATE NOT ADJUSTABLE AK-8		






## Gaskets

Drawing	Quantity	Number	Description	Colour
	2.88 (2.88) m	EX-2000686001	OUTSIDE GLAZING GASKET PLUGGED 3mm EPDM BLACK	BLACK

# Assembly List

Date:  
Project:


14-09-2019 / 21:01  
MYSCAPEMEA- Production - Glass order(14-09-2019)

Drawing	Quantity	Number	Description	Colour
	2.88 (2.88) m	EX-2000800601	GLAZING GASKET 6mm EPDM BLACK	BLACK
	3.13 (3.13) m	EX-2101500001	CENTRAL GASKET M15000 EPDM BLACK	BLACK
	3.51 (3.51) m	EX-2201100101	SEAL GASKET FRAME 2mm EPDM BLACK	BLACK
	3.51 (3.51) m	EX-2201500101	SEAL GASKET 5mm EPDM BLACK	BLACK
<b>Accessories</b>				
Drawing	Quantity	Number	Description	Colour
	4 (4) pc	EX-1252340000	MECHANICAL CORNER CLEAT 23x39,8mm	
	4 (4) pc	EX-1801500400	ALIGNMENT CORNER M15000	BLACK
	4 (4) pc	EX-1801500700	ALIGNMENT CORNER LARGE M15000	BLACK
	4 (4) pc	EX-1801900001	ALIGNMENT CORNER INOX THIN	INOX
	4 (4) pc	EX-2551500001	VULCANIZED CORNER FOR M15000 CENTRAL GASKET EPDM BLACK	BLACK
	6 (6) pc	EX-2900000500	SETTING BLOCK 5mm	BLACK
	2 (2) pc	EX-4165575100	COUNTERSUNK HANDLE SCREW M5X75 DIN 965, 4.8-H / Lock Side	

# Assembly List

Date: 14-09-2019 / 21:01  
Project: MYSCAPE MEA- Production - Glass order(14-09-2019)

Person in Charge: maldar



## Position: 10 & 11F-KW1

Quantity: 1 Pcs.  
Phase: LOT-02 production  
System: Alumil M900 Basic EPDM

Scale: 1: 50 / Interior View

Weight of Position (w/o Accessories): 28.40 (28.40) kg  
(18.24 kg Fillings / 10.16 kg Profiles)

Size: 1,356 x 1,204 mm

Frame Element-Corner Connections: Mechanical Corner Cleat

Drainage: Visible

Colour: Frame Element: GROUP D RAL 7021 STRUCTU Black grey Structura


This position was subject to a preliminary structural design.

At least one glass of the position has no glass types assigned. Therefore it is impossible to perform a structural analysis for this glass!

## Frame Element

Profiles						
Drawing	Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
	1 (1) Pcs.	M901	DOUBLE INTERLOCK SLIDING FRAME RAIL WITHOUT BRUSH SILL	1,204.0	V - V	L / 1
	1 (1) Pcs.	M901	DOUBLE INTERLOCK SLIDING FRAME RAIL WITHOUT BRUSH SILL	1,204.0	V - V	R / 2
	1 (1) Pcs.	M901	DOUBLE INTERLOCK SLIDING FRAME RAIL WITHOUT BRUSH SILL	1,356.0	V - V	B / 3
	1 (1) Pcs.	M901	DOUBLE INTERLOCK SLIDING FRAME RAIL WITHOUT BRUSH SILL	1,356.0	V - V	T / 4
Accessories						
Drawing	Quantity	Number	Description	Colour		
	4 (4) pc	EX-1401126000	CORNER CONNECTOR DIE CAST 10,6x26,2mm			
	2 (2) pc	EX-6600090300	CENTRAL SEAL 25,7mm POLYAMIDE	BLACK		










## 1: Sliding Door - Handle Height: Centre (574.5 mm)

Hardware:	M900, Rollers: Aluminium Double Rollers < 130kg					
Weight:	13.5 kg		Size:	682 x 1,149 mm		
	12.9 kg			682 x 1,149 mm		
Profiles						
Drawing	Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
	1 (1) Pcs.	M905	SLIDING SASH PROFILE WITH GLAZING BEAD	1,149.0	V - V	L / 5

# Assembly List

Date:  
Project:





14-09-2019 / 21:01  
MYSCAPEMEA- Production - Glass order(14-09-2019)

Drawing	Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
	1 (1) Pcs.	M905	SLIDING SASH PROFILE WITH GLAZING BEAD	1,149.0	V - V	R / 6
	1 (1) Pcs.	M905	SLIDING SASH PROFILE WITH GLAZING BEAD	680.0	V - V	B / 7
	1 (1) Pcs.	M905	SLIDING SASH PROFILE WITH GLAZING BEAD	680.0	V - V	T / 8
	1 (1) Pcs.	M905	SLIDING SASH PROFILE WITH GLAZING BEAD	1,149.0	V - V	L / 9
	1 (1) Pcs.	M905	SLIDING SASH PROFILE WITH GLAZING BEAD	1,149.0	V - V	R / 10
	1 (1) Pcs.	M905	SLIDING SASH PROFILE WITH GLAZING BEAD	680.0	V - V	B / 11
	1 (1) Pcs.	M905	SLIDING SASH PROFILE WITH GLAZING BEAD	680.0	V - V	T / 12
	1 (1) Pcs.	M903	SLIDING INTERLOCK	1,119.0	I - I	R / 13
	1 (1) Pcs.	M903	SLIDING INTERLOCK	1,119.0	I - I	L / 14




## Glass

Quantity	Width [mm]	Height [mm]	Area [m²]	Description	Field
2 (2) Pcs.	580	1,049	0.61	6MM THK., 6 mm Inside: TSG, 3 mm Outside: TSG, 3 mm	1


## Hardware

Drawing	Quantity	Number	Description	Colour	Seq.No.
	4 (4) pc	EX-6000220502	ROLLER ALUMINIUM DOUBLE WITH PLATE M9200 27mm / Bottom Rail		B
	2 (2) pc	EX-6302456003	ALUMIL SLIDING LOCK	BLACK	
	2 (2) pc	EX-6302480000	ALUMIL SLIDING LOCKING KIT FOR 28mm SASHES		
	4 (4) pc	EX-6500330000	SHOCK ABSORBER M900 / Lock Side	BLACK	Ha

## Gaskets

Drawing	Quantity	Number	Description	Colour
	6.53 (6.53) m	EX-2000800301	GLAZING GASKET 3mm EPDM BLACK	BLACK
	6.53 (6.53) m	EX-2000800401	GLAZING GASKET 4mm EPDM BLACK	BLACK
	14.95 (14.95) m	EX-6206910603	BRUSH PILE SEAL 6mm 4P	BLACK




## Accessories

Drawing	Quantity	Number	Description	Colour
	8 (8) pc	EX-1401123000	CORNER CONNECTOR DIE CAST 10,6x23,9mm	

# Assembly List

Date:  
Project:


14-09-2019 / 21:01  
MYSCAPEMEA- Production - Glass order(14-09-2019)

Drawing	Quantity	Number	Description	Colour
	16 (16) pc	EX-1801900001	ALIGNMENT CORNER INOX THIN	INOX
	12 (12) pc	EX-2900000500	SETTING BLOCK 5mm	BLACK
	2 (2) Pair	EX-3119000300	END CAP FOR PROFILE M903 BLACK	BLACK

# Assembly List

Date: 14-09-2019 / 21:01  
Project: MYSCAPEMEA- Production - Glass order(14-09-2019)

Person in Charge: maldar



## Position: 12 & 13F-KW1

Quantity: 1 Pcs.  
Phase: LOT-02 production  
System: Alumil M900 Basic EPDM

Scale: 1: 50 / Interior View

Weight of Position (w/o Accessories): 28.18 (28.18) kg  
(18.06 kg Fillings / 10.12 kg Profiles)

Size: 1,348 x 1,201 mm

Frame Element-Corner Connections: Mechanical Corner Cleat

Drainage: Visible

Colour: Frame Element: GROUP D RAL 7021 STRUCTU Black grey Structura


This position was subject to a preliminary structural design.

At least one glass of the position has no glass types assigned. Therefore it is impossible to perform a structural analysis for this glass!

## Frame Element

Profiles						
Drawing	Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
	1 (1) Pcs.	M901	DOUBLE INTERLOCK SLIDING FRAME RAIL WITHOUT BRUSH SILL	1,201.0	V - V	L / 1
	1 (1) Pcs.	M901	DOUBLE INTERLOCK SLIDING FRAME RAIL WITHOUT BRUSH SILL	1,201.0	V - V	R / 2
	1 (1) Pcs.	M901	DOUBLE INTERLOCK SLIDING FRAME RAIL WITHOUT BRUSH SILL	1,348.0	V - V	B / 3
	1 (1) Pcs.	M901	DOUBLE INTERLOCK SLIDING FRAME RAIL WITHOUT BRUSH SILL	1,348.0	V - V	T / 4
Accessories						
Drawing	Quantity	Number	Description	Colour		
	4 (4) pc	EX-1401126000	CORNER CONNECTOR DIE CAST 10,6x26,2mm			
	2 (2) pc	EX-6600090300	CENTRAL SEAL 25,7mm POLYAMIDE	BLACK		

## 1: Sliding Door - Handle Height: Centre (573 mm)










Hardware:	M900, Rollers: Aluminium Double Rollers < 130kg					
Weight:	13.4 kg		Size:	678 x 1,146 mm		
	12.8 kg			678 x 1,146 mm		
Profiles						
Drawing	Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
	1 (1) Pcs.	M905	SLIDING SASH PROFILE WITH GLAZING BEAD	1,146.0	V - V	L / 5



# Assembly List

Date:  
Project:





14-09-2019 / 21:01  
MYSCAPE MEA- Production - Glass order(14-09-2019)

Drawing	Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
	1 (1) Pcs.	M905	SLIDING SASH PROFILE WITH GLAZING BEAD	1,146.0	V - V	R / 6
	1 (1) Pcs.	M905	SLIDING SASH PROFILE WITH GLAZING BEAD	676.0	V - V	B / 7
	1 (1) Pcs.	M905	SLIDING SASH PROFILE WITH GLAZING BEAD	676.0	V - V	T / 8
	1 (1) Pcs.	M905	SLIDING SASH PROFILE WITH GLAZING BEAD	1,146.0	V - V	L / 9
	1 (1) Pcs.	M905	SLIDING SASH PROFILE WITH GLAZING BEAD	1,146.0	V - V	R / 10
	1 (1) Pcs.	M905	SLIDING SASH PROFILE WITH GLAZING BEAD	676.0	V - V	B / 11
	1 (1) Pcs.	M905	SLIDING SASH PROFILE WITH GLAZING BEAD	676.0	V - V	T / 12
	1 (1) Pcs.	M903	SLIDING INTERLOCK	1,116.0	I - I	R / 13
	1 (1) Pcs.	M903	SLIDING INTERLOCK	1,116.0	I - I	L / 14




## Glass

Quantity	Width [mm]	Height [mm]	Area [m²]	Description	Field
2 (2) Pcs.	576	1,046	0.60	6MM THK., 6 mm Inside: TSG, 3 mm Outside: TSG, 3 mm	1


## Hardware

Drawing	Quantity	Number	Description	Colour	Seq.No.
	4 (4) pc	EX-6000220502	ROLLER ALUMINIUM DOUBLE WITH PLATE M9200 27mm / Bottom Rail		B
	2 (2) pc	EX-6302456003	ALUMIL SLIDING LOCK	BLACK	
	2 (2) pc	EX-6302480000	ALUMIL SLIDING LOCKING KIT FOR 28mm SASHES		
	4 (4) pc	EX-6500330000	SHOCK ABSORBER M900 / Lock Side	BLACK	Ha

## Gaskets

Drawing	Quantity	Number	Description	Colour
	6.50 (6.50) m	EX-2000800301	GLAZING GASKET 3mm EPDM BLACK	BLACK
	6.50 (6.50) m	EX-2000800401	GLAZING GASKET 4mm EPDM BLACK	BLACK
	14.89 (14.89) m	EX-6206910603	BRUSH PILE SEAL 6mm 4P	BLACK




## Accessories

Drawing	Quantity	Number	Description	Colour
	8 (8) pc	EX-1401123000	CORNER CONNECTOR DIE CAST 10,6x23,9mm	

# Assembly List

Date:  
Project:


14-09-2019 / 21:01  
MYSCAPEMEA- Production - Glass order(14-09-2019)

Drawing	Quantity	Number	Description	Colour
	16 (16) pc	EX-1801900001	ALIGNMENT CORNER INOX THIN	INOX
	12 (12) pc	EX-2900000500	SETTING BLOCK 5mm	BLACK
	2 (2) Pair	EX-3119000300	END CAP FOR PROFILE M903 BLACK	BLACK

# Assembly List

Date: 14-09-2019 / 21:01  
Project: MYSCAPEMEA- Production - Glass order(14-09-2019)

Person in Charge: maldar



## Position: 10 & 11F-SW5

Quantity: 1 Pcs.  
Phase: LOT-02 production  
System: Alumil M900 Basic EPDM

Scale: 1: 50 / Interior View

Weight of Position (w/o Accessories): 25.50 (25.50) kg  
(15.80 kg Fillings / 9.70 kg Profiles)

Size: 1,197 x 1,208 mm

Frame Element-Corner Connections: Mechanical Corner Cleat

Drainage: Visible

Colour: Frame Element: GROUP D RAL 7021 STRUCTU Black grey Structura


This position was subject to a preliminary structural design.

At least one glass of the position has no glass types assigned. Therefore it is impossible to perform a structural analysis for this glass!

## Frame Element

Profiles						
Drawing	Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
	1 (1) Pcs.	M901	DOUBLE INTERLOCK SLIDING FRAME RAIL WITHOUT BRUSH SILL	1,208.0	V - V	L / 1
	1 (1) Pcs.	M901	DOUBLE INTERLOCK SLIDING FRAME RAIL WITHOUT BRUSH SILL	1,208.0	V - V	R / 2
	1 (1) Pcs.	M901	DOUBLE INTERLOCK SLIDING FRAME RAIL WITHOUT BRUSH SILL	1,197.0	V - V	B / 3
	1 (1) Pcs.	M901	DOUBLE INTERLOCK SLIDING FRAME RAIL WITHOUT BRUSH SILL	1,197.0	V - V	T / 4
Accessories						
Drawing	Quantity	Number	Description	Colour		
	4 (4) pc	EX-1401126000	CORNER CONNECTOR DIE CAST 10,6x26,2mm			
	2 (2) pc	EX-6600090300	CENTRAL SEAL 25,7mm POLYAMIDE	BLACK		










## 1: Sliding Door - Handle Height: Centre (576.5 mm)

Hardware:	M900, Rollers: Aluminium Double Rollers < 130kg					
Weight:	12.1 kg		Size:	603 x 1,153 mm		
	11.6 kg			603 x 1,153 mm		
Profiles						
Drawing	Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
	1 (1) Pcs.	M905	SLIDING SASH PROFILE WITH GLAZING BEAD	1,153.0	V - V	L / 5

# Assembly List

Date:  
Project:





14-09-2019 / 21:01  
MYSCAPE MEA- Production - Glass order(14-09-2019)

Drawing	Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
	1 (1) Pcs.	M905	SLIDING SASH PROFILE WITH GLAZING BEAD	1,153.0	V - V	R / 6
	1 (1) Pcs.	M905	SLIDING SASH PROFILE WITH GLAZING BEAD	600.5	V - V	B / 7
	1 (1) Pcs.	M905	SLIDING SASH PROFILE WITH GLAZING BEAD	600.5	V - V	T / 8
	1 (1) Pcs.	M905	SLIDING SASH PROFILE WITH GLAZING BEAD	1,153.0	V - V	L / 9
	1 (1) Pcs.	M905	SLIDING SASH PROFILE WITH GLAZING BEAD	1,153.0	V - V	R / 10
	1 (1) Pcs.	M905	SLIDING SASH PROFILE WITH GLAZING BEAD	600.5	V - V	B / 11
	1 (1) Pcs.	M905	SLIDING SASH PROFILE WITH GLAZING BEAD	600.5	V - V	T / 12
	1 (1) Pcs.	M903	SLIDING INTERLOCK	1,123.0	I - I	R / 13
	1 (1) Pcs.	M903	SLIDING INTERLOCK	1,123.0	I - I	L / 14




## Glass

Quantity	Width [mm]	Height [mm]	Area [m²]	Description	Field
2 (2) Pcs.	500	1,053	0.53	6MM THK., 6 mm Inside: TSG, 3 mm Outside: TSG, 3 mm	1


## Hardware

Drawing	Quantity	Number	Description	Colour	Seq.No.
	4 (4) pc	EX-6000220502	ROLLER ALUMINIUM DOUBLE WITH PLATE M9200 27mm / Bottom Rail		B
	2 (2) pc	EX-6302456003	ALUMIL SLIDING LOCK	BLACK	
	2 (2) pc	EX-6302480000	ALUMIL SLIDING LOCKING KIT FOR 28mm SASHES		
	4 (4) pc	EX-6500330000	SHOCK ABSORBER M900 / Lock Side	BLACK	Ha

## Gaskets

Drawing	Quantity	Number	Description	Colour
	6.22 (6.22) m	EX-2000800301	GLAZING GASKET 3mm EPDM BLACK	BLACK
	6.22 (6.22) m	EX-2000800401	GLAZING GASKET 4mm EPDM BLACK	BLACK
	14.33 (14.33) m	EX-6206910603	BRUSH PILE SEAL 6mm 4P	BLACK




## Accessories

Drawing	Quantity	Number	Description	Colour
	8 (8) pc	EX-1401123000	CORNER CONNECTOR DIE CAST 10,6x23,9mm	

# Assembly List

Date:  
Project:


14-09-2019 / 21:01  
MYSCAPEMEA- Production - Glass order(14-09-2019)

Drawing	Quantity	Number	Description	Colour
	16 (16) pc	EX-1801900001	ALIGNMENT CORNER INOX THIN	INOX
	12 (12) pc	EX-2900000500	SETTING BLOCK 5mm	BLACK
	2 (2) Pair	EX-3119000300	END CAP FOR PROFILE M903 BLACK	BLACK

# Assembly List

Date: 14-09-2019 / 21:01  
Project: MYSCAPE MEA- Production - Glass order(14-09-2019)

Person in Charge: maldar



## Position: 12 & 13F-SW5

Quantity: 1 Pcs.

Phase: LOT-02 production

System: Alumil M900 Basic EPDM

Size: 1,200 x 1,196 mm

Frame Element-Corner Connections: Mechanical Corner Cleat

Drainage: Visible

Colour: Frame Element: GROUP D RAL 7021 STRUCTU Black grey Structura







This position was subject to a preliminary structural design.

Scale: 1: 50 / Interior View


Weight of Position (w/o Accessories): 25.31 (25.31) kg  
(15.67 kg Fillings / 9.64 kg Profiles)

At least one glass of the position has no glass types assigned. Therefore it is impossible to perform a structural analysis for this glass!

## Frame Element

Profiles						
Drawing	Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
	1 (1) Pcs.	M901	DOUBLE INTERLOCK SLIDING FRAME RAIL WITHOUT BRUSH SILL	1,196.0	V - V	L / 1
	1 (1) Pcs.	M901	DOUBLE INTERLOCK SLIDING FRAME RAIL WITHOUT BRUSH SILL	1,196.0	V - V	R / 2
	1 (1) Pcs.	M901	DOUBLE INTERLOCK SLIDING FRAME RAIL WITHOUT BRUSH SILL	1,200.0	V - V	B / 3
	1 (1) Pcs.	M901	DOUBLE INTERLOCK SLIDING FRAME RAIL WITHOUT BRUSH SILL	1,200.0	V - V	T / 4
Accessories						
Drawing	Quantity	Number	Description	Colour		
	4 (4) pc	EX-1401126000	CORNER CONNECTOR DIE CAST 10,6x26,2mm			
	2 (2) pc	EX-6600090300	CENTRAL SEAL 25,7mm POLYAMIDE	BLACK		










## 1: Sliding Door - Handle Height: Centre (570.5 mm)

Hardware:	M900, Rollers: Aluminium Double Rollers < 130kg					
Weight:	12.0 kg		Size:	604 x 1,141 mm		
	11.5 kg			604 x 1,141 mm		
Profiles						
Drawing	Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
	1 (1) Pcs.	M905	SLIDING SASH PROFILE WITH GLAZING BEAD	1,141.0	V - V	L / 5

# Assembly List

Date:  
Project:





14-09-2019 / 21:01  
MYSCAPE MEA- Production - Glass order(14-09-2019)

Drawing	Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
	1 (1) Pcs.	M905	SLIDING SASH PROFILE WITH GLAZING BEAD	1,141.0	V - V	R / 6
	1 (1) Pcs.	M905	SLIDING SASH PROFILE WITH GLAZING BEAD	602.0	V - V	B / 7
	1 (1) Pcs.	M905	SLIDING SASH PROFILE WITH GLAZING BEAD	602.0	V - V	T / 8
	1 (1) Pcs.	M905	SLIDING SASH PROFILE WITH GLAZING BEAD	1,141.0	V - V	L / 9
	1 (1) Pcs.	M905	SLIDING SASH PROFILE WITH GLAZING BEAD	1,141.0	V - V	R / 10
	1 (1) Pcs.	M905	SLIDING SASH PROFILE WITH GLAZING BEAD	602.0	V - V	B / 11
	1 (1) Pcs.	M905	SLIDING SASH PROFILE WITH GLAZING BEAD	602.0	V - V	T / 12
	1 (1) Pcs.	M903	SLIDING INTERLOCK	1,111.0	I - I	R / 13
	1 (1) Pcs.	M903	SLIDING INTERLOCK	1,111.0	I - I	L / 14




## Glass

Quantity	Width [mm]	Height [mm]	Area [m²]	Description	Field
2 (2) Pcs.	502	1,041	0.52	6MM THK., 6 mm Inside: TSG, 3 mm Outside: TSG, 3 mm	1


## Hardware

Drawing	Quantity	Number	Description	Colour	Seq.No.
	4 (4) pc	EX-6000220502	ROLLER ALUMINIUM DOUBLE WITH PLATE M9200 27mm / Bottom Rail		B
	2 (2) pc	EX-6302456003	ALUMIL SLIDING LOCK	BLACK	
	2 (2) pc	EX-6302480000	ALUMIL SLIDING LOCKING KIT FOR 28mm SASHES		
	4 (4) pc	EX-6500330000	SHOCK ABSORBER M900 / Lock Side	BLACK	Ha

## Gaskets

Drawing	Quantity	Number	Description	Colour
	6.18 (6.18) m	EX-2000800301	GLAZING GASKET 3mm EPDM BLACK	BLACK
	6.18 (6.18) m	EX-2000800401	GLAZING GASKET 4mm EPDM BLACK	BLACK
	14.24 (14.24) m	EX-6206910603	BRUSH PILE SEAL 6mm 4P	BLACK




## Accessories

Drawing	Quantity	Number	Description	Colour
	8 (8) pc	EX-1401123000	CORNER CONNECTOR DIE CAST 10,6x23,9mm	

# Assembly List

Date:  
Project:

14-09-2019 / 21:01  
MYSCAPEMEA- Production - Glass order(14-09-2019)


Drawing	Quantity	Number	Description	Colour
	16 (16) pc	EX-1801900001	ALIGNMENT CORNER INOX THIN	INOX
	12 (12) pc	EX-2900000500	SETTING BLOCK 5mm	BLACK
	2 (2) Pair	EX-3119000300	END CAP FOR PROFILE M903 BLACK	BLACK



# Assembly List

Date: 14-09-2019 / 21:01  
Project: MYSCAPE MEA- Production - Glass order(14-09-2019)

Person in Charge: maldar



## Position: 10 & 11F-SW6

Quantity: 1 Pcs.  
Phase: LOT-02 production  
System: Alumil M900 Basic EPDM

Scale: 1: 50 / Interior View

Weight of Position (w/o Accessories): 14.16 (14.16) kg  
(6.36 kg Fillings / 7.80 kg Profiles)

Size: 608 x 1,185 mm

Frame Element-Corner Connections: Mechanical Corner Cleat







Drainage: Visible

Colour: Frame Element: GROUP D RAL 7021 STRUCTU Black grey Structura



This position was subject to a preliminary structural design.

At least one glass of the position has no glass types assigned. Therefore it is impossible to perform a structural analysis for this glass!

## Frame Element

Profiles						
Drawing	Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
	1 (1) Pcs.	M901	DOUBLE INTERLOCK SLIDING FRAME RAIL WITHOUT BRUSH SILL	1,185.0	V - V	L / 1
	1 (1) Pcs.	M901	DOUBLE INTERLOCK SLIDING FRAME RAIL WITHOUT BRUSH SILL	1,185.0	V - V	R / 2
	1 (1) Pcs.	M901	DOUBLE INTERLOCK SLIDING FRAME RAIL WITHOUT BRUSH SILL	608.0	V - V	B / 3
	1 (1) Pcs.	M901	DOUBLE INTERLOCK SLIDING FRAME RAIL WITHOUT BRUSH SILL	608.0	V - V	T / 4
Accessories						
Drawing	Quantity	Number	Description	Colour		
	4 (4) pc	EX-1401126000	CORNER CONNECTOR DIE CAST 10,6x26,2mm			
	2 (2) pc	EX-6600090300	CENTRAL SEAL 25,7mm POLYAMIDE	BLACK		









## 1: Sliding Door - Handle Height: Centre (565 mm)

Hardware:	M900, Rollers: Aluminium Double Rollers < 130kg					
Weight:	6.9 kg		Size:	308 x 1,130 mm		
	6.3 kg			308 x 1,130 mm		
Profiles						
Drawing	Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
	1 (1) Pcs.	M905	SLIDING SASH PROFILE WITH GLAZING BEAD	1,130.0	V - V	L / 5
	1 (1) Pcs.	M905	SLIDING SASH PROFILE WITH GLAZING BEAD	1,130.0	V - V	R / 6

# Assembly List

Date:  
Project:





14-09-2019 / 21:01  
MYSCAPEMEA- Production - Glass order(14-09-2019)

Drawing	Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
	1 (1) Pcs.	M905	SLIDING SASH PROFILE WITH GLAZING BEAD	306.0	V - V	B / 7
	1 (1) Pcs.	M905	SLIDING SASH PROFILE WITH GLAZING BEAD	306.0	V - V	T / 8
	1 (1) Pcs.	M905	SLIDING SASH PROFILE WITH GLAZING BEAD	1,130.0	V - V	L / 9
	1 (1) Pcs.	M905	SLIDING SASH PROFILE WITH GLAZING BEAD	1,130.0	V - V	R / 10
	1 (1) Pcs.	M905	SLIDING SASH PROFILE WITH GLAZING BEAD	306.0	V - V	B / 11
	1 (1) Pcs.	M905	SLIDING SASH PROFILE WITH GLAZING BEAD	306.0	V - V	T / 12
	1 (1) Pcs.	M903	SLIDING INTERLOCK	1,100.0	I - I	R / 13
	1 (1) Pcs.	M903	SLIDING INTERLOCK	1,100.0	I - I	L / 14




## Glass

Quantity	Width [mm]	Height [mm]	Area [m²]	Description	Field
2 (2) Pcs.	206	1,030	0.21	6MM THK., 6 mm Inside: TSG, 3 mm Outside: TSG, 3 mm	1




## Hardware

Drawing	Quantity	Number	Description	Colour	Seq.No.
	4 (4) pc	EX-6000220502	ROLLER ALUMINIUM DOUBLE WITH PLATE M9200 27mm / Bottom Rail		B
	2 (2) pc	EX-6302456003	ALUMIL SLIDING LOCK	BLACK	
	2 (2) pc	EX-6302480000	ALUMIL SLIDING LOCKING KIT FOR 28mm SASHES		
	4 (4) pc	EX-6500330000	SHOCK ABSORBER M900 / Lock Side	BLACK	Ha

## Gaskets

Drawing	Quantity	Number	Description	Colour
	4.91 (4.91) m	EX-2000800301	GLAZING GASKET 3mm EPDM	BLACK
	4.91 (4.91) m	EX-2000800401	GLAZING GASKET 4mm EPDM	BLACK
	11.71 (11.71) m	EX-6206910603	BRUSH PILE SEAL 6mm 4P	BLACK


## Accessories

Drawing	Quantity	Number	Description	Colour
	8 (8) pc	EX-1401123000	CORNER CONNECTOR DIE CAST 10,6x23,9mm	
	16 (16) pc	EX-1801900001	ALIGNMENT CORNER INOX THIN	INOX
	12 (12) pc	EX-2900000500	SETTING BLOCK 5mm	BLACK

# Assembly List

Date:  
Project:


14-09-2019 / 21:01  
MYSCAPE MEA- Production - Glass order(14-09-2019)

Drawing	Quantity	Number	Description	Colour
	2 (2) Pair	EX-3119000300	END CAP FOR PROFILE M903 BLACK	BLACK

# Assembly List

Date: 14-09-2019 / 21:01  
Project: MYSCAPEMEA- Production - Glass order(14-09-2019)

Person in Charge: maldar



## Position: 10 & 11F-SW7

Quantity: 1 Pcs.

Phase: LOT-02 production

System: Alumil M15000 Basic Standard Standard  
(Vertical Passing) EPDM

Size: 3,973 x 1,172 mm

Corner Connections: Spring Cleat

Drainage: Visible

Colour: Frame Element: GROUP D RAL 7021 STRUCTU Black grey Structura

This position was subject to a preliminary structural design.

Scale: 1: 50 / Interior View

Weight of Position (w/o Accessories): 186.90 (186.90)  
kg  
(173.65 kg Fillings / 13.25 kg Profiles)

## Frame Element

Profiles						
Drawing	Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
	1 (1) Pcs.	M15008	HINGED FRAME	1,172.0	V - V	L / 1
	1 (1) Pcs.	M15008	HINGED FRAME	1,172.0	V - V	R / 2
	1 (1) Pcs.	M15008	HINGED FRAME	3,973.0	V - V	B / 3
	1 (1) Pcs.	M15008	HINGED FRAME	3,973.0	V - V	T / 4
Accessories						
Drawing	Quantity	Number	Description	Colour		
	4 (4) pc	EX-1251346400	MECHANICAL CORNER CLEAT 13x46,4mm			
	4 (4) pc	EX-1802501000	ALIGNMENT CORNER 11 25 10 11000	BLACK		
	5 (5) pc	EX-3101150103	WATER EVACUATION CAP ROUND	BLACK		

## 1: Fixed Field Inside Glazed

Weight: 174.9 kg




## Glazings Beads

Drawing	Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
	1 (1) Pcs.	M19697	GLAZING BEAD	1,120.0	I - I	L
	1 (1) Pcs.	M19697	GLAZING BEAD	1,120.0	I - I	R
	1 (1) Pcs.	M19697	GLAZING BEAD	3,877.4	I - I	B

# Assembly List

Date:  
Project:


14-09-2019 / 21:01  
MYSCAPEMEA- Production - Glass order(14-09-2019)

Drawing	Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
	1 (1) Pcs.	M19697	GLAZING BEAD	3,877.4	I - I	T
Glass						
Quantity	Width [mm]	Height [mm]	Area [m²]	Description	Field	
1 (1) Pcs.	3,911	1,110	4.34	28MM THK. GLASS (8+12+8)., 28 mm Inside: TSG, 8 mm Outside: TSG, 8 mm	1	
Gaskets						
Drawing	Quantity	Number	Description	Colour		
	10.20 (10.20) m	EX-2000686001	OUTSIDE GLAZING GASKET PLUGGED 3mm EPDM BLACK	BLACK		
	10.21 (10.21) m	EX-2000800501	GLAZING GASKET 5mm EPDM BLACK	BLACK		
	10.30 (10.30) m	EX-2203123003	SASH GASKET CS3123	BLACK		
Accessories						
Drawing	Quantity	Number	Description	Colour		
	4 (4) pc	EX-2900000500	SETTING BLOCK 5mm	BLACK		

# Assembly List

Date: 14-09-2019 / 21:01  
Project: MYSCAPEMEA- Production - Glass order(14-09-2019)

Person in Charge: maldar



## Position: 12 & 13F-SW7

Quantity: 1 Pcs.

Phase: LOT-02 production

System: Alumil M15000 Basic Standard Standard  
(Vertical Passing) EPDM

Size: 3,968 x 1,224 mm

Corner Connections: Spring Cleat

Drainage: Visible

Colour: Frame Element: GROUP D RAL 7021 STRUCTU Black grey Structura

This position was subject to a preliminary structural design.

Scale: 1: 50 / Interior View

Weight of Position (w/o Accessories): 194.93 (194.93)  
kg  
(181.55 kg Fillings / 13.37 kg Profiles)

## Frame Element

Profiles						
Drawing	Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
	1 (1) Pcs.	M15008	HINGED FRAME	1,224.0	V - V	L / 1
	1 (1) Pcs.	M15008	HINGED FRAME	1,224.0	V - V	R / 2
	1 (1) Pcs.	M15008	HINGED FRAME	3,968.0	V - V	B / 3
	1 (1) Pcs.	M15008	HINGED FRAME	3,968.0	V - V	T / 4
Accessories						
Drawing	Quantity	Number	Description	Colour		
	4 (4) pc	EX-1251346400	MECHANICAL CORNER CLEAT 13x46,4mm			
	4 (4) pc	EX-1802501000	ALIGNMENT CORNER 11 25 10 11000	BLACK		
	5 (5) pc	EX-3101150103	WATER EVACUATION CAP ROUND	BLACK		






## 1: Fixed Field Inside Glazed

Weight:		182.8 kg				
Glazings Beads						
Drawing	Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
	1 (1) Pcs.	M19697	GLAZING BEAD	1,172.0	I - I	L
	1 (1) Pcs.	M19697	GLAZING BEAD	1,172.0	I - I	R
	1 (1) Pcs.	M19697	GLAZING BEAD	3,872.4	I - I	B

# Assembly List

Date:  
Project:


14-09-2019 / 21:01  
MYSCAPE MEA- Production - Glass order(14-09-2019)

Drawing	Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
	1 (1) Pcs.	M19697	GLAZING BEAD	3,872.4	I - I	T
Glass						
Quantity	Width [mm]	Height [mm]	Area [m²]	Description	Field	
1 (1) Pcs.	3,906	1,162	4.54	28MM THK. GLASS (8+12+8)., 28 mm Inside: TSG, 8 mm Outside: TSG, 8 mm	1	
Gaskets						
Drawing	Quantity	Number	Description	Colour		
	10.30 (10.30) m	EX-2000686001	OUTSIDE GLAZING GASKET PLUGGED 3mm EPDM BLACK	BLACK		
	10.30 (10.30) m	EX-2000800501	GLAZING GASKET 5mm EPDM BLACK	BLACK		
	10.39 (10.39) m	EX-2203123003	SASH GASKET CS3123	BLACK		
Accessories						
Drawing	Quantity	Number	Description	Colour		
	4 (4) pc	EX-2900000500	SETTING BLOCK 5mm	BLACK		

# Assembly List

Date: 14-09-2019 / 21:01  
Project: MYSCAPE MEA- Production - Glass order(14-09-2019)

Person in Charge: maldar



## Position: 10 & 11F-SW11

Quantity: 1 Pcs.

Phase: LOT-02 production

System: Alumil M900 Basic EPDM

Size: 1,341 x 1,190 mm

Frame Element-Corner Connections: Mechanical Corner Cleat

Drainage: Visible

Colour: Frame Element: GROUP D RAL 7021 STRUCTU Black grey Structura

This position was subject to a preliminary structural design.

Scale: 1: 50 / Interior View



Weight of Position (w/o Accessories): 27.80 (27.80) kg  
(17.76 kg Fillings / 10.04 kg Profiles)

At least one glass of the position has no glass types assigned. Therefore it is impossible to perform a structural analysis for this glass!

## Frame Element

Profiles						
Drawing	Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
	1 (1) Pcs.	M901	DOUBLE INTERLOCK SLIDING FRAME RAIL WITHOUT BRUSH SILL	1,190.0	V - V	L / 1
	1 (1) Pcs.	M901	DOUBLE INTERLOCK SLIDING FRAME RAIL WITHOUT BRUSH SILL	1,190.0	V - V	R / 2
	1 (1) Pcs.	M901	DOUBLE INTERLOCK SLIDING FRAME RAIL WITHOUT BRUSH SILL	1,341.0	V - V	B / 3
	1 (1) Pcs.	M901	DOUBLE INTERLOCK SLIDING FRAME RAIL WITHOUT BRUSH SILL	1,341.0	V - V	T / 4
Accessories						
Drawing	Quantity	Number	Description	Colour		
	4 (4) pc	EX-1401126000	CORNER CONNECTOR DIE CAST 10,6x26,2mm			
	2 (2) pc	EX-6600090300	CENTRAL SEAL 25,7mm POLYAMIDE	BLACK		

## 1: Sliding Door - Handle Height: Centre (567.5 mm)









Hardware:	M900, Rollers: Aluminium Double Rollers < 130kg					
Weight:	13.2 kg		Size:	675 x 1,135 mm		
	12.6 kg			675 x 1,135 mm		
Profiles						
Drawing	Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
	1 (1) Pcs.	M905	SLIDING SASH PROFILE WITH GLAZING BEAD	1,135.0	V - V	L / 5
	1 (1) Pcs.	M905	SLIDING SASH PROFILE WITH GLAZING BEAD	1,135.0	V - V	R / 6



# Assembly List

Date:  
Project:





14-09-2019 / 21:01  
MYSCAPEMEA- Production - Glass order(14-09-2019)

Drawing	Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
	1 (1) Pcs.	M905	SLIDING SASH PROFILE WITH GLAZING BEAD	672.5	V - V	B / 7
	1 (1) Pcs.	M905	SLIDING SASH PROFILE WITH GLAZING BEAD	672.5	V - V	T / 8
	1 (1) Pcs.	M905	SLIDING SASH PROFILE WITH GLAZING BEAD	1,135.0	V - V	L / 9
	1 (1) Pcs.	M905	SLIDING SASH PROFILE WITH GLAZING BEAD	1,135.0	V - V	R / 10
	1 (1) Pcs.	M905	SLIDING SASH PROFILE WITH GLAZING BEAD	672.5	V - V	B / 11
	1 (1) Pcs.	M905	SLIDING SASH PROFILE WITH GLAZING BEAD	672.5	V - V	T / 12
	1 (1) Pcs.	M903	SLIDING INTERLOCK	1,105.0	I - I	R / 13
	1 (1) Pcs.	M903	SLIDING INTERLOCK	1,105.0	I - I	L / 14




## Glass

Quantity	Width [mm]	Height [mm]	Area [m²]	Description	Field
2 (2) Pcs.	572	1,035	0.59	6MM THK., 6 mm Inside: TSG, 3 mm Outside: TSG, 3 mm	1




## Hardware

Drawing	Quantity	Number	Description	Colour	Seq.No.
	4 (4) pc	EX-6000220502	ROLLER ALUMINIUM DOUBLE WITH PLATE M9200 27mm / Bottom Rail		B
	2 (2) pc	EX-6302456003	ALUMIL SLIDING LOCK	BLACK	
	2 (2) pc	EX-6302480000	ALUMIL SLIDING LOCKING KIT FOR 28mm SASHES		
	4 (4) pc	EX-6500330000	SHOCK ABSORBER M900 / Lock Side	BLACK	Ha

## Gaskets

Drawing	Quantity	Number	Description	Colour
	6.44 (6.44) m	EX-2000800301	GLAZING GASKET 3mm EPDM	BLACK
	6.44 (6.44) m	EX-2000800401	GLAZING GASKET 4mm EPDM	BLACK
	14.77 (14.77) m	EX-6206910603	BRUSH PILE SEAL 6mm 4P	BLACK


## Accessories

Drawing	Quantity	Number	Description	Colour
	8 (8) pc	EX-1401123000	CORNER CONNECTOR DIE CAST 10,6x23,9mm	
	16 (16) pc	EX-1801900001	ALIGNMENT CORNER INOX THIN	INOX
	12 (12) pc	EX-2900000500	SETTING BLOCK 5mm	BLACK

# Assembly List

Date:  
Project:


14-09-2019 / 21:01  
MYSCAPE MEA- Production - Glass order(14-09-2019)

Drawing	Quantity	Number	Description	Colour
	2 (2) Pair	EX-3119000300	END CAP FOR PROFILE M903 BLACK	BLACK

# Assembly List

Date: 14-09-2019 / 21:01  
Project: MYSCAPE MEA- Production - Glass order(14-09-2019)

Person in Charge: maldar



## Position: 12 & 13F-SW11

Quantity: 1 Pcs.  
Phase: LOT-02 production  
System: Alumil M900 Basic EPDM

Scale: 1: 50 / Interior View

Weight of Position (w/o Accessories): 27.70 (27.70) kg  
(17.67 kg Fillings / 10.02 kg Profiles)

Size: 1,334 x 1,191 mm

Frame Element-Corner Connections: Mechanical Corner Cleat

Drainage: Visible

Colour: Frame Element: GROUP D RAL 7021 STRUCTU Black grey Structura


This position was subject to a preliminary structural design.

At least one glass of the position has no glass types assigned. Therefore it is impossible to perform a structural analysis for this glass!

## Frame Element

Profiles						
Drawing	Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
	1 (1) Pcs.	M901	DOUBLE INTERLOCK SLIDING FRAME RAIL WITHOUT BRUSH SILL	1,191.0	V - V	L / 1
	1 (1) Pcs.	M901	DOUBLE INTERLOCK SLIDING FRAME RAIL WITHOUT BRUSH SILL	1,191.0	V - V	R / 2
	1 (1) Pcs.	M901	DOUBLE INTERLOCK SLIDING FRAME RAIL WITHOUT BRUSH SILL	1,334.0	V - V	B / 3
	1 (1) Pcs.	M901	DOUBLE INTERLOCK SLIDING FRAME RAIL WITHOUT BRUSH SILL	1,334.0	V - V	T / 4
Accessories						
Drawing	Quantity	Number	Description	Colour		
	4 (4) pc	EX-1401126000	CORNER CONNECTOR DIE CAST 10,6x26,2mm			
	2 (2) pc	EX-6600090300	CENTRAL SEAL 25,7mm POLYAMIDE	BLACK		










## 1: Sliding Door - Handle Height: Centre (568 mm)

Hardware:	M900, Rollers: Aluminium Double Rollers < 130kg					
Weight:	13.1 kg		Size:	671 x 1,136 mm		
	12.6 kg			671 x 1,136 mm		
Profiles						
Drawing	Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
	1 (1) Pcs.	M905	SLIDING SASH PROFILE WITH GLAZING BEAD	1,136.0	V - V	L / 5

# Assembly List

Date:  
Project:





14-09-2019 / 21:01  
MYSCAPE MEA- Production - Glass order(14-09-2019)

Drawing	Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
	1 (1) Pcs.	M905	SLIDING SASH PROFILE WITH GLAZING BEAD	1,136.0	V - V	R / 6
	1 (1) Pcs.	M905	SLIDING SASH PROFILE WITH GLAZING BEAD	669.0	V - V	B / 7
	1 (1) Pcs.	M905	SLIDING SASH PROFILE WITH GLAZING BEAD	669.0	V - V	T / 8
	1 (1) Pcs.	M905	SLIDING SASH PROFILE WITH GLAZING BEAD	1,136.0	V - V	L / 9
	1 (1) Pcs.	M905	SLIDING SASH PROFILE WITH GLAZING BEAD	1,136.0	V - V	R / 10
	1 (1) Pcs.	M905	SLIDING SASH PROFILE WITH GLAZING BEAD	669.0	V - V	B / 11
	1 (1) Pcs.	M905	SLIDING SASH PROFILE WITH GLAZING BEAD	669.0	V - V	T / 12
	1 (1) Pcs.	M903	SLIDING INTERLOCK	1,106.0	I - I	R / 13
	1 (1) Pcs.	M903	SLIDING INTERLOCK	1,106.0	I - I	L / 14




## Glass

Quantity	Width [mm]	Height [mm]	Area [m²]	Description	Field
2 (2) Pcs.	569	1,036	0.59	6MM THK., 6 mm Inside: TSG, 3 mm Outside: TSG, 3 mm	1


## Hardware

Drawing	Quantity	Number	Description	Colour	Seq.No.
	4 (4) pc	EX-6000220502	ROLLER ALUMINIUM DOUBLE WITH PLATE M9200 27mm / Bottom Rail		B
	2 (2) pc	EX-6302456003	ALUMIL SLIDING LOCK	BLACK	
	2 (2) pc	EX-6302480000	ALUMIL SLIDING LOCKING KIT FOR 28mm SASHES		
	4 (4) pc	EX-6500330000	SHOCK ABSORBER M900 / Lock Side	BLACK	Ha

## Gaskets

Drawing	Quantity	Number	Description	Colour
	6.43 (6.43) m	EX-2000800301	GLAZING GASKET 3mm EPDM BLACK	BLACK
	6.43 (6.43) m	EX-2000800401	GLAZING GASKET 4mm EPDM BLACK	BLACK
	14.75 (14.75) m	EX-6206910603	BRUSH PILE SEAL 6mm 4P	BLACK




## Accessories

Drawing	Quantity	Number	Description	Colour
	8 (8) pc	EX-1401123000	CORNER CONNECTOR DIE CAST 10,6x23,9mm	

# Assembly List

Date:  
Project:


14-09-2019 / 21:01  
MYSCAPEMEA- Production - Glass order(14-09-2019)

Drawing	Quantity	Number	Description	Colour
	16 (16) pc	EX-1801900001	ALIGNMENT CORNER INOX THIN	INOX
	12 (12) pc	EX-2900000500	SETTING BLOCK 5mm	BLACK
	2 (2) Pair	EX-3119000300	END CAP FOR PROFILE M903 BLACK	BLACK

# Assembly List

Date: 14-09-2019 / 21:01  
Project: MYSCAPE MEA- Production - Glass order(14-09-2019)

Person in Charge: maldar



## Position: 10 & 11F-SW12

Quantity: 1 Pcs.

Phase: LOT-02 production

System: Alumil M900 Basic EPDM

Size: 1,192 x 1,199 mm

Frame Element-Corner Connections: Mechanical Corner Cleat

Drainage: Visible

Colour: Frame Element: GROUP D RAL 7021 STRUCTU Black grey Structura

This position was subject to a preliminary structural design.

Scale: 1: 50 / Interior View



Weight of Position (w/o Accessories): 25.22 (25.22) kg  
(15.59 kg Fillings / 9.64 kg Profiles)

At least one glass of the position has no glass types assigned. Therefore it is impossible to perform a structural analysis for this glass!

## Frame Element

Profiles						
Drawing	Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
	1 (1) Pcs.	M901	DOUBLE INTERLOCK SLIDING FRAME RAIL WITHOUT BRUSH SILL	1,199.0	V - V	L / 1
	1 (1) Pcs.	M901	DOUBLE INTERLOCK SLIDING FRAME RAIL WITHOUT BRUSH SILL	1,199.0	V - V	R / 2
	1 (1) Pcs.	M901	DOUBLE INTERLOCK SLIDING FRAME RAIL WITHOUT BRUSH SILL	1,192.0	V - V	B / 3
	1 (1) Pcs.	M901	DOUBLE INTERLOCK SLIDING FRAME RAIL WITHOUT BRUSH SILL	1,192.0	V - V	T / 4
Accessories						
Drawing	Quantity	Number	Description	Colour		
	4 (4) pc	EX-1401126000	CORNER CONNECTOR DIE CAST 10,6x26,2mm			
	2 (2) pc	EX-6600090300	CENTRAL SEAL 25,7mm POLYAMIDE	BLACK		









## 1: Sliding Door - Handle Height: Centre (572 mm)

Hardware:	M900, Rollers: Aluminium Double Rollers < 130kg					
Weight:	12.0 kg		Size:	600 x 1,144 mm		
	11.5 kg			600 x 1,144 mm		
Profiles						
Drawing	Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
	1 (1) Pcs.	M905	SLIDING SASH PROFILE WITH GLAZING BEAD	1,144.0	V - V	L / 5
	1 (1) Pcs.	M905	SLIDING SASH PROFILE WITH GLAZING BEAD	1,144.0	V - V	R / 6

# Assembly List

Date:  
Project:





14-09-2019 / 21:01  
MYSCAPEMEA- Production - Glass order(14-09-2019)

Drawing	Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
	1 (1) Pcs.	M905	SLIDING SASH PROFILE WITH GLAZING BEAD	598.0	V - V	B / 7
	1 (1) Pcs.	M905	SLIDING SASH PROFILE WITH GLAZING BEAD	598.0	V - V	T / 8
	1 (1) Pcs.	M905	SLIDING SASH PROFILE WITH GLAZING BEAD	1,144.0	V - V	L / 9
	1 (1) Pcs.	M905	SLIDING SASH PROFILE WITH GLAZING BEAD	1,144.0	V - V	R / 10
	1 (1) Pcs.	M905	SLIDING SASH PROFILE WITH GLAZING BEAD	598.0	V - V	B / 11
	1 (1) Pcs.	M905	SLIDING SASH PROFILE WITH GLAZING BEAD	598.0	V - V	T / 12
	1 (1) Pcs.	M903	SLIDING INTERLOCK	1,114.0	I - I	R / 13
	1 (1) Pcs.	M903	SLIDING INTERLOCK	1,114.0	I - I	L / 14




## Glass

Quantity	Width [mm]	Height [mm]	Area [m²]	Description	Field
2 (2) Pcs.	498	1,044	0.52	6MM THK., 6 mm Inside: TSG, 3 mm Outside: TSG, 3 mm	1




## Hardware

Drawing	Quantity	Number	Description	Colour	Seq.No.
	4 (4) pc	EX-6000220502	ROLLER ALUMINIUM DOUBLE WITH PLATE M9200 27mm / Bottom Rail		B
	2 (2) pc	EX-6302456003	ALUMIL SLIDING LOCK	BLACK	
	2 (2) pc	EX-6302480000	ALUMIL SLIDING LOCKING KIT FOR 28mm SASHES		
	4 (4) pc	EX-6500330000	SHOCK ABSORBER M900 / Lock Side	BLACK	Ha

## Gaskets

Drawing	Quantity	Number	Description	Colour
	6.17 (6.17) m	EX-2000800301	GLAZING GASKET 3mm EPDM	BLACK
	6.17 (6.17) m	EX-2000800401	GLAZING GASKET 4mm EPDM	BLACK
	14.23 (14.23) m	EX-6206910603	BRUSH PILE SEAL 6mm 4P	BLACK


## Accessories

Drawing	Quantity	Number	Description	Colour
	8 (8) pc	EX-1401123000	CORNER CONNECTOR DIE CAST 10,6x23,9mm	
	16 (16) pc	EX-1801900001	ALIGNMENT CORNER INOX THIN	INOX
	12 (12) pc	EX-2900000500	SETTING BLOCK 5mm	BLACK

# Assembly List

Date:  
Project:

14-09-2019 / 21:01  
MYSCAPE MEA- Production - Glass order(14-09-2019)


Drawing	Quantity	Number	Description	Colour
	2 (2) Pair	EX-3119000300	END CAP FOR PROFILE M903 BLACK	BLACK



# Assembly List

Date: 14-09-2019 / 21:01  
Project: MYSCAPEMEA- Production - Glass order(14-09-2019)

Person in Charge: maldar



## Position: 12 & 13F-SW12

Quantity: 1 Pcs.  
Phase: LOT-02 production  
System: Alumil M900 Basic EPDM

Scale: 1: 50 / Interior View

Weight of Position (w/o Accessories): 25.26 (25.26) kg  
(15.62 kg Fillings / 9.64 kg Profiles)

Size: 1,195 x 1,198 mm

Frame Element-Corner Connections: Mechanical Corner Cleat







Drainage: Visible

Colour: Frame Element: GROUP D RAL 7021 STRUCTU Black grey Structura


This position was subject to a preliminary structural design.

At least one glass of the position has no glass types assigned. Therefore it is impossible to perform a structural analysis for this glass!

## Frame Element

Profiles						
Drawing	Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
	1 (1) Pcs.	M901	DOUBLE INTERLOCK SLIDING FRAME RAIL WITHOUT BRUSH SILL	1,198.0	V - V	L / 1
	1 (1) Pcs.	M901	DOUBLE INTERLOCK SLIDING FRAME RAIL WITHOUT BRUSH SILL	1,198.0	V - V	R / 2
	1 (1) Pcs.	M901	DOUBLE INTERLOCK SLIDING FRAME RAIL WITHOUT BRUSH SILL	1,195.0	V - V	B / 3
	1 (1) Pcs.	M901	DOUBLE INTERLOCK SLIDING FRAME RAIL WITHOUT BRUSH SILL	1,195.0	V - V	T / 4
Accessories						
Drawing	Quantity	Number	Description	Colour		
	4 (4) pc	EX-1401126000	CORNER CONNECTOR DIE CAST 10,6x26,2mm			
	2 (2) pc	EX-6600090300	CENTRAL SEAL 25,7mm POLYAMIDE	BLACK		










## 1: Sliding Door - Handle Height: Centre (571.5 mm)

Hardware:	M900, Rollers: Aluminium Double Rollers < 130kg					
Weight:	12.0 kg		Size:	602 x 1,143 mm		
	11.5 kg			602 x 1,143 mm		
Profiles						
Drawing	Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
	1 (1) Pcs.	M905	SLIDING SASH PROFILE WITH GLAZING BEAD	1,143.0	V - V	L / 5

# Assembly List

Date:  
Project:





14-09-2019 / 21:01  
MYSCAPE MEA- Production - Glass order(14-09-2019)

Drawing	Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
	1 (1) Pcs.	M905	SLIDING SASH PROFILE WITH GLAZING BEAD	1,143.0	V - V	R / 6
	1 (1) Pcs.	M905	SLIDING SASH PROFILE WITH GLAZING BEAD	599.5	V - V	B / 7
	1 (1) Pcs.	M905	SLIDING SASH PROFILE WITH GLAZING BEAD	599.5	V - V	T / 8
	1 (1) Pcs.	M905	SLIDING SASH PROFILE WITH GLAZING BEAD	1,143.0	V - V	L / 9
	1 (1) Pcs.	M905	SLIDING SASH PROFILE WITH GLAZING BEAD	1,143.0	V - V	R / 10
	1 (1) Pcs.	M905	SLIDING SASH PROFILE WITH GLAZING BEAD	599.5	V - V	B / 11
	1 (1) Pcs.	M905	SLIDING SASH PROFILE WITH GLAZING BEAD	599.5	V - V	T / 12
	1 (1) Pcs.	M903	SLIDING INTERLOCK	1,113.0	I - I	R / 13
	1 (1) Pcs.	M903	SLIDING INTERLOCK	1,113.0	I - I	L / 14




## Glass

Quantity	Width [mm]	Height [mm]	Area [m²]	Description	Field
2 (2) Pcs.	499	1,043	0.52	6MM THK., 6 mm Inside: TSG, 3 mm Outside: TSG, 3 mm	1


## Hardware

Drawing	Quantity	Number	Description	Colour	Seq.No.
	4 (4) pc	EX-6000220502	ROLLER ALUMINIUM DOUBLE WITH PLATE M9200 27mm / Bottom Rail		B
	2 (2) pc	EX-6302456003	ALUMIL SLIDING LOCK	BLACK	
	2 (2) pc	EX-6302480000	ALUMIL SLIDING LOCKING KIT FOR 28mm SASHES		
	4 (4) pc	EX-6500330000	SHOCK ABSORBER M900 / Lock Side	BLACK	Ha

## Gaskets

Drawing	Quantity	Number	Description	Colour
	6.17 (6.17) m	EX-2000800301	GLAZING GASKET 3mm EPDM BLACK	BLACK
	6.17 (6.17) m	EX-2000800401	GLAZING GASKET 4mm EPDM BLACK	BLACK
	14.23 (14.23) m	EX-6206910603	BRUSH PILE SEAL 6mm 4P	BLACK




## Accessories

Drawing	Quantity	Number	Description	Colour
	8 (8) pc	EX-1401123000	CORNER CONNECTOR DIE CAST 10,6x23,9mm	

# Assembly List

Date:  
Project:


14-09-2019 / 21:01  
MYSCAPEMEA- Production - Glass order(14-09-2019)

Drawing	Quantity	Number	Description	Colour
	16 (16) pc	EX-1801900001	ALIGNMENT CORNER INOX THIN	INOX
	12 (12) pc	EX-2900000500	SETTING BLOCK 5mm	BLACK
	2 (2) Pair	EX-3119000300	END CAP FOR PROFILE M903 BLACK	BLACK

# Assembly List

Date: 14-09-2019 / 21:01  
Project: MYSCAPE MEA- Production - Glass order(14-09-2019)

Person in Charge: maldar



## Position: 10 & 11F-SW13

Quantity: 1 Pcs.

Phase: LOT-02 production

System: Alumil M900 Basic EPDM

Scale: 1: 50 / Interior View

Weight of Position (w/o Accessories): 14.34 (14.34) kg  
(6.45 kg Fillings / 7.89 kg Profiles)

Size: 607 x 1,203 mm

Frame Element-Corner Connections: Mechanical Corner Cleat

Drainage: Visible

Colour: Frame Element: GROUP D RAL 7021 STRUCTU Black grey Structura



This position was subject to a preliminary structural design.

At least one glass of the position has no glass types assigned. Therefore it is impossible to perform a structural analysis for this glass!

## Frame Element

Profiles						
Drawing	Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
	1 (1) Pcs.	M901	DOUBLE INTERLOCK SLIDING FRAME RAIL WITHOUT BRUSH SILL	1,203.0	V - V	L / 1
	1 (1) Pcs.	M901	DOUBLE INTERLOCK SLIDING FRAME RAIL WITHOUT BRUSH SILL	1,203.0	V - V	R / 2
	1 (1) Pcs.	M901	DOUBLE INTERLOCK SLIDING FRAME RAIL WITHOUT BRUSH SILL	607.0	V - V	B / 3
	1 (1) Pcs.	M901	DOUBLE INTERLOCK SLIDING FRAME RAIL WITHOUT BRUSH SILL	607.0	V - V	T / 4
Accessories						
Drawing	Quantity	Number	Description	Colour		
	4 (4) pc	EX-1401126000	CORNER CONNECTOR DIE CAST 10,6x26,2mm			
	2 (2) pc	EX-6600090300	CENTRAL SEAL 25,7mm POLYAMIDE	BLACK		









## 1: Sliding Door - Handle Height: Centre (574 mm)

Hardware:	M900, Rollers: Aluminium Double Rollers < 130kg					
Weight:	6.9 kg	Size:		308 x 1,148 mm		
	6.4 kg			308 x 1,148 mm		
Profiles						
Drawing	Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
	1 (1) Pcs.	M905	SLIDING SASH PROFILE WITH GLAZING BEAD	1,148.0	V - V	L / 5
	1 (1) Pcs.	M905	SLIDING SASH PROFILE WITH GLAZING BEAD	1,148.0	V - V	R / 6

# Assembly List

Date:  
Project:





14-09-2019 / 21:01  
MYSCAPEMEA- Production - Glass order(14-09-2019)

Drawing	Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
	1 (1) Pcs.	M905	SLIDING SASH PROFILE WITH GLAZING BEAD	305.5	V - V	B / 7
	1 (1) Pcs.	M905	SLIDING SASH PROFILE WITH GLAZING BEAD	305.5	V - V	T / 8
	1 (1) Pcs.	M905	SLIDING SASH PROFILE WITH GLAZING BEAD	1,148.0	V - V	L / 9
	1 (1) Pcs.	M905	SLIDING SASH PROFILE WITH GLAZING BEAD	1,148.0	V - V	R / 10
	1 (1) Pcs.	M905	SLIDING SASH PROFILE WITH GLAZING BEAD	305.5	V - V	B / 11
	1 (1) Pcs.	M905	SLIDING SASH PROFILE WITH GLAZING BEAD	305.5	V - V	T / 12
	1 (1) Pcs.	M903	SLIDING INTERLOCK	1,118.0	I - I	R / 13
	1 (1) Pcs.	M903	SLIDING INTERLOCK	1,118.0	I - I	L / 14




## Glass

Quantity	Width [mm]	Height [mm]	Area [m²]	Description	Field
2 (2) Pcs.	205	1,048	0.22	6MM THK., 6 mm Inside: TSG, 3 mm Outside: TSG, 3 mm	1




## Hardware

Drawing	Quantity	Number	Description	Colour	Seq.No.
	4 (4) pc	EX-6000220502	ROLLER ALUMINIUM DOUBLE WITH PLATE M9200 27mm / Bottom Rail		B
	2 (2) pc	EX-6302456003	ALUMIL SLIDING LOCK	BLACK	
	2 (2) pc	EX-6302480000	ALUMIL SLIDING LOCKING KIT FOR 28mm SASHES		
	4 (4) pc	EX-6500330000	SHOCK ABSORBER M900 / Lock Side	BLACK	Ha

## Gaskets

Drawing	Quantity	Number	Description	Colour
	4.98 (4.98) m	EX-2000800301	GLAZING GASKET 3mm EPDM	BLACK
	4.98 (4.98) m	EX-2000800401	GLAZING GASKET 4mm EPDM	BLACK
	11.85 (11.85) m	EX-6206910603	BRUSH PILE SEAL 6mm 4P	BLACK


## Accessories

Drawing	Quantity	Number	Description	Colour
	8 (8) pc	EX-1401123000	CORNER CONNECTOR DIE CAST 10,6x23,9mm	
	16 (16) pc	EX-1801900001	ALIGNMENT CORNER INOX THIN	INOX
	12 (12) pc	EX-2900000500	SETTING BLOCK 5mm	BLACK

# Assembly List

Date:  
Project:


14-09-2019 / 21:01  
MYSCAPE MEA- Production - Glass order(14-09-2019)

Drawing	Quantity	Number	Description	Colour
	2 (2) Pair	EX-3119000300	END CAP FOR PROFILE M903 BLACK	BLACK

# Assembly List

Date: 14-09-2019 / 21:01  
Project: MYSCAPE MEA- Production - Glass order(14-09-2019)

Person in Charge: maldar



## Position: 12 & 13F-SW13

Quantity: 1 Pcs.  
Phase: LOT-02 production  
System: Alumil M900 Basic EPDM

Scale: 1: 50 / Interior View

Weight of Position (w/o Accessories): 14.55 (14.55) kg  
(6.61 kg Fillings / 7.94 kg Profiles)

Size: 615 x 1,208 mm

Frame Element-Corner Connections: Mechanical Corner Cleat

Drainage: Visible

Colour: Frame Element: GROUP D RAL 7021 STRUCTU Black grey Structura



This position was subject to a preliminary structural design.

At least one glass of the position has no glass types assigned. Therefore it is impossible to perform a structural analysis for this glass!

## Frame Element

Profiles						
Drawing	Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
	1 (1) Pcs.	M901	DOUBLE INTERLOCK SLIDING FRAME RAIL WITHOUT BRUSH SILL	1,208.0	V - V	L / 1
	1 (1) Pcs.	M901	DOUBLE INTERLOCK SLIDING FRAME RAIL WITHOUT BRUSH SILL	1,208.0	V - V	R / 2
	1 (1) Pcs.	M901	DOUBLE INTERLOCK SLIDING FRAME RAIL WITHOUT BRUSH SILL	615.0	V - V	B / 3
	1 (1) Pcs.	M901	DOUBLE INTERLOCK SLIDING FRAME RAIL WITHOUT BRUSH SILL	615.0	V - V	T / 4
Accessories						
Drawing	Quantity	Number	Description	Colour		
	4 (4) pc	EX-1401126000	CORNER CONNECTOR DIE CAST 10,6x26,2mm			
	2 (2) pc	EX-6600090300	CENTRAL SEAL 25,7mm POLYAMIDE	BLACK		









## 1: Sliding Door - Handle Height: Centre (576.5 mm)

Hardware:	M900, Rollers: Aluminium Double Rollers < 130kg					
Weight:	7.0 kg		Size:	312 x 1,153 mm		
	6.5 kg			312 x 1,153 mm		
Profiles						
Drawing	Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
	1 (1) Pcs.	M905	SLIDING SASH PROFILE WITH GLAZING BEAD	1,153.0	V - V	L / 5
	1 (1) Pcs.	M905	SLIDING SASH PROFILE WITH GLAZING BEAD	1,153.0	V - V	R / 6

# Assembly List

Date:  
Project:





14-09-2019 / 21:01  
MYSCAPEMEA- Production - Glass order(14-09-2019)

Drawing	Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
	1 (1) Pcs.	M905	SLIDING SASH PROFILE WITH GLAZING BEAD	309.5	V - V	B / 7
	1 (1) Pcs.	M905	SLIDING SASH PROFILE WITH GLAZING BEAD	309.5	V - V	T / 8
	1 (1) Pcs.	M905	SLIDING SASH PROFILE WITH GLAZING BEAD	1,153.0	V - V	L / 9
	1 (1) Pcs.	M905	SLIDING SASH PROFILE WITH GLAZING BEAD	1,153.0	V - V	R / 10
	1 (1) Pcs.	M905	SLIDING SASH PROFILE WITH GLAZING BEAD	309.5	V - V	B / 11
	1 (1) Pcs.	M905	SLIDING SASH PROFILE WITH GLAZING BEAD	309.5	V - V	T / 12
	1 (1) Pcs.	M903	SLIDING INTERLOCK	1,123.0	I - I	R / 13
	1 (1) Pcs.	M903	SLIDING INTERLOCK	1,123.0	I - I	L / 14




## Glass

Quantity	Width [mm]	Height [mm]	Area [m²]	Description	Field
2 (2) Pcs.	209	1,053	0.22	6MM THK., 6 mm Inside: TSG, 3 mm Outside: TSG, 3 mm	1




## Hardware

Drawing	Quantity	Number	Description	Colour	Seq.No.
	4 (4) pc	EX-6000220502	ROLLER ALUMINIUM DOUBLE WITH PLATE M9200 27mm / Bottom Rail		B
	2 (2) pc	EX-6302456003	ALUMIL SLIDING LOCK	BLACK	
	2 (2) pc	EX-6302480000	ALUMIL SLIDING LOCKING KIT FOR 28mm SASHES		
	4 (4) pc	EX-6500330000	SHOCK ABSORBER M900 / Lock Side	BLACK	Ha

## Gaskets

Drawing	Quantity	Number	Description	Colour
	5.02 (5.02) m	EX-2000800301	GLAZING GASKET 3mm EPDM	BLACK
	5.02 (5.02) m	EX-2000800401	GLAZING GASKET 4mm EPDM	BLACK
	11.93 (11.93) m	EX-6206910603	BRUSH PILE SEAL 6mm 4P	BLACK

## Accessories


Drawing	Quantity	Number	Description	Colour
	8 (8) pc	EX-1401123000	CORNER CONNECTOR DIE CAST 10,6x23,9mm	
	16 (16) pc	EX-1801900001	ALIGNMENT CORNER INOX THIN	INOX
	12 (12) pc	EX-2900000500	SETTING BLOCK 5mm	BLACK



# Assembly List

Date:  
Project:


14-09-2019 / 21:01  
MYSCAPE MEA- Production - Glass order(14-09-2019)

Drawing	Quantity	Number	Description	Colour
	2 (2) Pair	EX-3119000300	END CAP FOR PROFILE M903 BLACK	BLACK

# Assembly List

Date: 14-09-2019 / 21:01  
Project: MYSCAPE MEA- Production - Glass order(14-09-2019)

Person in Charge: maldar



## Position: 10 & 11F-V1

Quantity: 1 Pcs.

Phase: LOT-02 production

System: Alumil M15000 Basic Standard Standard  
(Vertical Passing) EPDM

Scale: 1: 50 / Interior View

Weight of Position (w/o Accessories): 16.00 (16.00) kg  
(6.90 kg Fillings / 9.10 kg Profiles)

Size: 600 x 1,199 mm

Frame Element-Corner Connections: Spring Cleat

Window-Corner Connections: Spring Cleat

Drainage: Visible

Colour: Frame Element: GROUP D RAL 7021 STRUCTU Black grey Structura

This position was subject to a preliminary structural design.

## Frame Element

Profiles						
Drawing	Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
	1 (1) Pcs.	M15008	HINGED FRAME	1,199.0	V - V	L / 1
	1 (1) Pcs.	M15008	HINGED FRAME	1,199.0	V - V	R / 2
	1 (1) Pcs.	M15008	HINGED FRAME	600.0	V - V	B / 3
	1 (1) Pcs.	M15008	HINGED FRAME	600.0	V - V	T / 4
Accessories						
Drawing	Quantity	Number	Description	Colour		
	4 (4) pc	EX-1251346400	MECHANICAL CORNER CLEAT 13x46,4mm			
	4 (4) pc	EX-1802501000	ALIGNMENT CORNER 11 25 10 11000	BLACK		
	2 (2) pc	EX-3101150103	WATER EVACUATION CAP ROUND	BLACK		














## 1: Top Hung Window open Out - Handle Height: Centre (280 mm)

Hardware:	TOP HUNG WITH HD ARMS, Handle: With Right Cranked Handle (BLACK), Extra Splindle: Without (Sash Depth<70mm&OnePo, Friction Hinge: Max. 1700x1500mm - 80kg					
Weight:	15.4 kg		Size:	560 x 1,159 mm		
Profiles						
Drawing	Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
	1 (1) Pcs.	M15460	HINGED SASH EUROPEAN GROOVE OPENING OUTSIDE WINDOW PROFILE	1,159.0	V - V	L / 5

# Assembly List

Date:  
Project:




14-09-2019 / 21:01  
MYSCAPEMEA- Production - Glass order(14-09-2019)

Drawing	Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
	1 (1) Pcs.	M15460	HINGED SASH EUROPEAN GROOVE OPENING OUTSIDE WINDOW PROFILE	1,159.0	V - V	R / 6
	1 (1) Pcs.	M15460	HINGED SASH EUROPEAN GROOVE OPENING OUTSIDE WINDOW PROFILE	560.0	V - V	B / 7
	1 (1) Pcs.	M15460	HINGED SASH EUROPEAN GROOVE OPENING OUTSIDE WINDOW PROFILE	560.0	V - V	T / 8
	1 (1) Pcs.	M9316	BOLT ROD MECH. PROFILE / Above Handle	192.0	I - I	
	1 (1) Pcs.	M9316	BOLT ROD MECH. PROFILE / Below Handle	212.0	I - I	
Glazings Beads						
Drawing	Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
	1 (1) Pcs.	M11454	GLAZING BEAD	1,051.0	I - I	L
	1 (1) Pcs.	M11454	GLAZING BEAD	1,051.0	I - I	R
	1 (1) Pcs.	M11454	GLAZING BEAD	408.0	I - I	B
	1 (1) Pcs.	M11454	GLAZING BEAD	408.0	I - I	T
Glass						
Quantity	Width [mm]	Height [mm]	Area [m²]	Description	Field	
1 (1) Pcs.	442	1,041	0.46	6MM THK. GLASS, 6 mm Inside: TSG, 6 mm	1	
Hardware						
Drawing	Quantity	Number	Description	Colour	Seq.No.	
	1 (1) pc	EX-3809976661	CRANKED SLIM HANDLE FACADE/SLIDING ALUMIL PIN63mm RIGHT LIGH / Lock Side	BLACK	Ha	
	8 (8) pc	EX-4000197100	SHIM FOR 14/18 FRAMES FOR PROJECTING-OUT WINDOW STAY ARMS			
	1 (1) Pair	EX-4008351000	TOP HUNG ARM 22" EURO GROOVE 80/100KG 45/20 DEGREE OPEN / Lateral		L	
	2 (2) pc	EX-4156239000	LOCKING PIN ELEMENT AK-8			
	1 (1) pc	EX-4159483500	GEAR FOR SPINDLE HANDLE 90o F:35mm GU / Lock Side		Ha	
	2 (2) pc	EX-4159590100	LOCKING PLATE NOT ADJUSTABLE AK-8			
Gaskets						
Drawing	Quantity	Number	Description	Colour		
	2.92 (2.92) m	EX-2000686001	OUTSIDE GLAZING GASKET PLUGGED 3mm EPDM BLACK	BLACK		

# Assembly List

Date:  
Project:


14-09-2019 / 21:01  
MYSCAPEMEA- Production - Glass order(14-09-2019)

Drawing	Quantity	Number	Description	Colour
	2.92 (2.92) m	EX-2000800601	GLAZING GASKET 6mm EPDM BLACK	BLACK
	3.16 (3.16) m	EX-2101500001	CENTRAL GASKET M15000 EPDM BLACK	BLACK
	3.54 (3.54) m	EX-2201100101	SEAL GASKET FRAME 2mm EPDM BLACK	BLACK
	3.54 (3.54) m	EX-2201500101	SEAL GASKET 5mm EPDM BLACK	BLACK
<b>Accessories</b>				
Drawing	Quantity	Number	Description	Colour
	4 (4) pc	EX-1252340000	MECHANICAL CORNER CLEAT 23x39,8mm	
	4 (4) pc	EX-1801500400	ALIGNMENT CORNER M15000	BLACK
	4 (4) pc	EX-1801500700	ALIGNMENT CORNER LARGE M15000	BLACK
	4 (4) pc	EX-1801900001	ALIGNMENT CORNER INOX THIN	INOX
	4 (4) pc	EX-2551500001	VULCANIZED CORNER FOR M15000 CENTRAL GASKET EPDM BLACK	BLACK
	6 (6) pc	EX-2900000500	SETTING BLOCK 5mm	BLACK
	2 (2) pc	EX-4165575100	COUNTERSUNK HANDLE SCREW M5X75 DIN 965, 4.8-H / Lock Side	

# Assembly List

Date: 14-09-2019 / 21:01  
Project: MYSCAPE MEA- Production - Glass order(14-09-2019)

Person in Charge: maldar



## Position: 12 & 13F-V1

Quantity: 1 Pcs.

Phase: LOT-02 production

System: Alumil M15000 Basic Standard Standard  
(Vertical Passing) EPDM

Scale: 1: 50 / Interior View

Weight of Position (w/o Accessories): 15.92 (15.92) kg  
(6.84 kg Fillings / 9.08 kg Profiles)

Size: 596 x 1,199 mm

Frame Element-Corner Connections: Spring Cleat

Window-Corner Connections: Spring Cleat

Drainage: Visible

Colour: Frame Element: GROUP D RAL 7021 STRUCTU Black grey Structura

This position was subject to a preliminary structural design.

## Frame Element

Profiles						
Drawing	Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
	1 (1) Pcs.	M15008	HINGED FRAME	1,199.0	V - V	L / 1
	1 (1) Pcs.	M15008	HINGED FRAME	1,199.0	V - V	R / 2
	1 (1) Pcs.	M15008	HINGED FRAME	596.0	V - V	B / 3
	1 (1) Pcs.	M15008	HINGED FRAME	596.0	V - V	T / 4
Accessories						
Drawing	Quantity	Number	Description	Colour		
	4 (4) pc	EX-1251346400	MECHANICAL CORNER CLEAT 13x46,4mm			
	4 (4) pc	EX-1802501000	ALIGNMENT CORNER 11 25 10 11000	BLACK		
	2 (2) pc	EX-3101150103	WATER EVACUATION CAP ROUND	BLACK		






## 1: Top Hung Window open Out - Handle Height: Centre (278 mm)

Hardware:	TOP HUNG WITH HD ARMS, Handle: With Right Cranked Handle (BLACK), Extra Splindle: Without (Sash Depth<70mm&OnePo, Friction Hinge: Max. 1700x1500mm - 80kg					
Weight:	15.3 kg		Size:	556 x 1,159 mm		
Profiles						
Drawing	Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
	1 (1) Pcs.	M15460	HINGED SASH EUROPEAN GROOVE OPENING OUTSIDE WINDOW PROFILE	1,159.0	V - V	L / 5





# Assembly List

Date:  
Project:

14-09-2019 / 21:01  
MYSCAPE MEA- Production - Glass order(14-09-2019)

Drawing	Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
	1 (1) Pcs.	M15460	HINGED SASH EUROPEAN GROOVE OPENING OUTSIDE WINDOW PROFILE	1,159.0	V - V	R / 6
	1 (1) Pcs.	M15460	HINGED SASH EUROPEAN GROOVE OPENING OUTSIDE WINDOW PROFILE	556.0	V - V	B / 7
	1 (1) Pcs.	M15460	HINGED SASH EUROPEAN GROOVE OPENING OUTSIDE WINDOW PROFILE	556.0	V - V	T / 8
	1 (1) Pcs.	M9316	BOLT ROD MECH. PROFILE / Above Handle	190.0	I - I	
	1 (1) Pcs.	M9316	BOLT ROD MECH. PROFILE / Below Handle	210.0	I - I	

## Glazings Beads

Drawing	Quantity	Number	Description	Length [mm]	Cut	Orientation / Seq.No.
	1 (1) Pcs.	M11454	GLAZING BEAD	1,051.0	I - I	L
	1 (1) Pcs.	M11454	GLAZING BEAD	1,051.0	I - I	R
	1 (1) Pcs.	M11454	GLAZING BEAD	404.0	I - I	B
	1 (1) Pcs.	M11454	GLAZING BEAD	404.0	I - I	T


## Glass

Quantity	Width [mm]	Height [mm]	Area [m²]	Description	Field
1 (1) Pcs.	438	1,041	0.46	6MM THK. GLASS, 6 mm Inside: TSG, 6 mm	1

## Hardware

Drawing	Quantity	Number	Description	Colour	Seq.No.
	1 (1) pc	EX-3809976661	CRANKED SLIM HANDLE FACADE/SLIDING ALUMIL PIN63mm RIGHT LIGH / Lock Side	BLACK	Ha
	8 (8) pc	EX-4000197100	SHIM FOR 14/18 FRAMES FOR PROJECTING-OUT WINDOW STAY ARMS		
	1 (1) Pair	EX-4008351000	TOP HUNG ARM 22" EURO GROOVE 80/100KG 45/20 DEGREE OPEN / Lateral		L
	2 (2) pc	EX-4156239000	LOCKING PIN ELEMENT AK-8		
	1 (1) pc	EX-4159483500	GEAR FOR SPINDLE HANDLE 90o F:35mm GU / Lock Side		Ha
	2 (2) pc	EX-4159590100	LOCKING PLATE NOT ADJUSTABLE AK-8		








## Gaskets

Drawing	Quantity	Number	Description	Colour
	2.91 (2.91) m	EX-2000686001	OUTSIDE GLAZING GASKET PLUGGED 3mm EPDM BLACK	BLACK

# Assembly List

Date:  
Project:

14-09-2019 / 21:01  
MYSCAPEMEA- Production - Glass order(14-09-2019)

Drawing	Quantity	Number	Description	Colour
	2.91 (2.91) m	EX-2000800601	GLAZING GASKET 6mm EPDM BLACK	BLACK
	3.15 (3.15) m	EX-2101500001	CENTRAL GASKET M15000 EPDM BLACK	BLACK
	3.53 (3.53) m	EX-2201100101	SEAL GASKET FRAME 2mm EPDM BLACK	BLACK
	3.53 (3.53) m	EX-2201500101	SEAL GASKET 5mm EPDM BLACK	BLACK
<b>Accessories</b>				
Drawing	Quantity	Number	Description	Colour
	4 (4) pc	EX-1252340000	MECHANICAL CORNER CLEAT 23x39,8mm	
	4 (4) pc	EX-1801500400	ALIGNMENT CORNER M15000	BLACK
	4 (4) pc	EX-1801500700	ALIGNMENT CORNER LARGE M15000	BLACK
	4 (4) pc	EX-1801900001	ALIGNMENT CORNER INOX THIN	INOX
	4 (4) pc	EX-2551500001	VULCANIZED CORNER FOR M15000 CENTRAL GASKET EPDM BLACK	BLACK
	6 (6) pc	EX-2900000500	SETTING BLOCK 5mm	BLACK
	2 (2) pc	EX-4165575100	COUNTERSUNK HANDLE SCREW M5X75 DIN 965, 4.8-H / Lock Side	

## Factory Production Control

Characteristics	Check		Remark
	Yes	No	
<b>Profiles / Glazings Beads</b>			
Corner connectors			
T-Connector			
Sealing			
Nail Connection			
Crimp Connection			
Cut Surface Bonding			
<b>Glass</b>			
Glazing Bead			
Glass Support			
Correct Glazing Side Outside			
Glazing Bead Cutting			
Filling Free from Defects			
<b>Hardware</b>			
Installation			
Hardware			
Locking Distance			
Function			
<b>Gaskets</b>			
Gasket			
Corner Design			
Joint Bonding			
<b>Accessories</b>			
End Caps Glued/Screwed			
Sealing			
Fixing Distance			
<b>Final Check</b>			
Visual Defects			
Function			

\_\_\_\_\_  
Date, Signature