

Case Study: Travel Bliss – A Travel Booking Website

Scenario

You are tasked with creating a small, multi-page travel booking website called "**Travel Bliss**". The site will allow users to:

1. Navigate between pages (Home, Destinations, Booking, Contact).
2. View travel destinations in a grid layout.
3. Fill out a booking form.
4. Experience good design using the **CSS3 Box Model** and **Positioning**.
5. Have a consistent header and footer on every page.
6. Include responsive design basics.

Page Structure

1. **index.html** – Home page
2. **destinations.html** – Grid of images
3. **booking.html** – Booking form with radio buttons & checkboxes
4. **contact.html** – Contact info and form
5. **style.css** – External CSS file

Case Study 2: “EcoTour – Explore Nature”

Type: Single Page Application (SPA)

Tech: HTML5, CSS3

Features:

1. **Header & Branding** – Logo and site title.

2. **Navigation Bar** – Sticky nav using <nav> with internal section links (#about, #gallery, #contact).
3. **Hero Section** – Full-width banner image.
4. **About Section** – Describes the purpose of the site.
5. **Image Gallery** – Grid layout for travel images.
6. **Contact Form** – HTML5 form validation with radio buttons.
7. **Social Media Links** – Icon links in the footer.
8. **CSS3 Box Model & Positioning** – Used for clean layout.
9. **Responsive Design** – Media queries for small screens.

Case Study: Travel Bliss – A Travel Booking Website

Index.html

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="utf-8" />

  <meta name="viewport" content="width=device-width, initial-scale=1" />

  <title>Travel Bliss — Home</title>

  <link rel="stylesheet" href="style.css" />

  <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
  awesome/6.4.0/css/all.min.css">

</head>

<body>

  <header class="site-header">

    <a href="index.html" class="logo">  Travel <span>Bliss</span></a>

    <nav class="site-nav" aria-label="Primary">

      <a href="index.html" class="active">Home</a>

      <a href="destinations.html">Destinations</a>

      <a href="booking.html">Booking</a>

      <a href="contact.html">Contact</a>

    </nav>

  </header>

  <main>

    <section class="hero">

      <div class="hero-content">
```

<h1>Your next escape awaits</h1>

<p>Handpicked getaways, smooth bookings, and memories that last.</p>

Explore Destinations

</div>

</section>

<section class="features container">

<h2>Why Travel Bliss?</h2>

<div class="grid-3">

<article class="card">

<h3>Curated Spots</h3>

<p>Discover beaches, mountains, and cities loved by real travelers.</p>

</article>

<article class="card">

<h3>Smooth Booking</h3>

<p>Simple forms, instant confirmations, and flexible options.</p>

</article>

<article class="card">

<h3>24×7 Support</h3>

<p>We're around the clock to help before, during, and after.</p>

</article>

</div>

</section>

<section class="highlight container">

<h2>Popular Right Now</h2>

<div class="grid-3">

```
<a class="tile" href="destinations.html#bali">

  <span>Bali, Indonesia</span>

</a>

<a class="tile" href="destinations.html#paris">

  <span>Paris, France</span>

</a>

<a class="tile" href="destinations.html#maldives">

  <span>Maldives</span>

</a>

</div>

</section>

</main>

<footer class="site-footer">

<p>© <span id="year"></span> Travel Bliss · <a href="contact.html">Contact us</a></p>

<div class="social">

  <a href="https://www.instagram.com" target="_blank" aria-label="Instagram">

    <i class="fab fa-instagram"></i>

  </a>

  <a href="https://twitter.com" target="_blank" aria-label="Twitter">

    <i class="fab fa-twitter"></i>
```


<i class="fab fa-facebook"></i>

</div>

</footer>

<script>

document.getElementById('year').textContent = new Date().getFullYear();

</script>

</body>

</html>

destination.html

<!DOCTYPE html>

<html lang="en">

<head>

<meta charset="utf-8" />

<meta name="viewport" content="width=device-width, initial-scale=1" />

<title>Travel Bliss — Destinations</title>


<link rel="stylesheet" href="style.css" />

<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.4.0/css/all.min.css">

</head>

<body>

<header class="site-header">

  Travel Bliss

```
<nav class="site-nav" aria-label="Primary">

  <a href="index.html">Home</a>

  <a href="destinations.html" class="active">Destinations</a>

  <a href="booking.html">Booking</a>

  <a href="contact.html">Contact</a>

</nav>

</header>

<main class="container">

  <h1>Browse Destinations</h1>

  <p class="muted">Click a card to prefill your booking later.</p>

  <section class="grid-4 gallery">

    <!-- Bali -->

    <a id="bali" class="card link-card" href="booking.html?place=Bali">

      <h3>Bali, Indonesia</h3>

      <p>Beaches, temples, cafes.</p>

    </a>

    <!-- Paris -->

    <a id="paris" class="card link-card" href="booking.html?place=Paris">

      <h3>Paris, France</h3>

      <p>Art, pastries, strolls.</p>
```


<!-- Maldives -->

<h3>Maldives</h3>

<p>Overwater villas and lagoons.</p>

<!-- Kyoto -->

<h3>Kyoto, Japan</h3>

<p>Temples and tea houses.</p>

</section>

</main>

<footer class="site-footer">

<p>© Travel Bliss</p>

<div class="social">

<i class="fab fa-instagram"></i>


```
<i class="fab fa-twitter"></i>

</a>

<a href="https://facebook.com" target="_blank" aria-label="Facebook">

  <i class="fab fa-facebook"></i>

</a>

</div>

</footer>


<script>

  document.getElementById('year').textContent = new Date().getFullYear();

</script>

</body>

</html>
```

booking.html

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="utf-8" />

  <meta name="viewport" content="width=device-width, initial-scale=1" />


  <title>Travel Bliss — Booking</title>

  <link rel="stylesheet" href="style.css" />

</head>

<body>

<header class="site-header">

  <a href="index.html" class="logo">  Travel <span>Bliss</span></a>

  <nav class="site-nav" aria-label="Primary">
```

Home

Destinations

Booking

Contact

</nav>

</header>

<main class="container">

<h1>Book Your Trip</h1>

<form class="form card" action="success.html" method="get" novalidate>

<div class="form-row">

<label for="fullname">Full Name*</label>

<input id="fullname" name="fullname" type="text" required placeholder="e.g., jyothsna
Pulleerapu" />

</div>

<div class="form-row">

<label for="email">Email*</label>

<input id="email" name="email" type="email" required placeholder="you@example.com" />

</div>

<div class="form-row">

<label for="destination">Destination*</label>

<input id="destination" name="destination" type="text" required placeholder="Bali, Paris..."
/>

</div>

```
<div class="form-row">

  <label for="dates">Travel Dates*</label>

  <input id="dates" name="dates" type="date" required />

</div>
```

```
<fieldset class="form-row">

  <legend>Travel Class*</legend>

  <label><input type="radio" name="class" value="economy" required /> Economy</label>

  <label><input type="radio" name="class" value="business" /> Business</label>

  <label><input type="radio" name="class" value="first" /> First</label>

</fieldset>
```

```
<fieldset class="form-row">

  <legend>Add-ons</legend>

  <label><input type="checkbox" name="addons" value="meals" /> In-flight meals</label>

  <label><input type="checkbox" name="addons" value="insurance" /> Travel

  insurance</label>

  <label><input type="checkbox" name="addons" value="pickup" /> Airport pickup</label>

</fieldset>
```

```
<div class="form-row">

  <label for="notes">Notes</label>

  <textarea id="notes" name="notes" rows="4" placeholder="Any preferences or

  requests?"></textarea>

</div>
```

```
<div class="form-row">

  <button type="submit" class="btn">Submit Booking</button>

  <button type="reset" class="btn btn-ghost">Reset</button>

</div>

<p class="muted small">* Required fields</p>

</form>

</main>


<footer class="site-footer">

  <p>© <span id="year"></span> Travel Bliss</p>

</footer>


<script>

  // Prefill from query like ?place=Bali

  const params = new URLSearchParams(location.search);

  const place = params.get('place');

  if (place) document.getElementById('destination').value = place;

  document.getElementById('year').textContent = new Date().getFullYear();

</script>

</body>

</html>
```

Contact.html

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="utf-8" />
```

```
<meta name="viewport" content="width=device-width, initial-scale=1" />


<title>Travel Bliss — Contact</title>

<link rel="stylesheet" href="style.css" />

</head>

<body>

<header class="site-header">

  <a href="index.html" class="logo">  Travel <span>Bliss</span></a>

  <nav class="site-nav" aria-label="Primary">

    <a href="index.html">Home</a>

    <a href="destinations.html">Destinations</a>

    <a href="booking.html">Booking</a>

    <a href="contact.html" class="active">Contact</a>

  </nav>

</header>

<main class="container">

  <h1>Contact Us</h1>

  <div class="grid-2">

    <section class="card">

      <h2>Get in touch</h2>

      <p>Email: <a href="mailto:support@travelbliss.example">support@travelbliss.example</a></p>

      <p>Phone: +91-90000-00000</p>

      <p>Address: 42 Beach Rd, Goa, India</p>

      <div class="map-placeholder" role="img" aria-label="Map placeholder">Map</div>

    </section>

  </div>

</main>
```

```
<form class="form card" action="success.html" method="post" novalidate>

  <div class="form-row">

    <label for="cname">Name*</label>

    <input id="cname" name="name" type="text" required />

  </div>

  <div class="form-row">

    <label for="cemail">Email*</label>

    <input id="cemail" name="email" type="email" required />

  </div>

  <fieldset class="form-row">

    <legend>Reason*</legend>

    <label><input type="radio" name="reason" value="support" required /> Support</label>

    <label><input type="radio" name="reason" value="sales" /> Sales</label>

    <label><input type="radio" name="reason" value="other" /> Other</label>

  </fieldset>

  <div class="form-row">

    <label for="cmsg">Message*</label>

    <textarea id="cmsg" name="message" rows="4" required></textarea>

  </div>

  <div class="form-row">

    <button class="btn" type="submit">Send</button>

  </div>

  <p class="muted small">* Required fields</p>

</form>

</div>

</main>
```

```
<footer class="site-footer">

  <p>© <span id="year"></span> Travel Bliss</p>

</footer>

<script>document.getElementById('year').textContent = new Date().getFullYear();</script>

</body>

</html>
```

style.css

```
:root{

  --bg: #0f172a;

  --panel: #111827;

  --muted: #9ca3af;

  --text: #e5e7eb;

  --brand: #22c55e;

  --brand-2: #06b6d4;

  --ring: rgba(34,197,94,.35);

}


*{

  box-sizing:border-box

}

html,body{

  margin:0

}

body{

  background: linear-gradient(180deg, var(--bg), #0a0f1f 65%);

  color: var(--text);
```

```
font: 16px/1.6 system-ui, -apple-system, Segoe UI, Roboto, "Helvetica Neue", Arial, "Noto  
Sans", "Apple Color Emoji", "Segoe UI Emoji";  
}
```

```
.site-header{  
  
  position: sticky; top: 0; z-index: 100;  
  
  display:flex; align-items:center; justify-content:space-between;  
  
  gap:1rem; padding:.85rem 1rem;  
  
  background: rgba(15,23,42,.7); backdrop-filter: blur(6px);  
  
  border-bottom: 1px solid rgba(255,255,255,.06);  
  
}
```

```
.logo{  
  
  font-weight:800; text-decoration:none; color:var(--text)  
  
}
```

```
.logo span{  
  
  color:var(--brand)  
  
}
```

```
.site-nav a{  
  
  color:var(--muted); text-decoration:none; padding:.55rem .8rem; border-radius:.75rem;  
  
}
```

```
.site-nav a:hover, .site-nav a.active{  
  
  color:#fff; background:rgba(255,255,255,.06)  
  
}
```

```
.hero{  
  
  min-height: 68vh;  
  
  background:
```



```
linear-gradient(rgba(0,0,0,.55), rgba(0,0,0,.55)),
url("https://images.unsplash.com/photo-1500530855697-b586d89ba3ee?q=80&w=1920")
center/cover no-repeat;

display:grid; place-items:center; text-align:center; padding:3rem 1rem;
}

.hero-content h1 {
  font-size: clamp(2rem, 5vw, 3.2rem); margin:0 0 .5rem
}

.hero-content p{
  color:var(--muted); margin:0 0 1.25rem
}

.btn{
  display:inline-block; border:0; padding:.8rem 1.1rem; border-radius:.9rem;
  background: linear-gradient(90deg, var(--brand), var(--brand-2));
  color:#00110a; font-weight:700; text-decoration:none; cursor:pointer;
  box-shadow: 0 8px 30px var(--ring);
}

.btn:focus{
  outline:2px solid var(--ring); outline-offset:2px
}

.btn-ghost{
  background:transparent; color:#fff; border:1px solid rgba(255,255,255,.18)
}

.container{
  max-width:1100px; margin-inline:auto; padding:2rem 1rem
```

```

}

.grid-3 {display:grid; gap:1rem; grid-template-columns:repeat(3,1fr)}

.grid-4 {display:grid; gap:1rem; grid-template-columns:repeat(4,1fr)}

.grid-2 {display:grid; gap:1rem; grid-template-columns:1.2fr .8fr}

@media (max-width: 900px){

    .grid-4 {grid-template-columns:repeat(2,1fr)}

    .grid-3 {grid-template-columns:repeat(2,1fr)}

    .grid-2 {grid-template-columns:1fr}

}

@media (max-width: 520px){

    .grid-4,.grid-3 {grid-template-columns:1fr}

}

.card{

    background: linear-gradient(180deg, rgba(255,255,255,.03), rgba(255,255,255,.015));

    border: 1px solid rgba(255,255,255,.08);

    border-radius: 1rem; padding:1rem;

    box-shadow: 0 10px 30px rgba(0,0,0,.25);

}

.link-card{

    transition: transform .2s ease, box-shadow .2s ease

}

.link-card:hover{

    transform: translateY(-4px); box-shadow: 0 16px 40px rgba(0,0,0,.35)

}

.card img, .tile img{

    width:100%; height:220px; object-fit:cover; border-radius:.8rem

```

```
}

.tile{

  position:relative; display:block; color:#fff; text-decoration:none

}

.tile span{

  position:absolute; left:.8rem; bottom:.8rem; background:rgba(0,0,0,.5);

  padding:.35rem .55rem; border-radius:.5rem; font-weight:600; backdrop-filter: blur(4px);

}


.form{

  display:grid; gap:1rem

}

.form-row{

  display:grid; gap:.35rem

}

label{

  font-weight:600

}

input[type="text"], input[type="email"], input[type="date"],textarea{

  width:100%; padding:.8rem 1rem; border-radius:.8rem; border:1px solid rgba(255,255,255,.14);

  background: rgba(255,255,255,.03); color:var(--text);

}

input:focus,textarea:focus{

  outline:2px solid var(--ring); outline-offset:2px}

fieldset{border:1px dashed rgba(255,255,255,.18); border-radius:.8rem; padding:1rem}

legend{padding:0 .4rem; color:var(--muted)}

.small{font-size:.875rem
```

```
}
```

```
.muted{
```

```
  color:var(--muted)
```

```
}
```

```
.map-placeholder{
```

```
  height: 220px; border-radius: .8rem;
```

```
  border: 1px dashed rgba(255,255,255,.25);
```

```
  display:grid; place-items:center; color:var(--muted);
```

```
  background:
```

```
    conic-gradient(from 180deg at 50% 50%, rgba(255,255,255,.06), rgba(255,255,255,0) 60%) ,
```

```
    radial-gradient(120px 120px at 20% 30%, rgba(255,255,255,.08), transparent 60%);
```

```
}
```

```
.site-footer{
```

```
  margin-top:3rem; padding: 1.2rem 1rem; text-align:center;
```

```
  color:var(--muted); border-top: 1px solid rgba(255,255,255,.08)
```

```
}
```

```
.site-footer .social{
```

```
  display:flex; gap: 1rem; justify-content:center; margin-top:.5rem
```

```
}
```

```
.site-footer .social a{
```

```
  font-size: 1.4rem;
```

```
  color: var(--text);
```

```
  transition: color 0.2s ease, transform 0.2s ease;
```

```
}
```

```
.site-footer .social a:hover{
```

```
color: var(--brand);

transform: scale(1.15);

}

.site-footer a{

color:var(--text); text-decoration:none

}

.site-footer a:hover{

text-decoration:underline

}
```

Case Study 2: “EcoTour – Explore Nature”

ecotour.html

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <title>EcoTour — Sustainable Travel</title>

  <link rel="stylesheet" href="ecotour.css">

  <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.4.0/css/all.min.css">

</head>

<body>

<header class="header">

  <div class="logo">  Eco<span>Tour</span></div>

  <nav>
```


[Home](#home)
[Destinations](#destinations)
[Contact](#contact)

Travel Green, Travel Smart

Discover eco-friendly destinations and leave only footprints.


[Explore](#destinations)

Eco-Friendly Destinations



Forest Trekking

Immerse yourself in untouched greenery and wildlife conservation zones.



Solar Resorts

<p>Stay at accommodations that run entirely on renewable energy.</p>

</article>

<article class="card">

<h3>Organic Farms</h3>

<p>Experience farm-to-table food and participate in sustainable farming.</p>

</article>

</div>

</section>

<section id="contact" class="container contact-section">

<h2>Contact Us</h2>

<form class="form-card">

<label for="name">Name*</label>

<input type="text" id="name" required>

<label for="email">Email*</label>

<input type="email" id="email" required>

<label for="message">Message*</label>

<textarea id="message" rows="4" required></textarea>

<button type="submit" class="btn">Send Message</button>

</form>

</section>

```
<footer class="footer">

  <p>© <span id="year"></span> EcoTour</p>

  <div class="social">

    <a href="https://www.instagram.com" target="_blank"><i class="fab fa-instagram"></i></a>

    <a href="https://twitter.com" target="_blank"><i class="fab fa-twitter"></i></a>

    <a href="https://facebook.com" target="_blank"><i class="fab fa-facebook"></i></a>

  </div>

</footer>


<script>

  document.getElementById("year").textContent = new Date().getFullYear();

</script>


</body>

</html>
```

ecotour.css

```
:root {

  --bg: #0f2f1f;

  --text: #f0fdf4;

  --muted: #9ae6b4;

  --brand: #22c55e;

  --brand-dark: #15803d;

}


* {

  box-sizing: border-box; margin: 0; padding: 0; scroll-behavior: smooth;
```



```
}

body {

  font-family: Arial, sans-serif; background: var(--bg); color: var(--text); }


.header {

  display: flex;

  justify-content: space-between;

  align-items: center;

  padding: 1rem 2rem;

  background: rgba(0,0,0,0.6);

  position: sticky; top: 0;

  z-index: 10;

}

.logo { font-weight: bold; font-size: 1.5rem; }

.logo span { color: var(--brand); }

nav a {

  color: var(--muted);

  margin-left: 1rem;

  text-decoration: none;

  font-weight: bold;

}

nav a:hover { color: white; }


.hero {

  height: 70vh;

  background: linear-gradient(rgba(0,0,0,0.5), rgba(0,0,0,0.5)),

    url('https://images.unsplash.com/photo-1501785888041-
```

```
af3ef285b470?auto=format&fit=crop&w=1920&q=80') center/cover;

display: flex; justify-content: center; align-items: center; text-align: center;

padding: 2rem;
```

```
}
```

```
.hero-text h1 {

  font-size: 2.8rem; margin-bottom: 1rem;
```

```
}
```

```
.hero-text p {

  margin-bottom: 1.5rem; font-size: 1.1rem;
```

```
}
```

```
.btn {

  background: var(--brand);

  color: black;

  padding: 0.7rem 1.2rem;

  border-radius: 0.5rem;

  text-decoration: none;

  font-weight: bold;

  transition: background 0.3s ease;
```

```
}
```

```
.btn:hover {

  background: var(--brand-dark);
```

```
}
```

```
.container {

  padding: 3rem 2rem; max-width: 1100px; margin: auto;
```

```
}
```

```
h2 {
```

```
    text-align: center; margin-bottom: 2rem;
}

.grid-3 {
    display: grid; grid-template-columns: repeat(3,1fr); gap: 1.5rem;
}

.card {
    background: rgba(255,255,255,0.05);
    border-radius: 0.8rem;
    padding: 1rem;
    text-align: center;
    transition: transform 0.3s ease;
}

.card:hover { transform: translateY(-5px); }

.card img { width: 100%; border-radius: 0.8rem; height: 200px; object-fit: cover; }

.card h3 { margin: 1rem 0; }


.center-text {
    text-align: center;
}

.contact-section {
    background: rgba(0,0,0,0.3);
    border-radius: 0.8rem;
    padding: 2rem;
}

.form-card {
    display: flex;
    flex-direction: column;
```

```
gap: 0.7rem;

max-width: 500px;

margin: auto;
}

.form-card input, .form-card textarea {

padding: 0.7rem;

border: none;

border-radius: 0.5rem;
}

.form-card button {

border: none; cursor: pointer;
}


.footer {

text-align: center; padding: 1.5rem; background: rgba(0,0,0,0.6); margin-top: 2rem;
}

.social a {

color: var(--text); margin: 0 0.5rem; font-size: 1.3rem; transition: color 0.2s;
}

.social a:hover {

color: var(--brand);
}


@media (max-width: 768px) {

.grid-3 { grid-template-columns: 1fr; }

.hero-text h1 { font-size: 2rem; }
}
```