HTML5 and CSS3 | Post Assessment

Total points   20/20

The respondent's email (**jyoti.kumari1@indiamart.com**) was recorded on submission of this form.

✓ 1. Which character is used to represent when a tag is closed in HTML?   1/1

○ #

○ <

○ !

◉ /   ✓

✓ 2. Among the following, which is the HTML paragraph tag?   1/1

◉ <p>   ✓

○ <pre>

○ <hr>

○ <a>

✓ 3. How to group radio buttons in HTML   1/1

⦿ By name   ✓

○ By Id

○ By class

○ All of the above

✓ 4. Which of the following HTML tag is used to create an unordered list?   1/1

○ <ulist>

○ <olist>

⦿   ✓

○

✓ 5. What are block level elements   1/1

○ abel, span

○ button, anchor

⦿ div, h1   ✓

○ None of the above

✓ 6. What are inline elements   1/1

◉ label, span   ✓

○ p, anchor

○ div, h1

○ None of the above

✓ 7. Which of the following tag is used to create a text area in HTML Form?   1/1

○ <text> </text>

◉ <textarea> </textarea>   ✓

○ <select type="text"></select>

○ <input type="text">

✓ 8. How to create checkbox in HTML Form   1/1

○ <input type="text-check">

○ <input type="check-text">

◉ <input type="checkbox">   ✓

○ <input type="text">

✓ 9. Which of the following extension is used to save an HTML file?   1/1

○ .hl

○ .h

○ .xml

◉ .html   ✓

✓ 10. How do you write H_2SO_4 (as it is) using HTML   1/1

○ H²SO⁴/sup>

○ H~~2~~SO~~4~~

◉ H₂SO₄   ✓

○ H<down>2</down>SO<down>4</down>

✓ 11. How to Include the padding and border in an element's total width and 1/1
        height

○ A. box-sizing: content-box

◉ B. box-sizing: border-box   ✓

○ C. box-sizing: none

○ D. All of the above

✓   12. What is the use of tbody   1/1

　　　⦿ A. It is used to group the body content in a table   ✓

　　　◯ B. It is used to group the header content in a table.

　　　◯ C. It is used to group the footer content in a table.

　　　◯ D. None of the above

✓   13. What is the use of thead?   1/1

　　　◯ A. It is used to group the body content in a table

　　　⦿ B. It is used to group the header content in a table   ✓

　　　◯ C. It is used to group the footer content in a table

　　　◯ D. None of the above

✓   14. What is a child selector   1/1

　　　⦿ A. div > p   ✓

　　　◯ B. div + p

　　　◯ C. div ~ p

　　　◯ D. div p

✓ 15. What is fallback font?   1/1

○ A. font which will be used to apply color

○ B. font which will be used to apply background

○ C. font which will be used to apply font family

⦿ D. font which will be used if other choices aren't usable   ✓

✓ 16. Which property tells how many rows a cell should span?   1/1

○ A. colspan=n

⦿ B. rowspan=n   ✓

○ C. colcount=n

○ D. rowcount=n

✓ 17. What is @import in CSS?   1/1

⦿ A. Which allows us to import a stylesheet into another one   ✓

○ B. Which allows us to create border shadow

○ C. Which allows us to import background color

○ D. Which allows us to import font family

✓ 18. What happens when we run this emmet code, p*3.class + tab   1/1

○ A. will create 3 p elements with style attribute

⊙ B. will create 3 p elements with class attribute   ✓

○ C. will create 3 p elements with id attribute

○ D. will create 3 p elements with name attribute

✓ 19. If the background image is smaller than the screen, what will happen? 1/1

○ A. It will be stretched

⊙ B. It will be repeated   ✓

○ C. Image disappears

○ D. Image breaks

✓ 20. Text within <strong> tag is displayed as?   1/1

○ A. List

○ B. Italic

○ C. Underline

⊙ D. bold   ✓

Google Forms